

Masakiyo Hosokawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/359183/publications.pdf>

Version: 2024-02-01

80
papers

5,030
citations

136950

32
h-index

95266

68
g-index

83
all docs

83
docs citations

83
times ranked

3919
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of steric hindrance and electron density of ester prodrugs on controlling the metabolic activation by human carboxylesterase. <i>Drug Metabolism and Pharmacokinetics</i> , 2021, 38, 100391.	2.2	4
2	Structure-activity relationship of atorvastatin derivatives for metabolic activation by hydrolases. <i>Xenobiotica</i> , 2020, 50, 261-269.	1.1	11
3	Investigation of the chiral recognition ability of human carboxylesterase 1 using indomethacin esters. <i>Chirality</i> , 2020, 32, 73-80.	2.6	7
4	Design, synthesis and biological evaluation of water-soluble phenytoin prodrugs considering the substrate recognition ability of human carboxylesterase 1. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 152, 105455.	4.0	5
5	Indole-3-propionic acid has chemical chaperone activity and suppresses endoplasmic reticulum stress-induced neuronal cell death. <i>Biochemical and Biophysical Research Communications</i> , 2019, 517, 623-628.	2.1	24
6	Synthesis and evaluation of haloperidol ester prodrugs metabolically activated by human carboxylesterase. <i>European Journal of Pharmaceutical Sciences</i> , 2019, 132, 125-131.	4.0	11
7	Analysis of carboxylesterase 2 transcript variants in cynomolgus macaque liver. <i>Xenobiotica</i> , 2019, 49, 247-255.	1.1	6
8	Chemical synthesis of an indomethacin ester prodrug and its metabolic activation by human carboxylesterase 1. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 997-1000.	2.2	18
9	Molecular characterization and polymorphisms of butyrylcholinesterase in cynomolgus macaques. <i>Journal of Medical Primatology</i> , 2018, 47, 185-191.	0.6	0
10	Development of a Caco-2 Cell Line Carrying the Human Intestine-Type CES Expression Profile as a Promising Tool for Ester-Containing Drug Permeability Studies. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 697-706.	1.4	9
11	Functional analysis of carboxylesterase in human induced pluripotent stem cell-derived enterocytes. <i>Biochemical and Biophysical Research Communications</i> , 2017, 486, 143-148.	2.1	20
12	Virtual Clinical Studies to Examine the Probability Distribution of the AUC at Target Tissues Using Physiologically-Based Pharmacokinetic Modeling: Application to Analyses of the Effect of Genetic Polymorphism of Enzymes and Transporters on Irinotecan Induced Side Effects. <i>Pharmaceutical Research</i> , 2017, 34, 1584-1600.	3.5	18
13	Synthesis and evaluation of atorvastatin esters as prodrugs metabolically activated by human carboxylesterases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 921-923.	2.2	14
14	Isolation and characterization of arylacetamide deacetylase in cynomolgus macaques. <i>Journal of Veterinary Medical Science</i> , 2015, 77, 721-724.	0.9	6
15	A New Methodology for Functionalization at the 3-Position of Indoles by a Combination of Boron Lewis Acid with Nitriles. <i>Chemical and Pharmaceutical Bulletin</i> , 2015, 63, 538-545.	1.3	5
16	Analysis of a child who developed abnormal neuropsychiatric symptoms after administration of oseltamivir: a case report. <i>BMC Neurology</i> , 2015, 15, 130.	1.8	15
17	Systematic Identification and Characterization of Carboxylesterases in Cynomolgus Macaques. <i>Drug Metabolism and Disposition</i> , 2014, 42, 2002-2006.	3.3	13
18	The effect of carboxylesterase 1 (CES1) polymorphisms on the pharmacokinetics of oseltamivir in humans. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 21-30.	1.9	29

#	ARTICLE	IF	CITATIONS
19	Gly143Glu polymorphism of the human carboxylesterase1 gene in an Asian population. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 735-736.	1.9	4
20	Dexamethasone-mediated transcriptional regulation of rat carboxylesterase 2 gene. <i>Xenobiotica</i> , 2012, 42, 614-623.	1.1	4
21	Recommended nomenclature for five mammalian carboxylesterase gene families: human, mouse, and rat genes and proteins. <i>Mammalian Genome</i> , 2010, 21, 427-441.	2.2	147
22	Association of <i>carboxylesterase 1A</i> genotypes with irinotecan pharmacokinetics in Japanese cancer patients. <i>British Journal of Clinical Pharmacology</i> , 2010, 70, 222-233.	2.4	44
23	The Critical Role of Neutral Cholesterol Ester Hydrolase 1 in Cholesterol Removal From Human Macrophages. <i>Circulation Research</i> , 2010, 107, 1387-1395.	4.5	90
24	Carboxylesterases: structure, function and polymorphism in mammals. <i>Journal of Pesticide Sciences</i> , 2010, 35, 218-228.	1.4	26
25	Prodrug approach using carboxylesterases activity: catalytic properties and gene regulation of carboxylesterase in mammalian tissue. <i>Journal of Pesticide Sciences</i> , 2010, 35, 229-239.	1.4	29
26	Are Non-human Primates Useful Experimental Animals for Pre-clinical Study?. <i>Drug Metabolism and Pharmacokinetics</i> , 2010, 25, 221-222.	2.2	0
27	DNA methylation and its involvement in <i>carboxylesterase 1A1</i> (<i>CES1A1</i>) gene expression. <i>Xenobiotica</i> , 2010, 40, 119-128.	1.1	10
28	Limited Brain Distribution of [3R,4R,5S]-4-Acetamido-5-amino-3-(1-ethylpropoxy)-1-cyclohexene-1-carboxylate Phosphate (Ro 64-0802), a Pharmacologically Active Form of Oseltamivir, by Active Efflux across the Blood-Brain Barrier Mediated by Organic Anion Transporter 3 (Oat3/Slc22a8) and Multidrug Resistance-Associated Protein 4 (Mrp4/Abcc4). <i>Drug Metabolism and Disposition</i> , 2009, 37, 315-321.	3.3	121
29	Carboxylesterases: Structure, Function and Polymorphism. <i>Biomolecules and Therapeutics</i> , 2009, 17, 335-347.	2.4	19
30	Functional polymorphisms in carboxylesterase1A2 (<i>CES1A2</i>) gene involves specific protein 1 (Sp1) binding sites. <i>Biochemical and Biophysical Research Communications</i> , 2008, 369, 939-942.	2.1	44
31	Structural Organization and Characterization of the Regulatory Element of the Human Carboxylesterase (<i>CES1A1</i> and <i>CES1A2</i>) genes. <i>Drug Metabolism and Pharmacokinetics</i> , 2008, 23, 73-84.	2.2	49
32	Structure and Catalytic Properties of Carboxylesterase Isozymes Involved in Metabolic Activation of Prodrugs. <i>Molecules</i> , 2008, 13, 412-431.	3.8	326
33	Fawcettimine-Related Alkaloids from <i>Lycopodium serratum</i> . <i>Journal of Natural Products</i> , 2007, 70, 1024-1028.	3.0	30
34	Genomic Structure and Transcriptional Regulation of the Rat, Mouse, and Human Carboxylesterase Genes. <i>Drug Metabolism Reviews</i> , 2007, 39, 1-15.	3.6	88
35	Hepatocyte nuclear factor-4 β plays pivotal roles in the regulation of mouse carboxylesterase 2 gene transcription in mouse liver. <i>Archives of Biochemistry and Biophysics</i> , 2006, 447, 107-117.	3.0	37
36	Species-, sex-, and age-dependent urinary excretion of cauxin, a mammalian carboxylesterase. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2006, 145, 270-277.	1.6	53

#	ARTICLE	IF	CITATIONS
37	Structure, Function, and Regulation of Carboxylesterases. , 2006, , 219-231.		280
38	Structure, function and regulation of carboxylesterases. <i>Chemico-Biological Interactions</i> , 2006, 162, 195-211.	4.0	425
39	Substrate Specificity of Carboxylesterase Isozymes and Their Contribution to Hydrolase Activity in Human Liver and Small Intestine. <i>Drug Metabolism and Disposition</i> , 2006, 34, 1734-1741.	3.3	233
40	INVOLVEMENT OF HEPATOCYTE NUCLEAR FACTOR 4 β IN THE DIFFERENT EXPRESSION LEVEL BETWEEN CYP2C9 AND CYP2C19 IN THE HUMAN LIVER. <i>Drug Metabolism and Disposition</i> , 2006, 34, 1012-1018.	3.3	35
41	Dexamethasone-induced methylprednisolone hemisuccinate hydrolase: Its identification as a member of the rat carboxylesterase 2 family and its unique existence in plasma. <i>Biochemical Pharmacology</i> , 2005, 69, 1287-1297.	4.4	40
42	IDENTIFICATION OF HMG-CoA REDUCTASE INHIBITORS AS ACTIVATORS FOR HUMAN, MOUSE AND RAT CONSTITUTIVE ANDROSTANE RECEPTOR. <i>Drug Metabolism and Disposition</i> , 2005, 33, 924-929.	3.3	68
43	Functional characterization of SLCO1B1 (OATP-C) variants, SLCO1B1*5, SLCO1B1*15 and SLCO1B1*15+C1007G, by using transient expression systems of HeLa and HEK293 cells. <i>Pharmacogenetics and Genomics</i> , 2005, 15, 513-522.	1.5	339
44	IDENTIFICATION OF DI-(2-ETHYLHEXYL) PHTHALATE-INDUCED CARBOXYLESTERASE 1 IN C57BL/6 MOUSE LIVER MICROSOMES: PURIFICATION, CDNA CLONING, AND BACULOVIRUS-MEDIATED EXPRESSION. <i>Drug Metabolism and Disposition</i> , 2004, 32, 1170-1177.	3.3	25
45	Allelic expression imbalance of the human CYP3A4 gene and individual phenotypic status. <i>Human Molecular Genetics</i> , 2004, 13, 2959-2969.	2.9	49
46	KEY STRUCTURAL FEATURES OF LIGANDS FOR ACTIVATION OF HUMAN PREGNANE X RECEPTOR. <i>Drug Metabolism and Disposition</i> , 2004, 32, 468-472.	3.3	26
47	Synergistic role of specificity proteins and upstream stimulatory factor 1 in transactivation of the mouse carboxylesterase 2/microsomal acylcarnitine hydrolase gene promoter. <i>Biochemical Journal</i> , 2004, 384, 101-110.	3.7	29
48	A Novel Variant Allele of OATP-C (SLCO1B1) Found in a Japanese Patient with Pravastatin-induced Myopathy. <i>Drug Metabolism and Pharmacokinetics</i> , 2004, 19, 453-455.	2.2	84
49	CYP3A4 inducible model for in vitro analysis of human drug metabolism using a bioartificial liver. <i>Hepatology</i> , 2003, 37, 665-673.	7.3	53
50	Metabolism of medroxyprogesterone acetate (MPA) via CYP enzymes in vitro and effect of MPA on bleeding time in female rats in dependence on CYP activity in vivo. <i>Life Sciences</i> , 2003, 73, 3201-3212.	4.3	9
51	Purification, molecular cloning, and functional expression of inducible liver acylcarnitine hydrolase in C57BL/6 mouse, belonging to the carboxylesterase multigene family. <i>Archives of Biochemistry and Biophysics</i> , 2003, 416, 101-109.	3.0	40
52	Evidence for the Involvement of a Pulmonary First-Pass Effect via Carboxylesterase in the Disposition of a Propranolol Ester Derivative after Intravenous Administration. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003, 307, 1234-1242.	2.5	37
53	Effects of G169R and P34S Substitutions Produced by Mutations of CYP2D6*14 on the Functional Properties of CYP2D6 Expressed in V79 Cells. <i>Drug Metabolism and Disposition</i> , 2002, 30, 1201-1205.	3.3	10
54	Measurement of Carboxylesterase (CES) Activities. <i>Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et al]</i> , 2001, 10, Unit4.7.	1.1	64

#	ARTICLE	IF	CITATIONS
55	Purification, Molecular Cloning, and Functional Expression of Dog Liver Microsomal acyl-CoA Hydrolase: A Member of the Carboxylesterase Multigene Family. Archives of Biochemistry and Biophysics, 2001, 389, 245-253.	3.0	26
56	Inactivation of Rat Cytochrome P450 2D Enzyme by a Further Metabolite of 4-Hydroxypropranolol, the Major and Active Metabolite of Propranolol.. Biological and Pharmaceutical Bulletin, 2001, 24, 988-994.	1.4	25
57	High-performance liquid chromatographic analysis of the sulfation of 4-hydroxypropranolol enantiomers by monkey liver cytosol. Chirality, 2001, 13, 140-147.	2.6	9
58	Effects of carbamazepine on the first ovulation in gonadotropin-primed immature female rats. British Journal of Pharmacology, 2001, 134, 1328-1334.	5.4	2
59	Toxicological significance in the cleavage of esterase- β -glucuronidase complex in liver microsomes by organophosphorus compounds. Chemico-Biological Interactions, 1999, 119-120, 471-478.	4.0	23
60	cDNA cloning, characterization and stable expression of novel human brain carboxylesterase. FEBS Letters, 1999, 458, 17-22.	2.8	64
61	Analysis of genetic polymorphism on the promoter region of a human liver carboxylesterase gene. Drug Metabolism and Pharmacokinetics, 1999, 14, 94-95.	0.0	0
62	THE MAMMALIAN CARBOXYLESTERASES: From Molecules to Functions. Annual Review of Pharmacology and Toxicology, 1998, 38, 257-288.	9.4	690
63	Synthesis of a new class of camptothecin derivatives, the long-chain fatty acid esters of 10-hydroxycamptothecin, as a potent prodrug candidate, and their in vitro metabolic conversion by carboxylesterases. Bioorganic and Medicinal Chemistry Letters, 1998, 8, 415-418.	2.2	25
64	Differential catalytic properties in metabolism of endogenous and exogenous substrates among CYP3A enzymes expressed in COS-7 cells. Biochimica Et Biophysica Acta - General Subjects, 1998, 1380, 297-304.	2.4	59
65	cDNA Cloning and Genomic Organization of Peroxisome Proliferator-Inducible Long-Chain Acyl-CoA Hydrolase from Rat Liver Cytosol. Biochemical and Biophysical Research Communications, 1998, 248, 608-612.	2.1	23
66	Multiplicity and Species Differences of Carboxylesterase Isozymes in Mammals and Humans.. Drug Metabolism and Pharmacokinetics, 1998, 13, 405-417.	0.0	0
67	Species differences in the substrate specificity of carboxylesterase isozymes in mammals and humans. Drug Metabolism and Pharmacokinetics, 1998, 13, 90-91.	0.0	0
68	Molecular Cloning and Expression of cDNAs Encoding Rat Brain and Liver Cytosolic Long-Chain Acyl-CoA Hydrolases. Biochemical and Biophysical Research Communications, 1997, 232, 198-203.	2.1	30
69	Differences in the Induction of Carboxylesterase RL4 in Rat Liver Microsomes by Various Perfluorinated Fatty Acids, Metabolically Inert Derivatives of Fatty Acids.. Biological and Pharmaceutical Bulletin, 1996, 19, 765-767.	1.4	21
70	Molecular aspects of carboxylesterase isoforms in comparison with other esterases. Toxicology Letters, 1995, 82-83, 439-445.	0.8	57
71	CLONING AND EXPRESSION OF cDNA ENCODING CARBOXYLESTERASE ISOZYMES FROM MAMMALS AND HUMANS. Drug Metabolism and Pharmacokinetics, 1995, 10, 138-141.	0.0	0
72	N-Nitrosodiethylamine and 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone induced morphological transformation of C3H/10T1/2CL8 cells expressing human cytochrome P450 2A6. Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis, 1994, 324, 93-102.	1.1	10

#	ARTICLE	IF	CITATIONS
73	Human CYP2A6 activation of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK): mutational specificity in the <i>CYP2A6</i> gene of AS52 cells. <i>Carcinogenesis</i> , 1994, 15, 2859-2866.	2.8	50
74	Metabolic Activation of CPT-11, 7-Ethyl-10-(4-(1-piperidino)-1-piperidino)carbonyloxycamptothecin, a Novel Antitumor Agent, by Carboxylesterase.. <i>Biological and Pharmaceutical Bulletin</i> , 1994, 17, 662-664.	1.4	171
75	Differential responses of rat hepatic microsomal carboxylesterase isozymes to glucocorticoids and pregnenolone 16 α -carbonitrile. <i>Biochemical Pharmacology</i> , 1993, 45, 2317-2322.	4.4	32
76	Retroviral mediated expression of human cytochrome P450 2A6 in C3H/10T1/2 cells confers transformability by 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK). <i>Carcinogenesis</i> , 1993, 14, 1421-1427.	2.8	34
77	Multiplicity and Acylation/Deacylation Capability of Liver Microsomal Carboxyl esterase Isozymes in Several Animal Species and Humans. <i>Drug Metabolism and Pharmacokinetics</i> , 1993, 8, 637-640.	0.0	0
78	Changes in Carboxylesterase Isoenzymes of Rat Liver Microsomes during Hepatocarcinogenesis. <i>Japanese Journal of Cancer Research</i> , 1991, 82, 800-806.	1.7	36
79	Characterization of molecular species of liver microsomal carboxylesterases of several animal species and humans. <i>Archives of Biochemistry and Biophysics</i> , 1990, 277, 219-227.	3.0	176
80	Enhancement of the Binding of O-Ethyl O-p-Nitrophenyl 3benylphosphonate (EPNoxon) to Microsomal Carboxylesterase by NAD in vitro. <i>The Japanese Journal of Pharmacology</i> , 1985, 37, 39-44.	1.2	1