

# Jeffrey A Frelinger

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3594385/publications.pdf>

Version: 2024-02-01

286  
papers

12,081  
citations

27035

58  
h-index

39744

98  
g-index

291  
all docs

291  
docs citations

291  
times ranked

10418  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mouse Model of a Human STAT4 Point Mutation That Predisposes to Disseminated Coccidiomycosis. <i>ImmunoHorizons</i> , 2022, 6, 130-143.	0.8	9
2	A Protease Activatable Interleukin-2 Fusion Protein Engenders Antitumor Immune Responses by Interferon Gamma-Dependent and Interferon Gamma-Independent Mechanisms. <i>Journal of Interferon and Cytokine Research</i> , 2022, 42, 316-328.	0.5	1
3	A Chronic Murine Disease Model of Coccidioidomycosis Using <i>Coccidioides posadasii</i> , Strain 1038. <i>Journal of Infectious Diseases</i> , 2021, 223, 166-173.	1.9	17
4	Editorial: The Present and Future of Immunology Education. <i>Frontiers in Immunology</i> , 2021, 12, 744090.	2.2	2
5	Î”cps1 vaccine protects dogs against experimentally induced coccidioidomycosis. <i>Vaccine</i> , 2021, 39, 6894-6901.	1.7	14
6	Vaccine Protection of Mice With Primary Immunodeficiencies Against Disseminated Coccidioidomycosis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 790488.	1.8	5
7	TNFÎ± Blockade Inhibits Both Initial and Continued Control of Pulmonary Coccidioides. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 796114.	1.8	3
8	Early Events in Coccidioidomycosis. <i>Clinical Microbiology Reviews</i> , 2019, 33, .	5.7	19
9	Development of an Interleukin-12 Fusion Protein That Is Activated by Cleavage with Matrix Metalloproteinase 9. <i>Journal of Interferon and Cytokine Research</i> , 2019, 39, 233-245.	0.5	21
10	2888. STAT4 Mutation in Three Generations with Disseminated Coccidioidomycosis (DCM) also Exhibits Increased Susceptibility to Coccidioidal Infection in Transfected Mice. <i>Open Forum Infectious Diseases</i> , 2019, 6, S77-S78.	0.4	3
11	1732. A Canine Target Species Challenge Model to Evaluate Efficacy of a Coccidioidomycosis Vaccine. <i>Open Forum Infectious Diseases</i> , 2019, 6, S634-S635.	0.4	2
12	Inoculating a New Generation: Immunology in Medical Education. <i>Frontiers in Immunology</i> , 2019, 10, 2548.	2.2	18
13	A Natural Mouse Model for Neisseria Colonization. <i>Infection and Immunity</i> , 2018, 86, .	1.0	20
14	Lifelong CMV infection improves immune defense in old mice by broadening the mobilized TCR repertoire against third-party infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E6817-E6825.	3.3	52
15	Adaptive Immunity to Francisella tularensis and Considerations for Vaccine Development. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 115.	1.8	27
16	Viable spores of Coccidioides posadasii Î”cps1 are required for vaccination and provide long lasting immunity. <i>Vaccine</i> , 2018, 36, 3375-3380.	1.7	22
17	The Commensal <i>Neisseria musculi</i> Modulates Host Innate Immunity To Promote Oral Colonization. <i>ImmunoHorizons</i> , 2018, 2, 305-313.	0.8	7
18	Efficacy of Resistance to Francisella Imparted by ITY/NRAMP/SLC11A1 Depends on Route of Infection. <i>Frontiers in Immunology</i> , 2017, 8, 206.	2.2	6

#	ARTICLE	IF	CITATIONS
19	A <i>Coccidioides posadasii</i> CPS1 Deletion Mutant Is Avirulent and Protects Mice from Lethal Infection. <i>Infection and Immunity</i> , 2016, 84, 3007-3016.	1.0	47
20	iWAS – A novel approach to analyzing Next Generation Sequence data for immunology. <i>Cellular Immunology</i> , 2016, 299, 6-13.	1.4	8
21	Distinct innate responses are induced by attenuated <i>Salmonella enterica</i> serovar Typhimurium mutants. <i>Cellular Immunology</i> , 2016, 299, 42-49.	1.4	14
22	Peptide/MHC Tetramer-Based Sorting of CD8+ T Cells to a Leukemia Antigen Yields Clonotypes Drawn Nonspecifically from an Underlying Restricted Repertoire. <i>Cancer Immunology Research</i> , 2015, 3, 228-235.	1.6	16
23	Depletion of alveolar macrophages in CD11c diphtheria toxin receptor mice produces an inflammatory response. <i>Immunity, Inflammation and Disease</i> , 2015, 3, 71-81.	1.3	15
24	Characterization of an IL-12 p40/p35 Truncated Fusion Protein That Can Inhibit the Action of IL-12. <i>Journal of Interferon and Cytokine Research</i> , 2015, 35, 690-697.	0.5	7
25	Big Data, Big Opportunities, and Big Challenges. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2015, 17, 33-35.	0.8	13
26	Using the emerging Collaborative Cross to probe the immune system. <i>Genes and Immunity</i> , 2014, 15, 38-46.	2.2	71
27	TLR2 Signaling is Required for the Innate, but Not Adaptive Response to LVS clpB. <i>Frontiers in Immunology</i> , 2014, 5, 426.	2.2	6
28	IFN- $\gamma$ , but not IL-17A, is required for survival during secondary pulmonary <i>Francisella tularensis</i> Live Vaccine Strain infection. <i>Vaccine</i> , 2014, 32, 3595-3603.	1.7	21
29	Overcoming the Limitations Posed by TCR-beta Repertoire Modeling through a GPU-Based In-Silico DNA Recombination Algorithm. , 2014, , .		1
30	Identification of Early Interactions between <i>Francisella</i> and the Host. <i>Infection and Immunity</i> , 2014, 82, 2504-2510.	1.0	29
31	Flagellin Treatment Prevents Increased Susceptibility to Systemic Bacterial Infection after Injury by Inhibiting Anti-Inflammatory IL-10+ IL-12- Neutrophil Polarization. <i>PLoS ONE</i> , 2014, 9, e85623.	1.1	52
32	Elimination of <i>Pasteurella pneumotropica</i> from a mouse barrier facility by using a modified enrofloxacin treatment regimen. <i>Journal of the American Association for Laboratory Animal Science</i> , 2014, 53, 517-22.	0.6	11
33	IFN- $\gamma$ Mediates the Antitumor Effects of Radiation Therapy in a Murine Colon Tumor. <i>American Journal of Pathology</i> , 2013, 182, 2345-2354.	1.9	112
34	Polymorphisms and tissue expression of the feline leukocyte antigen class I loci FLAI-E, FLAI-H, and FLAI-K. <i>Immunogenetics</i> , 2013, 65, 675-689.	1.2	14
35	Deletion of naive T cells recognizing the minor histocompatibility antigen HY with toxin-coupled peptide-MHC class I tetramers inhibits cognate CTL responses and alters immunodominance. <i>Transplant Immunology</i> , 2013, 29, 138-145.	0.6	10
36	Generation of a Dual-Functioning Antitumor Immune Response in the Peritoneal Cavity. <i>American Journal of Pathology</i> , 2013, 183, 1318-1328.	1.9	21

#	ARTICLE	IF	CITATIONS
37	Infection with <i>Francisella tularensis</i> LVS <i>clpB</i> Leads to an Altered yet Protective Immune Response. <i>Infection and Immunity</i> , 2013, 81, 2028-2042.	1.0	29
38	Recent Advances in Our Understanding of the Environmental, Epidemiological, Immunological, and Clinical Dimensions of Coccidioidomycosis. <i>Clinical Microbiology Reviews</i> , 2013, 26, 505-525.	5.7	223
39	Identification of <i>Francisella novicida</i> mutants that fail to induce prostaglandin E2 synthesis by infected macrophages. <i>Frontiers in Microbiology</i> , 2013, 4, 16.	1.5	13
40	The LCMV gp33-specific memory T cell repertoire narrows with age. <i>Immunity and Ageing</i> , 2012, 9, 17.	1.8	14
41	Plexin-B2 and Plexin-D1 in Dendritic Cells: Expression and IL-12/IL-23p40 Production. <i>PLoS ONE</i> , 2012, 7, e43333.	1.1	43
42	Allelic diversity at the <i>DLA<sup>88</sup></i> locus in Golden Retriever and Boxer breeds is limited. <i>Tissue Antigens</i> , 2012, 80, 175-183.	1.0	27
43	Identification of T-cell epitopes in <i>Francisella tularensis</i> using an ordered protein array of serological targets. <i>Immunology</i> , 2011, 132, 348-360.	2.0	23
44	A broadly applicable approach to T cell epitope identification: Application to improving tumor associated epitopes and identifying epitopes in complex pathogens. <i>Journal of Immunological Methods</i> , 2011, 373, 111-126.	0.6	8
45	HLA-A2-Matched Peripheral Blood Mononuclear Cells From Type 1 Diabetic Patients, but Not Nondiabetic Donors, Transfer Insulinitis to NOD-scid/Ånull/HLA-A2 Transgenic Mice Concurrent With the Expansion of Islet-Specific CD8+ T cells. <i>Diabetes</i> , 2011, 60, 1726-1733.	0.3	31
46	Life in the MHC. <i>Journal of Immunology</i> , 2011, 187, 2035-2037.	0.4	0
47	Genetic analysis of complex traits in the emerging Collaborative Cross. <i>Genome Research</i> , 2011, 21, 1213-1222.	2.4	327
48	IL-12 Suppresses Vascular Endothelial Growth Factor Receptor 3 Expression on Tumor Vessels by Two Distinct IFN-Î³-Dependent Mechanisms. <i>Journal of Immunology</i> , 2010, 184, 1858-1866.	0.4	40
49	Lung CD4 <sup>+</sup> CD8 <sup>-</sup> Double-Negative T Cells Are Prominent Producers of IL-17A and IFN-Î³ during Primary Respiratory Murine Infection with <i>Francisella tularensis</i> Live Vaccine Strain. <i>Journal of Immunology</i> , 2010, 184, 5791-5801.	0.4	96
50	Heterotypic Humoral and Cellular Immune Responses following Norwalk Virus Infection. <i>Journal of Virology</i> , 2010, 84, 1800-1815.	1.5	125
51	Toxin-Coupled MHC Class I Tetramers Can Specifically Ablate Autoreactive CD8+ T Cells and Delay Diabetes in Nonobese Diabetic Mice. <i>Journal of Immunology</i> , 2010, 184, 4196-4204.	0.4	55
52	Î² Cell-Specific CD4+ T Cell Clonotypes in Peripheral Blood and the Pancreatic Islets Are Distinct. <i>Journal of Immunology</i> , 2009, 183, 7585-7591.	0.4	29
53	Identification of a dominant CD4 T cell epitope in the membrane lipoprotein Tul4 from <i>Francisella tularensis</i> LVS. <i>Molecular Immunology</i> , 2009, 46, 1830-1838.	1.0	19
54	Islet lymphocyte subsets in male and female NOD mice are qualitatively similar but quantitatively distinct. <i>Autoimmunity</i> , 2009, 42, 678-691.	1.2	28

#	ARTICLE	IF	CITATIONS
55	Outsmarting the host: bacteria modulating the immune response. <i>Immunologic Research</i> , 2008, 41, 188-202.	1.3	31
56	Rescue of cytotoxic function in the CD8 $\hat{\pm}$ knockout mouse by removal of MHC class II. <i>European Journal of Immunology</i> , 2008, 38, 1511-1521.	1.6	7
57	Respiratory <i>Francisella tularensis</i> Live Vaccine Strain Infection Induces Th17 Cells and Prostaglandin E <sub>2</sub> , Which Inhibits Generation of Gamma Interferon-Positive T Cells. <i>Infection and Immunity</i> , 2008, 76, 2651-2659.	1.0	95
58	T-Cell Promiscuity in Autoimmune Diabetes. <i>Diabetes</i> , 2008, 57, 2099-2106.	0.3	27
59	Infected-Host-Cell Repertoire and Cellular Response in the Lung following Inhalation of <i>Francisella tularensis</i> Schu S4, LVS, or U112. <i>Infection and Immunity</i> , 2008, 76, 5843-5852.	1.0	185
60	Characterization of Islet Infiltrating Lymphocytes in NOD mice. <i>FASEB Journal</i> , 2008, 22, 667-27.	0.2	0
61	Diversity of a diabetogenic T cell population decreases with age in pre-diabetic NOD mice. <i>FASEB Journal</i> , 2008, 22, 462-462.	0.2	0
62	Novel epitope begets a novel pathway in type 1 diabetes progression. <i>Journal of Clinical Investigation</i> , 2008, 118, 3268-71.	3.9	0
63	<i>Francisella tularensis</i> -Infected Macrophages Release Prostaglandin E <sub>2</sub> that Blocks T Cell Proliferation and Promotes a Th2-Like Response. <i>Journal of Immunology</i> , 2007, 178, 2065-2074.	0.4	74
64	Identical $\hat{2}$ Cell-Specific CD8+ T Cell Clonotypes Typically Reside in Both Peripheral Blood Lymphocyte and Pancreatic Islets. <i>Journal of Immunology</i> , 2007, 178, 1388-1395.	0.4	36
65	CD8+ T Cell Activation Is Governed by TCR-Peptide/MHC Affinity, Not Dissociation Rate. <i>Journal of Immunology</i> , 2007, 179, 2952-2960.	0.4	111
66	Selective deletion of antigen-specific CD8+ T cells by MHC class I tetramers coupled to the type I ribosome-inactivating protein saporin. <i>Blood</i> , 2007, 109, 3300-3307.	0.6	40
67	In Vivo Study of T-Cell Responses to Skin Alloantigens in <i>Xenopus</i> Using a Novel Whole-Mount Immunohistology Method. <i>Transplantation</i> , 2007, 83, 159-166.	0.5	12
68	Spatial And Temporal Expression of Herpes Simplex Virus Type 1 Amplicon-Encoded Genes: Implications for Their Use As Immunization Vectors. <i>Human Gene Therapy</i> , 2007, 18, 93-105.	1.4	15
69	Transgene expression levels and kinetics determine risk of humoral immune response modeled in factor IX knockout and missense mutant mice. <i>Gene Therapy</i> , 2007, 14, 429-440.	2.3	40
70	Preferential Attachment of Peritoneal Tumor Metastases to Omental Immune Aggregates and Possible Role of a Unique Vascular Microenvironment in Metastatic Survival and Growth. <i>American Journal of Pathology</i> , 2006, 169, 1739-1752.	1.9	159
71	The Mechanics of Class II Processing: Establishment of a Peptide Class II Hierarchy. , 2006, , 31-55.		1
72	Class I MHC Antigen Processing. , 2006, , 1-30.		0

#	ARTICLE	IF	CITATIONS
73	Endogenous Antigen Processing. , 2006, , 73-87.		0
74	Regulation of Early T-Cell Development in the Thymus. , 2006, , 89-108.		0
75	Immunodominance in Tuberculosis. , 2006, , 163-188.		1
76	Effects of Pathogens on the Immune Response: HIV. , 2006, , 209-231.		0
77	T-Cell Specificity and Respiratory Virus Infections. , 2006, , 189-207.		0
78	Immunodominance in the T-Cell Response to Herpesviruses. , 2006, , 255-283.		0
79	CD8 T-cell Immunodominance, Repertoire, and Memory. , 2006, , 109-145.		4
80	Listeria monocytogenes Infection and the CD8+ T-Cell Hierarchy. , 2006, , 147-162.		1
81	The Effects of Pathogens on the Immune System: Viral Hepatitis. , 2006, , 233-254.		0
82	Increased Toll-Like Receptor 4 Expression on T Cells May Be a Mechanism for Enhanced T cell Response Late After Burn Injury. Journal of Trauma, 2006, 61, 293-299.	2.3	45
83	The Effect of Burn Injury on CD8+ and CD4+ T Cells in an Irradiation Model of Homeostatic Proliferation. Journal of Trauma, 2006, 61, 1062-1068.	2.3	10
84	The Phenomenon of Immunodomination: Speculations on the Nature of Immunodominance. , 2006, , 57-71.		4
85	Low-avidity CD8lo T cells induced by incomplete antigen stimulation in vivo regulate naive higher avidity CD8hi T cell responses to the same antigen. European Journal of Immunology, 2006, 36, 397-410.	1.6	32
86	Lymphopenia-Induced Homeostatic Proliferation of CD8+T Cells Is a Mechanism for Effective Allogeneic Skin Graft Rejection following Burn Injury. Journal of Immunology, 2006, 176, 6717-6726.	0.4	22
87	Early Autoimmune Destruction of Islet Grafts Is Associated with a Restricted Repertoire of IGRP-Specific CD8+ T Cells in Diabetic Nonobese Diabetic Mice. Journal of Immunology, 2006, 176, 1637-1644.	0.4	41
88	Memory CD8+ T cells require CD8 coreceptor engagement for calcium mobilization and proliferation, but not cytokine production. Immunology, 2005, 114, 44-52.	2.0	5
89	Characterization of a lymph node within the mouse prostate: Detailed analysis using whole mount histology. Prostate, 2005, 63, 105-116.	1.2	3
90	Cellular and Humoral Immunity following Snow Mountain Virus Challenge. Journal of Virology, 2005, 79, 2900-2909.	1.5	236

#	ARTICLE	IF	CITATIONS
91	Peripheral $\alpha$ CD8 Tuning Dynamically Modulates the Size and Responsiveness of an Antigen-Specific T Cell Pool In Vivo. <i>Journal of Immunology</i> , 2005, 174, 619-627.	0.4	73
92	Local Radiation Therapy of B16 Melanoma Tumors Increases the Generation of Tumor Antigen-Specific Effector Cells That Traffic to the Tumor. <i>Journal of Immunology</i> , 2005, 174, 7516-7523.	0.4	822
93	Correction of factor IX deficiency in mice by embryonic stem cells differentiated in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 2958-2963.	3.3	44
94	CD4 $\alpha$ CD8 $\alpha$ T cells control intracellular bacterial infections both in vitro and in vivo. <i>Journal of Experimental Medicine</i> , 2005, 202, 309-319.	4.2	118
95	Vaccination of macaques with SIV immunogens delivered by Venezuelan equine encephalitis virus replicon particle vectors followed by a mucosal challenge with SIVsmE660. <i>Vaccine</i> , 2005, 23, 4969-4979.	1.7	38
96	Cutting Edge: Tumor-Specific CTL Are Constitutively Cross-Armed in Draining Lymph Nodes and Transiently Disseminate to Mediate Tumor Regression following Systemic CD40 Activation. <i>Journal of Immunology</i> , 2004, 173, 5923-5928.	0.4	68
97	Dendritic cells can be rapidly expanded ex vivo and safely administered in patients with metastatic breast cancer. <i>Cancer Immunology, Immunotherapy</i> , 2004, 53, 777-785.	2.0	31
98	Transfection of the genes for interleukin-12 into the K1735 melanoma and the EMT6 mammary sarcoma murine cell lines reveals distinct mechanisms of antitumor activity. <i>International Journal of Cancer</i> , 2003, 106, 690-698.	2.3	11
99	Identification of T-cell epitopes in clotting factor IX and lack of tolerance in inbred mice. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 95-102.	1.9	15
100	Adoptive transfer of <i>E. faecalis</i> -pulsed dendritic cells accelerates colitis in IL-10 deficient mice. <i>Gastroenterology</i> , 2003, 124, A73.	0.6	3
101	Induction of Tumor Cell Apoptosis In Vivo Increases Tumor Antigen Cross-Presentation, Cross-Priming Rather than Cross-Tolerizing Host Tumor-Specific CD8 T Cells. <i>Journal of Immunology</i> , 2003, 170, 4905-4913.	0.4	401
102	Mechanism of IL-12 mediated alterations in tumour blood vessel morphology: analysis using whole-tissue mounts. <i>British Journal of Cancer</i> , 2003, 88, 1453-1461.	2.9	37
103	High Affinity Xenoreactive TCR:MHC Interaction Recruits CD8 in Absence of Binding to MHC. <i>Journal of Immunology</i> , 2003, 170, 373-383.	0.4	26
104	Interplay between TCR Affinity and Necessity of Coreceptor Ligation: High-Affinity Peptide-MHC/TCR Interaction Overcomes Lack of CD8 Engagement. <i>Journal of Immunology</i> , 2003, 171, 4493-4503.	0.4	80
105	HIV Antigens Can Induce TGF- $\beta$ 1-Producing Immunoregulatory CD8 $^{+}$ T Cells. <i>Journal of Immunology</i> , 2002, 168, 2247-2254.	0.4	125
106	Peptidic Termini Play a Significant Role in TCR Recognition. <i>Journal of Immunology</i> , 2002, 169, 3137-3145.	0.4	21
107	Responses to smallpox vaccine. <i>New England Journal of Medicine</i> , 2002, 347, 689-90; author reply 689-90.	13.9	5
108	Dendritic Cell Vaccination Induces Cross-Reactive Cytotoxic T Lymphocytes Specific for Wild-Type and Natural Variant Human Immunodeficiency Virus Type 1 Epitopes in HLA-A*0201/Kb Transgenic Mice. <i>Clinical Immunology</i> , 2001, 101, 51-58.	1.4	13

#	ARTICLE	IF	CITATIONS
109	CD8+ T cells express a T-helper 1-like phenotype after burn injury. <i>Surgery</i> , 2001, 130, 210-216.	1.0	17
110	Dendritic Cells Transduced With HIV Nef Express Normal Levels of HLA-A and HLA-B Class I Molecules. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2001, 27, 417-425.	0.9	13
111	T-cell antigen discovery (T-CAD) assay: a novel technique for identifying T cell epitopes. <i>Journal of Immunological Methods</i> , 2001, 256, 107-119.	0.6	24
112	Intracellular cytokine staining for TGF- $\beta$ 2. <i>Journal of Immunological Methods</i> , 2001, 258, 193-198.	0.6	15
113	Antigen-Specific Modulation of an Immune Response by In Vivo Administration of Soluble MHC Class I Tetramers. <i>Journal of Immunology</i> , 2001, 167, 3708-3714.	0.4	71
114	Multiple Paths for Activation of Naive CD8+ T Cells: CD4-Independent Help. <i>Journal of Immunology</i> , 2001, 167, 1283-1289.	0.4	95
115	In Vivo Behavior of Peptide-Specific T Cells During Mucosal Tolerance Induction: Antigen Introduced Through the Mucosa of the Conjunctiva Elicits Prolonged Antigen-Specific T Cell Priming Followed by Anergy. <i>Journal of Immunology</i> , 2000, 164, 4543-4550.	0.4	66
116	T Cell Activity After Dendritic Cell Vaccination Is Dependent on Both the Type of Antigen and the Mode of Delivery. <i>Journal of Immunology</i> , 2000, 164, 4961-4967.	0.4	80
117	Quantitation of CD8 + T-Lymphocyte Responses to Multiple Epitopes from Simian Virus 40 (SV40) Large T Antigen in C57BL/6 Mice Immunized with SV40, SV40 T-Antigen-Transformed Cells, or Vaccinia Virus Recombinants Expressing Full-Length T Antigen or Epitope Minigenes. <i>Journal of Virology</i> , 2000, 74, 6922-6934.	1.5	86
118	Naive CD8+ T Cells Do Not Require Costimulation for Proliferation and Differentiation into Cytotoxic Effector Cells. <i>Journal of Immunology</i> , 2000, 164, 1216-1222.	0.4	99
119	Vaccination of Macaques against Pathogenic Simian Immunodeficiency Virus with Venezuelan Equine Encephalitis Virus Replicon Particles. <i>Journal of Virology</i> , 2000, 74, 371-378.	1.5	198
120	Distribution and Characterization of GFP+ Donor Hematogenous Cells in Twitcher Mice after Bone Marrow Transplantation. <i>American Journal of Pathology</i> , 2000, 156, 1849-1854.	1.9	64
121	The Structural Basis for the Increased Immunogenicity of Two HIV-Reverse Transcriptase Peptide Variant/Class I Major Histocompatibility Complexes. <i>Journal of Biological Chemistry</i> , 1999, 274, 37259-37264.	1.6	44
122	Human Immunodeficiency Virus Type 1-Specific Cytotoxic T Lymphocyte Activity Is Inversely Correlated with HIV Type 1 Viral Load in HIV Type 1-Infected Long-Term Survivors. <i>AIDS Research and Human Retroviruses</i> , 1999, 15, 1219-1228.	0.5	120
123	Analysis of the mutant HLA-A*0201 heavy chain H74L: impaired TAP-dependent peptide loading. <i>Human Immunology</i> , 1999, 60, 743-754.	1.2	2
124	Venezuelan equine encephalitis virus vectors expressing HIV-1 proteins: vector design strategies for improved vaccine efficacy. <i>Vaccine</i> , 1999, 17, 3124-3135.	1.7	64
125	Altered peptide ligand design: altering immune responses to class I MHC/peptide complexes. <i>Immunological Reviews</i> , 1998, 163, 151-160.	2.8	20
126	Tumor immunotherapy: cytokines and antigen presentation. <i>Cancer Immunology, Immunotherapy</i> , 1998, 46, 75-81.	2.0	19



#	ARTICLE	IF	CITATIONS
127	The Effector Component of the Cytotoxic T-Lymphocyte Response Has a Biphasic Pattern after Burn Injury. <i>Journal of Surgical Research</i> , 1998, 80, 243-251.	0.8	39
128	H2 Class I. , 1998, , 1035-1040.		0
129	Immune Response of $\hat{I}^{22}$ -Microglobulin-Deficient Mice to Pathogens. <i>Current Topics in Microbiology and Immunology</i> , 1998, 232, 99-114.	0.7	3
130	Immunogenicity of Cultured Keratinocyte Allografts Deficient in Major Histocompatibility Complex Antigens. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 45, 25-34.	1.1	5
131	Early But Not Late Burn Wound Excision Partially Restores Viral-Specific T Lymphocyte Cytotoxicity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 43, 441-447.	1.1	21
132	Virus-specific, CD8+ major histocompatibility complex class I-restricted cytotoxic T lymphocytes in lymphocytic choriomeningitis virus-infected beta2-microglobulin-deficient mice. <i>Journal of Virology</i> , 1997, 71, 8392-8396.	1.5	16
133	Cross-clade human immunodeficiency virus (HIV)-specific cytotoxic T-lymphocyte responses in HIV-infected Zambians. <i>Journal of Virology</i> , 1997, 71, 8908-8911.	1.5	92
134	Humoral, mucosal, and cellular immunity in response to a human immunodeficiency virus type 1 immunogen expressed by a Venezuelan equine encephalitis virus vaccine vector. <i>Journal of Virology</i> , 1997, 71, 3031-3038.	1.5	116
135	A method for the production of CD4+ chronic myelogenous leukemia-specific allogeneic T lymphocytes. <i>Cancer Research</i> , 1997, 57, 1547-53.	0.4	11
136	A Point Mutation in HLA-A*0201 Results in Failure to Bind the TAP Complex and to Present Virus-Derived Peptides to CTL. <i>Immunity</i> , 1996, 4, 505-514.	6.6	131
137	Fas-dependent CD4+ cytotoxic T-cell-mediated pathogenesis during virus infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 14730-14735.	3.3	71
138	A physical map of the Q region of B10.P. <i>Mammalian Genome</i> , 1996, 7, 200-205.	1.0	7
139	CD4 + cytolytic effectors are inefficient in the clearance of <i>Listeria monocytogenes</i> . <i>Immunology</i> , 1996, 88, 544-550.	2.0	11
140	The Role of Peptide Specificity in MHC Class I-Restricted Allogeneic Responses. <i>Immunological Reviews</i> , 1996, 154, 45-58.	2.8	17
141	Effects of HIV-1 Tat on Expression of HLA Class I Molecules. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1996, 11, 233-240.	0.3	26
142	The 1995 Moyer Award. <i>Journal of Burn Care and Research</i> , 1995, 16, 573-580.	1.7	14
143	Amino-terminal alteration of the HLA-A*0201-restricted human immunodeficiency virus pol peptide increases complex stability and in vitro immunogenicity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 8166-8170.	3.3	120
144	BURN INJURY IMPAIRS SECOND-SET REJECTION AND CTL REACTIVITY IN MICE PRIMED BY CULTURED KERATINOCYTE ALLOGRAFTS. <i>Transplantation</i> , 1995, 60, 584-588.	0.5	6

#	ARTICLE	IF	CITATIONS
145	Synergistic effects of co-expression of the Th1 cytokines il-2 and IFN $\gamma$ on generation of murine tumor-reactive cytotoxic cells. <i>International Journal of Cancer</i> , 1995, 61, 628-634.	2.3	25
146	The Cell-Mediated Immune Response Against Lymphocytic Choriomeningitis Virus in beta2-microglobulin Deficient Mice. <i>Immunological Reviews</i> , 1995, 148, 151-168.	2.8	8
147	Analysis of the Effect of Cytokines (Interleukins 2, 3, 4, and 6, Granulocyte-Monocyte Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6 against a Weakly Immunogenic Tumor. <i>Cellular Immunology</i> , 1995, 165, 183-192.	1.4	29
148	Natural killer cell activity in lymphocytic choriomeningitis virus-infected $\beta$ 2-microglobulin-deficient mice. <i>International Immunology</i> , 1995, 7, 1545-1556.	1.8	23
149	Different MHC class I alleles compete for presentation of overlapping viral epitopes. <i>Immunity</i> , 1995, 3, 65-77.	6.6	74
150	Alterations of a dominant epitope of lymphocytic choriomeningitis virus which affect class I binding and cytotoxic T cell recognition. <i>Molecular Immunology</i> , 1995, 32, 725-731.	1.0	3
151	Early, complete burn wound excision partially restores cytotoxic T lymphocyte function*. <i>Surgery</i> , 1995, 118, 421-430.	1.0	25
152	Genetic evidence for difference between intracellular and extracellular peptides in influenza A matrix peptide-specific CTL recognition. <i>Journal of Immunology</i> , 1995, 154, 1088-96.	0.4	19
153	Restoration of CTL recognition of a mutant FMP peptide by a compensatory change in HLA-A2. <i>Immunogenetics</i> , 1994, 40, 66-69.	1.2	3
154	Mutations inside but not outside the peptide binding cleft of the H-2 Ld molecule affects CTL recognition and binding of the nucleoprotein peptide from the lymphocytic choriomeningitis. <i>Immunogenetics</i> , 1994, 40, 222-229.	1.2	7
155	Absence of MHC class ii molecules reduces CNS demyelination, microglial/macrophage infiltration, and twitching in murine globoid cell leukodystrophy. <i>Cell</i> , 1994, 78, 645-656.	13.5	116
156	Significance of the six peptide-binding pockets of HLA-A2.1 in influenza a matrix peptide-specific cytotoxic T-lymphocyte reactivity. <i>Human Immunology</i> , 1994, 41, 160-166.	1.2	21
157	Differences in peptide presentation between B27 subtypes: The importance of the P1 side chain in maintaining high affinity peptide binding to B $\alpha$ ...2703. <i>Immunity</i> , 1994, 1, 121-130.	6.6	61
158	Mutation of the $\beta$ 2 domain disulfide bridge of the class I molecule HLA-A $\alpha$ -0201 Effect on maturation and peptide presentation. <i>Human Immunology</i> , 1994, 39, 261-271.	1.2	48
159	CULTURED MOUSE KERATINOCYTE ALLOGRAFTS PRIME FOR ACCELERATED SECOND SET REJECTION AND ENHANCED CYTOTOXIC LYMPHOCYTE RESPONSE <sup>1,2</sup> . <i>Transplantation</i> , 1994, 58, 67-71.	0.5	11
160	Analysis of mutant HLA-A2 molecules. Differential effects on peptide binding and CTL recognition. <i>Journal of Immunology</i> , 1994, 152, 1213-21.	0.4	40
161	Transfer of lymphocytic choriomeningitis disease in $\beta$ 2-microglobulin-deficient mice by CD4 <sup>+</sup> T cells. <i>International Immunology</i> , 1993, 5, 1193-1198.	1.8	44
162	Roles of the six peptide-binding pockets of the HLA-A2 molecule in allorecognition by human cytotoxic T-cell clones.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 674-678.	3.3	68

#	ARTICLE	IF	CITATIONS
163	Allele-specific B pocket transplant in class I major histocompatibility complex protein changes requirement for anchor residue at P2 of peptide.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 6879-6883.	3.3	46
164	Immunobiology of $\beta$ 2 -Microglobulin-Deficient Mice. , 1993, , 145-150.		1
165	LCMV-specific, class II-restricted cytotoxic T cells in beta 2-microglobulin-deficient mice. Science, 1992, 255, 1576-1578.	6.0	180
166	Production and Characterization of Two New Mouse Monoclonal Antibodies Reactive with Denatured Mouse Class II Beta Chains. Hybridoma, 1992, 11, 217-223.	0.9	18
167	A cross-species functional interaction between the murine major histocompatibility complex class I $\beta$ 3 domain and human CD8 revealed by peptide-specific cytotoxic T lymphocytes. European Journal of Immunology, 1992, 22, 1643-1646.	1.6	13
168	CD4-class II major histocompatibility complex interaction does not enhance killing by a class I-restricted CD4+CD8+ cytotoxic T cell clone. European Journal of Immunology, 1992, 22, 2461-2464.	1.6	2
169	Production and characterization of a peptide specific, anti-major histocompatibility complex class II, monoclonal antibody. Molecular Immunology, 1991, 28, 499-504.	1.0	8
170	Detergent enhances binding of a secreted HLA-A2 molecule to solid phase peptides. Human Immunology, 1991, 32, 183-193.	1.2	5
171	EXPRESSION OF A MHC NON-CLASSICAL CLASS I GENE, O4, IS SIMILAR TO A CLASSICAL CLASS I GENE, Dp. International Journal of Immunogenetics, 1991, 18, 315-321.	1.2	2
172	Class-I MHC expression in the mouse lung carcinoma, line 1: A model for class-I inducible tumors. International Journal of Cancer, 1991, 47, 82-89.	2.3	10
173	Structure function analysis of the H-2 Ab p gene. Immunogenetics, 1991, 34, 358-365.	1.2	5
174	A cluster of mutations in HLA-A2 $\beta$ 2 helix abolishes peptide recognition by T cells. Immunogenetics, 1991, 34, 141-8.	1.2	28
175	A single amino acid substitution in an MHC class I molecule allows heteroclitic recognition by lymphocytic choriomeningitis virus-specific cytotoxic T lymphocytes. Journal of Immunology, 1991, 147, 1392-7.	0.4	12
176	Differential expression of Q4 proteins (Qb-1) in fibroblasts and lymphocytes. Journal of Immunology, 1991, 147, 3427-33.	0.4	5
177	Mutations in the $\beta$ 1 domain of a class I gene define residues important for specific allorecognition. Cellular Immunology, 1990, 128, 220-230.	1.4	9
178	Alteration of the metastatic potential of line 1 lung carcinoma cells: Opposite effects of class I antigen induction by interferons versus DMSO or gene transfection. Cellular Immunology, 1990, 127, 299-310.	1.4	14
179	cDNA cloning and localization of the mouse leukosialin gene (Ly48) to chromosome 7. Immunogenetics, 1990, 31, 307-314.	1.2	19
180	Analysis of novel residues of class I involved in recognition by alloreactive T cells. Immunogenetics, 1990, 32, 138-41.	1.2	3

#	ARTICLE	IF	CITATIONS
181	The transport of class I major histocompatibility complex antigens is determined by sequences in the ?1 and ?2 protein domains. <i>Immunogenetics</i> , 1990, 31, 169-78.	1.2	45
182	Differential expression of interleukin 1 $\pm$ by Thy-1+ and Thy-1 $\hat{\sim}$ lung fibroblast subpopulations: Enhancement of interleukin 1 $\pm$ production by tumor necrosis factor-1 $\pm$ . <i>European Journal of Immunology</i> , 1990, 20, 1723-1727.	1.6	56
183	Evidence of widespread binding of HLA class I molecules to peptides.. <i>Journal of Experimental Medicine</i> , 1990, 172, 827-834.	4.2	57
184	Antibodies specific for Ig idiotype, but not isotype, can substitute for antigen to induce IgM secretion by a B cell clone. <i>International Immunology</i> , 1990, 2, 285-290.	1.8	12
185	Random Mutagenesis by Oligonucleotides: A Probe for MHC Structure and Function. , 1990, , 26-32.		0
186	Relationship Between Class II Structure and B Cell Signaling. , 1990, , 36-38.		0
187	Diminished Expression of the T Cell Receptor on the Expanded Lymphocyte Population in Mrl/Mp-1pr/1prMice. <i>Autoimmunity</i> , 1989, 2, 97-111.	1.2	9
188	Evidence for a subpopulation of antigen-presenting cells specific for the induction of the delayed-type hypersensitivity response. <i>Cellular Immunology</i> , 1989, 119, 171-181.	1.4	11
189	Differential transport requirements of HLA and H-2 class I glycoproteins. <i>Immunogenetics</i> , 1989, 29, 380-388.	1.2	142
190	Haplotype-specific differences in signaling by transfected class II molecules to a Ly-1+ B-cell clone.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989, 86, 5933-5937.	3.3	26
191	CYTOTOXIC T LYMPHOCYTE RECOGNITION OF HYBRID MHC CLASS I MOLECULES. <i>International Journal of Immunogenetics</i> , 1988, 15, 295-305.	1.2	1
192	Signaling to a B-cell clone by Ek, but not Ak, does not reflect alteration of A k genes. <i>Immunogenetics</i> , 1988, 28, 184-192.	1.2	20
193	Gene regulation, organization and function. <i>Trends in Immunology</i> , 1988, 9, 3-4.	7.5	6
194	Random oligonucleotide mutagenesis: application to a large protein coding sequence of a major histocompatibility complex class I gene,H-2DP. <i>Nucleic Acids Research</i> , 1988, 16, 9761-9773.	6.5	14
195	High-level expression of a bioengineered, cysteine-free hepatocyte-stimulating factor (interleukin) Tj ETQq1 1 0.784314 rgBT /Overloc 85, 9426-9430.	3.3	41
196	Saturation mutagenesis of a major histocompatibility complex protein domain: identification of a single conserved amino acid important for allorecognition.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 3535-3539.	3.3	21
197	A simple, rapid method for the purification of poly A+ RNA. <i>BioTechniques</i> , 1988, 6, 114-6.	0.8	313
198	New family of exon-shuffled recombinant genes reveals extensive interdomain interactions in class I histocompatibility antigens and identifies residues involved.. <i>Journal of Experimental Medicine</i> , 1987, 165, 211-222.	4.2	18

#	ARTICLE	IF	CITATIONS
199	Widespread transcription of a Qa region gene in adult mice.. Journal of Experimental Medicine, 1987, 166, 95-108.	4.2	17
200	The expression and detection of MHC class I antigens on murine neuroblastoma and ependymoblastoma lines. Journal of Neuroimmunology, 1987, 14, 87-98.	1.1	6
201	The ?1 and ?2 domains of H-2 class I molecules interact to form unique epitopes. Immunogenetics, 1987, 25, 110-115.	1.2	5
202	The Class II Molecule as a Signal Transducer to the B Cell: Cellular and Molecular Approaches. , 1987, , 517-522.		0
203	Class I Antigen Expression in Line 1 Cells: Molecular Biology and Immunological Effects. , 1987, , 611-622.		0
204	A new murine lymphocyte alloantigen, Ly-27.2. Immunogenetics, 1986, 23, 406-408.	1.2	2
205	The nucleotide sequence and comparative analysis of the H-2Dp class I H-2 gene. Journal of Immunology, 1986, 136, 3489-95.	0.4	32
206	Induction of antigen presentation ability in purified cultures of astroglia by interferon-gamma. The Journal of Molecular and Cellular Immunology: JMCI, 1986, 2, 269-80.	0.5	17
207	Expression in L cells of transfected class I genes from the mouse major histocompatibility complex.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 5505-5509.	3.3	5
208	An Analysis of Monoclonal T Cell and Antibody Recognition Sites on Ia Molecules. Journal of Investigative Dermatology, 1985, 85, S30-S33.	0.3	2
209	Response of glioma cells to interferon-gamma: increase in class II RNA, protein and mixed lymphocyte reaction-stimulating ability. European Journal of Immunology, 1985, 15, 809-814.	1.6	69
210	The defect in delayed-type hypersensitivity of young adult SJL mice is due to a lack of functional antigen-presenting cells. European Journal of Immunology, 1985, 15, 913-916.	1.6	29
211	Distinct epitopes are recognized by cytolytic T lymphocyte clones on the same class I molecule: direct demonstration using DNA-transfected targets and longterm cytolytic T cell clones. European Journal of Immunology, 1984, 14, 969-974.	1.6	6
212	Cloning and identification of the H-2D p gene. Immunogenetics, 1984, 19, 195-204.	1.2	12
213	Functional characterization of the H-2Dp gene product. Immunogenetics, 1984, 19, 205-216.	1.2	7
214	Fine Specificity and Genetic Restriction of T Cell Clones Specific for Mouse Hepatitis Virus, Strain JHM. Advances in Experimental Medicine and Biology, 1984, 173, 331-343.	0.8	0
215	Immunogenetic Approaches to Cell Surface Molecules in the Mouse. , 1984, , 1-25.		0
216	Production and characterization of T cell clones specific for mouse hepatitis virus, strain JHM: in vivo and in vitro analysis. Journal of Immunology, 1984, 133, 1016-21.	0.4	18

#	ARTICLE	IF	CITATIONS
217	Monoclonal antibodies reactive with H-2 determinants. Immunogenetics, 1983, 18, 541-545.	1.2	52
218	Brain Ia antigens have a bone marrow origin. Immunogenetics, 1983, 17, 295-301.	1.2	40
219	Antigenic relationships of murine coronaviruses: Analysis using monoclonal antibodies to JHM (MHV-4) virus. Virology, 1983, 131, 296-307.	1.1	170
220	Evidence for extensive polymorphism of class I genes in the rat major histocompatibility complex (RT1).. Proceedings of the National Academy of Sciences of the United States of America, 1983, 80, 7616-7620.	3.3	26
221	LOW-DENSITY MONONUCLEAR CELLS. Transplantation, 1983, 35, 463-468.	0.5	5
222	Use of cloned H-2 genes for study of H-2-restricted cytotoxicity: Ld is the LCMV restriction element for H-2d. Transplantation Proceedings, 1983, 15, 2024-6.	0.3	9
223	Identification of a BALB/c H-2Ld gene by DNA-mediated gene transfer. Science, 1982, 215, 677-679.	6.0	102
224	Construction of microcell hybrid clones containing specific mouse chromosomes: application to autosomes 8 and 17.. Molecular and Cellular Biology, 1982, 2, 526-534.	1.1	43
225	Specific recognition of the product of a transferred major histocompatibility complex gene by cytotoxic T lymphocytes.. Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 3613-3617.	3.3	29
226	BONE MARROW-DERIVED CELLS ARE RESPONSIBLE FOR STIMULATING I REGION-INCOMPATIBLE SKIN GRAFT REJECTION. Transplantation, 1982, 33, 254-259.	0.5	17
227	Acute autoimmune encephalomyelitis in mice. II. Susceptibility is controlled by the combination of H-2 and histamine sensitization genes.. Journal of Experimental Medicine, 1982, 156, 31-40.	4.2	155
228	The role of Ia antigens and Fc receptor-bearing T-cells in the inhibition of macrophage receptors for cytophilic antibody induced by soluble immune complexes. Cellular Immunology, 1982, 74, 370-382.	1.4	0
229	Ia antigens on non-lymphoid tissues their origins and functions. Trends in Immunology, 1982, 3, 339-342.	7.5	30
230	Product of a transferred H-2Ld gene acts as restriction element for LCMV-specific killer T cells. Nature, 1982, 297, 415-417.	13.7	70
231	Macrophage antiviral activity: extrinsic versus intrinsic activity. Infection and Immunity, 1982, 36, 672-677.	1.0	54
232	BIOLOGICAL PROPERTIES OF CLASS I MHC MOLECULES EXPRESSED AFTER DNA-MEDIATED GENE TRANSFER11This work was supported by NIH Grant CA 22662 and GM 06965. , 1982, , 209-213.		0
233	Construction of Microcell Hybrid Clones Containing Specific Mouse Chromosomes: Application to Autosomes 8 and 17. Molecular and Cellular Biology, 1982, 2, 526-534.	1.1	17
234	A pseudogene homologous to mouse transplantation antigens: Transplantation antigens are encoded by eight exons that correlate with protein domains. Cell, 1981, 25, 683-692.	13.5	340

#	ARTICLE	IF	CITATIONS
235	STRUCTURAL STUDIES OF MOUSE TRANSPLANTATION ANTIGEN GENES. Biochemical Society Transactions, 1981, 9, 102P-102P.	1.6	0
236	Expression and synthesis of murine immune response-associated (Ia) antigens by brain cells.. Proceedings of the National Academy of Sciences of the United States of America, 1981, 78, 3170-3174.	3.3	77
237	Tryptic peptide map analyses of mouse transplantation antigens. Immunogenetics, 1981, 12, 21-32.	1.2	6
238	Peptide map comparisons of epidermal and spleen H-2 molecules. Immunogenetics, 1981, 12, 569-577.	1.2	5
239	Serological and biochemical characterization of rat (RT1) class II molecules with restricted mouse anti-Ia sera. Immunogenetics, 1981, 13, 93-107.	1.2	14
240	Structure of murine Ia antigens. Two dimensional electrophoretic analyses and high pressure liquid chromatography tryptic peptide maps of products of the I-A and I-E subregions and of an associated invariant polypeptide.. Journal of Experimental Medicine, 1981, 153, 936-950.	4.2	75
241	Macrophages and Resistance to JHM Virus CNS Infection. Advances in Experimental Medicine and Biology, 1981, 142, 387-398.	0.8	9
242	Characterization of responding cells in oxidative mitogen stimulation. Immunogenetics, 1980, 10, 133-140.	1.2	5
243	H-2 effects on cell-cell interactions in the response to single non-H-2 alloantigens. Immunogenetics, 1980, 10, 211-225.	1.2	34
244	Multiple H-2 and non-H-2 genes controlling the anti-lysozyme response: Alternative gene constellations can lead to responsiveness. European Journal of Immunology, 1980, 10, 384-391.	1.6	38
245	Bone Marrow Origin of Ia Molecules Purified from Epidermal Cells. Journal of Investigative Dermatology, 1980, 75, 68-70.	0.3	16
246	Role of self carriers in the immune response and tolerance. V. Reversal of trinitrophenyl-modified self suppression of the B-cell response by blocking of H-2 antigens.. Journal of Experimental Medicine, 1980, 151, 133-143.	4.2	12
247	GENETIC CONTROL OF RESISTANCE OF MOUSE HEPATITIS VIRUS, STRAIN JHM, INDUCED ENCEPHALOMYELITIS. , 1980, , 233-239.		0
248	GENETIC CONTROL OF RESISTANCE TO JHM, A NEUROTROPIC STRAIN OF MOUSE HEPATITIS. , 1980, , 247-251.		0
249	Resistance to fatal central nervous system disease by mouse hepatitis virus, strain JHM. II. Adherent cell-mediated protection. Journal of Immunology, 1980, 124, 1733-9.	0.4	50
250	Characterization of responding cells in oxidative mitogen stimulation. I. Ia+ cells and Ly-1+2+ cells are required for the proliferative response. Journal of Immunology, 1980, 124, 2693-9.	0.4	16
251	Mouse epidermal Ia molecules have a bone marrow origin. Nature, 1979, 282, 321-323.	13.7	194
252	T lymphocyte response to H-2 mutants: cytotoxic effectors are Ly-1+2+.. Proceedings of the National Academy of Sciences of the United States of America, 1979, 76, 3455-3459.	3.3	38

#	ARTICLE	IF	CITATIONS
253	Epidermal Ia molecules from the I-A and I-E,C subregions of the mouse H-2 complex. <i>Immunogenetics</i> , 1978, 6, 125-135.	1.2	28
254	Partial amino acid sequences of mouse transplantation antigens. <i>Immunogenetics</i> , 1978, 7, 425-444.	1.2	23
255	Resistance to fatal central nervous system disease by mouse hepatitis virus, strain JHM. <i>Immunogenetics</i> , 1978, 6, 277-281.	1.2	81
256	T-lymphocyte response to H-2 mutants. I. Proliferation is dependent on Ly 1+2+ cells. <i>Journal of Experimental Medicine</i> , 1978, 147, 1395-1404.	4.2	45
257	Murine Ia and human DR antigens: homology of amino-terminal sequences. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1978, 75, 3953-3956.	3.3	119
258	Expression of I-A and I-E,C region-coded Ia antigens on functional B cell subpopulations. <i>Journal of Immunology</i> , 1978, 121, 2376-80.	0.4	4
259	H-2 effects on cell-cell interactions in the response to single non-H-2 alloantigens. I. Donor H-2D region control of H-7.1-immunogenicity and lack of restriction in vivo. <i>Journal of Experimental Medicine</i> , 1977, 146, 1346-1355.	4.2	25
260	Immune mechanisms in leukemia role of the Ia antigens. <i>Journal of Experimental Medicine</i> , 1977, 145, 1077-1081.	4.2	7
261	H-2 effects on cell-cell interactions in the response to single non-H-2 alloantigens. II. H-2 D region control of H-7.1-specific stimulator function in mixed lymphocyte culture and susceptibility to lysis by H-7.1-specific cytotoxic cells. <i>Journal of Experimental Medicine</i> , 1977, 146, 1356-1366.	4.2	45
262	Chemical characterization of murine Ia alloantigens determined by the i-E/i-C subregions of the H-2 complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1977, 74, 5131-5134.	3.3	38
263	Con A induced suppressor cells: Suppression with I region incompatibility. <i>Cellular Immunology</i> , 1977, 29, 322-330.	1.4	4
264	Ia-bearing cells promote the concanavalin A mitogenic response of Ia-negative T cells. <i>European Journal of Immunology</i> , 1977, 7, 447-450.	1.6	32
265	Serological and Functional Evidence for Further Subdivision of the I Regions of the H-2 Gene Complex. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1977, 41, 477-487.	2.0	81
266	The relationship of the major murine histocompatibility region associated IA antigens to mitogen responses. <i>Journal of Surgical Research</i> , 1976, 20, 563-570.	0.8	1
267	Expression of Ia Antigens on T and B Cells and their Relationship to Immune-Response Functions. <i>Immunological Reviews</i> , 1976, 30, 101-121.	2.8	14
268	A new alloantigen, Ly-8, recognized by C3H anti-AKR serum. <i>Immunogenetics</i> , 1976, 3, 481-487.	1.2	35
269	A cautionary note regarding Ia and H-2 typing of murine lymphoid tumors. <i>Immunogenetics</i> , 1976, 3, 507-516.	1.2	23
270	Effects of anti-Ia sera on mitogenic responses. II. Differential expression of the Ia marker on phytohemagglutinin and concanavalin A-reactive T cells. <i>Journal of Experimental Medicine</i> , 1976, 143, 372-381.	4.2	65



#	ARTICLE	IF	CITATIONS
271	Effects of anti-Ia sera on mitogenic responses. III. Mapping the genes controlling the expression of Ia determinants on concanavalin A-reactive cells to the I-J subregion of the H-2 gene complex.. Journal of Experimental Medicine, 1976, 144, 1141-1146.	4.2	55
272	Murine Ia Antigens. Expression On T and B Cells and Their Role In Immune Response. , 1976, , 379-392.		3
273	Expression of Ia antigens on T and B cells and their relationship to immune-response functions. Transplantation Reviews, 1976, 30, 101-21.	1.1	10
274	Inhibition of immune responses in vitro by specific antisera to Ia antigens. Science, 1975, 188, 268-270.	6.0	85
275	The distribution of Ia antigens of the H-2 complex on lymph node cells by immunoferritin labelling. Cellular Immunology, 1975, 16, 125-134.	1.4	12
276	The Major Histocompatibility Complexes. , 1975, , 81-116.		12
277	Effects of anti-Ia serum on mitogenic responses. I. Inhibition of the proliferative response to B cell mitogen, LPS, by specific anti-Ia sera. Journal of Immunology, 1975, 115, 1672-6.	0.4	67
278	EVIDENCE FOR THE EXPRESSION OF Ia (H-2-ASSOCIATED) ANTIGENS ON THYMUS-DERIVED LYMPHOCYTES. Journal of Experimental Medicine, 1974, 140, 1273-1284.	4.2	227
279	New lymphocyte antigens controlled by the Ir-IgG region of the H-2 gene complex. Transplantation, 1974, 17, 122-5.	0.5	12
280	New Lymphocyte Antigen System (Lna) Controlled by the Ir Region of the Mouse H-2 Complex. Proceedings of the National Academy of Sciences of the United States of America, 1973, 70, 2509-2514.	3.3	264
281	Chemical basis of transferrin polymorphism in pigeons. Animal Blood Groups and Biochemical Genetics, 1973, 4, 35-40.	0.0	2
282	Transferrin Polymorphism and Hardy-Weinberg Ratios. American Naturalist, 1973, 107, 314-317.	1.0	4
283	Serologic detection of lymphocyte cell-surface antigens controlled by the Ir region of the H-2 gene complex. Transplantation Proceedings, 1973, 5, 1815-6.	0.3	5
284	The Maintenance of Transferrin Polymorphism in Pigeons. Proceedings of the National Academy of Sciences of the United States of America, 1972, 69, 326-329.	3.3	46
285	Synthesis and conservation of ribosomal RNA in adult mosquito ovaries. Journal of Insect Physiology, 1971, 17, 1401-1410.	0.9	4
286	Maternally Derived Transferrin in Pigeon Squabs. Science, 1971, 171, 1260-1261.	6.0	14