

# Maria Ximena Rojas-Reyes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/360206/publications.pdf>

Version: 2024-02-01

46  
papers

2,290  
citations

331670

21  
h-index

377865

34  
g-index

49  
all docs

49  
docs citations

49  
times ranked

3715  
citing authors

#	ARTICLE	IF	CITATIONS
1	GRADE Evidence to Decision (EtD) frameworks for adoption, adaptation, and de novo development of trustworthy recommendations: GRADE-ADOLPMENT. <i>Journal of Clinical Epidemiology</i> , 2017, 81, 101-110.	5.0	348
2	Prophylactic versus selective use of surfactant in preventing morbidity and mortality in preterm infants. <i>The Cochrane Library</i> , 2012, , CD000510.	2.8	308
3	Very Early Surfactant Without Mandatory Ventilation in Premature Infants Treated With Early Continuous Positive Airway Pressure: A Randomized, Controlled Trial. <i>Pediatrics</i> , 2009, 123, 137-142.	2.1	195
4	Vitamin A supplementation to prevent mortality and short- and long-term morbidity in very low birth weight infants. <i>The Cochrane Library</i> , 2016, 2016, CD000501.	2.8	143
5	Prevalence of asthma and other allergic conditions in Colombia 2009â€“2010: a cross-sectional study. <i>BMC Pulmonary Medicine</i> , 2012, 12, 17.	2.0	133
6	Prophylactic Probiotics to Prevent Death and Nosocomial Infection in Preterm Infants. <i>Pediatrics</i> , 2012, 130, e1113-e1120.	2.1	129
7	Monoclonal antibody for reducing the risk of respiratory syncytial virus infection in children. <i>The Cochrane Library</i> , 2013, , CD006602.	2.8	109
8	Using patient values and preferences to inform the importance of health outcomes in practice guideline development following the GRADE approach. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 52.	2.4	88
9	Probiotics to prevent necrotising enterocolitis in very preterm or very low birth weight infants. <i>The Cochrane Library</i> , 2020, 2020, CD005496.	2.8	83
10	Asthma and other allergic conditions in Colombia: a study in 6 cities. <i>Annals of Allergy, Asthma and Immunology</i> , 2004, 93, 568-574.	1.0	82
11	Noninferiority of Miltefosine Versus Meglumine Antimoniate for Cutaneous Leishmaniasis in Children. <i>Journal of Infectious Diseases</i> , 2012, 205, 684-692.	4.0	77
12	Inadequate glucose control in type 2 diabetes is associated with impaired lung function and systemic inflammation: a cross-sectional study. <i>BMC Pulmonary Medicine</i> , 2010, 10, 38.	2.0	70
13	Comparison of animal-derived surfactants for the prevention and treatment of respiratory distress syndrome in preterm infants. <i>The Cochrane Library</i> , 2015, 2015, CD010249.	2.8	69
14	IgE responses to <i>Ascaris</i> and mite tropomyosins are risk factors for asthma. <i>Clinical and Experimental Allergy</i> , 2015, 45, 1189-1200.	2.9	62
15	Oral antibiotics versus parenteral antibiotics for severe pneumonia in children. <i>The Cochrane Library</i> , 2006, , CD004979.	2.8	42
16	The GRADE evidence-to-decision framework: a report of its testing and application in 15 international guideline panels. <i>Implementation Science</i> , 2015, 11, 93.	6.9	42
17	Combination inhaled steroid and long-acting beta <sub>2</sub> -agonist in addition to tiotropium versus tiotropium or combination alone for chronic obstructive pulmonary disease. <i>The Cochrane Library</i> , 2017, 2017, CD008532.	2.8	40
18	Randomized, Multicenter Trial of Conventional Ventilation Versus High-Frequency Oscillatory Ventilation for the Early Management of Respiratory Failure in Term or Near-Term Infants in Colombia. <i>Journal of Perinatology</i> , 2005, 25, 720-724.	2.0	29

#	ARTICLE	IF	CITATIONS
19	Epidemiology of Nosocomial Infections in Selected Neonatal Intensive Care Units in Colombia, South America. <i>Journal of Perinatology</i> , 2005, 25, 531-536.	2.0	26
20	Risk Factors for Nosocomial Infections in Selected Neonatal Intensive Care Units in Colombia, South America. <i>Journal of Perinatology</i> , 2005, 25, 537-541.	2.0	25
21	Rescue high-frequency jet ventilation versus conventional ventilation for severe pulmonary dysfunction in preterm infants. <i>The Cochrane Library</i> , 2015, 2015, CD000437.	2.8	24
22	Oxygen therapy for lower respiratory tract infections in children between 3 months and 15 years of age. , 2009, , CD005975.		23
23	Oxygen therapy for lower respiratory tract infections in children between 3 months and 15 years of age. <i>The Cochrane Library</i> , 2014, , CD005975.	2.8	22
24	WORLD HEALTH ORGANIZATION SYSTEMATIC REVIEW OF THE LITERATURE AND MULTINATIONAL NUTRITIONAL SURVEY OF CALCIUM INTAKE DURING PREGNANCY. <i>Fetal and Maternal Medicine Review</i> , 2005, 16, 97-121.	0.3	20
25	A taxonomy and framework for identifying and developing actionable statements in guidelines suggests avoiding informal recommendations. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 161-171.	5.0	19
26	Economic Evaluation of Exercise-Based Cardiac Rehabilitation Programs for Chronic Heart Failure Patients in Colombia. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2016, 36, 12-19.	2.1	8
27	Cost-effectiveness of the subcutaneous house dust mite allergen immunotherapy plus pharmacotherapy for allergic asthma: A mathematical model. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2229-2233.	5.7	8
28	Factors associated with Allergic Rhinitis in Colombian subpopulations aged 1 to 17 and 18 to 59. <i>Rhinology</i> , 2016, 54, 56-67.	1.3	8
29	International collaborative research: a Colombian model that promotes infant health and research capacity. <i>Journal of Perinatology</i> , 2007, 27, 738-743.	2.0	7
30	Monoclonal antibody for reducing the risk of respiratory syncytial virus infection in children. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2013, 8, 2243-2376.	2.0	7
31	Factors associated with Allergic Rhinitis in Colombian subpopulations aged 1 to 17 and 18 to 59. <i>Rhinology</i> , 2016, 54, 56-67.	1.3	6
32	El método Delphi en la investigación en reumatología: ¿lo estamos haciendo bien?. <i>Revista Colombiana De Reumatología</i> , 2020, 27, 177-189.	0.1	5
33	Implementing living evidence to inform health decisions: A strategy for building capacity in health sector (Protocol). <i>Open Research Europe</i> , 0, 1, 114.	2.0	5
34	Overview of ventilation strategies for the early management of intubated preterm infants. <i>The Cochrane Library</i> , 0, , .	2.8	2
35	Protein-free synthetic surfactant for the prevention and treatment of respiratory distress syndrome in neonates. <i>The Cochrane Library</i> , 0, , .	2.8	2
36	Cochrane in context: Monoclonal antibody for reducing the risk of respiratory syncytial virus infection in children. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2013, 8, 2377-2379.	2.0	1

#	ARTICLE	IF	CITATIONS
37	Oral xanthine derivatives (theophylline and doxofylline) for patients with stable chronic obstructive pulmonary disease (COPD). The Cochrane Library, 0, , .	2.8	1
38	Methods for living evidence synthesis: a systematic review protocol. Open Research Europe, 0, 1, 113.	2.0	1
39	Efficacy and safety of chimeric antigen receptor T-cell (CAR-T) therapy in hematologic malignancies: a living systematic review (protocol). Open Research Europe, 0, 2, 38.	2.0	1
40	Implementing living evidence to inform health decisions: A strategy for building capacity in health sector (Protocol). Open Research Europe, 0, 1, 114.	2.0	1
41	Once-daily LABA/ICS combined inhalers versus inhaled long-acting beta2-agonists for people with chronic obstructive pulmonary disease (COPD). The Cochrane Library, 2016, , .	2.8	0
42	Effectiveness of the use of an algorithm in the diagnostic approach of joint pain patients by primary care physicians. Rheumatology International, 2020, 40, 1857-1864.	3.0	0
43	THU0557â€¦QUALITY ASSESSMENT OF CLINICAL PRACTICE GUIDELINES IN AXIAL AND PERIPHERAL SPONDYLOARTHRITIS: A SYSTEMATIC APPRAISAL. Annals of the Rheumatic Diseases, 2020, 79, 519.2-520.	0.9	0
44	Fecal microbiota transplantation for treatment of moderate to severe ulcerative colitis: a living systematic review protocol. Open Research Europe, 0, 2, 17.	2.0	0
45	Methodological approaches for developing and reporting living evidence synthesis: a study protocol. Open Research Europe, 0, 1, 113.	2.0	0
46	Fecal microbiota transplantation for treatment of moderate to severe ulcerative colitis: a living systematic review protocol. Open Research Europe, 0, 2, 17.	2.0	0