

# Hikari Sakaebe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3602384/publications.pdf>

Version: 2024-02-01

154  
papers

6,458  
citations

61984

43  
h-index

69250

77  
g-index

157  
all docs

157  
docs citations

157  
times ranked

5893  
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of an Electrochemical Cell for In Operando Characterization of Lithium/Electrolyte Interface Using X-Ray Total Reflection. <i>Physica Status Solidi (B): Basic Research</i> , 2022, 259, .	1.5	0
2	High capacity all-solid-state lithium battery enabled by <i>in situ</i> formation of an ionic conduction path by lithiation of $\text{MgH}_2$ . <i>RSC Advances</i> , 2022, 12, 10749-10754.	3.6	10
3	Identification of Soluble Degradation Products in Lithium-Sulfur and Lithium-Metal Sulfide Batteries. <i>Separations</i> , 2022, 9, 57.	2.4	0
4	Enhancing the Cyclability of $\text{VS}_4$ Positive Electrode in Carbonate-Based Electrolyte using Fluoroethylene Carbonate Additive. <i>Batteries and Supercaps</i> , 2022, 5, .	4.7	1
5	Stable Lithium Metal Plating/Stripping in a Localized High-Concentration Cyclic Carbonate-Based Electrolyte. <i>Electrochemistry</i> , 2022, 90, 047001-047001.	1.4	5
6	Reversible lithium insertion and conversion process of amorphous $\text{VS}_4$ revealed by operando electrochemical NMR spectroscopy. <i>Solid State Ionics</i> , 2022, 380, 115920.	2.7	2
7	A Bicontinuous Nanostructure Induced in Lithiated Iron Fluoride Electrodes of Lithium-ion Batteries Investigated by Small-Angle X-ray Scattering. <i>Electrochemistry</i> , 2022, 90, 077007-077007.	1.4	2
8	Eldfellite-type cathode material, $\text{NaV}(\text{SO}_4)_2$ , for Na-ion batteries. <i>Materials Advances</i> , 2022, 3, 6993-7001.	5.4	1
9	Anion Redox in an Amorphous Titanium Polysulfide. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 33191-33199.	8.0	1
10	Elucidation of discharge-charge reaction mechanism of $\text{FeF}_2$ cathode aimed at efficient use of conversion reaction for lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2022, 920, 116577.	3.8	3
11	Degradation mechanisms of lithium sulfide ( $\text{Li}_2\text{S}$ ) composite cathode in carbonate electrolyte and improvement by increasing electrolyte concentration. <i>Sustainable Energy and Fuels</i> , 2021, 5, 1714-1726.	4.9	4
12	Analysis of $\text{LiCoO}_2$ electrodes through principal component analysis of current-voltage data cubes measured using atomic force microscopy. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2021, 39, 012402.	1.2	3
13	Effect of vanadium substitution in $\text{Li}_x\text{FeF}_3$ by first-principles calculations. <i>AIP Advances</i> , 2021, 11, 025218.	1.3	0
14	Electrochemical Properties and Deposition/Dissolution Behavior of Li Metal Negative Electrode in $\text{VS}_4/\text{Li}$ Battery. <i>Electrochemistry</i> , 2021, 89, 167-175.	1.4	6
15	Development of an Evaluation Method for a Lithium/Electrolyte Interface Based on X-ray Reflectivity and Grazing Incidence X-ray Scattering Measurements. <i>Chemistry Letters</i> , 2021, 50, 1526-1529.	1.3	2
16	Improvement of Electrochemical Property of $\text{VS}_4$ Electrode Material by Amorphization via Mechanical Milling Process. <i>Electrochemistry</i> , 2021, 89, 239-243.	1.4	7
17	Improvement of Cycle Capability of $\text{VS}_4$ by Addition of Phosphorus Element. <i>Electrochemistry</i> , 2021, 89, 273-278.	1.4	5
18	Capability and Reversibility of $\text{LiCoO}_2$ during Charge/Discharge with $\text{O}_3/\text{H}_1\text{A}^3$ Layered Structure Change. <i>Journal of the Electrochemical Society</i> , 2021, 168, 050517.	2.9	17

#	ARTICLE	IF	CITATIONS
19	Transport Properties of Electrolyte Solution Comprising LiPF <sub>6</sub> , Ethylene Carbonate, and Propylene Carbonate. <i>Electrochemistry</i> , 2021, 89, 439-446.	1.4	5
20	Effect of Li Ratio in Li-Naphthalene Solution on Li Pre-Doping to Si Negative Electrode for Next-Generation Batteries. <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 93-93.	0.0	0
21	Enhancing Cycle Stability of Li/VS <sub>4</sub> Batteries with Localized High-Concentration Carbonate-Based Electrolytes. <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 107-107.	0.0	0
22	Improving Cycling Stability of Vanadium Sulfide (VS <sub>4</sub> ) as a Li Battery Cathode Material Using a Localized High-Concentration Carbonate-Based Electrolyte. <i>ACS Applied Energy Materials</i> , 2021, 4, 13627-13635.	5.1	15
23	Lithium analysis in Li-ion battery materials via a scanning electron microscopy-based approach. <i>Surface and Interface Analysis</i> , 2020, 52, 335-338.	1.8	2
24	Effects of Film Formation on the Electrodeposition of Lithium. <i>ChemElectroChem</i> , 2020, 7, 4336-4342.	3.4	12
25	Capacity fading mechanism of conversion-type FeF <sub>3</sub> electrode: Investigation by electrochemical operando nuclear magnetic resonance spectroscopy. <i>Journal of Power Sources</i> , 2020, 477, 228772.	7.8	13
26	Development of a half-cell for x-ray structural analysis of liquid electrolytes in rechargeable batteries. <i>Review of Scientific Instruments</i> , 2020, 91, 033907.	1.3	4
27	Structural Variation in Carbonate Electrolytes by the Addition of Li Salts Studied by X-ray Total Scattering. <i>Physica Status Solidi (B): Basic Research</i> , 2020, 257, 2000100.	1.5	2
28	New insight derived from a two-compartment cell: electrochemical behavior of FeF <sub>3</sub> positive electrode. <i>Chemical Communications</i> , 2020, 56, 4878-4881.	4.1	11
29	Structural Characterization of Amorphous VS <sub>4</sub> and Its Amorphous Phase Transformation during Li Insertion. <i>ECS Meeting Abstracts</i> , 2020, MA2020-01, 339-339.	0.0	0
30	Lithium Metal Negative Electrode for Batteries with High Energy Density: Lithium Utilization and Additives. <i>Electrochemistry</i> , 2020, 88, 463-467.	1.4	11
31	Study on Li Pre-Doping Technique with Li-Naphthalene Solutions Toward Si Negative Electrode for Next-Generation Batteries. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 410-410.	0.0	0
32	Structural Characterization of Amorphous VS <sub>4</sub> and Its Amorphous Phase Transformation during Li Insertion. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 441-441.	0.0	0
33	Degradation Mechanism of Conversion-Type Iron Trifluoride: Toward Improvement of Cycle Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 30959-30967.	8.0	21
34	First-principles calculations of the atomic structure and electronic states of $\text{Li}_x\text{VS}_4$ . <i>Physical Review B</i> , 2019, 100, .	3.7	13
35	Improvement of Cycling Capability of Li <sub>2</sub> S-FeS Composite Positive Electrode Materials by Surface Coating With Titanium Oxide. <i>Frontiers in Energy Research</i> , 2019, 7, .	2.3	4
36	Structural characterization of an amorphous VS <sub>4</sub> and its lithiation/delithiation behavior studied by solid-state NMR spectroscopy. <i>RSC Advances</i> , 2019, 9, 23979-23985.	3.6	21

#	ARTICLE	IF	CITATIONS
37	Improvement of Cycle Capability of Fe-Substituted Li <sub>2</sub> S-Based Positive Electrode Materials by Doping with Lithium Iodide. Journal of the Electrochemical Society, 2019, 166, A5231-A5236.	2.9	8
38	Role of the particle size of Fe nanoparticles in the capacity of FeF <sub>3</sub> batteries. AIP Advances, 2019, 9, .	1.3	7
39	Effective Bulk Activation and Interphase Stabilization of Silicon Negative Electrode by Lithium Pre-Doping for Next-Generation Batteries. Journal of the Electrochemical Society, 2019, 166, A5174-A5183.	2.9	14
40	Energy Storage Technology in AIST; The Background of the Diversity. ECS Meeting Abstracts, 2019, , .	0.0	0
41	Degradation Analysis of FeF <sub>3</sub> Positive Electrode Using Two-Compartment Type Cell. ECS Meeting Abstracts, 2019, , .	0.0	0
42	Electrodeposition of Lithium in LiPF <sub>6</sub> -Based Electrolyte with Trace-Amount of Water. ECS Meeting Abstracts, 2019, , .	0.0	0
43	(Plenary) Challenge for Innovation of Li-S Battery System. ECS Meeting Abstracts, 2019, , .	0.0	0
44	(Invited) From Intercalation/Insertion to Conversion Mechanism; Efforts for Increasing Energy. ECS Meeting Abstracts, 2019, , .	0.0	0
45	Structure analyses of Fe-substituted Li <sub>2</sub> S-based positive electrode materials for Li-S batteries. Solid State Ionics, 2018, 320, 387-391.	2.7	11
46	A Reversible Rocksalt to Amorphous Phase Transition Involving Anion Redox. Scientific Reports, 2018, 8, 15086.	3.3	21
47	Rechargeable potassium-ion batteries with honeycomb-layered tellurates as high voltage cathodes and fast potassium-ion conductors. Nature Communications, 2018, 9, 3823.	12.8	190
48	Analysis of the discharge/charge mechanism in VS <sub>4</sub> positive electrode material. Solid State Ionics, 2018, 323, 32-36.	2.7	19
49	Characterization of Na <sub>x</sub> Li <sub>0.67+y</sub> Ni <sub>0.33</sub> Mn <sub>0.67</sub> O <sub>2</sub> as a positive electrode material for lithium-ion batteries. RSC Advances, 2018, 8, 26335-26340.	3.6	1
50	Structural and dynamic behavior of lithium iron polysulfide Li <sub>8</sub> FeS <sub>5</sub> during charge/discharge cycling. Journal of Power Sources, 2018, 398, 67-74.	7.8	4
51	Magnetic behavior of Fe nanoparticles driven by phase transition of FeF <sub>3</sub> . Journal of Alloys and Compounds, 2018, 769, 539-544.	5.5	8
52	Pressure-Stabilized Cubic Perovskite Oxyhydride BaScO <sub>2</sub> H. Inorganic Chemistry, 2017, 56, 4840-4845.	4.0	36
53	Amorphous Metal Polysulfides: Electrode Materials with Unique Insertion/Extraction Reactions. Journal of the American Chemical Society, 2017, 139, 8796-8799.	13.7	84
54	LiCoO <sub>2</sub> Degradation Behavior in the High-Voltage Phase Transition Region and Improved Reversibility with Surface Coating. Journal of the Electrochemical Society, 2017, 164, A6116-A6122.	2.9	181

#	ARTICLE	IF	CITATIONS
55	Development of $\text{Li}_2\text{Ti}_3\text{Nb}_4$ by a mechanochemical process. <i>Journal of the Ceramic Society of Japan</i> , 2017, 125, 268-271.	1.1	11
56	Cubic Rocksalt $\text{Li}_2\text{Sn}_3$ and a Solid Solution with $\text{Li}_3\text{Nb}_4$ Prepared by Mechanochemical Synthesis. <i>Electrochemistry</i> , 2017, 85, 580-584.	1.4	11
57	High Reversibility of "Soft" Electrode Materials in All-Solid-State Batteries. <i>Frontiers in Energy Research</i> , 2016, 4, .	2.3	22
58	Preparation of $\text{Li}_2\text{S-FePS}_3$ composite positive electrode materials and their electrochemical properties. <i>Solid State Ionics</i> , 2016, 288, 199-203.	2.7	12
59	REELS study of a $\text{LiNi}_{1/3}\text{Mn}_{1/3}\text{Co}_{1/3}\text{O}_2$ positive electrode. <i>Surface and Interface Analysis</i> , 2016, 48, 1144-1147.	1.8	5
60	Characterization of MgO-coated- $\text{LiCoO}_2$ particles by analytical transmission electron microscopy. <i>Journal of Power Sources</i> , 2016, 328, 161-166.	7.8	17
61	$\text{NaLi}_{0.7}\text{Ni}_{1}\text{MnO}_2$ as a new positive electrode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2016, 311, 103-110.	7.8	6
62	Synthesis and electrochemical properties of $\text{Li}_2/3\text{Ni}_{1/3}\text{Mn}_{2/3}\text{O}_2$ as a novel 5 V class positive electrode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2016, 304, 60-63.	7.8	3
63	Surface Structure and High-Voltage Charging/Discharging Performance of Low-Content Zr-Oxide-Coated $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ . <i>Journal of the Electrochemical Society</i> , 2016, 163, A75-A82.	2.9	36
64	Lithium analysis using reflection EELS for lithium compounds. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 2015, 203, 40-44.	1.7	14
65	Degradation Analysis of $\text{LiCoO}_2$ Positive Electrode Material of a Li-Ion Battery Using the Li K-Edge Signal Obtained from STEM-EELS Measurements. <i>E-Journal of Surface Science and Nanotechnology</i> , 2015, 13, 284-288.	0.4	11
66	B13-P-09 Analysis of Lithium compounds using Li K-edge reflection EELS. <i>Microscopy (Oxford, England)</i> , 2015, 64, i97.1-i97.	1.5	0
67	Surface Structure and High-Voltage Charge/Discharge Characteristics of Al-Oxide Coated $\text{LiNi}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3}\text{O}_2$ Cathodes. <i>Journal of the Electrochemical Society</i> , 2015, 162, A3137-A3144.	2.9	47
68	Preparation of $\text{Li}_2\text{S-FeS}_x$ Composite Positive Electrode Materials and Their Electrochemical Properties with Pre-Cycling Treatments. <i>Journal of the Electrochemical Society</i> , 2015, 162, A1745-A1750.	2.9	25
69	Sulfone-Based Electrolyte Solutions for Rechargeable Magnesium Batteries Using 2,5-Dimethoxy-1,4-benzoquinone Positive Electrode. <i>Journal of the Electrochemical Society</i> , 2014, 161, A1315-A1320.	2.9	47
70	Rapid Preparation of $\text{Li}_2\text{S-P}_2\text{S}_5$ Solid Electrolyte and Its Application for Graphite/ $\text{Li}_2\text{S}$ All-Solid-State Lithium Secondary Battery. <i>ECS Electrochemistry Letters</i> , 2014, 3, A31-A35.	1.9	23
71	Amorphous Niobium Sulfides as Novel Positive-Electrode Materials. <i>ECS Electrochemistry Letters</i> , 2014, 3, A79-A81.	1.9	46
72	Lithium-Sulfur Batteries. , 2014, , 1197-1201.		2

#	ARTICLE	IF	CITATIONS
73	Effect of Current Density on Morphology of Lithium Electrodeposited in Ionic Liquid-Based Electrolytes. <i>Journal of the Electrochemical Society</i> , 2014, 161, A1236-A1240.	2.9	75
74	Composite positive electrode based on amorphous titanium polysulfide for application in all-solid-state lithium secondary batteries. <i>Solid State Ionics</i> , 2014, 262, 143-146.	2.7	20
75	Electrochemical properties of LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> cathode material modified by coating with Al <sub>2</sub> O <sub>3</sub> nanoparticles. <i>Journal of Power Sources</i> , 2014, 269, 236-243.	7.8	70
76	Characterization of Surface of LiCoO <sub>2</sub> Modified by Zr Oxides Using Analytical Transmission Electron Microscopy. <i>Journal of the Electrochemical Society</i> , 2014, 161, A1521-A1526.	2.9	21
77	Application of graphite/solid electrolyte composite anode in all-solid-state lithium secondary battery with Li <sub>2</sub> S positive electrode. <i>Solid State Ionics</i> , 2014, 262, 138-142.	2.7	40
78	Preparation of Novel Electrode Materials Based on Lithium Niobium Sulfides. <i>Electrochemistry</i> , 2014, 82, 880-883.	1.4	12
79	Rock-salt-type lithium metal sulphides as novel positive-electrode materials. <i>Scientific Reports</i> , 2014, 4, 4883.	3.3	74
80	Synthesis, crystal structure and electrochemical properties of the manganese-doped LiNaFe[PO <sub>4</sub> ]F materials. <i>Materials Chemistry and Physics</i> , 2013, 141, 52-57.	4.0	5
81	In-situ scanning electron microscopy observations of Li plating and stripping reactions at the lithium phosphorus oxynitride glass electrolyte/Cu interface. <i>Journal of Power Sources</i> , 2013, 225, 245-250.	7.8	73
82	Amorphous TiS <sub>4</sub> positive electrode for lithium/sulfur secondary batteries. <i>Electrochemistry Communications</i> , 2013, 31, 71-75.	4.7	61
83	Effects of current densities on the lithium plating morphology at a lithium phosphorus oxynitride glass electrolyte/copper thin film interface. <i>Journal of Power Sources</i> , 2013, 233, 34-42.	7.8	91
84	Analysis of hard carbon for lithium-ion batteries by hard X-ray photoelectron spectroscopy. <i>Journal of Power Sources</i> , 2013, 242, 844-847.	7.8	34
85	New fluorophosphate Li <sub>2-x</sub> NaxFe[PO <sub>4</sub> ]F as cathode material for lithium ion battery. <i>Journal of Power Sources</i> , 2013, 244, 87-93.	7.8	11
86	Characterization of the Surface of LiCoO <sub>2</sub> Particles Modified by Al and Si Oxide Using Analytical TEM. <i>Journal of the Electrochemical Society</i> , 2013, 160, A2293-A2298.	2.9	26
87	In Situ Morphology Observations of Electrodeposited Lithium in Room-Temperature Ionic Liquids by Optical Microscopy. <i>Chemistry Letters</i> , 2013, 42, 77-79.	1.3	10
88	In-situ Optical Microscope Morphology Observation of Lithium Electrodeposited in Room Temperature Ionic Liquids Containing Aliphatic Quaternary Ammonium Cation. <i>Electrochemistry</i> , 2012, 80, 777-779.	1.4	14
89	Mg <sup>2+</sup> Storage in Organic Positive-electrode Active Material Based on 2,5-Dimethoxy-1,4-benzoquinone. <i>Chemistry Letters</i> , 2012, 41, 1594-1596.	1.3	71
90	Synthesis and characterization of the crystal structure, the magnetic and the electrochemical properties of the new fluorophosphate LiNaFe[PO <sub>4</sub> ]F. <i>Dalton Transactions</i> , 2012, 41, 11692.	3.3	15

#	ARTICLE	IF	CITATIONS
91	Charge and Discharge Property of Li/LiCoO <sub>2</sub> Cell Using Ionic Liquids Composed of N,N-Diethyl-N-Methyl-N-(2-Methoxyethyl)Ammonium and Fluorosulfonyl (Trifluoromethylsulfonyl) Amide. ECS Transactions, 2011, 33, 37-42.	0.5	8
92	A two-compartment cell for using soluble benzoquinone derivatives as active materials in lithium secondary batteries. Electrochimica Acta, 2011, 56, 10145-10150.	5.2	117
93	Synthesis, phase relation and electrical and electrochemical properties of ruthenium-substituted Li <sub>2</sub> MnO <sub>3</sub> as a novel cathode material. Journal of Power Sources, 2011, 196, 6934-6938.	7.8	75
94	Observation of electrodeposited lithium by optical microscope in room temperature ionic liquid-based electrolyte. Journal of Power Sources, 2011, 196, 6663-6669.	7.8	74
95	Gallium (III) sulfide as an active material in lithium secondary batteries. Journal of Power Sources, 2011, 196, 5631-5636.	7.8	36
96	Stabilizing lithium plating-stripping reaction between a lithium phosphorus oxynitride glass electrolyte and copper thin film by platinum insertion. Journal of Power Sources, 2011, 196, 2135-2142.	7.8	33
97	X-ray absorption near-edge structure study on positive electrodes of degraded lithium-ion battery. Journal of Power Sources, 2011, 196, 6881-6883.	7.8	34
98	Effect of Organic Additives on Electrochemical Properties of Li Anode in Room Temperature Ionic Liquid. Journal of the Electrochemical Society, 2011, 158, A316.	2.9	48
99	Improvement of Cycle Capability of FeS <sub>2</sub> Positive Electrode by Forming Composites with Li <sub>2</sub> S for Ambient Temperature Lithium Batteries. Journal of the Electrochemical Society, 2011, 159, A75-A84.	2.9	46
100	Preparation of electrochemically active lithium sulfide-carbon composites using spark-plasma-sintering process. Journal of Power Sources, 2010, 195, 2928-2934.	7.8	68
101	Electrochemical characteristics of aluminum sulfide for use in lithium secondary batteries. Journal of Power Sources, 2010, 195, 8327-8330.	7.8	21
102	Preparation of Lithium Sulfide-Carbon Composites Using Spark-Plasma-Sintering Process and their Electrochemical Properties. Materials Science Forum, 2010, 638-642, 2184-2188.	0.3	1
103	Ab Initio Simulations of Li/Pyrite-MS <sub>2</sub> (M=Fe, Ni) Battery Cells. Journal of the Electrochemical Society, 2010, 157, A630.	2.9	31
104	All-Solid-State Lithium Secondary Battery with Li <sub>2</sub> S-C Composite Positive Electrode Prepared by Spark-Plasma-Sintering Process. Journal of the Electrochemical Society, 2010, 157, A1196.	2.9	91
105	Modification of Nickel Sulfide by Surface Coating with TiO <sub>2</sub> and ZrO <sub>2</sub> for Improvement of Cycle Capability. Journal of the Electrochemical Society, 2009, 156, A958.	2.9	14
106	Bulk and surface structure investigation for the positive electrodes of degraded lithium-ion cell after storage test using X-ray absorption near-edge structure measurement. Journal of Power Sources, 2009, 189, 676-680.	7.8	46
107	Preparation of NiS <sub>2</sub> Using Spark-Plasma-Sintering Process and Its Electrochemical Properties. Journal of the Electrochemical Society, 2008, 155, A679.	2.9	36
108	Low Melting and Electrochemically Stable Ionic Liquids Based on Asymmetric Fluorosulfonyl(trifluoromethylsulfonyl)amide. Chemistry Letters, 2008, 37, 1020-1021.	1.3	65

#	ARTICLE	IF	CITATIONS
109	Application of room temperature ionic liquids to Li batteries. <i>Electrochimica Acta</i> , 2007, 53, 1048-1054.	5.2	222
110	Structural and electrochemical properties of $\text{Li}_{0.44+x}\text{Mn}_{1-y}\text{Ti}_y\text{O}_2$ as a novel 4V positive electrode material. <i>Journal of Power Sources</i> , 2007, 174, 1218-1223.	7.8	16
111	Investigation of positive electrodes after cycle testing of high-power Li-ion battery cells II. <i>Journal of Power Sources</i> , 2007, 174, 795-799.	7.8	65
112	Application of nonflammable electrolyte with room temperature ionic liquids (RTILs) for lithium-ion cells. <i>Journal of Power Sources</i> , 2007, 174, 1021-1026.	7.8	157
113	Investigation of positive electrodes after cycle testing of high-power Li-ion battery cells. <i>Journal of Power Sources</i> , 2007, 174, 380-386.	7.8	73
114	Fast cycling of Li/LiCoO <sub>2</sub> cell with low-viscosity ionic liquids based on bis(fluorosulfonyl)imide [FSI]. <i>Journal of Power Sources</i> , 2006, 160, 1308-1313.	7.8	532
115	Antifluorite compounds, $\text{Li}_{5+x}\text{Fe}_{1-x}\text{Co}_x\text{O}_4$ , as a lithium intercalation host. <i>Journal of Power Sources</i> , 2005, 146, 21-26.	7.8	26
116	The effects of preparation condition and dopant on the electrochemical property for Fe-substituted $\text{Li}_2\text{MnO}_3$ . <i>Journal of Power Sources</i> , 2005, 146, 287-293.	7.8	38
117	Discharge-charge properties of Li/LiCoO <sub>2</sub> cell using room temperature ionic liquids (RTILs) based on quaternary ammonium cation. Effect of the structure. <i>Journal of Power Sources</i> , 2005, 146, 693-697.	7.8	177
118	Preparation of room temperature ionic liquids based on aliphatic onium cations and asymmetric amide anions and their electrochemical properties as a lithium battery electrolyte. <i>Journal of Power Sources</i> , 2005, 146, 45-50.	7.8	401
119	Application of Ionic Liquids to Li Batteries. , 2005, , 171-186.		0
120	Li de-intercalation mechanism in $\text{LiNiMnO}$ cathode material for Li-ion batteries. <i>Solid State Ionics</i> , 2005, 176, 895-903.	2.7	62
121	Synthesis and Electrochemical Properties of $\text{Li}_{[0.44]}\text{MnO}_{[2]}$ as a Novel 4V Cathode Material. <i>Electrochemical and Solid-State Letters</i> , 2005, 8, A554.	2.2	22
122	EQCM study of Room Temperature Ionic Liquids Based on Perfluoroethyltrifluoroborate with and without $\text{Li}[\text{BF}_4]$ . <i>Electrochemistry</i> , 2005, 73, 633-635.	1.4	15
123	Study of the Capacity Fading Mechanism for Fe-Substituted $\text{LiCoO}_2$ Positive Electrode. <i>Journal of the Electrochemical Society</i> , 2004, 151, A672.	2.9	31
124	Changes in the structure and physical properties of $\text{Li}_{1-y}\text{Ni}_{0.5}\text{Mn}_{0.4}\text{Ti}_{0.1}\text{O}_2$ ( $y=0$ and $0.5$ ). <i>Solid State Ionics</i> , 2004, 175, 221-224.	2.7	7
125	Changes in the structure and magnetic properties of $\text{Li}_{1.08}\text{Mn}_{1.92}\text{O}_4$ after charge/discharge cycles with a 18650-type cylindrical battery. <i>Solid State Ionics</i> , 2004, 175, 229-232.	2.7	3
126	Structure and physical property changes of de-lithiated spinels for $\text{Li}_{1.02-x}\text{Mn}_{1.98}\text{O}_4$ after high-temperature storage. <i>Solid State Ionics</i> , 2003, 156, 309-318.	2.7	12



#	ARTICLE	IF	CITATIONS
127	N-Methyl-N-propylpiperidinium bis(trifluoromethanesulfonyl)imide (PP13â€“TFSI) â€“ novel electrolyte base for Li battery. <i>Electrochemistry Communications</i> , 2003, 5, 594-598.	4.7	704
128	Changes in the structure and physical properties of the solid solution $\text{LiNi}_{1-x}\text{Mn}_x\text{O}_2$ with variation in its composition. <i>Journal of Materials Chemistry</i> , 2003, 13, 590-595.	6.7	102
129	Fine $\text{Li}(4-x)/3\text{Ti}(2-x)/3\text{Fe}_x\text{O}_2$ ( $0.18 \leq x \leq 0.67$ ) powder with cubic rock-salt structure as a positive electrode material for rechargeable lithium batteries. <i>Journal of Materials Chemistry</i> , 2003, 13, 1747.	6.7	74
130	Lithium Extraction and Insertion Behavior of Nanocrystalline $\text{Li}_2\text{TiO}_3$ - $\text{LiFeO}_2$ Solid Solution with Cubic Rock Salt Structure. <i>Journal of the Electrochemical Society</i> , 2003, 150, A638.	2.9	46
131	Synthesis, Cation Distribution, and Electrochemical Properties of Fe-Substituted $\text{Li}_2\text{MnO}_3$ as a Novel 4 V Positive Electrode Material. <i>Journal of the Electrochemical Society</i> , 2002, 149, A509.	2.9	92
132	Structural and electrochemical properties of $\text{Li}(\text{Fe}, \text{Co})_x\text{Mn}_{2-x}\text{O}_4$ solid solution as 5 V positive electrode materials for Li secondary batteries. <i>Journal of Materials Chemistry</i> , 2002, 12, 1882-1891.	6.7	43
133	Neutron-scattering studies on carbon anode materials used in lithium-ion batteries. <i>Applied Physics A: Materials Science and Processing</i> , 2002, 74, s1028-s1030.	2.3	15
134	Structure and Electrochemical Properties of $\text{LiFe}_x\text{Mn}_{2-x}\text{O}_4$ ( $0 \leq x \leq 0.5$ ) Spinel as 5 V Electrode Material for Lithium Batteries. <i>Journal of the Electrochemical Society</i> , 2001, 148, A730.	2.9	116
135	Preparation of lithium manganese oxides containing iron. <i>Journal of Power Sources</i> , 2001, 97-98, 415-419.	7.8	53
136	Electrochemical Properties of Hydrothermally Obtained $\text{LiCo}_{1-x}\text{Fe}_x\text{O}_2$ as a Positive Electrode Material for Rechargeable Lithium Batteries. <i>Journal of the Electrochemical Society</i> , 2000, 147, 960.	2.9	77
137	Present status and future prospect for national project on lithium batteries. <i>Journal of Power Sources</i> , 1999, 81-82, 144-149.	7.8	13
138	Lithium intercalation behavior of iron cyanometallates. <i>Journal of Power Sources</i> , 1999, 81-82, 530-534.	7.8	102
139	Preparation of $\text{LiCoO}_2$ and $\text{LiCo}_{1-x}\text{Fe}_x\text{O}_2$ using hydrothermal reactions. <i>Journal of Materials Chemistry</i> , 1999, 9, 199-204.	6.7	75
140	Structure and electrical properties of $\text{Sr}_{0.5}\text{Ca}_{0.5}\text{VO}_y$ . <i>Solid State Ionics</i> , 1998, 108, 327-332.	2.7	2
141	Cycleability of Niâ€“Fe hydroxides in nonaqueous electrolyte. <i>Solid State Ionics</i> , 1998, 113-115, 35-41.	2.7	7
142	Physical Property Change of $\text{FeOOH} \cdot n\text{H}_2\text{O}$ during Lithium Insertion and Extraction. <i>Journal of Electrochemical Society</i> , 1996, 143, 2713-2717.	2.9	0
143	Electrochemical and magnetic properties of lithium manganese oxide spinels prepared by oxidation at low temperature of hydrothermally obtained $\text{LiMnO}_2$ . <i>Solid State Ionics</i> , 1996, 89, 53-63.	2.7	33
144	Li <sup>+</sup> /Na <sup>+</sup> exchange from $\hat{\text{L}}\text{-NaFeO}_2$ using hydrothermal reaction. <i>Solid State Ionics</i> , 1996, 90, 129-132.	2.7	43

#	ARTICLE	IF	CITATIONS
145	Preparation of a FeOCl derivative with pyrrole and its performance as a cathode material in a secondary lithium battery system. Journal of Power Sources, 1995, 56, 165-169.	7.8	11
146	Preparation of AFeO <sub>2</sub> (A = Li, Na) by hydrothermal method. Solid State Ionics, 1995, 79, 220-226.	2.7	92
147	Electrochemical properties of FeOCl derivatives prepared by the reaction of FeOCl intercalated with 2,2-bithiophene and H <sub>2</sub> O. Solid State Ionics, 1995, 79, 234-238.	2.7	6
148	Discharge and Charge Characteristics of Amorphous FeOOH Including Aniline (FeOOH): Influence of Preparation Conditions on Discharge and Charge Characteristics. Journal of the Electrochemical Society, 1995, 142, 360-365.	2.9	17
149	Application of FeOCl Derivatives for a Secondary Lithium Battery: III . Electrochemical Reaction and Physical State of Reaction Product of with Aniline in Water. Journal of the Electrochemical Society, 1995, 142, 2126-2131.	2.9	5
150	The Influence of the Graphitic Structure on the Electrochemical Characteristics for the Anode of Secondary Lithium Batteries. Journal of the Electrochemical Society, 1995, 142, 716-720.	2.9	152
151	Application of FeOOH derivatives for a secondary lithium battery. Journal of Power Sources, 1993, 44, 627-634.	7.8	7
152	Application of FeOCl derivatives as cathode materials for secondary lithium battery. Journal of Power Sources, 1992, 40, 291-298.	7.8	9
153	Application of FeOCl Derivative for a Secondary Lithium Battery: I . Discharge and Charge Characteristics of Amorphous Prepared by Ion Exchange Reaction of Including Aniline. Journal of the Electrochemical Society, 1991, 138, 2971-2975.	2.9	10
154	The Discharge and Charge Characteristics of FeOCl Modified by Aniline in Water. Journal of the Electrochemical Society, 1991, 138, 331-332.	2.9	8