

Andreas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/360318/publications.pdf>

Version: 2024-02-01

279
papers

29,884
citations

2802

94
h-index

5679

162
g-index

304
all docs

304
docs citations

304
times ranked

30997
citing authors

#	ARTICLE	IF	CITATIONS
1	B Cell Numbers Predict Humoral and Cellular Response Upon SARS-CoV-2 Vaccination Among Patients Treated With Rituximab. <i>Arthritis and Rheumatology</i> , 2022, 74, 934-947.	5.6	55
2	Resident memory CD4 ⁺ T lymphocytes mobilize from bone marrow to contribute to a systemic secondary immune reaction. <i>European Journal of Immunology</i> , 2022, 52, 737-752.	2.9	6
3	Data-Driven Mathematical Model of Apoptosis Regulation in Memory Plasma Cells. <i>Cells</i> , 2022, 11, 1547.	4.1	2
4	Questioning whether IgM Fc receptor (FcµR) is expressed by innate immune cells. <i>Nature Communications</i> , 2022, 13, .	12.8	5
5	Deep phenotypical characterization of human CD3 ⁺ CD56 ⁺ T cells by mass cytometry. <i>European Journal of Immunology</i> , 2021, 51, 672-681.	2.9	21
6	Antigen-driven PD-1 ⁺ TOX ⁺ and PD-1 ⁺ TOX ⁻ EOMES ⁺ T lymphocytes regulate juvenile idiopathic arthritis <i>in situ</i> . <i>European Journal of Immunology</i> , 2021, 51, 915-929.	2.9	24
7	9-cis Retinoic acid and 1,25-dihydroxyvitamin D ₃ drive differentiation into IgA ⁺ secreting plasmablasts in human naïve B cells. <i>European Journal of Immunology</i> , 2021, 51, 125-137.	2.9	8
8	Rapid Isolation of Functional ex vivo Human Skin Tissue-Resident Memory T Lymphocytes. <i>Frontiers in Immunology</i> , 2021, 12, 624013.	4.8	6
9	SARS-CoV-2 in severe COVID-19 induces a TGF-β-dominated chronic immune response that does not target itself. <i>Nature Communications</i> , 2021, 12, 1961.	12.8	145
10	Immunological memory in rheumatic inflammation – a roadblock to tolerance induction. <i>Nature Reviews Rheumatology</i> , 2021, 17, 291-305.	8.0	25
11	A long-term perspective on immunity to COVID. <i>Nature</i> , 2021, 595, 359-360.	27.8	40
12	Impaired humoral immunity to SARS-CoV-2 BNT162b2 vaccine in kidney transplant recipients and dialysis patients. <i>Science Immunology</i> , 2021, 6, eabj1031.	11.9	223
13	Maintenance of quiescent immune memory in the bone marrow. <i>European Journal of Immunology</i> , 2021, 51, 1592-1601.	2.9	18
14	Keeping up with the stress of antibody production: BAFF and APRIL maintain memory plasma cells. <i>Current Opinion in Immunology</i> , 2021, 71, 97-102.	5.5	10
15	Untimely TGFβ ² responses in COVID-19 limit antiviral functions of NK cells. <i>Nature</i> , 2021, 600, 295-301.	27.8	146
16	Guidelines for the use of flow cytometry and cell sorting in immunological studies (third edition). <i>European Journal of Immunology</i> , 2021, 51, 2708-3145.	2.9	198
17	Selective depletion of plasma cells in vivo based on the specificity of their secreted antibodies. <i>European Journal of Immunology</i> , 2020, 50, 284-291.	2.9	23
18	Stromal Cell-Contact Dependent PI3K and APRIL Induced NF-κB Signaling Prevent Mitochondrial- and ER Stress Induced Death of Memory Plasma Cells. <i>Cell Reports</i> , 2020, 32, 107982.	6.4	40

#	ARTICLE	IF	CITATIONS
19	Targeting CD38 with Daratumumab in Refractory Systemic Lupus Erythematosus. <i>New England Journal of Medicine</i> , 2020, 383, 1149-1155.	27.0	178
20	Synovial tissue transcriptomes of long-standing rheumatoid arthritis are dominated by activated macrophages that reflect microbial stimulation. <i>Scientific Reports</i> , 2020, 10, 7907.	3.3	24
21	Specific microbiota enhances intestinal IgA levels by inducing TGF β ² in T follicular helper cells of Peyer's patches in mice. <i>European Journal of Immunology</i> , 2020, 50, 783-794.	2.9	58
22	Enhanced Cell Division Is Required for the Generation of Memory CD4 T Cells to Migrate Into Their Proper Location. <i>Frontiers in Immunology</i> , 2020, 10, 3113.	4.8	2
23	Discrete populations of isotype-switched memory B lymphocytes are maintained in murine spleen and bone marrow. <i>Nature Communications</i> , 2020, 11, 2570.	12.8	54
24	Identification of cross-reactive antibodies for the detection of lymphocytes, myeloid cells and haematopoietic precursors in the naked mole rat. <i>European Journal of Immunology</i> , 2019, 49, 2103-2110.	2.9	13
25	Recruitment of Histone Methyltransferase Ehmt1 to Foxp3 TSDR Counteracts Differentiation of Induced Regulatory T Cells. <i>Journal of Molecular Biology</i> , 2019, 431, 3606-3625.	4.2	6
26	Pathogenic memory plasma cells in autoimmunity. <i>Current Opinion in Immunology</i> , 2019, 61, 86-91.	5.5	26
27	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019, 49, 1457-1973.	2.9	766
28	CD69 ⁺ memory T lymphocytes of the bone marrow and spleen express the signature transcripts of tissue-resident memory T lymphocytes. <i>European Journal of Immunology</i> , 2019, 49, 966-968.	2.9	30
29	Regulation of Fatty Acid Oxidation by Twist 1 in the Metabolic Adaptation of T Helper Lymphocytes to Chronic Inflammation. <i>Arthritis and Rheumatology</i> , 2019, 71, 1756-1765.	5.6	18
30	Functional Roles of the IgM Fc Receptor in the Immune System. <i>Frontiers in Immunology</i> , 2019, 10, 945.	4.8	43
31	Single-cell transcriptomes of murine bone marrow stromal cells reveal niche-associated heterogeneity. <i>European Journal of Immunology</i> , 2019, 49, 1372-1379.	2.9	28
32	IL-10-producing B ₁ cells are characterized by a specific methylation signature. <i>European Journal of Immunology</i> , 2019, 49, 1213-1225.	2.9	19
33	<i>Salmonella</i> SiiE prevents an efficient humoral immune memory by interfering with IgG ⁺ plasma cell persistence in the bone marrow. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 7425-7430.	7.1	37
34	The Maintenance of Memory Plasma Cells. <i>Frontiers in Immunology</i> , 2019, 10, 721.	4.8	144
35	Macrophages in bone fracture healing: Their essential role in endochondral ossification. <i>Bone</i> , 2018, 106, 78-89.	2.9	413
36	Immunological memories of the bone marrow. <i>Immunological Reviews</i> , 2018, 283, 86-98.	6.0	74

#	ARTICLE	IF	CITATIONS
37	CXCR4â€“CXCL12 interaction is important for plasma cell homing and survival in NZB/W mice. <i>European Journal of Immunology</i> , 2018, 48, 1020-1029.	2.9	40
38	Nonfollicular reactivation of bone marrow resident memory CD4 T cells in immune clusters of the bone marrow. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1334-1339.	7.1	30
39	9-cis retinoic acid modulates the type I allergic immune response. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 650-658.e5.	2.9	15
40	The intestinal microbiota determines the colitisâ€“inducing potential of Tâ€“betâ€“deficient Th cells in mice. <i>European Journal of Immunology</i> , 2018, 48, 161-167.	2.9	11
41	Monocyte alterations in rheumatoid arthritis are dominated by preterm release from bone marrow and prominent triggering in the joint. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 300-308.	0.9	59
42	Selective targeting of pro-inflammatory Th1 cells by microRNA-148a-specific antagonomirs in vivo. <i>Journal of Autoimmunity</i> , 2018, 89, 41-52.	6.5	30
43	MicroRNA-31 Reduces the Motility of Proinflammatory T Helper 1 Lymphocytes. <i>Frontiers in Immunology</i> , 2018, 9, 2813.	4.8	13
44	An explorative study on deep profiling of peripheral leukocytes to identify predictors for responsiveness to anti-tumour necrosis factor alpha therapies in ankylosing spondylitis: natural killer cells in focus. <i>Arthritis Research and Therapy</i> , 2018, 20, 191.	3.5	11
45	Proteasome inhibition with bortezomib induces a therapeutically relevant depletion of plasma cells in SLE but does not target their precursors. <i>European Journal of Immunology</i> , 2018, 48, 1573-1579.	2.9	57
46	Simultaneous Presence of Non- and Highly Mutated Keyhole Limpet Hemocyanin (KLH)-Specific Plasmablasts Early after Primary KLH Immunization Suggests Cross-Reactive Memory B Cell Activation. <i>Journal of Immunology</i> , 2018, 200, 3981-3992.	0.8	18
47	Protective and pathogenic memory plasma cells. <i>Immunology Letters</i> , 2017, 189, 10-12.	2.5	13
48	Systems Analysis Reveals High Genetic and Antigen-Driven Predetermination of Antibody Repertoires throughout B Cell Development. <i>Cell Reports</i> , 2017, 19, 1467-1478.	6.4	172
49	Type I interferon as a biomarker in autoimmunity and viral infection: a leukocyte subset-specific analysis unveils hidden diagnostic options. <i>Journal of Molecular Medicine</i> , 2017, 95, 753-765.	3.9	19
50	Guidelines for the use of flow cytometry and cell sorting in immunological studies[*]. <i>European Journal of Immunology</i> , 2017, 47, 1584-1797.	2.9	505
51	Determination of background, signalâ€“noise, and dynamic range of a flow cytometer: A novel practical method for instrument characterization and standardization. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2017, 91, 1104-1114.	1.5	19
52	Are interferon-related biomarkers advantageous for monitoring disease activity in systemic lupus erythematosus? A longitudinal benchmark study. <i>Rheumatology</i> , 2017, 56, 1618-1626.	1.9	49
53	Interleukinâ€“36 receptor mediates the crosstalk between plasma cells and synovial fibroblasts. <i>European Journal of Immunology</i> , 2017, 47, 2101-2112.	2.9	26
54	The role of the miRâ€“148/â€“152 family in physiology and disease. <i>European Journal of Immunology</i> , 2017, 47, 2026-2038.	2.9	87

#	ARTICLE	IF	CITATIONS
55	Authentic IgM Fc Receptor (Fcγ1/4R). <i>Current Topics in Microbiology and Immunology</i> , 2017, 408, 25-45.	1.1	15
56	Maintenance of CD8 ⁺ memory T lymphocytes in the spleen but not in the bone marrow is dependent on proliferation. <i>European Journal of Immunology</i> , 2017, 47, 1900-1905.	2.9	33
57	Endogenous Calcitriol Synthesis Controls the Humoral IgE Response in Mice. <i>Journal of Immunology</i> , 2017, 199, 3952-3958.	0.8	10
58	Mapping urinary chemokines in human lupus nephritis: Potentially redundant pathways recruit CD4 ⁺ and CD8 ⁺ T cells and macrophages. <i>European Journal of Immunology</i> , 2017, 47, 180-192.	2.9	26
59	Wild immunology assessed by multidimensional mass cytometry. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2017, 91, 85-95.	1.5	27
60	Differential Expression of miR-4520a Associated With Pyrin Mutations in Familial Mediterranean Fever (FMF). <i>Journal of Cellular Physiology</i> , 2017, 232, 1326-1336.	4.1	23
61	B Cells Negatively Regulate the Establishment of CD49b ⁺ T-bet ⁺ Resting Memory T Helper Cells in the Bone Marrow. <i>Frontiers in Immunology</i> , 2016, 7, 26.	4.8	6
62	Response: Commentary: Memory CD8 ⁺ T Cells Colocalize with IL-7 ⁺ Stromal Cells in Bone Marrow and Rest in Terms of Proliferation and Transcription. <i>Frontiers in Immunology</i> , 2016, 7, 329.	4.8	4
63	Multispectral flow cytometry: The consequences of increased light collection. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2016, 89, 681-689.	1.5	19
64	Identification of T Cell-Mediated Vascular Rejection After Kidney Transplantation by the Combined Measurement of 5 Specific MicroRNAs in Blood. <i>Transplantation</i> , 2016, 100, 898-907.	1.0	32
65	SIGLEC1 is a biomarker of disease activity and indicates extraglandular manifestation in primary Sjögren's syndrome. <i>RMD Open</i> , 2016, 2, e000292.	3.8	42
66	Thymus-Derived Regulatory T Cells Are Positively Selected on Natural Self-Antigen through Cognate Interactions of High Functional Avidity. <i>Immunity</i> , 2016, 44, 1114-1126.	14.3	89
67	CD40L expression by CD4 ⁺ but not CD8 ⁺ T cells regulates antiviral immune responses in acute LCMV infection in mice. <i>European Journal of Immunology</i> , 2016, 46, 2566-2573.	2.9	13
68	Epigenomic Profiling of Human CD4 ⁺ T Cells Supports a Linear Differentiation Model and Highlights Molecular Regulators of Memory Development. <i>Immunity</i> , 2016, 45, 1148-1161.	14.3	174
69	Identification of Novel Nuclear Factor of Activated T Cell (NFAT)-associated Proteins in T Cells. <i>Journal of Biological Chemistry</i> , 2016, 291, 24172-24187.	3.4	51
70	High-resolution microbiota flow cytometry reveals dynamic colitis-associated changes in fecal bacterial composition. <i>European Journal of Immunology</i> , 2016, 46, 1300-1303.	2.9	57
71	Chromosomal localisation of the CD4 ^{cre} transgene in B6.Cg-Tg(Cd4-cre)1Cwi mice. <i>Journal of Immunological Methods</i> , 2016, 436, 54-57.	1.4	12
72	Siglec-1-positive plasmacytoid dendritic cells (pDCs) in human peripheral blood: A semi-mature and myeloid-like subset imbalanced during protective and autoimmune responses. <i>Clinical Immunology</i> , 2016, 163, 42-51.	3.2	16

#	ARTICLE	IF	CITATIONS
73	The lifestyle of memory CD8+ T cells. <i>Nature Reviews Immunology</i> , 2016, 16, 271-271.	22.7	11
74	Immunological memory: lessons from the past and a look to the future. <i>Nature Reviews Immunology</i> , 2016, 16, 124-128.	22.7	144
75	Plasma cells as an innovative target in autoimmune disease with renal manifestations. <i>Nature Reviews Nephrology</i> , 2016, 12, 232-240.	9.6	154
76	Low-dose interleukin-2 selectively corrects regulatory T cell defects in patients with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1407-1415.	0.9	303
77	Epigenetic Imprinting of Immunological Memory. <i>Epigenetics and Human Health</i> , 2016, , 53-67.	0.2	2
78	Adequate immune response ensured by binary IL-2 and graded CD25 expression in a murine transfer model. <i>ELife</i> , 2016, 5, .	6.0	11
79	miR-148a promotes plasma cell differentiation and targets the germinal center transcription factors <i>Mitf</i> and <i>Bach2</i> . <i>European Journal of Immunology</i> , 2015, 45, 1206-1215.	2.9	70
80	A unique population of IgG-expressing plasma cells lacking CD19 is enriched in human bone marrow. <i>Blood</i> , 2015, 125, 1739-1748.	1.4	170
81	Antigen receptor-mediated depletion of FOXP3 in induced regulatory T-lymphocytes via PTPN2 and FOXO1. <i>Nature Communications</i> , 2015, 6, 8576.	12.8	27
82	Long-lived plasma cells are early and constantly generated in New Zealand Black/New Zealand White F1 mice and their therapeutic depletion requires a combined targeting of autoreactive plasma cells and their precursors. <i>Arthritis Research and Therapy</i> , 2015, 17, 39.	3.5	55
83	Transcription factor occupied regions in the murine genome constitute T helper cell subtype-specific enhancers. <i>European Journal of Immunology</i> , 2015, 45, 3150-3157.	2.9	13
84	Bortezomib Plus Continuous B Cell Depletion Results in Sustained Plasma Cell Depletion and Amelioration of Lupus Nephritis in NZB/W F1 Mice. <i>PLoS ONE</i> , 2015, 10, e0135081.	2.5	44
85	Memory CD8 ⁺ T cells colocalize with IL-7 ⁺ stromal cells in bone marrow and rest in terms of proliferation and transcription. <i>European Journal of Immunology</i> , 2015, 45, 975-987.	2.9	97
86	Individual T Helper Cells Have a Quantitative Cytokine Memory. <i>Immunity</i> , 2015, 42, 108-122.	14.3	38
87	Rapid induction of clinical remission by low-dose interleukin-2 in a patient with refractory SLE. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 791-792.	0.9	159
88	ICOS maintains the T follicular helper cell phenotype by down-regulating KrÄppel-like factor 2. <i>Journal of Experimental Medicine</i> , 2015, 212, 217-233.	8.5	255
89	A Ca ²⁺ concentration of 1.5 mM, as present in IMDM but not in RPMI, is critical for maximal response of Th cells to PMA/ionomycin. <i>European Journal of Immunology</i> , 2015, 45, 1270-1273.	2.9	14
90	The proteasome inhibitor bortezomib depletes plasma cells and ameliorates clinical manifestations of refractory systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1474-1478.	0.9	298

#	ARTICLE	IF	CITATIONS
91	Direct uptake of Antagomirs and efficient knockdown of miRNA in primary B and T lymphocytes. <i>Journal of Immunological Methods</i> , 2015, 426, 128-133.	1.4	26
92	Demethylation of the <i>RORC2</i> and <i>IL17A</i> in Human CD4+ T Lymphocytes Defines Th17 Origin of Nonclassic Th1 Cells. <i>Journal of Immunology</i> , 2015, 194, 3116-3126.	0.8	79
93	miR-148a is upregulated by Twist1 and Tbet and promotes Th1 cell survival by regulating the proapoptotic gene Bim. <i>European Journal of Immunology</i> , 2015, 45, 1192-1205.	2.9	56
94	Selection and depletion of plasma cells based on the specificity of the secreted antibody. <i>European Journal of Immunology</i> , 2015, 45, 317-319.	2.9	21
95	Human memory T cells from the bone marrow are resting and maintain long-lasting systemic memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9229-9234.	7.1	154
96	Nuclear Factor of Activated T Cells Regulates the Expression of Interleukin-4 in Th2 Cells in an All-or-none Fashion. <i>Journal of Biological Chemistry</i> , 2014, 289, 26752-26761.	3.4	29
97	Welcome aboard!. <i>European Journal of Immunology</i> , 2014, 44, i.	2.9	0
98	Cell population identification using fluorescence-minus-one controls with a one-class classifying algorithm. <i>Bioinformatics</i> , 2014, 30, 3372-3378.	4.1	22
99	IL-17 and GM-CSF Expression Are Antagonistically Regulated by Human T Helper Cells. <i>Science Translational Medicine</i> , 2014, 6, 241ra80.	12.4	205
100	Autocrine IL-10 promotes human B cell differentiation into IgM- or IgG-secreting plasmablasts. <i>European Journal of Immunology</i> , 2014, 44, 1615-1621.	2.9	98
101	T and B cells participate in bone repair by infiltrating the fracture callus in a two-wave fashion. <i>Bone</i> , 2014, 64, 155-165.	2.9	162
102	25-Hydroxvitamin D3 Promotes the Long-Term Effect of Specific Immunotherapy in a Murine Allergy Model. <i>Journal of Immunology</i> , 2014, 193, 1017-1023.	0.8	44
103	Unbiased transcriptomes of resting human CD4 ⁺ CD45 ^{RO} T lymphocytes. <i>European Journal of Immunology</i> , 2014, 44, 1866-1869.	2.9	21
104	Role of Blimp-1 in programming Th effector cells into IL-10 producers. <i>Journal of Experimental Medicine</i> , 2014, 211, 1807-1819.	8.5	161
105	Static and dynamic components synergize to form a stable survival niche for bone marrow plasma cells. <i>European Journal of Immunology</i> , 2014, 44, 2306-2317.	2.9	110
106	A3.26...Proteasome inhibition with bortezomib in refractory SLE inhibits type I interferon and depletes plasma cells but does not inhibit their regeneration. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A52.2-A52.	0.9	1
107	CD49b-dependent establishment of T helper cell memory. <i>Immunology and Cell Biology</i> , 2013, 91, 524-531.	2.3	30
108	Foxp3 ⁺ Helios ⁺ regulatory T cells are expanded in active systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1549-1558.	0.9	127

#	ARTICLE	IF	CITATIONS
109	Development and resolution of secondary autoimmunity after autologous haematopoietic stem cell transplantation for systemic lupus erythematosus: competition of plasma cells for survival niches?. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1102-1104.	0.9	10
110	Fair play at EJI. <i>European Journal of Immunology</i> , 2013, 43, i-ii.	2.9	9
111	Loss of methylation at the <i>IFNG</i> promoter and <i>CNS</i> is associated with the development of functional <i>IFN</i> ³ memory in human <i>CD</i> ⁴ <i>T</i> lymphocytes. <i>European Journal of Immunology</i> , 2013, 43, 793-804.	2.9	44
112	Pathophysiological hypoxia affects the redox state and <i>IL</i> ² signalling of human <i>CD</i> ⁴ <i>T</i> cells and concomitantly impairs survival and proliferation. <i>European Journal of Immunology</i> , 2013, 43, 1588-1597.	2.9	15
113	Autoantibodies from long-lived <i>memory</i> TM plasma cells of NZB/W mice drive immune complex nephritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 2011-2017.	0.9	66
114	CD49b/CD69-Dependent Generation of Resting T Helper Cell Memory. <i>Frontiers in Immunology</i> , 2013, 4, 183.	4.8	12
115	<i>IFN</i> [±] and its response proteins, IP-10 and SIGLEC-1, are biomarkers of disease activity in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1639-1645.	0.9	115
116	Cytometry for immunology: A stable and happy marriage. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2013, 83A, 673-675.	1.5	6
117	Cell-Specific Type I IFN Signatures in Autoimmunity and Viral Infection: What Makes the Difference?. <i>PLoS ONE</i> , 2013, 8, e83776.	2.5	82
118	B-cell development and differentiation. , 2013, , 90-101.		0
119	Vitamin D Receptor Activation Improves Allergen-Triggered Eczema in Mice. <i>Journal of Investigative Dermatology</i> , 2012, 132, 330-336.	0.7	40
120	Type II membrane protein CD69 regulates the formation of resting T-helper memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7409-7414.	7.1	121
121	Stable IL-2 Decision Making by Endogenous c-Fos Amounts in Peripheral Memory T-helper Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 18386-18397.	3.4	10
122	Takayasu arteritis is characterised by disturbances of B cell homeostasis and responds to B cell depletion therapy with rituximab. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 75-79.	0.9	150
123	Advancing Cytometry for Immunology. <i>European Journal of Immunology</i> , 2012, 42, 3106-3109.	2.9	5
124	The multifaceted balance of <i>TNF</i> [±] and type I/II interferon responses in SLE and RA: how monocytes manage the impact of cytokines. <i>Journal of Molecular Medicine</i> , 2012, 90, 1295-1309.	3.9	67
125	Bone marrow of NZB/W mice is the major site for plasma cells resistant to dexamethasone and cyclophosphamide: Implications for the treatment of autoimmunity. <i>Journal of Autoimmunity</i> , 2012, 39, 180-188.	6.5	66
126	The role of <i>Nfil3</i> in zebrafish hematopoiesis. <i>Developmental and Comparative Immunology</i> , 2012, 38, 187-192.	2.3	7

#	ARTICLE	IF	CITATIONS
127	IL-2 Expression in Activated Human Memory FOXP3+ Cells Critically Depends on the Cellular Levels of FOXP3 as Well as of Four Transcription Factors of T Cell Activation. <i>Frontiers in Immunology</i> , 2012, 3, 264.	4.8	10
128	Memory on the move. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 1563-1564.	5.4	0
129	Signals controlling rest and reactivation of T helper memory lymphocytes in bone marrow. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 1609-1613.	5.4	13
130	Lymphocyte signaling: regulation of FoxO transcription factors by microRNAs. <i>Annals of the New York Academy of Sciences</i> , 2012, 1247, 46-55.	3.8	23
131	Characteristics of B Cells and B Cell Responses in Aged Individuals. , 2012, , 55-84.		0
132	Targeting pathogenic T helper cell memory. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, i85-i87.	0.9	14
133	Long-lived autoreactive plasma cells drive persistent autoimmune inflammation. <i>Nature Reviews Rheumatology</i> , 2011, 7, 170-178.	8.0	293
134	Isolation of Human B Cell Populations. <i>Current Protocols in Immunology</i> , 2011, 94, Unit7.5.	3.6	4
135	Analysis of IL-17+ cells in facet joints of patients with spondyloarthritis suggests that the innate immune pathway might be of greater relevance than the Th17-mediated adaptive immune response. <i>Arthritis Research and Therapy</i> , 2011, 13, R95.	3.5	267
136	1,25-dihydroxyvitamin D3 impairs NF- κ B activation in human naive B cells. <i>Biochemical and Biophysical Research Communications</i> , 2011, 407, 699-702.	2.1	69
137	Measurement of Proliferative Responses of Cultured Lymphocytes. <i>Current Protocols in Immunology</i> , 2011, 94, Unit7.10.	3.6	39
138	Dephosphorylation of Bcl-10 by calcineurin is essential for canonical NF- κ B activation in Th cells. <i>European Journal of Immunology</i> , 2011, 41, 2349-2357.	2.9	49
139	Fracture healing is accelerated in the absence of the adaptive immune system. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 113-124.	2.8	188
140	Synovial and Peripheral Blood CD4+FoxP3+ T Cells in Spondyloarthritis. <i>Journal of Rheumatology</i> , 2011, 38, 2445-2451.	2.0	44
141	Allergy for a Lifetime?. <i>Allergy International</i> , 2010, 59, 1-8.	3.3	35
142	Steady-state generation of mucosal IgA+ plasmablasts is not abrogated by B-cell depletion therapy with rituximab. <i>Blood</i> , 2010, 116, 5181-5190.	1.4	107
143	Defining TNF- α - and LPS-induced gene signatures in monocytes to unravel the complexity of peripheral blood transcriptomes in health and disease. <i>Journal of Molecular Medicine</i> , 2010, 88, 1065-1079.	3.9	18
144	Rimexolone inhibits proliferation, cytokine expression and signal transduction of human CD4+ T-cells. <i>Immunology Letters</i> , 2010, 131, 24-32.	2.5	14

#	ARTICLE	IF	CITATIONS
145	CTLA-4 (CD152) inhibits T cell function by activating the ubiquitin ligase Itch. <i>Molecular Immunology</i> , 2010, 47, 1875-1881.	2.2	30
146	Small but mighty: How the MACS [®] technology based on nanosized superparamagnetic particles has helped to analyze the immune system within the last 20 years. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2010, 77A, 643-647.	1.5	116
147	Whole blood flow cytometric measurement of NFATc1 and IL-2 expression to analyze cyclosporine A-mediated effects in T cells. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2010, 77A, 607-613.	1.5	23
148	Class switching and consecutive loss of dsDNA-reactive B1a B cells from the peritoneal cavity during murine lupus development. <i>European Journal of Immunology</i> , 2010, 40, 1809-1818.	2.9	45
149	IFN- γ and IL-12 synergize to convert <i>in vivo</i> generated Th17 into Th1/Th17 cells. <i>European Journal of Immunology</i> , 2010, 40, 3017-3027.	2.9	143
150	Persistence of effector memory Th1 cells is regulated by <i>Hopx</i> . <i>European Journal of Immunology</i> , 2010, 40, 2993-3006.	2.9	70
151	Interferons Direct Th2 Cell Reprogramming to Generate a Stable GATA-3+T-bet+ Cell Subset with Combined Th2 and Th1 Cell Functions. <i>Immunity</i> , 2010, 32, 116-128.	14.3	302
152	Memory B and memory plasma cells. <i>Immunological Reviews</i> , 2010, 237, 117-139.	6.0	242
153	The microRNA miR-182 is induced by IL-2 and promotes clonal expansion of activated helper T lymphocytes. <i>Nature Immunology</i> , 2010, 11, 1057-1062.	14.5	304
154	Generation of stable monoclonal antibody-producing B cell receptor-positive human memory B cells by genetic programming. <i>Nature Medicine</i> , 2010, 16, 123-128.	30.7	260
155	Development of replication-defective lymphocytic choriomeningitis virus vectors for the induction of potent CD8+ T cell immunity. <i>Nature Medicine</i> , 2010, 16, 339-345.	30.7	122
156	Organization of immunological memory by bone marrow stroma. <i>Nature Reviews Immunology</i> , 2010, 10, 193-200.	22.7	210
157	Short-term memory in gene induction reveals the regulatory principle behind stochastic IL-4 expression. <i>Molecular Systems Biology</i> , 2010, 6, 359.	7.2	78
158	Vitamin D receptor binds to the μ germline gene promoter and exhibits transrepressive activity. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 126, 1016-1023.e4.	2.9	40
159	Blood dendritic cells in systemic lupus erythematosus exhibit altered activation state and chemokine receptor function. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1370-1377.	0.9	48
160	Homeostatic imbalance of regulatory and effector T cells due to IL-2 deprivation amplifies murine lupus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 204-209.	7.1	180
161	Approaching clinical proteomics: current state and future fields of application in fluid proteomics. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 724-44.	2.3	112
162	Nerve Growth Factor and Neurotrophin-3 Mediate Survival of Pulmonary Plasma Cells during the Allergic Airway Inflammation. <i>Journal of Immunology</i> , 2009, 182, 4705-4712.	0.8	45

#	ARTICLE	IF	CITATIONS
163	SiPaGene: A new repository for instant online retrieval, sharing and meta-analyses of GeneChip® expression data. <i>BMC Genomics</i> , 2009, 10, 98.	2.8	27
164	Role of the spleen in peripheral memory B-cell homeostasis in patients with autoimmune thrombocytopenia purpura. <i>Clinical Immunology</i> , 2009, 130, 199-212.	3.2	56
165	Approaching clinical proteomics: Current state and future fields of application in cellular proteomics. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2009, 75A, 816-832.	1.5	52
166	Organization and maintenance of immunological memory by stroma niches. <i>European Journal of Immunology</i> , 2009, 39, 2095-2099.	2.9	61
167	Animal models in infection and inflammation – chance and necessity. <i>European Journal of Immunology</i> , 2009, 39, 1991-1993.	2.9	12
168	HLA-B*27-restricted antigen presentation by human chondrocytes to CD8+ T cells: Potential contribution to local immunopathologic processes in ankylosing spondylitis. <i>Arthritis and Rheumatism</i> , 2009, 60, 1635-1646.	6.7	21
169	Professional Memory CD4+ T Lymphocytes Preferentially Reside and Rest in the Bone Marrow. <i>Immunity</i> , 2009, 30, 721-730.	14.3	317
170	Sequential Polarization and Imprinting of Type 1 T Helper Lymphocytes by Interferon- β and Interleukin-12. <i>Immunity</i> , 2009, 30, 673-683.	14.3	231
171	Induction of long-lived allergen-specific plasma cells by mucosal allergen challenge. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 819-826.e4.	2.9	98
172	B-cell-directed therapies for autoimmune disease. <i>Nature Reviews Rheumatology</i> , 2009, 5, 433-441.	8.0	152
173	Blood-borne human plasma cells in steady state are derived from mucosal immune responses. <i>Blood</i> , 2009, 113, 2461-2469.	1.4	230
174	Depletion of autoreactive immunologic memory followed by autologous hematopoietic stem cell transplantation in patients with refractory SLE induces long-term remission through de novo generation of a juvenile and tolerant immune system. <i>Blood</i> , 2009, 113, 214-223.	1.4	269
175	Plasma cell differentiation and survival. <i>Current Opinion in Immunology</i> , 2008, 20, 162-169.	5.5	178
176	From transcriptome to cytome: Integrating cytometric profiling, multivariate cluster, and prediction analyses for a phenotypical classification of inflammatory diseases. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2008, 73A, 333-340.	1.5	28
177	Human CD4+ T cells maintain specific functions even under conditions of extremely restricted ATP production. <i>European Journal of Immunology</i> , 2008, 38, 1631-1642.	2.9	40
178	1,25-dihydroxyvitamin D ₃ promotes IL-10 production in human B cells. <i>European Journal of Immunology</i> , 2008, 38, 2210-2218.	2.9	277
179	Th memory for interleukin-17 expression is stable <i>in vivo</i> . <i>European Journal of Immunology</i> , 2008, 38, 2654-2664.	2.9	135
180	Sialic acid-binding Ig-like lectin 1 expression in inflammatory and resident monocytes is a potential biomarker for monitoring disease activity and success of therapy in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2008, 58, 1136-1145.	6.7	163

#	ARTICLE	IF	CITATIONS
181	Activated memory B cell subsets correlate with disease activity in systemic lupus erythematosus: Delineation by expression of CD27, IgD, and CD95. <i>Arthritis and Rheumatism</i> , 2008, 58, 1762-1773.	6.7	263
182	Reactivation of rheumatoid arthritis after pregnancy: Increased phagocyte and recurring lymphocyte gene activity. <i>Arthritis and Rheumatism</i> , 2008, 58, 2981-2992.	6.7	33
183	Long-lived virus-reactive memory T cells generated from purified cytokine-secreting T helper type 1 and type 2 effectors. <i>Journal of Experimental Medicine</i> , 2008, 205, 53-61.	8.5	121
184	Autoregulation of Th1-mediated inflammation by <i>twist1</i> . <i>Journal of Experimental Medicine</i> , 2008, 205, 1889-1901.	8.5	96
185	Direct Assessment of Thymic Reactivation after Autologous Stem Cell Transplantation. <i>Acta Haematologica</i> , 2008, 119, 22-27.	1.4	34
186	Innate-Like Effector Differentiation of Human Invariant NKT Cells Driven by IL-7. <i>Journal of Immunology</i> , 2008, 180, 4415-4424.	0.8	27
187	Separation of whole blood cells and its impact on gene expression. , 2008, , 31-40.		3
188	IL-10 Is Excluded from the Functional Cytokine Memory of Human CD4+ Memory T Lymphocytes. <i>Journal of Immunology</i> , 2007, 179, 2389-2396.	0.8	51
189	The pro- and anti-inflammatory potential of IL-12: the dual role of Th1 cells. <i>Expert Review of Clinical Immunology</i> , 2007, 3, 709-719.	3.0	1
190	Antibodies and B Cell Memory in Viral Immunity. <i>Immunity</i> , 2007, 27, 384-392.	14.3	247
191	Digital NFATc2 Activation per Cell Transforms Graded T Cell Receptor Activation into an All-or-None IL-2 Expression. <i>PLoS ONE</i> , 2007, 2, e935.	2.5	69
192	Expression of IL-10 in Th memory lymphocytes is conditional on IL-12 or IL-4, unless the IL-10 gene is imprinted by GATA-3. <i>European Journal of Immunology</i> , 2007, 37, 807-817.	2.9	104
193	Inhibition of calcineurin-NFAT signaling by the pyrazolopyrimidine compound NCI3. <i>European Journal of Immunology</i> , 2007, 37, 2617-2626.	2.9	25
194	The Pro- and Anti-inflammatory Potential of Interleukin-12. <i>Annals of the New York Academy of Sciences</i> , 2007, 1109, 40-46.	3.8	30
195	Cis- and Trans-Acting Gene Regulation Is Associated with Osteoarthritis. <i>American Journal of Human Genetics</i> , 2006, 78, 793-803.	6.2	64
196	Adaptation of humoral memory. <i>Immunological Reviews</i> , 2006, 211, 295-302.	6.0	73
197	IRF4 is a factor for class switching and antibody secretion. <i>Nature Immunology</i> , 2006, 7, 704-706.	14.5	10
198	Competence and competition: the challenge of becoming a long-lived plasma cell. <i>Nature Reviews Immunology</i> , 2006, 6, 741-750.	22.7	882

#	ARTICLE	IF	CITATIONS
199	Long-lived plasma cells in immunity and immunopathology. <i>Immunology Letters</i> , 2006, 103, 83-85.	2.5	42
200	Stromal niches, plasma cell differentiation and survival. <i>Current Opinion in Immunology</i> , 2006, 18, 265-270.	5.5	126
201	Identification of immunodominant CD4+ T cell epitopes in patients with Yersinia-induced reactive arthritis by cytometric cytokine secretion assay. <i>Arthritis and Rheumatism</i> , 2006, 54, 3583-3590.	6.7	8
202	Is long-term humoral immunity in the mucosa provided by long-lived plasma cells? A question still open. <i>European Journal of Immunology</i> , 2006, 36, 1068-1069.	2.9	11
203	Plasma cell differentiation in T-independent type 2 immune responses is independent of CD11c ^{high} dendritic cells. <i>European Journal of Immunology</i> , 2006, 36, 2912-2919.	2.9	52
204	Long-Lived Plasma Cells and Their Contribution to Autoimmunity. <i>Annals of the New York Academy of Sciences</i> , 2005, 1050, 124-133.	3.8	90
205	Activation of human NK cells by plasmacytoid dendritic cells and its modulation by CD4+ T helper cells and CD4+ CD25 ^{hi} T regulatory cells. <i>European Journal of Immunology</i> , 2005, 35, 2452-2458.	2.9	127
206	The intracellular 52-kd Ro/SSA autoantigen in keratinocytes is up-regulated by tumor necrosis factor α via tumor necrosis factor receptor I. <i>Arthritis and Rheumatism</i> , 2005, 52, 531-538.	6.7	34
207	Selecting B cells and plasma cells to memory. <i>Journal of Experimental Medicine</i> , 2005, 201, 497-499.	8.5	35
208	Nibrin functions in Ig class-switch recombination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1584-1589.	7.1	98
209	Regulation of CXCR3 and CXCR4 expression during terminal differentiation of memory B cells into plasma cells. <i>Blood</i> , 2005, 105, 3965-3971.	1.4	203
210	A Critical Control Element for Interleukin-4 Memory Expression in T Helper Lymphocytes. <i>Journal of Biological Chemistry</i> , 2005, 280, 28177-28185.	3.4	65
211	Generation of migratory antigen-specific plasma blasts and mobilization of resident plasma cells in a secondary immune response. <i>Blood</i> , 2005, 105, 1614-1621.	1.4	383
212	MAINTENANCE OF SERUM ANTIBODY LEVELS. <i>Annual Review of Immunology</i> , 2005, 23, 367-386.	21.8	478
213	The role of regulatory T cells in antigen-induced arthritis: aggravation of arthritis after depletion and amelioration after transfer of CD4 ⁺ CD25 ⁺ T cells. <i>Arthritis Research</i> , 2005, 7, R291.	2.0	116
214	Substitution in Position 3 of Cyclosporin A Abolishes the Cyclophilin-mediated Gain-of-function Mechanism but Not Immunosuppression. <i>Journal of Biological Chemistry</i> , 2004, 279, 2470-2479.	3.4	33
215	Cell therapy for autoimmune diseases: does it have a future?. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, ii96-ii101.	0.9	14
216	Membrane glucocorticoid receptors (mGCR) are expressed in normal human peripheral blood mononuclear cells and up-regulated after in vitro stimulation and in patients with rheumatoid arthritis. <i>FASEB Journal</i> , 2004, 18, 70-80.	0.5	183

#	ARTICLE	IF	CITATIONS
217	Immunoglobulin Class Switching. , 2004, 271, 149-159.		22
218	GATA-3 in Human T Cell Helper Type 2 Development. Journal of Experimental Medicine, 2004, 199, 423-428.	8.5	81
219	Intravenous Injection of a D1 Protein of the Smith Proteins Postpones Murine Lupus and Induces Type 1 Regulatory T Cells. Journal of Immunology, 2004, 173, 5835-5842.	0.8	220
220	Short-lived Plasmablasts and Long-lived Plasma Cells Contribute to Chronic Humoral Autoimmunity in NZB/W Mice. Journal of Experimental Medicine, 2004, 199, 1577-1584.	8.5	399
221	CD152 (CTLA-4) Determines the Unequal Resistance of Th1 and Th2 Cells against Activation-induced Cell Death by a Mechanism Requiring PI3 Kinase Function. Journal of Experimental Medicine, 2004, 199, 831-842.	8.5	99
222	CD38 low IgG-secreting cells are precursors of various CD38 high-expressing plasma cell populations. Journal of Leukocyte Biology, 2004, 75, 1022-1028.	3.3	77
223	Transcriptional control networks of cell differentiation: insights from helper T lymphocytes. Progress in Biophysics and Molecular Biology, 2004, 86, 45-76.	2.9	66
224	The Cellular Basis of B Cell Memory. , 2004, , 247-259.		2
225	Perspectives and limitations of gene expression profiling in rheumatology: new molecular strategies. Arthritis Research, 2004, 6, 140.	2.0	18
226	Antigen-specific cytometryâ€”New tools arrived!. Clinical Immunology, 2004, 111, 155-161.	3.2	37
227	Plasma Cell-Like Morphology of Th1-Cytokine-Producing Cells Associated with the Loss of CD3 Expression. American Journal of Pathology, 2004, 164, 409-417.	3.8	53
228	Differential regulation of P-selectin ligand expression in naive versus memory CD4+ T cells: evidence for epigenetic regulation of involved glycosyltransferase genes. Blood, 2004, 104, 3243-3248.	1.4	47
229	Sensitive visualization of peptide presentation in vitro and ex vivo. Cytometry, 2003, 54A, 19-26.	1.8	3
230	Visualization of peptide presentation following oral application of antigen in normal and Peyer's patches-deficient mice. European Journal of Immunology, 2003, 33, 1292-1301.	2.9	73
231	Identification and characterization of SmD183-119-reactive T cells that provide T cell help for pathogenic anti-double-stranded DNA antibodies. Arthritis and Rheumatism, 2003, 48, 475-485.	6.7	216
232	Correlation between circulating CD27highplasma cells and disease activity in patients with systemic lupus erythematosus. Arthritis and Rheumatism, 2003, 48, 1332-1342.	6.7	319
233	Expression of ICOS In Vivo Defines CD4+ Effector T Cells with High Inflammatory Potential and a Strong Bias for Secretion of Interleukin 10. Journal of Experimental Medicine, 2003, 197, 181-193.	8.5	227
234	Plasma Cell Survival Is Mediated by Synergistic Effects of Cytokines and Adhesion-Dependent Signals. Journal of Immunology, 2003, 171, 1684-1690.	0.8	427

#	ARTICLE	IF	CITATIONS
235	Establishment of memory for IL-10 expression in developing T helper 2 cells requires repetitive IL-4 costimulation and does not impair proliferation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 12307-12312.	7.1	33
236	Diversity of Clonal T Cell Proliferation Is Mediated by Differential Expression of CD152 (CTLA-4) on the Cell Surface of Activated Individual T Lymphocytes. <i>Journal of Immunology</i> , 2003, 171, 3459-3466.	0.8	45
237	Cytokine memory of T helper lymphocytes. <i>Advances in Immunology</i> , 2002, 80, 115-181.	2.2	87
238	Two Subsets of Naive T Helper Cells with Distinct T Cell Receptor Excision Circle Content in Human Adult Peripheral Blood. <i>Journal of Experimental Medicine</i> , 2002, 195, 789-794.	8.5	412
239	GATA-3 transcriptional imprinting in Th2 lymphocytes: A mathematical model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 9364-9368.	7.1	78
240	Chemotactic Responsiveness Toward Ligands for CXCR3 and CXCR4 Is Regulated on Plasma Blasts During the Time Course of a Memory Immune Response. <i>Journal of Immunology</i> , 2002, 169, 1277-1282.	0.8	323
241	MIP-1 α , MIP-1 β , RANTES, and ATAC/lymphotactin function together with IFN- γ as type 1 cytokines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 6181-6186.	7.1	275
242	Simultaneous Cytometric Analysis of (Auto)antigen-Reactive T and B Cell Proliferation. <i>Immunobiology</i> , 2002, 206, 484-495.	1.9	22
243	Plasma cells for a lifetime?. <i>European Journal of Immunology</i> , 2002, 32, 923-927.	2.9	149
244	Evolution of the six horse IGHG genes and corresponding immunoglobulin gamma heavy chains. <i>Immunogenetics</i> , 2002, 54, 353-364.	2.4	31
245	Humoral immunity and long-lived plasma cells. <i>Current Opinion in Immunology</i> , 2002, 14, 517-521.	5.5	192
246	Inflamed kidneys of NZB / W mice are a major site for the homeostasis of plasma cells. <i>European Journal of Immunology</i> , 2001, 31, 2726-2732.	2.9	214
247	Allergic Sensitization and Allergen Exposure during Pregnancy Favor the Development of Atopy in the Neonate. <i>International Archives of Allergy and Immunology</i> , 2001, 124, 193-196.	2.1	43
248	An Instructive Component in T Helper Cell Type 2 (Th2) Development Mediated by Gata-3. <i>Journal of Experimental Medicine</i> , 2001, 193, 643-650.	8.5	100
249	Identification of HLA-B27-Restricted Peptides from the <i>Chlamydia trachomatis</i> Proteome with Possible Relevance to HLA-B27-Associated Diseases. <i>Journal of Immunology</i> , 2001, 167, 4738-4746.	0.8	125
250	Regulation and Function of T1/ST2 Expression on CD4+ T Cells: Induction of Type 2 Cytokine Production by T1/ST2 Cross-Linking. <i>Journal of Immunology</i> , 2001, 166, 3143-3150.	0.8	110
251	Analysis of the antigen-specific T cell response in reactive arthritis by flow cytometry. <i>Arthritis and Rheumatism</i> , 2000, 43, 2834-2842.	6.7	75
252	Impact of in utero Th2 immunity on T cell deviation and subsequent immediate-type hypersensitivity in the neonate. <i>European Journal of Immunology</i> , 2000, 30, 714-718.	2.9	46

#	ARTICLE	IF	CITATIONS
253	High-sensitivity immunofluorescence for detection of the pro- and anti-inflammatory cytokines gamma interferon and interleukin-10 on the surface of cytokine-secreting cells. <i>Nature Medicine</i> , 2000, 6, 107-110.	30.7	74
254	Prenatal Sensitization in a Mouse Model. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 162, S62-S65.	5.6	37
255	Disturbed Peripheral B Lymphocyte Homeostasis in Systemic Lupus Erythematosus. <i>Journal of Immunology</i> , 2000, 165, 5970-5979.	0.8	564
256	Stat6-Independent GATA-3 Autoactivation Directs IL-4-Independent Th2 Development and Commitment. <i>Immunity</i> , 2000, 12, 27-37.	14.3	630
257	Autologous stem-cell transplantation in refractory autoimmune diseases after in vivo immunoablation and ex vivo depletion of mononuclear cells. <i>Arthritis Research</i> , 2000, 2, 327-36.	2.0	103
258	Instruction for Cytokine Expression in T Helper Lymphocytes in Relation to Proliferation and Cell Cycle Progression. <i>Journal of Experimental Medicine</i> , 1999, 190, 1439-1450.	8.5	177
259	An extrachromosomal switch recombination substrate reveals kinetics and substrate requirements of switch recombination in primary murine B cells. <i>International Immunology</i> , 1999, 11, 753-763.	4.0	14
260	Low secretion of tumor necrosis factor γ , but no other Th1 or Th2 cytokines, by peripheral blood mononuclear cells correlates with chronicity in reactive arthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 2039-2044.	6.7	133
261	Correlation analysis between frequencies of circulating antigen-specific IgG-bearing memory B cells and serum titers of antigen-specific IgG. <i>European Journal of Immunology</i> , 1999, 29, 1406-1417.	2.9	121
262	Enrichment and detection of live antigen-specific CD4+ and CD8+ T cells based on cytokine secretion. <i>European Journal of Immunology</i> , 1999, 29, 4053-4059.	2.9	196
263	Sensitive analysis of recombination activity using integrated cell surface reporter substrates. , 1999, 37, 205-214.		3
264	Antigen-specific cytometry. <i>Arthritis Research</i> , 1999, 1, 25.	2.0	14
265	Sequential production of IL-2, IFN- γ and IL-10 by individual staphylococcal enterotoxin B-activated T helper lymphocytes. <i>European Journal of Immunology</i> , 1998, 28, 1534-1543.	2.9	101
266	Processing of Switch Transcripts Is Required for Targeting of Antibody Class Switch Recombination. <i>Journal of Experimental Medicine</i> , 1998, 188, 2369-2374.	8.5	140
267	P- and E-selectin mediate recruitment of T-helper-1 but not T-helper-2 cells into inflamed tissues. <i>Nature</i> , 1997, 385, 81-83.	27.8	714
268	Lifetime of plasma cells in the bone marrow. <i>Nature</i> , 1997, 388, 133-134.	27.8	754
269	Specific expression of surface interferon- γ on interferon- γ producing T cells from mouse and man. <i>European Journal of Immunology</i> , 1996, 26, 263-267.	2.9	67
270	Flow cytometric determination of cytokines in activated murine T helper lymphocytes: Expression of interleukin-10 in interferon- γ and in interleukin-4-expressing cells. <i>European Journal of Immunology</i> , 1994, 24, 1097-1101.	2.9	302

#	ARTICLE	IF	CITATIONS
271	Isolation and characterization of CD34+ hematopoietic stem cells from human peripheral blood by high-gradient magnetic cell sorting. <i>Cytometry</i> , 1993, 14, 384-392.	1.8	124
272	Regulation of T helper cell cytokine expression: functional dichotomy of antigen-presenting cells. <i>European Journal of Immunology</i> , 1993, 23, 191-199.	2.9	125
273	NEW IMMUNOFLUORESCENCE IN FLOW CYTOMETRY AND SORTING: ISOLATION OF RARE CELLS, DETECTION OF RARE EPITOPES AND ANALYSIS OF SECRETION. <i>Biology of the Cell</i> , 1993, 79, 293-293.	2.0	0
274	The molecular basis of immunoglobulin class switching: Switch transcription versus switch recombination. <i>Immunologic Research</i> , 1991, 10, 381-385.	2.9	3
275	Protective methylation of immunoglobulin and T cell receptor (TcR) gene loci prior to induction of class switch and TcR recombination. <i>European Journal of Immunology</i> , 1990, 20, 2285-2291.	2.9	38
276	High gradient magnetic cell separation with MACS. <i>Cytometry</i> , 1990, 11, 231-238.	1.8	1,552
277	Control of Immunoglobulin Class Switch Recombination. <i>Immunological Reviews</i> , 1986, 89, 69-84.	6.0	64
278	Drastic change in idiotypic but not antigen-binding specificity of an antibody by a single amino-acid substitution. <i>Nature</i> , 1985, 315, 506-508.	27.8	77
279	Spontaneous Immunoglobulin Class Switching in Myeloma and Hybridoma Cell Lines Differs from Physiological Class Switching. <i>Immunological Reviews</i> , 1982, 67, 59-72.	6.0	59