

Brian Derby

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/360325/publications.pdf>

Version: 2024-02-01

295
papers

16,338
citations

22153
59
h-index

18130
120
g-index

304
all docs

304
docs citations

304
times ranked

16735
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of twin boundaries and sample dimensions on the mechanical behavior of Ag nanowires. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 829, 142150.	5.6	6
2	Impact of polymorphism on mechanical properties of molecular crystals: a study of <i>p</i> -amino and <i>p</i> -nitro benzoic acid with nanoindentation. CrystEngComm, 2021, 23, 2027-2033.	2.6	7
3	Probing anisotropic mechanical behaviour in carbamazepine form III. CrystEngComm, 2021, 23, 5826-5838.	2.6	4
4	Brittle Behavior in Aspirin Crystals: Evidence of Spalling Fracture. Crystal Growth and Design, 2021, 21, 1786-1790.	3.0	4
5	Fabrication of microvascular constructs using high resolution electrohydrodynamic inkjet printing. Biofabrication, 2021, 13, 035006.	7.1	27
6	Chemical Vapor Deposition of Graphene on Cu-Ni Alloys: The Impact of Carbon Solubility. Coatings, 2021, 11, 892.	2.6	3
7	Twist boundary defects in penta-twinned silver nanowires. Microscopy and Microanalysis, 2021, 27, 2928-2930.	0.4	0
8	Stability of Lines with Zero Receding Contact Angle Produced by Inkjet Printing at Small Drop Volume. Langmuir, 2021, 37, 26-34.	3.5	15
9	Atmospheric Pressure Catalytic Vapor Deposition of Graphene on Liquid In and Cu-In Alloy Substrates. Catalysts, 2021, 11, 1318.	3.5	1
10	Patterned, morphing composites <i>via</i> maskless photo-click lithography. Soft Matter, 2020, 16, 1270-1278.	2.7	3
11	The formation mechanism of hexagonal Mo ₂ C defects in CVD graphene grown on liquid copper. Physical Chemistry Chemical Physics, 2020, 22, 2176-2180.	2.8	13
12	Geometrical constraints on the bending deformation of Penta-twinned silver nanowires. Acta Materialia, 2020, 185, 110-118.	7.9	11
13	Acoustic Poration and Dynamic Healing of Mammalian Cell Membranes during Inkjet Printing. ACS Biomaterials Science and Engineering, 2020, 6, 749-757.	5.2	9
14	Isomechanical Groups in Molecular Crystals and Role of Aromatic Interactions. Crystal Growth and Design, 2020, 20, 7516-7525.	3.0	5
15	Nanoindentation of Molecular Crystals: Lessons Learned from Aspirin. Crystal Growth and Design, 2020, 20, 5956-5966.	3.0	31
16	High-Power Energy Storage from Carbon Electrodes Using Highly Acidic Electrolytes. Journal of Physical Chemistry C, 2020, 124, 20701-20711.	3.1	3
17	Fluid/Fiber Interactions and the Conductivity of Inkjet Printed Ag on Textile Substrates. ACS Applied Materials & Interfaces, 2020, 12, 45516-45524.	8.0	12
18	Atmospheric Pressure Catalytic Vapor Deposition of Graphene on Liquid Sn and Cu-Sn Alloy Substrates. Nanomaterials, 2020, 10, 2150.	4.1	3

#	ARTICLE	IF	CITATIONS
19	Aberrant Differentiation of Human Pluripotent Stem Cell-Derived Kidney Precursor Cells inside Mouse Vascularized Bioreactors. <i>Nephron</i> , 2020, 144, 509-524.	1.8	5
20	Tiled Monolayer Films of 2D Molybdenum Disulfide Nanoflakes Assembled at Liquid/Liquid Interfaces. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 25125-25134.	8.0	18
21	The systemic influence of chronic smoking on skin structure and mechanical function. <i>Journal of Pathology</i> , 2020, 251, 420-428.	4.5	13
22	Probing Ink-Powder Interactions during 3D Binder Jet Printing Using Time-Resolved X-ray Imaging. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 34254-34264.	8.0	32
23	Chemical vapour deposition of graphene on copper-nickel alloys: the simulation of a thermodynamic and kinetic approach. <i>Nanoscale</i> , 2020, 12, 15283-15294.	5.6	13
24	Oil-in-water separation with graphene-based nanocomposite membranes for produced water treatment. <i>Journal of Membrane Science</i> , 2020, 603, 118007.	8.2	144
25	Size effects on strength and plasticity of ferrite and austenite pillars in a duplex stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 793, 139883.	5.6	12
26	Fatigue and the electrical resistance of silver nanowire networks. <i>Scripta Materialia</i> , 2020, 181, 97-100.	5.2	9
27	Direct 3D printing of graphene using capillary suspensions. <i>Nanoscale</i> , 2020, 12, 11440-11447.	5.6	26
28	Water-based highly conductive graphene inks for fully printed humidity sensors. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 455304.	2.8	20
29	Screen-Printing of a Highly Conductive Graphene Ink for Flexible Printed Electronics. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 32225-32234.	8.0	174
30	Angiogenesis and tissue formation driven by an arteriovenous loop in the mouse. <i>Scientific Reports</i> , 2019, 9, 10478.	3.3	15
31	The size dependent strength of Fe, Nb and V micropillars at room and low temperature. <i>Materialia</i> , 2019, 7, 100424.	2.7	14
32	Synthetic 2-D lead tin sulfide nanosheets with tuneable optoelectronic properties from a potentially scalable reaction pathway. <i>Chemical Science</i> , 2019, 10, 1035-1045.	7.4	16
33	Experimental study of the parameters for stable drop-on-demand inkjet performance. <i>Physics of Fluids</i> , 2019, 31, .	4.0	136
34	A definition of bioinks and their distinction from biomaterial inks. <i>Biofabrication</i> , 2019, 11, 013001.	7.1	480
35	Supercapacitor Electrodes from the in Situ Reaction between Two-Dimensional Sheets of Black Phosphorus and Graphene Oxide. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 10330-10338.	8.0	44
36	Structural, Mechanical, Imaging and in Vitro Evaluation of the Combined Effect of Gd ³⁺ and Dy ³⁺ in the ZrO ₂ -SiO ₂ Binary System. <i>Inorganic Chemistry</i> , 2018, 57, 4602-4612.	4.0	8

#	ARTICLE	IF	CITATIONS
37	Interdependence of Resistance and Optical Transmission in Conductive Nanowire Networks. Advanced Theory and Simulations, 2018, 1, 1700011.	2.8	10
38	Fully printed high performance humidity sensors based on two-dimensional materials. Nanoscale, 2018, 10, 5599-5606.	5.6	142
39	Black phosphorus with near-superhydrophobic properties and long-term stability in aqueous media. Chemical Communications, 2018, 54, 3831-3834.	4.1	28
40	Biofabrication: A Guide to Technology and Terminology. Trends in Biotechnology, 2018, 36, 384-402.	9.3	465
41	Tetragonal to Cubic Transformation of SiO ₂ -Stabilized ZrO ₂ Polymorph through Dysprosium Substitutions. Inorganic Chemistry, 2017, 56, 1273-1281.	4.0	25
42	Inkjet printing ultra-large graphene oxide flakes. 2D Materials, 2017, 4, 021021.	4.4	49
43	Stabilization of a t-ZrO ₂ polymorph in a glassy SiO ₂ matrix at elevated temperatures accomplished by ceria additions. Dalton Transactions, 2017, 46, 6884-6893.	3.3	23
44	Solution processing of two-dimensional black phosphorus. Chemical Communications, 2017, 53, 1445-1458.	4.1	63
45	Peptide hydrogel <i>in vitro</i> non-inflammatory potential. Journal of Peptide Science, 2017, 23, 148-154.	1.4	23
46	Two-Step Electrochemical Intercalation and Oxidation of Graphite for the Mass Production of Graphene Oxide. Journal of the American Chemical Society, 2017, 139, 17446-17456.	13.7	211
47	Controlling Coffee Ring Formation during Drying of Inkjet Printed 2D Inks. Advanced Materials Interfaces, 2017, 4, 1700944.	3.7	78
48	Integrating Cell Sheets for Organ-on-a-chip Applications. Procedia CIRP, 2017, 65, 127-130.	1.9	1
49	Rising to the challenge: applying biofabrication approaches for better drug and chemical product development. Biofabrication, 2017, 9, 033001.	7.1	22
50	Implication of Free Fatty Acids in Thrombin Generation and Fibrinolysis in Vascular Inflammation in Zucker Rats and Evolution with Aging. Frontiers in Physiology, 2017, 8, 949.	2.8	11
51	Biomechanical Changes of Collagen Cross-Linking on Human Keratoconic Corneas Using Scanning Acoustic Microscopy. Current Eye Research, 2016, 41, 1-7.	1.5	9
52	Microstructure Evolution and Hardness of an Ultra-High Strength Cu-Ni-Si Alloy During Thermo-mechanical Processing. Journal of Materials Engineering and Performance, 2016, 25, 2615-2625.	2.5	13
53	A pilot study of scanning acoustic microscopy as a tool for measuring arterial stiffness in aortic biopsies. Artery Research, 2016, 13, 1.	0.6	16
54	Frequency-modulated atomic force microscopy localises viscoelastic remodelling in the ageing sheep aorta. Journal of the Mechanical Behavior of Biomedical Materials, 2016, 64, 10-17.	3.1	16

#	ARTICLE	IF	CITATIONS
55	An ex vivo porcine skin model to evaluate pressure-reducing devices of different mechanical properties used for pressure ulcer prevention. <i>Wound Repair and Regeneration</i> , 2016, 24, 1089-1096.	3.0	10
56	Pristine Graphene Aerogels by Room-Temperature Freeze Gelation. <i>Advanced Materials</i> , 2016, 28, 7993-8000.	21.0	123
57	Biofabrication: reappraising the definition of an evolving field. <i>Biofabrication</i> , 2016, 8, 013001.	7.1	523
58	Activation of SMAD2 upon compressive load occurs exclusively in regions of cartilage where matrix stiffness is relatively low. <i>Osteoarthritis and Cartilage</i> , 2016, 24, S152.	1.3	0
59	Additive Manufacture of Ceramics Components by Inkjet Printing. <i>Engineering</i> , 2015, 1, 113-123.	6.7	184
60	High throughput cryopreservation of cells by rapid freezing of sub- μ l drops using inkjet printing - cryoprinting. <i>Lab on A Chip</i> , 2015, 15, 3503-3513.	6.0	23
61	Mechanical properties of porous ceramic scaffolds: Influence of internal dimensions. <i>Ceramics International</i> , 2015, 41, 8425-8432.	4.8	175
62	Tin(II) Sulfide (SnS) Nanosheets by Liquid-Phase Exfoliation of Herzenbergite: IV-VI Main Group Two-Dimensional Atomic Crystals. <i>Journal of the American Chemical Society</i> , 2015, 137, 12689-12696.	13.7	220
63	Inkjet printing biomaterials for tissue engineering: bioprinting. <i>International Materials Reviews</i> , 2014, 59, 430-448.	19.3	262
64	Wide-Area Strain Sensors based upon Graphene-Polymer Composite Coatings Probed by Raman Spectroscopy. <i>Advanced Functional Materials</i> , 2014, 24, 2865-2874.	14.9	122
65	Biomechanical Changes After Repeated Collagen Cross-Linking on Human Corneas Assessed In Vitro Using Scanning Acoustic Microscopy. , 2014, 55, 1549.		23
66	Growth differentiation factor 6 and transforming growth factor-beta differentially mediate mesenchymal stem cell differentiation, composition, and micromechanical properties of nucleus pulposus constructs. <i>Arthritis Research and Therapy</i> , 2014, 16, R67.	3.5	122
67	Inkjet Printing Graphene-Based Transparent Conductive Films. <i>Materials Research Society Symposia Proceedings</i> , 2014, 1699, 36.	0.1	1
68	Combining AFM and Acoustic Probes to Reveal Changes in the Elastic Stiffness Tensor of Living Cells. <i>Biophysical Journal</i> , 2014, 107, 1502-1512.	0.5	40
69	Localized micro- and nano-scale remodelling in the diabetic aorta. <i>Acta Biomaterialia</i> , 2014, 10, 4843-4851.	8.3	22
70	Influence of specimen thickness on the nanoindentation of hydrogels: Measuring the mechanical properties of soft contact lenses. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014, 35, 144-156.	3.1	32
71	Scanning acoustic microscopy of biological cryosections: the effect of local thickness on apparent acoustic wave speed. <i>Materials Research Society Symposia Proceedings</i> , 2014, 1621, 143-148.	0.1	0
72	Vinculin Regulates the Recruitment and Release of Core Focal Adhesion Proteins in a Force-Dependent Manner. <i>Current Biology</i> , 2013, 23, 271-281.	3.9	310

#	ARTICLE	IF	CITATIONS
73	Influence of Gas Phase Equilibria on the Chemical Vapor Deposition of Graphene. ACS Nano, 2013, 7, 3104-3117.	14.6	59
74	Scanning Acoustic Microscopy for Mapping the Microelastic Properties of Human Corneal Tissue. Current Eye Research, 2013, 38, 437-444.	1.5	26
75	Current concepts and advances in the application of tissue engineering in otorhinolaryngology and head and neck surgery. Journal of Laryngology and Otology, 2013, 127, 114-120.	0.8	9
76	Biomechanical Properties of Human Corneas Following Low- and High-Intensity Collagen Cross-Linking Determined With Scanning Acoustic Microscopy. , 2013, 54, 5273.		52
77	Continuous Deposition of a Liquid Thread onto a Moving Substrate. Numerical Analysis and Comparison With Experiments. Journal of Fluids Engineering, Transactions of the ASME, 2012, 134, .	1.5	10
78	Printing and Prototyping of Tissues and Scaffolds. Science, 2012, 338, 921-926.	12.6	962
79	Formation of Coffee Stains on Porous Surfaces. Langmuir, 2012, 28, 5331-5338.	3.5	61
80	Inkjet printed carbon nanotube networks: the influence of drop spacing and drying on electrical properties. Journal Physics D: Applied Physics, 2012, 45, 315304.	2.8	21
81	Gel-cast glass-ceramic tissue scaffolds of controlled architecture produced via stereolithography of moulds. Biofabrication, 2012, 4, 045002.	7.1	22
82	Multi-layer phase analysis: quantifying the elastic properties of soft tissues and live cells with ultra-high-frequency scanning acoustic microscopy. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2012, 59, 610-620.	3.0	23
83	Photopolymerization of Pluronic F127 diacrylate: a colloid-templated polymerization. Soft Matter, 2011, 7, 4928.	2.7	40
84	Inkjet printing and cell seeding thermoreversible photocurable gel structures. Soft Matter, 2011, 7, 2639.	2.7	61
85	Inkjet Printing of Zirconia: Coffee Staining and Line Stability. Journal of the American Ceramic Society, 2011, 94, 3787-3792.	3.8	61
86	Inkjet printing ceramics: From drops to solid. Journal of the European Ceramic Society, 2011, 31, 2543-2550.	5.7	289
87	Localised micro-mechanical stiffening in the ageing aorta. Mechanisms of Ageing and Development, 2011, 132, 459-467.	4.6	45
88	The mechanical properties of float glass surfaces measured by nanoindentation and acoustic microscopy. Acta Materialia, 2011, 59, 1790-1799.	7.9	26
89	Characterizing the elastic properties of tissues. Materials Today, 2011, 14, 96-105.	14.2	273
90	Deformation mechanisms in gold nanowires and nanoporous gold. Philosophical Magazine, 2011, 91, 1070-1083.	1.6	52

#	ARTICLE	IF	CITATIONS
91	Quantifying Micro-mechanical Properties of Soft Biological Tissues with Scanning Acoustic Microscopy. Materials Research Society Symposia Proceedings, 2011, 1301, 181.	0.1	5
92	Pyrolysis of aluminium loaded polymethylsiloxanes: the influence of Al/PMS ratio on mullite formation. Journal of Materials Science, 2010, 45, 233-241.	3.7	4
93	High-strength nanoporous silver produced by inkjet printing. Scripta Materialia, 2010, 63, 308-311.	5.2	35
94	Strain gradients and the strength of nanoporous gold. Journal of Materials Research, 2010, 25, 746-753.	2.6	15
95	The Effect of Type 1 Diabetes on the Structure and Function of Fibrillin Microfibrils. Materials Research Society Symposia Proceedings, 2010, 1274, 1.	0.1	4
96	Mapping Micro-Mechanical and Micro-Structural Changes in the Ageing Aorta. Biophysical Journal, 2010, 98, 594a.	0.5	0
97	Formation and Stability of Lines Produced by Inkjet Printing. Langmuir, 2010, 26, 10365-10372.	3.5	213
98	Inkjet Printing of Functional and Structural Materials: Fluid Property Requirements, Feature Stability, and Resolution. Annual Review of Materials Research, 2010, 40, 395-414.	9.3	1,465
99	Inkjet Printing of Catalyst-Inks on Si Wafers and the Subsequent Synthesis of Carbon Nanotubes by Chemical Vapour Deposition. Key Engineering Materials, 2010, 442, 7-14.	0.4	5
100	Inkjet delivery of glucose oxidase. Chemical Communications, 2010, 46, 5452.	4.1	28
101	Piezoelectric Inkjet Printing of Cells and Biomaterials. , 2010, , 35-50.		3
102	Low Curing Temperature Silver Tracks from Soluble Inks. Materials Research Society Symposia Proceedings, 2009, 1192, 21.	0.1	0
103	Inkjet Printing of Enzymes for Glucose Sensors. Materials Research Society Symposia Proceedings, 2009, 1191, 86.	0.1	2
104	Novel Gelation System For Fabricating 3-D Structures via Ink Jet Printing. Materials Research Society Symposia Proceedings, 2009, 1239, 1.	0.1	0
105	The Micromechanisms of Deformation in Nanoporous Gold. Materials Research Society Symposia Proceedings, 2009, 1224, 1.	0.1	0
106	Nanoindentation of histological specimens: Mapping the elastic properties of soft tissues. Journal of Materials Research, 2009, 24, 638-646.	2.6	73
107	A universal scaling law for the strength of metal micropillars and nanowires. Scripta Materialia, 2009, 61, 524-527.	5.2	130
108	Diversity of funding sources and topics is key to survival. Nature, 2009, 458, 281-281.	27.8	1

#	ARTICLE	IF	CITATIONS
109	Limits to feature size and resolution in ink jet printing. Journal of the European Ceramic Society, 2009, 29, 913-918.	5.7	155
110	Inkjet Printing Glucose Oxidase for Biosensor Applications. ECS Transactions, 2009, 16, 15-20.	0.5	4
111	Universal Scaled Strength Behaviour for Micropillars and Nanoporous Materials. Materials Research Society Symposia Proceedings, 2009, 1185, 79.	0.1	1
112	Conical tungsten stamps for the replication of pore arrays in anodic aluminium oxide films. Nanotechnology, 2009, 20, 245304.	2.6	6
113	Fabrication of a Glucose Biosensor by Piezoelectric Inkjet Printing. , 2009, , .		13
114	Delivery of human fibroblast cells by piezoelectric drop-on-demand inkjet printing. Biomaterials, 2008, 29, 193-203.	11.4	438
115	Residual stress distributions around indentations and scratches in polycrystalline Al ₂ O ₃ and Al ₂ O ₃ /SiC nanocomposites measured using fluorescence probes. Acta Materialia, 2008, 56, 140-149.	7.9	37
116	Duplication and plagiarism increasing among students. Nature, 2008, 452, 29-29.	27.8	13
117	The strength of gold nanowire forests. Scripta Materialia, 2008, 59, 151-154.	5.2	59
118	Bioprinting: inkjet printing proteins and hybrid cell-containing materials and structures. Journal of Materials Chemistry, 2008, 18, 5717.	6.7	289
119	Manufacture of 3-dimensional objects by reactive inkjet printing. Soft Matter, 2008, 4, 2513.	2.7	18
120	The Growth and Mechanical Properties of Gold Nanowires. Materials Research Society Symposia Proceedings, 2008, 1086, 1.	0.1	2
121	The Strength of Gold Nanowires and Nanoporous Gold. Materials Research Society Symposia Proceedings, 2008, 1144, 1.	0.1	1
122	Mapping the Micromechanical Properties of Cryo-sectioned Aortic Tissue with Scanning Acoustic Microscopy. Materials Research Society Symposia Proceedings, 2008, 1132, ukpmcpa27262.	0.1	10
123	Nanoindentation of Histological Specimens using an Extension of the Oliver and Pharr Method. Materials Research Society Symposia Proceedings, 2008, 1097, 1.	0.1	2
124	The Strength of Nanoporous Gold: Strain Gradient and Intrinsic Size Effects. , 2008, , .		0
125	Correlations for single-crystal elastic constants of compound semiconductors and their representation in isomechanical groups. Physical Review B, 2007, 76, .	3.2	25
126	Review: Bioprinting: A Beginning. Tissue Engineering, 2006, 12, 631-634.	4.6	286

#	ARTICLE	IF	CITATIONS
127	Mullite formation from the pyrolysis of aluminium-loaded polymethylsiloxanes: The influence of aluminium powder characteristics. Journal of the European Ceramic Society, 2006, 26, 1107-1119.	5.7	10
128	Direct ink-jet printing and low temperature conversion of conductive silver patterns. Journal of Materials Science, 2006, 41, 4153-4158.	3.7	239
129	The effect of focused ion beam machining on residual stress and crack morphologies in alumina. Journal of Physics: Conference Series, 2006, 26, 219-222.	0.4	15
130	Perspectives on the European Patent System. Journal of World Intellectual Property, 2005, 1, 949-962.	0.6	0
131	Viscosity and Acoustic Behavior of Ceramic Suspensions Optimized for Phase-Change Ink-Jet Printing. Journal of the American Ceramic Society, 2005, 88, 802-808.	3.8	46
132	Ink-Jet Printing and Sintering of PZT. Journal of the American Ceramic Society, 2005, 88, 2053-2058.	3.8	85
133	Intermediate Phases in Mullite Synthesis Via Aluminum- and Alumina-Filled Polymethylsiloxane. Journal of the American Ceramic Society, 2005, 88, 2085-2091.	3.8	16
134	A Low Curing Temperature Silver Ink for Use in Ink-Jet Printing and Subsequent Production of Conductive Tracks. Macromolecular Rapid Communications, 2005, 26, 315-318.	3.9	285
135	Oscillatory Incompressible Fluid Flow in a Tapered Tube With a Free Surface in an Inkjet Print Head. Journal of Fluids Engineering, Transactions of the ASME, 2005, 127, 98-109.	1.5	23
136	Ink-jet delivery of particle suspensions by piezoelectric droplet ejectors. Journal of Applied Physics, 2005, 97, 094903.	2.5	274
137	Ink-Jet Printing of Wax-Based PZT Suspensions. Key Engineering Materials, 2004, 264-268, 697-700.	0.4	0
138	Ink Jet printing of mammalian primary cells for tissue engineering applications. Materials Research Society Symposia Proceedings, 2004, 845, 71.	0.1	5
139	Droplet Behaviour in Inkjet Printing. Materials Research Society Symposia Proceedings, 2004, 860, 13.	0.1	1
140	In Situ Characterization of Interfaces between Liquid Tin-Vanadium Alloys and Alumina by Neutron Reflection Spectroscopy. Journal of the American Ceramic Society, 2004, 87, 279-285.	3.8	10
141	Characterisation of Interfaces Between Liquid Tin and Alumina in the Presence of Titanium Alloy Additions. Journal of Materials Science, 2004, 12, 29-37.	1.2	5
142	Preparation of PZT suspensions for direct ink jet printing. Journal of the European Ceramic Society, 2004, 24, 1069-1072.	5.7	36
143	Modelling of R-curve behaviour in ceramic-metal laminates. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 365, 196-201.	5.6	4
144	Numerical and experimental comparisons of mass transport rate in a piezoelectric drop-on-demand inkjet print head. International Journal of Mechanical Sciences, 2004, 46, 181-199.	6.7	33

#	ARTICLE	IF	CITATIONS
145	Thermal stress induced microcracking in alumina-20% SiCp composites. Acta Materialia, 2004, 52, 1621-1629.	7.9	45
146	Measured Anisotropy of Alumina Components Produced by Direct Ink-Jet Printing. Key Engineering Materials, 2004, 264-268, 693-696.	0.4	11
147	Characterisation of void and reinforcement distributions in a metal matrix composite by X-ray edge-contrast microtomography. Scripta Materialia, 2003, 48, 1259-1264.	5.2	11
148	Yttrium Silicate Powders Produced by the Sol-Gel Method, Structural and Thermal Characterization.. ChemInform, 2003, 34, no.	0.0	0
149	Novel collagen scaffolds with predefined internal morphology made by solid freeform fabrication. Biomaterials, 2003, 24, 1487-1497.	11.4	324
150	Multilayer nitride coatings by closed field unbalanced magnetron sputter ion plating. Surface and Coatings Technology, 2003, 162, 276-287.	4.8	21
151	Yttrium Silicate Powders Produced by the Sol-Gel Method, Structural and Thermal Characterization. Journal of the American Ceramic Society, 2003, 86, 1595-1597.	3.8	32
152	Inkjet Printing of Highly Loaded Particulate Suspensions. MRS Bulletin, 2003, 28, 815-818.	3.5	264
153	Oscillatory limited compressible fluid flow induced by the radial motion of a thick-walled piezoelectric tube. Journal of the Acoustical Society of America, 2003, 114, 1314-1321.	1.1	26
154	Characterisation of Collagen Scaffolds using X-ray Microtomography. Materials Research Society Symposia Proceedings, 2002, 758, 521.	0.1	0
155	Thermal and Residual Stress Modelling of the Selective Laser Sintering Process. Materials Research Society Symposia Proceedings, 2002, 758, 181.	0.1	11
156	Development of PZT Suspensions for Ceramic Ink-Jet Printing. Materials Research Society Symposia Proceedings, 2002, 758, 371.	0.1	1
157	A Process to Make Collagen Scaffolds with an Artificial Circulatory System using Rapid Prototyping. Materials Research Society Symposia Proceedings, 2002, 758, 531.	0.1	3
158	Freeform fabrication by controlled droplet deposition of powder filled melts. Journal of Materials Science, 2002, 37, 3155-3161.	3.7	66
159	Materials opportunities in layered manufacturing technology. Journal of Materials Science, 2002, 37, 3091-3092.	3.7	4
160	Manufacture of biomaterials by a novel printing process. Journal of Materials Science: Materials in Medicine, 2002, 13, 1163-1166.	3.6	53
161	Accurate determination of Young's modulus and Poisson's ratio of thin films by a combination of acoustic microscopy and nanoindentation. Thin Solid Films, 2001, 398-399, 299-305.	1.8	65
162	Analysis of Drop-on-Demand Ink Jet Print Head for Rapid Prototyping. Materials Research Society Symposia Proceedings, 2001, 698, 451.	0.1	0

#	ARTICLE	IF	CITATIONS
163	Direct Ink Jet Printing of Alumina Components. Materials Research Society Symposia Proceedings, 2001, 698, 441.	0.1	1
164	Accurate Determination of the Elastic properties of Near Surface Regions and Thin Films Using Nanoindentation and Acoustic Microscopy. Materials Research Society Symposia Proceedings, 2001, 695, 1.	0.1	0
165	Detection of particle damage event by acoustic emission during tensile straining of SiC particle reinforced aluminium alloy composites. International Journal of Materials and Product Technology, 2001, 16, 58.	0.2	1
166	Residual stress and subsurface damage in machined alumina and alumina/silicon carbide nanocomposite ceramics. Acta Materialia, 2001, 49, 507-517.	7.9	63
167	Ink Jet Printing of Wax-Based Alumina Suspensions. Journal of the American Ceramic Society, 2001, 84, 2514-2520.	3.8	207
168	Rapid Prototyping of Ceramic Casting Cores for Investment Casting. Key Engineering Materials, 2001, 206-213, 297-300.	0.4	5
169	Investigation of the Wetting Characteristics of Chromium Based Active Braze Alloys on Silicon Nitride. Key Engineering Materials, 2001, 206-213, 511-514.	0.4	0
170	Ink Jet Deposition of Ceramic Suspensions: Modeling and Experiments of Droplet Formation. Materials Research Society Symposia Proceedings, 2000, 625, 117.	0.1	168
171	Freeform Fabrication of Ceramics by Hot-Melt Ink-Jet Printing. Materials Research Society Symposia Proceedings, 2000, 625, 195.	0.1	13
172	Matrix flow and densification during the consolidation of matrix coated fibres. Acta Materialia, 2000, 48, 1247-1258.	7.9	28
173	The Internet Microscope.. Materials Research Society Symposia Proceedings, 2000, 632, 1.	0.1	0
174	Ink Jet Deposition of Ceramic Suspensions: Modeling and Experiments of Droplet Formation. Materials Research Society Symposia Proceedings, 2000, 624, 65.	0.1	59
175	Mechanical properties of pressureless sintered alumina containing alumina platelets. Advances in Applied Ceramics, 1999, 98, 72-76.	0.4	4
176	High-temperature neutron reflectometry of liquid metal-ceramic interfaces. Journal Physics D: Applied Physics, 1999, 32, 2319-2326.	2.8	5
177	Fracture of metal/ceramic laminatesâ€”I. Transition from single to multiple cracking. Acta Materialia, 1999, 47, 529-543.	7.9	81
178	Fracture of metal/ceramic laminatesâ€”II. Crack growth resistance and toughness. Acta Materialia, 1999, 47, 545-563.	7.9	75
179	Fabrication of reaction-bonded Cr ₂ O ₃ ceramics. Journal of the European Ceramic Society, 1999, 19, 1651-1664.	5.7	12
180	Sintering of Cr ₂ O ₃ in H ₂ /H ₂ O Gas Mixtures. Journal of the European Ceramic Society, 1999, 19, 399-405.	5.7	11

#	ARTICLE	IF	CITATIONS
181	Ink Jet Printing of PZT Aqueous Ceramic Suspensions. Journal of Materials Science Letters, 1999, 18, 87-90.	0.5	63
182	Residual Stress Determination and Subsurface Microstructure in Ground and Polished Alumina/Silicon Carbide Nanocomposites and Monolithic Alumina Ceramics. Materials Research Society Symposia Proceedings, 1999, 581, 303.	0.1	5
183	Crack Healing in an Alumina/Silicon Carbide Nanocomposite After Grinding and Annealing. Materials Research Society Symposia Proceedings, 1999, 581, 327.	0.1	3
184	Stiffness of particulate reinforced metal matrix composites with damaged reinforcements. Materials Science and Technology, 1999, 15, 827-832.	1.6	16
185	Hot-Isostatic-Press Joining of Cemented Carbides. Journal of the American Ceramic Society, 1999, 82, 3616-3618.	3.8	2
186	Processing and microstructural characterisation of RBSiC-TaSi ₂ composites. Journal of Materials Science, 1998, 33, 5557-5568.	3.7	9
187	A finite element model for consolidation of vacuum plasma spray-formed metal matrix composites. Acta Materialia, 1998, 46, 4339-4350.	7.9	9
188	Stabilisation of TiB _x -Coated SiC Fibres by Nitridation. Scripta Materialia, 1998, 38, 1629-1634.	5.2	4
189	Neutron reflection studies of titanium segregation to metal-ceramic interfaces. Physica B: Condensed Matter, 1998, 248, 304-309.	2.7	8
190	High temperature neutron reflection spectroscopy of liquid metal/ceramic interfaces. Physica B: Condensed Matter, 1998, 248, 316-321.	2.7	6
191	Wetting of silicon carbide by chromium containing alloys. Acta Materialia, 1998, 46, 3491-3499.	7.9	34
192	The strength of Al ₂ O ₃ /SiC nanocomposites after grinding and annealing. Acta Materialia, 1998, 46, 3839-3848.	7.9	85
193	Characterisation of liquid metal/solid ceramic interfaces by neutron reflection. Acta Materialia, 1998, 46, 2387-2392.	7.9	6
194	Ceramic nanocomposites: mechanical properties. Current Opinion in Solid State and Materials Science, 1998, 3, 490-495.	11.5	35
195	Direct Inkjet Deposition of Ceramic Green Bodies: II - Jet Behaviour and Deposit Formation. Materials Research Society Symposia Proceedings, 1998, 542, 147.	0.1	16
196	Direct Ink-Jet Deposition of Ceramic Green Bodies: I - Formulation of Build Materials. Materials Research Society Symposia Proceedings, 1998, 542, 141.	0.1	11
197	Diffusion bonded Mokum's Gane decorative metal laminates. Materials Science and Technology, 1998, 14, 510-517.	1.6	3
198	Model for consolidation of Ti-6Al-4V/SiC fibre composite from plasma sprayed monotape. Materials Science and Technology, 1998, 14, 933-938.	1.6	2

#	ARTICLE	IF	CITATIONS
199	Alumina/Silicon Carbide Nanocomposites by Hybrid Polymer/Powder Processing: Microstructures and Mechanical Properties. Journal of the American Ceramic Society, 1998, 81, 41-48.	3.8	76
200	Characterization of Alumina/Silicon Carbide Ceramic Nanocomposites. , 1998, , 551-558.		0
201	Model for consolidation of Ti-6Al-4V/SiC fibre composite from plasma sprayed monotape. Materials Science and Technology, 1998, 14, 933-938.	1.6	1
202	Modelling Consolidation of Ti-6Al-4V / SiC Matrix-Coated Fibre Metal Matrix Composites. Key Engineering Materials, 1997, 127-131, 351-358.	0.4	7
203	Damage Nucleation and Growth in Particle Reinforced Aluminium Matrix Composites. Key Engineering Materials, 1997, 127-131, 945-952.	0.4	5
204	Grain growth and texture changes in a Ni foil during diffusion bonding to ZrO ₂ . Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1997, 76, 289-305.	0.6	4
205	Texture change in Ni and Cu foils on diffusion bonding to zirconia. Scripta Materialia, 1997, 36, 1-6.	5.2	9
206	Creep behaviour of a SiC particulate reinforced Al-2618 metal matrix composite. Acta Materialia, 1997, 45, 41-49.	7.9	23
207	Acoustic emission from a SiC reinforced Al-2618 metal matrix composite during straining. Scripta Materialia, 1997, 37, 1045-1052.	5.2	6
208	The characterization of metal/ceramic interfaces using specular neutron reflection. Acta Materialia, 1997, 45, 273-279.	7.9	7
209	Surface mechanical properties of alumina matrix nanocomposites. Acta Materialia, 1997, 45, 3963-3973.	7.9	60
210	Wetting of titanium nitride and titanium carbide by liquid metals. Acta Materialia, 1996, 44, 307-314.	7.9	117
211	Silicon carbide particle size effects in alumina-based nanocomposites. Acta Materialia, 1996, 44, 4543-4552.	7.9	123
212	Characterization of microstructural damage during plastic strain of a particulate-reinforced metal matrix composite at elevated temperature. Journal of Materials Science, 1996, 31, 297-303.	3.7	20
213	The formation of TiC/Al ₂ O ₃ microstructures by a self-propagating high-temperature synthesis reaction. Journal of Materials Science, 1996, 31, 3791-3803.	3.7	37
214	Faceted Voids and Grain Orientation at Solid State Diffusion Bonded Interfaces between Cu and Single Crystal Cubic ZrO ₂ . Materials Science Forum, 1996, 207-209, 253-256.	0.3	0
215	The wetting of silicon nitride by chromium-containing alloys. Journal of Materials Science, 1995, 30, 5915-5922.	3.7	17
216	Liquid phase bonding of siliconized silicon carbide. Journal of Materials Science, 1995, 30, 6119-6135.	3.7	5

#	ARTICLE	IF	CITATIONS
217	Analysis of neutron diffraction peak broadening caused by internal stresses in composite materials. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 354, 139-144.	1.6	6
218	The deformation characteristics of SiC particulate-reinforced aluminium alloy 6061. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1995, 197, 11-18.	5.6	15
219	Solid-state fabrication and interfaces of fibre reinforced metal matrix composites. Progress in Materials Science, 1995, 39, 411-495.	32.8	83
220	Effect of TiB ₂ , TiC and TiN protective coatings on tensile strength and fracture behaviour of SiC monofilament fibres. Composites, 1995, 26, 531-539.	0.7	24
221	Wetting behaviour in the Al-Si/SiC system: interface reactions and solubility effects. Acta Metallurgica Et Materialia, 1995, 43, 3061-3073.	1.8	126
222	Finite-difference modelling of self-propagating high-temperature synthesis of materials. Acta Metallurgica Et Materialia, 1995, 43, 3903-3913.	1.8	22
223	Development of a micro-droplet technique for wettability studies: Application to the Al-Si/SiC system. Scripta Metallurgica Et Materialia, 1995, 33, 837-842.	1.0	6
224	Microstructure and fracture behaviour of particle-reinforced metal matrix composites. Journal of Microscopy, 1995, 177, 357-368.	1.8	7
225	X-ray microtomographic studies of metal matrix composites using laboratory X-ray sources. Journal of Microscopy, 1995, 177, 399-406.	1.8	29
226	The CVD of Ceramic Protective Coatings on SiC Monofilaments for Use in Titanium Based Composites. Materials and Manufacturing Processes, 1994, 9, 885-900.	4.7	2
227	In Situ HREM Observation of the Oxidation of Nickel Thin Foils. Materials Research Society Symposia Proceedings, 1994, 357, 225.	0.1	0
228	Fatigue characterization of Ti-6Al-4V/SiC metal-matrix composites. International Journal of Fatigue, 1994, 16, 461-467.	5.7	1
229	Differential thermal analysis of ignition temperatures in a self-propagating high-temperature synthesis reaction. Journal of Thermal Analysis, 1994, 42, 713-719.	0.6	9
230	In situ scanning electron microscope studies of fracture in particulate-reinforced metal-matrix composites. Journal of Materials Science, 1994, 29, 5615-5624.	3.7	23
231	Evaluation of the efficiency of TiB ₂ and TiC as protective coatings for SiC monofilament in titanium-based composites. Journal of Materials Science, 1994, 29, 3774-3780.	3.7	35
232	Characterization of glass-ceramic to metal bonds. Journal of Materials Science, 1994, 29, 4436-4446.	3.7	4
233	Uniaxial creep of long fibre reinforced metal matrix composites. Composites Part B: Engineering, 1994, 4, 1241-1255.	0.6	10
234	Alumina/Aluminum Composites Formed by the Directed Oxidation of Aluminum Using Magnesia as a Surface Dopant. Journal of the American Ceramic Society, 1994, 77, 1761-1770.	3.8	25

#	ARTICLE	IF	CITATIONS
235	Alumina/Aluminum Composites Formed by the Directed Oxidation of Aluminum Using Sodium Hydroxide as a Surface Dopant. <i>Journal of the American Ceramic Society</i> , 1994, 77, 1771-1776.	3.8	19
236	An analysis of thermal residual stresses in Ti-6-4 alloy reinforced with SiC and Al ₂ O ₃ fibres. <i>Acta Metallurgica Et Materialia</i> , 1994, 42, 1525-1534.	1.8	48
237	Theoretical model for solid-state consolidation of long-fibre reinforced metal-matrix composites. <i>Acta Metallurgica Et Materialia</i> , 1994, 42, 461-473.	1.8	17
238	The effect of temporary hydrogenation on the processing and interface of titanium composites. <i>Composites</i> , 1994, 25, 881-886.	0.7	11
239	Interface microstructures in Ti-based composites using TiB ₂ /C-coated and uncoated SiCf after short-term thermal exposure. <i>Composites</i> , 1994, 25, 887-890.	0.7	17
240	Analysis of interfacial defects in solid-state consolidated composites. <i>Composites</i> , 1994, 25, 563-569.	0.7	7
241	Chemistry effects on interface microstructure and reaction in titanium-based composites. <i>Composites</i> , 1994, 25, 630-636.	0.7	11
242	Interfaces in Ti ₃ Al composites reinforced with sigma SiC fibres. <i>Scripta Metallurgica Et Materialia</i> , 1994, 30, 89-94.	1.0	16
243	Nanomechanical Response of Materials and Thin Film Systems: Finite Element Simulation. <i>Materials Research Society Symposia Proceedings</i> , 1994, 356, 681.	0.1	2
244	Al ₂ O ₃ /Al composites formed by the directed oxidation of an Al _{0.8} -Mg _{0.2} -Zn alloy. <i>Journal of the European Ceramic Society</i> , 1993, 12, 185-195.	5.7	6
245	Adhesion testing of glass-ceramic thick films on metal substrates. <i>Journal of Materials Science</i> , 1993, 28, 2989-2998.	3.7	22
246	Diffusion bonding of a nickel (chromium) alloy to zirconia: Mechanical properties and interface microstructures. <i>Journal of Materials Science</i> , 1993, 28, 4366-4374.	3.7	23
247	Diffusion Bonds between a Stainless Steel and Zirconia. <i>Journal of the American Ceramic Society</i> , 1993, 76, 232-234.	3.8	8
248	Acoustic emission from particulate-reinforced metal matrix composites. <i>Acta Metallurgica Et Materialia</i> , 1993, 41, 1431-1445.	1.8	114
249	Fibre uniformity and cavitation during the consolidation of metal-matrix composite via fibre-mat and matrix-foil diffusion bonding. <i>Acta Metallurgica Et Materialia</i> , 1993, 41, 3257-3266.	1.8	12
250	Damage assessment in particle-reinforced metal matrix composites using x-ray microtomography. <i>Scripta Metallurgica Et Materialia</i> , 1993, 29, 1457-1462.	1.0	26
251	Microstructural characterization in diffusion-bonded SiC/Ti-6Al-4V composites. <i>Journal of Microscopy</i> , 1993, 169, 269-277.	1.8	18
252	Comparison of interfaces in Ti composites reinforced with uncoated and TiB ₂ /Ca ₂ Si ₂ O ₇ -coated SiC fibres. <i>Journal of Microscopy</i> , 1993, 169, 279-287.	1.8	28

#	ARTICLE	IF	CITATIONS
253	The compatibility of TiB ₂ protective coatings with SiC fibre and Ti-6Al-4V. Journal of Microscopy, 1993, 169, 289-295.	1.8	16
254	Creep and Thermal Cycling. , 1993, , 191-214.		23
255	Fracture Behavior. , 1993, , 251-268.		5
256	Microstructure and fracture behaviour of SiCp/Al-2618 metal matrix composite. European Physical Journal Special Topics, 1993, 03, C7-1861-C7-1866.	0.2	2
257	X-ray microtomography of damage in particle-reinforced metal matrix composites. European Physical Journal Special Topics, 1993, 03, C7-1857-C7-1860.	0.2	0
258	Diffusion bonding of nickel and zirconia: Mechanical properties and interfacial microstructures. Journal of Materials Research, 1992, 7, 1480-1488.	2.6	26
259	Metal-ceramic interfaces: Sources and sinks for mass transfer. Acta Metallurgica Et Materialia, 1992, 40, S53-S58.	1.8	9
260	Dynamic recrystallisation: The steady state grain size. Scripta Metallurgica Et Materialia, 1992, 27, 1581-1585.	1.0	76
261	Palladium-zirconia diffusion bonds: Mechanical properties and interface reactions. Acta Metallurgica Et Materialia, 1992, 40, 925-938.	1.8	13
262	In Situ Measurement of the Elastic Moduli of Glass-Ceramic Thick Films. Journal of the American Ceramic Society, 1992, 75, 1284-1286.	3.8	3
263	The dependence of grain size on stress during dynamic recrystallisation. Acta Metallurgica Et Materialia, 1991, 39, 955-962.	1.8	359
264	The influence of microstructure on internal stress superplasticity in polycrystalline zinc. Scripta Metallurgica Et Materialia, 1991, 25, 467-472.	1.0	13
265	Acoustic Emissions During Indentation Tests. Materials Research Society Symposia Proceedings, 1991, 239, 361.	0.1	20
266	The CVD of Ceramic Protective Coatings on SiC Monofilaments. Materials Research Society Symposia Proceedings, 1991, 250, 257.	0.1	2
267	The behaviour of metal matrix composites during temperature cycling. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1991, 135, 213-216.	5.6	11
268	The influence of microstructure on the fracture behaviour of particulate metal matrix composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1991, 135, 221-224.	5.6	92
269	TEM study of silicon carbide whisker microstructures. Journal of Materials Science, 1991, 26, 6207-6217.	3.7	31
270	Interfaces in Metal/Ceramic Diffusion Bonds. , 1991, , 224-231.		3

#	ARTICLE	IF	CITATIONS
271	THE INFLUENCE OF MAGNESIUM SEGREGATION ON THE FRACTURE OF SILICON CARBIDE PARTICLE-REINFORCED ALUMINIUM METAL MATRIX COMPOSITES. , 1991, , 175-178.		2
272	Compressive Stresses, Buckling and Spalling of Tungsten LPD Films. Materials Research Society Symposia Proceedings, 1990, 188, 251.	0.1	0
273	The Mechanism of Internal Stress Superplasticity. Materials Research Society Symposia Proceedings, 1990, 196, 115.	0.1	1
274	Iosipescu in-plane shear tests of SiC-Pyrex composites. Journal of Materials Science Letters, 1990, 9, 63-66.	0.5	3
275	The deformation of particle reinforced metal matrix composites during temperature cycling. Acta Metallurgica Et Materialia, 1990, 38, 2537-2552.	1.8	73
276	Dynamic recrystallization and grain size. , 1990, , 354-364.		20
277	THE FORMATION OF METAL/CERAMIC INTERFACES BY DIFFUSION BONDING. , 1990, , 161-167.		0
278	The role of enhanced matrix dislocation density in strengthening metal matrix composites. Scripta Metallurgica, 1988, 22, 529-532.	1.2	44
279	Strain rate dependence of failure in 2124 Al/SiC whisker composite. Scripta Metallurgica, 1988, 22, 601-606.	1.2	28
280	On dynamic recrystallisation. Scripta Metallurgica, 1987, 21, 879-884.	1.2	243
281	A Microstructural model for primary creep. Acta Metallurgica, 1987, 35, 1349-1353.	2.1	52
282	Internal stress superplasticity in metal matrix composites. Scripta Metallurgica, 1985, 19, 703-707.	1.2	21
283	Comments on: A rational method for calculating mechanism maps. Scripta Metallurgica, 1985, 19, 1013-1014.	1.2	0
284	Diffusion bonding: development of theoretical model. Metal Science, 1984, 18, 427-431.	0.7	99
285	Diffusion bonds in copper. Journal of Materials Science, 1984, 19, 3140-3148.	3.7	38
286	Diffusion bonds in iron and a low-alloy steel. Journal of Materials Science, 1984, 19, 3149-3158.	3.7	16
287	Power-laws, and the $\dot{\epsilon}$ - n correlation in creep. Scripta Metallurgica, 1984, 18, 1079-1084.	1.2	23
288	Monotectic microstructure at high growth rates. Scripta Metallurgica, 1984, 18, 169-172.	1.2	12

#	ARTICLE	IF	CITATIONS
289	A criterion for the determination of monotectic structure. Acta Metallurgica, 1983, 31, 1123-1130.	2.1	102
290	Non-destructive testing and acoustic microscopy of diffusion bonds. Journal of Materials Science, 1983, 18, 2345-2353.	3.7	35
291	Temperature gradient and growth velocity effects on the irregular monotectic structure. Journal of Crystal Growth, 1983, 65, 280-285.	1.5	11
292	Theoretical model for diffusion bonding. Metal Science, 1982, 16, 49-56.	0.7	197
293	Advanced alloys and metal/ceramic composites from lunar source materials. Acta Astronautica, 1982, 9, 593-595.	3.2	2
294	Joining methods in space: A theoretical model for diffusion bonding. Acta Astronautica, 1980, 7, 685-698.	3.2	11
295	Ductile Deformation in Alumind/Silicon Carbide Nanocomposites. Ceramic Engineering and Science Proceedings, 0, , 155-164.	0.1	1