

Nikolaos Ioannidis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3606370/publications.pdf>

Version: 2024-02-01

59
papers

1,947
citations

236925

25
h-index

254184

43
g-index

60
all docs

60
docs citations

60
times ranked

1710
citing authors

#	ARTICLE	IF	CITATIONS
1	A nonsymmetric Dy ²⁺ single-molecule magnet with two relaxation processes triggered by an external magnetic field: a theoretical and integrated EPR study of the role of magnetic-site dilution. Dalton Transactions, 2022, 51, 1985-1994.	3.3	5
2	Copper Coordination and the Induced Morphological Changes in Covalent Organic Frameworks. Langmuir, 2022, 38, 3082-3089.	3.5	2
3	Arrested Substrate Binding Resolves Catalytic Intermediates in Higher-Plant Water Oxidation. Angewandte Chemie - International Edition, 2021, 60, 3156-3162.	13.8	28
4	Arrested Substrate Binding Resolves Catalytic Intermediates in Higher-Plant Water Oxidation. Angewandte Chemie, 2021, 133, 3193-3199.	2.0	4
5	Electronic Structure of Tyrosyl D Radical of Photosystem II, as Revealed by 2D-Hyperfine Sublevel Correlation Spectroscopy. Magnetochemistry, 2021, 7, 131.	2.4	1
6	Evidence for the Mn ⁴⁺ -Yz Magnetic Interaction in Ca ²⁺ -depleted Photosystem II. Polyhedron, 2021, 206, 115335.	2.2	0
7	Photocatalytic Reduction of CO ₂ over Iron-Modified g-C ₃ N ₄ Photocatalysts. Photochem, 2021, 1, 462-476.	2.2	4
8	Magnetically separable TiO ₂ /CoFe ₂ O ₄ /Ag nanocomposites for the photocatalytic reduction of hexavalent chromium pollutant under UV and artificial solar light. Chemical Engineering Journal, 2020, 381, 122730.	12.7	88
9	Temperature-Sensitive Structural Speciation of Cobalt(II)-minodialcohol(N,N'-Aromatic Chelator) Systems: Lattice Architecture and Spectrochemical Properties. European Journal of Inorganic Chemistry, 2020, 2020, 2919-2940.	2.0	1
10	Photocatalytic H ₂ Evolution, CO ₂ Reduction, and NO _x Oxidation by Highly Exfoliated g-C ₃ N ₄ . Catalysts, 2020, 10, 1147.	3.5	19
11	Boosting visible light harvesting and charge separation in surface modified TiO ₂ photonic crystal catalysts with CoO _x nanoclusters. Materials Advances, 2020, 1, 2310-2322.	5.4	13
12	Kinetic and mechanistic investigation of water taste and odor compound 2-isopropyl-3-methoxy pyrazine degradation using UV-A/Chlorine process. Science of the Total Environment, 2020, 732, 138404.	8.0	15
13	Novel torus shaped g-C ₃ N ₄ photocatalysts. Applied Catalysis B: Environmental, 2020, 268, 118733.	20.2	56
14	Proton Translocation via Tautomerization of Asn298 During the S ₂ →S ₃ State Transition in the Oxygen-Evolving Complex of Photosystem II. Journal of Physical Chemistry B, 2019, 123, 3068-3078.	2.6	28
15	Synthesis, characterization and antimicrobial activity of N-acetyl-3-acetyl-5-benzylidene tetramic acid-metal complexes. X-ray analysis and identification of the Cd(II) complex as a potent antifungal agent. Journal of Inorganic Biochemistry, 2019, 194, 65-73.	3.5	9
16	Titania photonic crystal photocatalysts functionalized by graphene oxide nanocolloids. Applied Catalysis B: Environmental, 2019, 240, 277-290.	20.2	43
17	Photocatalytic properties of copper-modified core-shell titania nanocomposites. Journal of Photochemistry and Photobiology A: Chemistry, 2019, 370, 145-155.	3.9	25
18	Chemical vs thermal exfoliation of g-C ₃ N ₄ for NO _x removal under visible light irradiation. Applied Catalysis B: Environmental, 2018, 239, 16-26.	20.2	185

#	ARTICLE	IF	CITATIONS
19	Theoretical study of the EPR spectrum of the S3TyrZâ€¢ metalloradical intermediate state of the O2-evolving complex of photosystem II. <i>Photosynthesis Research</i> , 2016, 130, 417-426.	2.9	8
20	Direct Covalent Biomolecule Immobilization on Plasma-Nanotextured Chemically Stable Substrates. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 14670-14681.	8.0	36
21	Can we trap the metalloradical intermediate during the Sâ€¢state transitions of Photosystem II? An EPR investigation. <i>FEBS Letters</i> , 2014, 588, 1827-1831.	2.8	11
22	Synthesis, characterization and photocatalytic evaluation of visible light activated C-doped TiO₂ nanoparticles. <i>Nanotechnology</i> , 2012, 23, 294003.	2.6	130
23	A Bombesin Copper Complex Based on a Bifunctional Cyclam Derivative. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 2877-2888.	2.0	5
24	Arylâ€¢O reductive elimination from reaction of well-defined arylâ€¢Cu(III) species with phenolates: the importance of ligand reactivity. <i>Dalton Transactions</i> , 2011, 40, 8796.	3.3	30
25	Conformational changes of the S₂ intermediate of the S2 to S3 transition in Photosystem II. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2011, 104, 70-79.	3.8	12
26	Conversion of the g= 4.1 EPR signal to the multiline conformation during the S2 to S3 transition of the oxygen evolving complex of Photosystem II. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2010, 1797, 487-493.	1.0	13
27	The EPR Spectrum of Tyrosine Z^{â€¢} and Its Decay Kinetics in O₂-Evolving Photosystem II Preparations. <i>Biochemistry</i> , 2008, 47, 6292-6300.	2.5	26
28	The Progressive Exchange-Narrowing of the S0YZ â€¢, S1YZ â€¢, and S2YZ â€¢ Spectra Reveals the Unperturbed Spectrum of Tyr Zâ€¢ in Oxygen Evolving PSII Preparations: A Rapid Scanning EPR Investigation in the Temperature Range 4.2â€¢240 K. , 2008, , 543-546.		0
29	The Collapse of the Tyrosine Z^{â€¢}â€¢Mn Spinâ€¢Spin Interaction above â€¢1/4 100 K Reveals the Spectrum of Tyrosine Z^{â€¢}. An Application of Rapid-Scan EPR to the Study of Intermediates of the Water Splitting Mechanism of Photosystem II. <i>Biochemistry</i> , 2007, 46, 14335-14341.	2.5	14
30	Trapping of the S2 to S3 State Intermediate of the Oxygen-Evolving Complex of Photosystem II. <i>Biochemistry</i> , 2006, 45, 6252-6259.	2.5	54
31	Trapping of Metalloradical Intermediates of the S-States at Liquid Helium Temperatures. Overview of the Phenomenology and Mechanistic Implications. <i>Biochemistry</i> , 2005, 44, 6723-6728.	2.5	84
32	Near-IR Irradiation of the S2State of the Water Oxidizing Complex of Photosystem II at Liquid Helium Temperatures Produces the Metalloradical Intermediate Attributed to S1YZâ€¢. <i>Biochemistry</i> , 2003, 42, 3045-3053.	2.5	55
33	Decay Products of the S3State of the Oxygen-Evolving Complex of Photosystem II at Cryogenic Temperatures. Pathways to the Formation of theS=7/2S2State Configurationâ€¢. <i>Biochemistry</i> , 2002, 41, 9580-9588.	2.5	36
34	Stability Study of Tyrosinate Radical in a Restricted Phyllomorphous Medium. <i>Langmuir</i> , 2002, 18, 10024-10029.	3.5	12
35	Intermediates of the S3State of the Oxygen-Evolving Complex of Photosystem IIâ€¢. <i>Biochemistry</i> , 2002, 41, 9589-9600.	2.5	69
36	Probing Subtle Coordination Changes in the Ironâ€¢Quinone Complex of Photosystem II during Charge Separation, by the Use of NOâ€¢. <i>Biochemistry</i> , 2002, 41, 15212-15223.	2.5	22

#	ARTICLE	IF	CITATIONS
37	Isolation and spectroscopic characterization of a recombinant bell pepper hydroperoxide lyase. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2001, 1533, 119-127.	2.4	17
38	A Novel S = 7/2 Configuration of the Mn Cluster of Photosystem II. <i>Journal of the American Chemical Society</i> , 2001, 123, 10766-10767.	13.7	32
39	Dual-Mode X-Band EPR Study of Two Isomers of the Endohedral Metallofullerene Er@C82. <i>Journal of the American Chemical Society</i> , 2001, 123, 9924-9925.	13.7	17
40	Interaction of nitric oxide with the oxygen evolving complex of photosystem II and manganese catalase: a comparative study. <i>Journal of Biological Inorganic Chemistry</i> , 2000, 5, 354-363.	2.6	24
41	Flavo-hemoglobin Hmp Affords Inducible Protection for <i>Escherichia coli</i> Respiration, Catalyzed by Cytochromes b558 or b562, from Nitric Oxide. <i>Journal of Biological Chemistry</i> , 2000, 275, 35868-35875.	3.4	158
42	Electron Paramagnetic Resonance Signals from the S3 State of the Oxygen-Evolving Complex. A Broadened Radical Signal Induced by Low-Temperature Near-Infrared Light Illumination. <i>Biochemistry</i> , 2000, 39, 5246-5254.	2.5	92
43	Response of the NAD(P)H-oxidising flavohaemoglobin (Hmp) to prolonged oxidative stress and implications for its physiological role in <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 1998, 166, 219-223.	1.8	23
44	NO Reversibly Reduces the Water-Oxidizing Complex of Photosystem II through S0 and S-1 to the State Characterized by the Mn(II)-Mn(III) Multiline EPR Signal. <i>Biochemistry</i> , 1998, 37, 16445-16451.	2.5	25
45	A Mn(II)-Mn(III) EPR Signal Arises from the Interaction of NO with the S1 State of the Water-Oxidizing Complex of Photosystem II. <i>Biochemistry</i> , 1998, 37, 3581-3587.	2.5	32
46	Progressive Reduction of the Mn-Catalase Mn(III)-Mn(III) State to the Mn(II)-Mn(III) and Mn(II)-Mn(II) States by Nitrogen Monoxide. , 1998, , 1323-1326.		0
47	Probing the Lower States of the Water-Oxidising Complex of Photosystem II by the Use of NO as a Redox Agent. , 1998, , 1241-1246.		0
48	La-139NMR investigation of spin ordering in La0.5Ca0.5MnO3. <i>Physical Review B</i> , 1997, 55, 15000-15004.	3.2	29
49	Low-Temperature Interactions of NO with the S1 and S2 States of the Water-Oxidizing Complex of Photosystem II. A Novel Mn-Multiline EPR Signal Derived from the S1 State. <i>Biochemistry</i> , 1997, 36, 9261-9266.	2.5	24
50	The flavohaemoglobin (HMP) of <i>Escherichia coli</i> generates superoxide in vitro and causes oxidative stress in vivo. <i>FEBS Letters</i> , 1996, 382, 141-144.	2.8	67
51	Reactions of the <i>Escherichia coli</i> flavohaemoglobin (Hmp) with NADH and near-micromolar oxygen: oxygen affinity of NADH oxidase activity. <i>Microbiology (United Kingdom)</i> , 1996, 142, 1141-1148.	1.8	28
52	Reactions of the <i>Escherichia coli</i> flavohaemoglobin (Hmp) with oxygen and reduced nicotinamide adenine dinucleotide: evidence for oxygen switching of flavin oxidoreduction and a mechanism for oxygen sensing. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1994, 255, 251-258.	2.6	54
53	The oxygen reactivity of bacterial respiratory haemoproteins: Oxidases and globins. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1994, 1187, 226-231.	1.0	9
54	Haem, flavin and oxygen interactions in Hmp, a flavohaemoglobin from <i>Escherichia coli</i> . <i>Biochemical Society Transactions</i> , 1994, 22, 709-713.	3.4	23

#	ARTICLE	IF	CITATIONS
55	Slow (ϵ -resting ϵ TM) forms of mitochondrial cytochrome c oxidase consist of two kinetically distinct conformations of the binuclear CuBa ₃ centre ϵ " relevance to the mechanism of proton translocation. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1993, 1144, 149-160.	1.0	18
56	Spectroscopic studies on an oxygen-binding haemoglobin-like flavohaemoprotein from <i>Escherichia coli</i> . <i>Biochemical Journal</i> , 1992, 288, 649-655.	3.7	77
57	The oxygenated flavohaemoglobin from <i>Escherichia coli</i> : Evidence from photodissociation and rapid-scan studies for two kinetic and spectral forms. <i>Biochemical and Biophysical Research Communications</i> , 1992, 187, 94-100.	2.1	25
58	The cytochrome oxidase $g'=12$ EPR signal. <i>Biochemical Society Transactions</i> , 1991, 19, 259S-259S.	3.4	3
59	Spectrophotometric Characterization of Intermediate Redox States of Cytochrome Oxidase. <i>Annals of the New York Academy of Sciences</i> , 1988, 550, 150-160.	3.8	23