

# Bruno Francois

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3607673/publications.pdf>

Version: 2024-02-01

160  
papers

14,805  
citations

36303

51  
h-index

19190

118  
g-index

176  
all docs

176  
docs citations

176  
times ranked

14997  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Treatment With Low Doses of Hydrocortisone and Fludrocortisone on Mortality in Patients With Septic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2002, 288, 862.	7.4	2,698
2	Drotrecogin Alfa (Activated) for Adults with Severe Sepsis and a Low Risk of Death. <i>New England Journal of Medicine</i> , 2005, 353, 1332-1341.	27.0	1,364
3	Assessment of the worldwide burden of critical illness: the Intensive Care Over Nations (ICON) audit. <i>Lancet Respiratory Medicine</i> , 2014, 2, 380-386.	10.7	864
4	Focused training for goal-oriented hand-held echocardiography performed by noncardiologist residents in the intensive care unit. <i>Intensive Care Medicine</i> , 2007, 33, 1795-1799.	8.2	765
5	Effect of Eritoran, an Antagonist of MD2-TLR4, on Mortality in Patients With Severe Sepsis. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 1154.	7.4	625
6	Hydrocortisone plus Fludrocortisone for Adults with Septic Shock. <i>New England Journal of Medicine</i> , 2018, 378, 809-818.	27.0	606
7	Should we stimulate or suppress immune responses in COVID-19? Cytokine and anti-cytokine interventions. <i>Autoimmunity Reviews</i> , 2020, 19, 102567.	5.8	521
8	The SOFA score's development, utility and challenges of accurate assessment in clinical trials. <i>Critical Care</i> , 2019, 23, 374.	5.8	456
9	Thrombocytopenia in the Sepsis Syndrome. <i>American Journal of Medicine</i> , 1997, 103, 114-120.	1.5	268
10	Interleukin-7 restores lymphocytes in septic shock: the IRIS-7 randomized clinical trial. <i>JCI Insight</i> , 2018, 3, .	5.0	265
11	Quantitative assessment of pleural effusion in critically ill patients by means of ultrasonography*. <i>Critical Care Medicine</i> , 2005, 33, 1757-1763.	0.9	246
12	Effect of a Recombinant Human Soluble Thrombomodulin on Mortality in Patients With Sepsis-Associated Coagulopathy. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 1993.	7.4	221
13	12-h pretreatment with methylprednisolone versus placebo for prevention of postextubation laryngeal oedema: a randomised double-blind trial. <i>Lancet, The</i> , 2007, 369, 1083-1089.	13.7	204
14	Recombinant human platelet-activating factor acetylhydrolase for treatment of severe sepsis: Results of a phase III, multicenter, randomized, double-blind, placebo-controlled, clinical trial*. <i>Critical Care Medicine</i> , 2004, 32, 332-341.	0.9	175
15	Global Prospective Epidemiologic and Surveillance Study of Ventilator-Associated Pneumonia due to <i>Pseudomonas aeruginosa</i> *. <i>Critical Care Medicine</i> , 2014, 42, 2178-2187.	0.9	157
16	Circulating Immature Granulocytes With T-Cell Killing Functions Predict Sepsis Deterioration*. <i>Critical Care Medicine</i> , 2014, 42, 2007-2018.	0.9	156
17	Safety and pharmacokinetics of an anti-PcrV PEGylated monoclonal antibody fragment in mechanically ventilated patients colonized with <i>Pseudomonas aeruginosa</i> . <i>Critical Care Medicine</i> , 2012, 40, 2320-2326.	0.9	154
18	Phenotypical and functional alteration of unconventional T cells in severe COVID-19 patients. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	150

#	ARTICLE	IF	CITATIONS
19	Drug-resistant cytomegalovirus in transplant recipients: a French cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , 2010, 65, 2628-2640.	3.0	141
20	Endovascular Versus External Targeted Temperature Management for Patients With Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2015, 132, 182-193.	1.6	139
21	A Randomized Trial of the Amikacin Fosfomycin Inhalation System for the Adjunctive Therapy of Gram-Negative Ventilator-Associated Pneumonia. <i>Chest</i> , 2017, 151, 1239-1246.	0.8	136
22	Being Overweight Is Associated With Greater Survival in ICU Patients. <i>Critical Care Medicine</i> , 2015, 43, 2623-2632.	0.9	113
23	Comparison of Multiplane Transesophageal Echocardiography and Contrast-enhanced Helical CT in the Diagnosis of Blunt Traumatic Cardiovascular Injuries. <i>Anesthesiology</i> , 2001, 94, 615-622.	2.5	112
24	A worldwide multicentre evaluation of the influence of deterioration or improvement of acute kidney injury on clinical outcome in critically ill patients with and without sepsis at ICU admission: results from The Intensive Care Over Nations audit. <i>Critical Care</i> , 2018, 22, 188.	5.8	112
25	Immunotherapies for COVID-19: lessons learned from sepsis. <i>Lancet Respiratory Medicine</i> , 2020, 8, 946-949.	10.7	111
26	Effect of Selepressin vs Placebo on Ventilator- and Vasopressor-Free Days in Patients With Septic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1476.	7.4	107
27	Comparison of European ICU patients in 2012 (ICON) versus 2002 (SOAP). <i>Intensive Care Medicine</i> , 2018, 44, 337-344.	8.2	105
28	Recombinant Tissue Factor Pathway Inhibitor in Severe Community-acquired Pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 183, 1561-1568.	5.6	104
29	The intensive care medicine research agenda on multidrug-resistant bacteria, antibiotics, and stewardship. <i>Intensive Care Medicine</i> , 2017, 43, 1187-1197.	8.2	103
30	Initial efficacy and tolerability of early enteral nutrition with immediate or gradual introduction in intubated patients. <i>Intensive Care Medicine</i> , 2008, 34, 1054-1059.	8.2	102
31	The Innovative Medicines Initiative's New Drugs for Bad Bugs programme: European public-private partnerships for the development of new strategies to tackle antibiotic resistance. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 290-295.	3.0	101
32	Prevention of Early Ventilator-Associated Pneumonia after Cardiac Arrest. <i>New England Journal of Medicine</i> , 2019, 381, 1831-1842.	27.0	100
33	Diagnostic ability of hand-held echocardiography in ventilated critically ill patients. <i>Critical Care</i> , 2003, 7, R84.	5.8	95
34	Advances in antibiotic therapy in the critically ill. <i>Critical Care</i> , 2016, 20, 133.	5.8	94
35	Efficacy of and tolerance to mild induced hypothermia after out-of-hospital cardiac arrest using an endovascular cooling system. <i>Critical Care</i> , 2007, 11, R71.	5.8	90
36	Echocardiographic assessment of pulmonary artery occlusion pressure in ventilated patients: a transoesophageal study. <i>Critical Care</i> , 2008, 12, R18.	5.8	90

#	ARTICLE	IF	CITATIONS
37	Cardiac morphological and functional changes during early septic shock: a transesophageal echocardiographic study. <i>Intensive Care Medicine</i> , 2008, 34, 250-256.	8.2	87
38	Azithromycin to prevent <i>Pseudomonas aeruginosa</i> ventilator-associated pneumonia by inhibition of quorum sensing: a randomized controlled trial. <i>Intensive Care Medicine</i> , 2012, 38, 1118-1125.	8.2	82
39	Diagnosis of left ventricular diastolic dysfunction in the setting of acute changes in loading conditions. <i>Critical Care</i> , 2007, 11, R43.	5.8	77
40	Association of Interleukin 7 Immunotherapy With Lymphocyte Counts Among Patients With Severe Coronavirus Disease 2019 (COVID-19). <i>JAMA Network Open</i> , 2020, 3, e2016485.	5.9	77
41	Circulating adrenomedullin estimates survival and reversibility of organ failure in sepsis: the prospective observational multinational Adrenomedullin and Outcome in Sepsis and Septic Shock-1 (AdrenOSS-1) study. <i>Critical Care</i> , 2018, 22, 354.	5.8	75
42	A Randomized, Placebo-controlled Trial of Preemptive Antifungal Therapy for the Prevention of Invasive Candidiasis Following Gastrointestinal Surgery for Intra-abdominal Infections. <i>Clinical Infectious Diseases</i> , 2015, 61, civ707.	5.8	72
43	Evaluating the Efficacy and Safety of Two Doses of the Polyclonal Anti-Tumor Necrosis Factor- $\alpha$ Fragment Antibody AZD9773 in Adult Patients With Severe Sepsis and/or Septic Shock. <i>Critical Care Medicine</i> , 2014, 42, 504-511.	0.9	70
44	Transient Stability Assessment and Enhancement of Grid-Forming Converters Embedding Current Reference Saturation as Current Limiting Strategy. <i>IEEE Transactions on Power Systems</i> , 2022, 37, 1519-1531.	6.5	64
45	Severe COVID-19 is associated with deep and sustained multifaceted cellular immunosuppression. <i>Intensive Care Medicine</i> , 2020, 46, 1769-1771.	8.2	62
46	Assessment of panobacumab as adjunctive immunotherapy for the treatment of nosocomial <i>Pseudomonas aeruginosa</i> pneumonia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2014, 33, 1861-1867.	2.9	60
47	Hand-held echocardiography with doppler capability for the assessment of critically-ill patients: is it reliable?. <i>Intensive Care Medicine</i> , 2004, 30, 718-723.	8.2	59
48	Traumatic Pulmonary Hernia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 44, 217-219.	2.4	58
49	Complications of Tracheostomy Performed in the ICU. <i>Chest</i> , 2003, 123, 151-158.	0.8	57
50	Safety and tolerability of a single administration of AR-301, a human monoclonal antibody, in ICU patients with severe pneumonia caused by <i>Staphylococcus aureus</i> : first-in-human trial. <i>Intensive Care Medicine</i> , 2018, 44, 1787-1796.	8.2	57
51	The challenge of ventilator-associated pneumonia diagnosis in COVID-19 patients. <i>Critical Care</i> , 2020, 24, 289.	5.8	57
52	Pneumonia and New Methicillin-resistant <i>Staphylococcus aureus</i> Clone. <i>Emerging Infectious Diseases</i> , 2006, 12, 498-500.	4.3	53
53	Proenkephalin A 119-159 (Penkid) Is an Early Biomarker of Septic Acute Kidney Injury: The Kidney in Sepsis and Septic Shock (Kid-SSS) Study. <i>Kidney International Reports</i> , 2018, 3, 1424-1433.	0.8	53
54	Routine Transesophageal Echocardiography for the Diagnosis of Aortic Disruption in Trauma Patients without Enlarged Mediastinum. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 40, 422-427.	2.4	52

#	ARTICLE	IF	CITATIONS
55	Safety and Pharmacokinetics of Intravenous Zanamivir Treatment in Hospitalized Adults With Influenza: An Open-label, Multicenter, Single-Arm, Phase II Study. <i>Journal of Infectious Diseases</i> , 2014, 209, 542-550.	4.0	51
56	<i>Pseudomonas aeruginosa</i> serotypes in nosocomial pneumonia: prevalence and clinical outcomes. <i>Critical Care</i> , 2014, 18, R17.	5.8	51
57	Early Detection of Disseminated Intravascular Coagulation During Septic Shock: A Multicenter Prospective Study. <i>Critical Care Medicine</i> , 2016, 44, e930-e939.	0.9	51
58	Reactivation of Human Herpesvirus Type 6 in Multiple Organ Failure Syndrome. <i>Clinical Infectious Diseases</i> , 2001, 32, 197-203.	5.8	49
59	Quantification of Traumatic Hemomediastinum Using Transesophageal Echocardiography. <i>Chest</i> , 1998, 113, 1475-1480.	0.8	48
60	Association between timing of intubation and outcome in critically ill patients: A secondary analysis of the ICON audit. <i>Journal of Critical Care</i> , 2017, 42, 1-5.	2.2	46
61	Efficacy and safety of suvratomumab for prevention of <i>Staphylococcus aureus</i> ventilator-associated pneumonia (SAATELLITE): a multicentre, randomised, double-blind, placebo-controlled, parallel-group, phase 2 pilot trial. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1313-1323.	9.1	46
62	Hemodynamic Assessment of Patients With Septic Shock Using Transpulmonary Thermodilution and Critical Care Echocardiography. <i>Chest</i> , 2018, 153, 55-64.	0.8	45
63	CAL02, a novel antitoxin liposomal agent, in severe pneumococcal pneumonia: a first-in-human, double-blind, placebo-controlled, randomised trial. <i>Lancet Infectious Diseases</i> , The, 2019, 19, 620-630.	9.1	44
64	Safety and tolerability of non-neutralizing adrenomedullin antibody adrecizumab (HAM8101) in septic shock patients: the AdrenOSS-2 phase 2a biomarker-guided trial. <i>Intensive Care Medicine</i> , 2021, 47, 1284-1294.	8.2	40
65	A multicentre case-control study of nonsteroidal anti-inflammatory drugs as a risk factor for severe sepsis and septic shock. <i>Critical Care</i> , 2009, 13, R43.	5.8	38
66	Multicentric Standardized Flow Cytometry Routine Assessment of Patients With Sepsis to Predict Clinical Worsening. <i>Chest</i> , 2018, 154, 617-627.	0.8	38
67	Nangibotide in patients with septic shock: a Phase 2a randomized controlled clinical trial. <i>Intensive Care Medicine</i> , 2020, 46, 1425-1437.	8.2	38
68	Extracorporeal Albumin Dialysis in Three Cases of Acute Calcium Channel Blocker Poisoning With Life-Threatening Refractory Cardiogenic Shock. <i>Annals of Emergency Medicine</i> , 2012, 59, 540-544.	0.6	35
69	A soldier who had seizures after drinking quarter of a litre of wine. <i>Lancet</i> , The, 1996, 348, 1070.	13.7	33
70	Oral nystatin prophylaxis of <i>Candida</i> spp. colonization in ventilated critically ill patients. <i>Intensive Care Medicine</i> , 2005, 31, 1508-1513.	8.2	33
71	Tungsten Determination in Biological Fluids, Hair and Nails by Plasma Emission Spectrometry in a Case of Severe Acute Intoxication in Man. <i>Journal of Forensic Sciences</i> , 1997, 42, 527-530.	1.6	33
72	Serotonin syndrome due to an overdose of moclobemide and clomipramine. <i>Intensive Care Medicine</i> , 1997, 23, 122-124.	8.2	32

#	ARTICLE	IF	CITATIONS
73	Assessment of left ventricular ejection fraction using an ultrasonic stethoscope in critically ill patients. <i>Critical Care</i> , 2012, 16, R29.	5.8	31
74	Rationale and Design of an Adaptive Phase 2b/3 Clinical Trial of Selepressin for Adults in Septic Shock. Selepressin Evaluation Programme for Sepsis-induced Shock Adaptive Clinical Trial. <i>Annals of the American Thoracic Society</i> , 2018, 15, 250-257.	3.2	31
75	Molecular quantification of bacteria from respiratory samples in patients with suspected ventilator-associated pneumonia. <i>Clinical Microbiology and Infection</i> , 2016, 22, 812.e1-812.e7.	6.0	30
76	Classification and dynamic assessment of droop-based grid-forming control schemes: Application in HVDC systems. <i>Electric Power Systems Research</i> , 2020, 189, 106765.	3.6	29
77	Ultrasonographic identification and semiquantitative assessment of unloculated pleural effusions in critically ill patients by residents after a focused training. <i>Intensive Care Medicine</i> , 2014, 40, 1475-1480.	8.2	28
78	Prognostic impact of left ventricular diastolic function in patients with septic shock. <i>Annals of Intensive Care</i> , 2016, 6, 36.	4.6	28
79	Letter to the Editor: Albumin Dialysis: A New Therapeutic Alternative for Severe Diltiazem Intoxication. <i>Clinical Toxicology</i> , 2006, 44, 195-196.	1.9	27
80	Sensitive and specific determination of midazolam and 1-hydroxymidazolam in human serum by liquid chromatography-electrospray mass spectrometry. <i>Biomedical Applications</i> , 1999, 734, 137-144.	1.7	26
81	Performance and economic evaluation of the molecular detection of pathogens for patients with severe infections: the EVAMICA open-label, cluster-randomised, interventional crossover trial. <i>Intensive Care Medicine</i> , 2017, 43, 1613-1625.	8.2	26
82	Performances of disseminated intravascular coagulation scoring systems in septic shock patients. <i>Annals of Intensive Care</i> , 2020, 10, 92.	4.6	26
83	Potential side effect of propofol and sevoflurane for anesthesia of anti-NMDA-R encephalitis. <i>BMC Anesthesiology</i> , 2014, 14, 5.	1.8	25
84	Monitoring circulating dipeptidyl peptidase 3 (DPP3) predicts improvement of organ failure and survival in sepsis: a prospective observational multinational study. <i>Critical Care</i> , 2021, 25, 61.	5.8	25
85	Serial measurement of pancreatic stone protein for the early detection of sepsis in intensive care unit patients: a prospective multicentric study. <i>Critical Care</i> , 2021, 25, 151.	5.8	25
86	Transesophageal Echocardiography and Therapeutic Management of Patients Sustaining Blunt Aortic Injuries. <i>Journal of Trauma</i> , 2005, 58, 1150-1158.	2.3	24
87	Strengths and limitations of industry vs. academic randomized controlled trials. <i>Clinical Microbiology and Infection</i> , 2015, 21, 906-909.	6.0	24
88	Alternatives to antibiotics. <i>Intensive Care Medicine</i> , 2016, 42, 2034-2036.	8.2	24
89	New Agents in Development for Sepsis: Any Reason for Hope?. <i>Drugs</i> , 2020, 80, 1751-1761.	10.9	23
90	Two-step bacterial broad-range polymerase chain reaction analysis of heart valve tissue improves bacteriological diagnosis of infective endocarditis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2013, 75, 240-244.	1.8	22

#	ARTICLE	IF	CITATIONS
91	Community-acquired Staphylococcus aureus bacteriuria: a warning microbiological marker for infective endocarditis?. BMC Infectious Diseases, 2019, 19, 504.	2.9	21
92	Embolization of Rectal Arteries: An Alternative Treatment for Hemorrhagic Shock Induced by Traumatic Intrarectal Hemorrhage. CardioVascular and Interventional Radiology, 2005, 28, 515-517.	2.0	19
93	The SAATELLITE and EVADE Clinical Studies Within the COMBACTE Consortium: A Public-Private Collaborative Effort in Designing and Performing Clinical Trials for Novel Antibacterial Drugs to Prevent Nosocomial Pneumonia: Table 1.. Clinical Infectious Diseases, 2016, 63, S46-S51.	5.8	19
94	Development of a tool for urban microgrid optimal energy planning and management. Simulation Modelling Practice and Theory, 2018, 89, 64-81.	3.8	19
95	Hemodynamic assessment of ventilated ICU patients with cardiorespiratory failure using a miniaturized multiplane transesophageal echocardiography probe. Intensive Care Medicine, 2015, 41, 1886-1894.	8.2	18
96	Randomized trial evaluating serial protein C levels in severe sepsis patients treated with variable doses of drotrecogin alfa (activated). Critical Care, 2010, 14, R229.	5.8	17
97	Limitations of Transesophageal Echocardiography for the Diagnosis of Traumatic Injuries to Aortic Branches. Arteriosclerosis, Thrombosis, and Vascular Biology, 1997, 42, 960-963.	2.4	17
98	DNA Microarray Analysis and Functional Profile of Pituitary Transcriptome Under Core-Clock Protein BMAL1 Control. Chronobiology International, 2012, 29, 103-130.	2.0	16
99	Value of integron detection for predicting antibiotic resistance in patients with Gram-negative septicaemia. International Journal of Antimicrobial Agents, 2014, 44, 351-353.	2.5	16
100	Platelet-activating factor acetylhydrolase and haemophagocytosis in the sepsis syndrome. Mediators of Inflammation, 2000, 9, 197-200.	3.0	15
101	Severe human bone infection due to methicillin-resistant Staphylococcus aureus carrying the novel mecC variant. Journal of Antimicrobial Chemotherapy, 2013, 68, 2949-2950.	3.0	15
102	Adherence to online monitoring of patient-reported outcomes by patients with chronic inflammatory diseases: a feasibility study. Lupus, 2015, 24, 1429-1436.	1.6	15
103	Prostatic abscesses and severe sepsis due to methicillin-susceptible Staphylococcus aureus producing Panton-Valentine leukocidin. BMC Infectious Diseases, 2014, 14, 466.	2.9	14
104	Antibody-based therapy to combat Staphylococcus aureus infections. Clinical Microbiology and Infection, 2017, 23, 219-221.	6.0	14
105	Shotgun metagenomics for microbiome and resistome detection in septic patients with urinary tract infection. International Journal of Antimicrobial Agents, 2019, 54, 803-808.	2.5	14
106	Fatal thrombotic event after infusion of recombinant activated factor VII after cardiac surgery. Journal of Thoracic and Cardiovascular Surgery, 2008, 136, 220-221.	0.8	13
107	Diagnosis and Management of Traumatic Aortic Regurgitation Associated with Laceration of the Aortic Isthmus. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 46, 717-720.	2.4	13
108	Role of superantigenic strains in the prognosis of community-acquired methicillin-susceptible Staphylococcus aureus bacteraemia. Clinical Microbiology and Infection, 2007, 13, 1131-1133.	6.0	12

#	ARTICLE	IF	CITATIONS
109	Perspective on optimizing clinical trials in critical care: how to puzzle out recurrent failures. <i>Journal of Intensive Care</i> , 2016, 4, 67.	2.9	12
110	Rationale and protocol for the efficacy, safety and tolerability of nangibotide in patients with septic shock (ASTONISH) phase IIb randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e042921.	1.9	12
111	New Strategies Targeting Virulence Factors of <i>Staphylococcus aureus</i> and <i>Pseudomonas aeruginosa</i> . <i>Seminars in Respiratory and Critical Care Medicine</i> , 2017, 38, 346-358.	2.1	11
112	Integron Digestive Carriage in Human and Cattle: A "One Health" Cultivation-Independent Approach. <i>Frontiers in Microbiology</i> , 2017, 8, 1891.	3.5	11
113	Immature Granulocytes: A Risk Factor of Infection after Cardiac Surgery. <i>Cytometry Part B - Clinical Cytometry</i> , 2018, 94, 887-894.	1.5	11
114	Prognostic performance of endothelial biomarkers to early predict clinical deterioration of patients with suspected bacterial infection and sepsis admitted to the emergency department. <i>Annals of Intensive Care</i> , 2020, 10, 113.	4.6	11
115	Toxicity of tungsten. <i>Lancet, The</i> , 1997, 349, 58-59.	13.7	10
116	Une intoxication rare au <i>Datura stramonium</i> . <i>Reanimation Urgences</i> , 1997, 6, 51-53.	0.1	10
117	A phase Ib/IIa, randomised, double-blind, multicentre trial to assess the safety and efficacy of expanded Cx611 allogeneic adipose-derived stem cells (eASCs) for the treatment of patients with community-acquired bacterial pneumonia admitted to the intensive care unit. <i>BMC Pulmonary Medicine</i> , 2020, 20, 309.	2.0	10
118	Efficacy and safety of human soluble thrombomodulin (ART-123) for treatment of patients in France with sepsis-associated coagulopathy: post hoc analysis of SCARLET. <i>Annals of Intensive Care</i> , 2021, 11, 53.	4.6	10
119	Nasal Carriage of <i>Vancomycin</i> -Intermediate <i>Staphylococcus aureus</i> among Intensive Care Unit Staff. <i>Clinical Infectious Diseases</i> , 2001, 33, 1951-1951.	5.8	9
120	Risk management model for simultaneous participation of a distribution company in Day-ahead and Real-time markets. <i>Sustainable Energy, Grids and Networks</i> , 2020, 21, 100292.	3.9	9
121	Comparative Analysis of Bacterial Community Composition and Structure in Clinically Symptomatic and Asymptomatic Central Venous Catheters. <i>MSphere</i> , 2017, 2, .	2.9	8
122	New molecular semi-quantification tool provides reliable microbiological evidence for pulmonary infection. <i>Intensive Care Medicine</i> , 2018, 44, 2302-2304.	8.2	8
123	Acute limb ischemia and heparin-induced thrombocytopenia: The value of echocardiography in eliminating a cardiac source of arterial emboli. <i>Journal of the American Society of Echocardiography</i> , 1996, 9, 344-347.	2.8	7
124	Immature granulocytes can help the diagnosis of pulmonary bacterial infections in patients with severe COVID-19 pneumonia. <i>Journal of Intensive Care</i> , 2021, 9, 58.	2.9	7
125	Bicentric evaluation of stabilizing sampling tubes for assessment of monocyte <sc>HLA</sc> expression in clinical samples. <i>Cytometry Part B - Clinical Cytometry</i> , 2022, 102, 384-389.	1.5	6
126	Integrins, a predictive biomarker for antibiotic resistance in acute sepsis: the IRIS study. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 77, 213-217.	3.0	6



#	ARTICLE	IF	CITATIONS
127	Gas gangrene and purulent pericarditis during Clostridium septicemia revealing a cecal carcinoma. Intensive Care Medicine, 1994, 20, 309-309.	8.2	5
128	Severe Rhabdomyolysis Associated with <i>Staphylococcus aureus</i> Acute Endocarditis Requiring Surgery. Surgical Infections, 2015, 16, 840-842.	1.4	5
129	Temporal changes in the epidemiology, management, and outcome from acute respiratory distress syndrome in European intensive care units: a comparison of two large cohorts. Critical Care, 2021, 25, 87.	5.8	5
130	New targets for new therapeutic approaches. Critical Care, 2014, 18, 669.	5.8	4
131	Rapid quantification of Staphylococcus aureus from endotracheal aspirates of ventilated patients: a proof-of-concept study. Diagnostic Microbiology and Infectious Disease, 2015, 83, 117-120.	1.8	4
132	Evidence in the eye of the beholder: about probiotics and VAP prevention. Intensive Care Medicine, 2016, 42, 1182-1184.	8.2	4
133	Staphylococcus Aureus Carriage in French Athletes at Risk of CA-MRSA Infection: a Prospective, Cross-sectional Study. Sports Medicine - Open, 2017, 3, 28.	3.1	4
134	Is prehospital endobronchial intubation a risk factor for subsequent ventilator associated pneumonia? A retrospective analysis. PLoS ONE, 2019, 14, e0217466.	2.5	4
135	The Prognostic Value of Brain Dysfunction in Critically Ill Patients with and without Sepsis: A Post Hoc Analysis of the ICON Audit. Brain Sciences, 2021, 11, 530.	2.3	4
136	Routine use of 16S rRNA PCR and subsequent sequencing from blood samples in septic shock: about two case reports of Capnocytophaga canimorsus infection in immunocompetent patients. BMC Infectious Diseases, 2022, 22, 355.	2.9	4
137	A Medical Mystery. New England Journal of Medicine, 2004, 350, 59-59.	27.0	3
138	Facial purpura associated with Capnocytophaga canimorsus septicaemia; role of sunlight?. European Journal of Dermatology, 2013, 23, 427-428.	0.6	3
139	Response to Letter Regarding Article, "Endovascular Versus External Targeted Temperature Management for Patients With Out-of-Hospital Cardiac Arrest: A Randomized, Controlled Study". Circulation, 2016, 133, e413-4.	1.6	3
140	Routine tooth brushing in the intensive care unit: A potential risk factor for oral flora bacteremia in immunocompromised patients. Medicina Intensiva, 2017, 41, 53-55.	0.7	3
141	Diagnostic capability of a next-generation, ultra-miniaturized ultrasound system in patients with cardiopulmonary compromise assessed using basic critical care echocardiography. Intensive Care Medicine, 2018, 44, 1579-1581.	8.2	3
142	Traumatic False Aneurysm of a Pancreatic Artery: Successful Conservative Management Using Embolization. Journal of Trauma, 2003, 54, 788-790.	2.3	2
143	Mild induced hypothermia after out-of-hospital cardiac arrest: persisting doubts about patient safety. Critical Care, 2007, 11, 420.	5.8	2
144	Medical Mystery "The Answer. New England Journal of Medicine, 2004, 350, 839-839.	27.0	1

#	ARTICLE	IF	CITATIONS
145	Draining All Pleural Effusions in the Intensive Care Unit?. <i>Critical Care Medicine</i> , 2006, 34, 269-270.	0.9	1
146	Pneumonie nŕocrosante ŕStaphylococcusŕaureus communautaire rŕsistant ŕŕlaŕŕticilline etŕproducteur de leucocidine de Panton-Valentine chez un adulte. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2007, 16, 256-258.	0.1	1
147	Cardiac tamponade related to a coronary injury by a pericardial calcification: an unusual complication. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 28.	1.7	1
148	Early bacterial genome detection in body fluids from patients with severe sepsis: A pilot study. <i>Journal of Critical Care</i> , 2012, 27, 416.e1-416.e6.	2.2	1
149	Promoting the Place of the Allied Health Professions in Clinical Research. <i>Therapie</i> , 2014, 69, 281-290.	1.0	1
150	Hemodynamic monitoring using a single-use indwelling transesophageal echocardiography probe in an unstable patient after open-heart surgery. <i>BMC Medical Imaging</i> , 2015, 15, 31.	2.7	1
151	Should we continue to test soluble thrombomodulin, or other systemic anticoagulants, as a life-saving therapy for sepsis-induced coagulopathy?. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2019, 38, 419-421.	1.4	1
152	La recherche en stratŕgies antibactŕriennesŕ: nouvelles pistes, nouveaux enjeuxŕ?. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2019, 203, 179-185.	0.0	1
153	Microangiopathie thrombotique dans un contexte gravidique et nŕoplasique : un problŕme diagnostique et thŕrapeutique. <i>Reanimation Urgences</i> , 1997, 6, 675-677.	0.1	0
154	A New Simple Technique for the Insertion of Cuffed Central Venous Catheters: An Initial Experience. <i>Journal of Parenteral and Enteral Nutrition</i> , 2001, 25, 93-94.	2.6	0
155	Nystatin prophylaxis: efficient in high-risk nonimmunocompromised ICU patients?. <i>Intensive Care Medicine</i> , 2006, 32, 935-935.	8.2	0
156	Prevention of postextubation laryngeal oedema ŕŕ Authors' reply. <i>Lancet, The</i> , 2007, 370, 26.	13.7	0
157	Accidental vertebral vein catheterization. <i>Internal and Emergency Medicine</i> , 2014, 9, 479-479.	2.0	0
158	What Strategy Should France Implement for H2020?. <i>Therapie</i> , 2015, 70, 103-109.	1.0	0
159	What specifications for a centre or network of excellence in clinical research?. <i>Therapie</i> , 2016, 71, 51-57.	1.0	0
160	Association of Staphylococcus aureus bacteriuria and prevalence of infective endocarditis in the emergency department. <i>European Journal of Emergency Medicine</i> , 2022, 29, 75-77.	1.1	0