

Dinesh Kumar Maheshwari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3608446/publications.pdf>

Version: 2024-02-01

117
papers

4,050
citations

126907

33
h-index

138484

58
g-index

127
all docs

127
docs citations

127
times ranked

3494
citing authors

#	ARTICLE	IF	CITATIONS
1	Insights into zinc-sensing metalloregulator Zur TM deciphering mechanism of zinc transportation in <i>Bacillus</i> spp. by modeling, simulation and molecular docking. <i>Journal of Biomolecular Structure and Dynamics</i> , 2022, 40, 764-779.	3.5	8
2	Optimization of Gibberellic Acid Production in Endophytic <i>Bacillus cereus</i> Using Response Surface Methodology and Its Use as Plant Growth Regulator in Chickpea. <i>Journal of Plant Growth Regulation</i> , 2022, 41, 3019-3029.	5.1	16
3	Plant Growth-Promoting Bacteria: Effective Tools for Increasing Nutrient Use Efficiency and Yield of Crops. <i>Sustainable Development and Biodiversity</i> , 2021, , 293-313.	1.7	2
4	Optimization of indole-3-acetic acid using response surface methodology and its effect on vegetative growth of chickpea. <i>Rhizosphere</i> , 2021, 17, 100321.	3.0	12
5	ACC deaminase-producing <i>Ensifer adhaerens</i> KS23 enhances proximate nutrient of <i>Pisum sativum</i> L. cultivated in high altitude. <i>Archives of Microbiology</i> , 2021, 203, 2689-2698.	2.2	10
6	Next-generation biofertilizers and novel biostimulants: documentation and validation of mechanism of endophytic plant growth-promoting rhizobacteria in tomato. <i>Archives of Microbiology</i> , 2021, 203, 3715-3726.	2.2	5
7	Cyclic siloxane biosurfactant-producing <i>Bacillus cereus</i> BS14 biocontrols charcoal rot pathogen <i>Macrophomina phaseolina</i> and induces growth promotion in <i>Vigna mungo</i> L.. <i>Archives of Microbiology</i> , 2021, 203, 5043-5054.	2.2	8
8	Cattle Dung Manure Microbiota as a Substitute for Mineral Nutrients and Growth Management Practices in Plants. <i>Sustainable Development and Biodiversity</i> , 2021, , 77-103.	1.7	2
9	Combined effects of rhizo-competitive rhizosphere and non-rhizosphere <i>Bacillus</i> in plant growth promotion and yield improvement of <i>Eleusine coracana</i> (Ragi). <i>Canadian Journal of Microbiology</i> , 2020, 66, 111-124.	1.7	12
10	Zinc solubilizing bacteria (<i>Bacillus megaterium</i>) with multifarious plant growth promoting activities alleviates growth in <i>Capsicum annum</i> L.. <i>3 Biotech</i> , 2020, 10, 36.	2.2	86
11	Revisiting the plant growth-promoting rhizobacteria: lessons from the past and objectives for the future. <i>Archives of Microbiology</i> , 2020, 202, 665-676.	2.2	60
12	<i>Bacillus megaterium</i> Strain CDK25, a Novel Plant Growth Promoting Bacterium Enhances Proximate Chemical and Nutritional Composition of <i>Capsicum annum</i> L. <i>Frontiers in Plant Science</i> , 2020, 11, 1147.	3.6	10
13	Buffalo dung-inhabiting bacteria enhance the nutrient enrichment of soil and proximate contents of <i>Foeniculum vulgare</i> Mill. <i>Archives of Microbiology</i> , 2020, 202, 2461-2470.	2.2	9
14	Characterization of a plant-growth-promoting non-nodulating endophytic bacterium (<i>Stenotrophomonas maltophilia</i>) from the root nodules of <i>Mucuna utilis</i> var. <i>capitata</i> L. (Safed Kaunch). <i>Canadian Journal of Microbiology</i> , 2020, 66, 670-677.	1.7	11
15	Endophytic bacteria promote growth of the medicinal legume <i>Clitoria ternatea</i> L. by chemotactic activity. <i>Archives of Microbiology</i> , 2020, 202, 1049-1058.	2.2	11
16	Fertilizer adaptive bacteria <i>Acidovorax valerianellae</i> and <i>Sinorhizobium fredii</i> in integrated nutrient management of pigeon pea (<i>Cajanus cajan</i> L.). <i>South African Journal of Botany</i> , 2020, 134, 84-90.	2.5	4
17	Decoding multifarious role of cow dung bacteria in mobilization of zinc fractions along with growth promotion of <i>C. annum</i> L.. <i>Scientific Reports</i> , 2019, 9, 14232.	3.3	37
18	Application of potassium-solubilising <i>Proteus mirabilis</i> MG738216 inhabiting cattle dung in improving nutrient use efficiency of <i>Foeniculum vulgare</i> Mill.. <i>Environmental Sustainability</i> , 2019, 2, 401-409.	2.8	13

#	ARTICLE	IF	CITATIONS
19	Cadmium resistant plant growth promoting rhizobacteria <i>Serratia marcescens</i> S217 associated with the growth promotion of rice plant. <i>Environmental Sustainability</i> , 2019, 2, 135-144.	2.8	46
20	Sulfur-oxidizing buffalo dung bacteria enhance growth and yield of <i>Foeniculum vulgare</i> Mill.. <i>Canadian Journal of Microbiology</i> , 2019, 65, 377-386.	1.7	16
21	Plant Growth-Promoting Rhizobacteria (PGPR) as Protagonists of Ever-Sustained Agriculture: An Introduction. <i>Sustainable Development and Biodiversity</i> , 2019, , 1-10.	1.7	5
22	Harnessing Beneficial <i>Bacillus</i> in Productivity Improvement of Food Security Crops of Himalayan Agro-Climatic Zones. <i>Sustainable Development and Biodiversity</i> , 2019, , 105-143.	1.7	2
23	Effect of plant growth promoting <i>Bacillus</i> spp. on nutritional properties of <i>Amaranthus hypochondriacus</i> grains. <i>Saudi Journal of Biological Sciences</i> , 2018, 25, 1066-1071.	3.8	42
24	A twin rhizospheric bacterial consortium induces systemic resistance to a phytopathogen <i>Macrophomina phaseolina</i> in mung bean. <i>Rhizosphere</i> , 2018, 5, 71-75.	3.0	54
25	Use of plant growth promoting rhizobacteria (PGPRs) with multiple plant growth promoting traits in stress agriculture: Action mechanisms and future prospects. <i>Ecotoxicology and Environmental Safety</i> , 2018, 156, 225-246.	6.0	529
26	Ghost probiotics with a combined regimen: a novel therapeutic approach against the Zika virus, an emerging world threat. <i>Critical Reviews in Biotechnology</i> , 2018, 38, 438-454.	9.0	15
27	Rhizobacteria isolated under field first strategy improved chickpea growth and productivity. <i>Environmental Sustainability</i> , 2018, 1, 461-469.	2.8	25
28	Potential of native cold tolerant plant growth promoting bacilli to enhance nutrient use efficiency and yield of <i>Amaranthus hypochondriacus</i> . <i>Plant and Soil</i> , 2018, 428, 307-320.	3.7	17
29	Inoculation of siderophore producing rhizobacteria and their consortium for growth enhancement of wheat plant. <i>Biocatalysis and Agricultural Biotechnology</i> , 2018, 15, 264-269.	3.1	87
30	Rhizobial genetic diversity in root nodules of <i>Trigonella foenum-graecum</i> cultivated in sub-himalayan region of Uttarakhand. <i>Biocatalysis and Agricultural Biotechnology</i> , 2018, 16, 243-252.	3.1	6
31	Seed-coating fenugreek with <i>Burkholderia</i> rhizobacteria enhances yield in field trials and can combat <i>Fusarium</i> wilt. <i>Rhizosphere</i> , 2017, 3, 92-99.	3.0	21
32	Termitarium-Inhabiting <i>Bacillus</i> spp. Enhanced Plant Growth and Bioactive Component in Turmeric (<i>Curcuma longa</i> L.). <i>Current Microbiology</i> , 2017, 74, 184-192.	2.2	22
33	Plant growth promotion and suppression of charcoal rot fungus (<i>Macrophomina phaseolina</i>) in velvet bean (<i>Mucuna pruriens</i> L.) by root nodule bacteria. <i>Journal of Phytopathology</i> , 2017, 165, 463-478.	1.0	11
34	Differential antagonistic responses of <i>Bacillus pumilus</i> MSUA3 against <i>Rhizoctonia solani</i> and <i>Fusarium oxysporum</i> causing fungal diseases in <i>Fagopyrum esculentum</i> Moench. <i>Microbiological Research</i> , 2017, 205, 40-47.	5.3	69
35	Roles of quorum sensing molecules from <i>Rhizobium etli</i> RT1 in bacterial motility and biofilm formation. <i>Brazilian Journal of Microbiology</i> , 2017, 48, 815-821.	2.0	10
36	Isolation and preliminary characterization of a bacteriocin-producer <i>Bacillus</i> strain inhibiting methicillin resistant <i>Staphylococcus aureus</i> . <i>Acta Biologica Hungarica</i> , 2017, 68, 208-219.	0.7	7

#	ARTICLE	IF	CITATIONS
37	Polyphasic and functional diversity of high altitude culturable <i>Bacillus</i> from rhizosphere of <i>Eleusine coracana</i> (L.) Gaertn.. <i>Applied Soil Ecology</i> , 2017, 110, 127-136.	4.3	15
38	Isolation of plant growth-promoting <i>Pseudomonas</i> sp. PPR8 from the rhizosphere of <i>Phaseolus vulgaris</i> L.. <i>Archives of Biological Sciences</i> , 2016, 68, 363-374.	0.5	12
39	Bacteria consortium optimization improves nutrient uptake, nodulation, disease suppression and growth of the common bean (<i>Phaseolus vulgaris</i>) in both pot and field studies. <i>Rhizosphere</i> , 2016, 2, 13-23.	3.0	57
40	Termitarium-inhabiting <i>Bacillus endophyticus</i> TSH42 and <i>Bacillus cereus</i> TSH77 colonizing <i>Curcuma longa</i> L.: isolation, characterization, and evaluation of their biocontrol and plant-growth-promoting activities. <i>Canadian Journal of Microbiology</i> , 2016, 62, 880-892.	1.7	45
41	Exopolysaccharide and lactic acid bacteria: Perception, functionality and prospects. <i>Bangladesh Journal of Pharmacology</i> , 2015, 11, 1.	0.4	36
42	Antibacterial effect of butyryl alkannin from <i>Arnebia euchroma</i> against vancomycin-resistant pathogens of <i>Enterococcus faecalis</i> causing urinary tract infections. <i>Natural Product Research</i> , 2015, 29, 2299-2301.	1.8	12
43	Carrier based formulations of biocoenotic consortia of disease suppressive <i>Pseudomonas aeruginosa</i> KRP1 and <i>Bacillus licheniformis</i> KRB1. <i>Ecological Engineering</i> , 2015, 81, 272-277.	3.6	32
44	Isolation of Bioactive Marker Component, Butyryl Alkannin from <i>Arnebia euchroma</i> Roots and Its Efficacy Against Multidrug-Resistant Pathogens. <i>The National Academy of Sciences, India</i> , 2015, 38, 87-90.	1.3	2
45	Root nodule bacteria from <i>Clitoria ternatea</i> L. are putative invasive nonrhizobial endophytes. <i>Canadian Journal of Microbiology</i> , 2015, 61, 131-142.	1.7	19
46	Exploitation of Phytohormone-Producing PGPR in Development of Multispecies Bioinoculant Formulation. <i>Sustainable Development and Biodiversity</i> , 2015, , 297-317.	1.7	9
47	Emergence of <i>Methylobacterium</i> spp. as Potential Organism in Agroecosystems. <i>Sustainable Development and Biodiversity</i> , 2015, , 53-68.	1.7	1
48	Phytohormone-Producing PGPR for Sustainable Agriculture. <i>Sustainable Development and Biodiversity</i> , 2015, , 159-182.	1.7	71
49	Decomposition of Organic Materials into High Value Compost for Sustainable Crop Productivity. <i>Sustainable Development and Biodiversity</i> , 2014, , 245-267.	1.7	1
50	Trends and Prospects of Microbial Diversity in Rhizosphere. <i>Sustainable Development and Biodiversity</i> , 2014, , 1-22.	1.7	3
51	Combined effect of chemical fertilisers and rhizosphere-competent <i>Bacillus subtilis</i> BSK17 on yield of <i>Cicer arietinum</i> . <i>Archives of Phytopathology and Plant Protection</i> , 2014, 47, 2305-2318.	1.3	23
52	Assessment of ecological diversity of rhizobacterial communities in vermicompost and analysis of their potential to improve plant growth. <i>Biologia (Poland)</i> , 2014, 69, 968-976.	1.5	13
53	Bio-composting of Aquatic Biomass Residue and its Amendments in Soil Reclamation. <i>Sustainable Development and Biodiversity</i> , 2014, , 67-82.	1.7	0
54	Bacteria in Agrobiolgy: Disease Management. , 2013, , .		31

#	ARTICLE	IF	CITATIONS
55	Interactions in Rhizosphere for Bioremediation of Heavy Metals. , 2013, , 439-461.		1
56	Rhizobacteria for Management of Nematode Disease in Plants. , 2013, , 379-404.		6
57	Evaluation of diversity of <i>Bacilli</i> from chickpea rhizosphere by 16S ARDRA and assessment of their plant-growth-promoting attributes. Archives of Phytopathology and Plant Protection, 2013, 46, 2323-2340.	1.3	6
58	Potential of Rhizobia in Productivity Enhancement of <i>Macrotyloma uniflorum</i> L. and <i>Phaseolus vulgaris</i> L. Cultivated in the Western Himalaya. , 2013, , 127-165.		7
59	Antibacterial activity of <i>Glycyrrhiza glabra</i> roots against certain gram-positive and gram-negative bacterial strains. Journal of Applied and Natural Science, 2013, 5, 459-464.	0.4	10
60	Diverse role of fast growing rhizobia in growth promotion and enhancement of psoralen content in <i>Psoralea corylifolia</i> L. Pharmacognosy Magazine, 2013, 9, 57.	0.6	18
61	Evaluation of relationship between microbial load and drug efficacy of <i>Andrographis paniculata</i> during storage. Journal of Applied and Natural Science, 2013, 5, 142-147.	0.4	0
62	Growth enhancement of <i>Sesamum indicum</i> L. by rhizosphere-competent <i>Azotobacter chroococcum</i> AZO2 and its antagonistic activity against <i>Macrophomina phaseolina</i> . Archives of Phytopathology and Plant Protection, 2012, 45, 437-454.	1.3	14
63	Consortium of Plant-Growth-Promoting Bacteria: Future Perspective in Agriculture. , 2012, , 185-200.		18
64	Integrated approach for disease management and growth enhancement of <i>Sesamum indicum</i> L. utilizing <i>Azotobacter chroococcum</i> TRA2 and chemical fertilizer. World Journal of Microbiology and Biotechnology, 2012, 28, 3015-3024.	3.6	60
65	Bacteria in Agrobiolgy: Plant Probiotics. , 2012, , .		24
66	Practical use of CMC-amended rhizobial inoculant for <i>Mucuna pruriens</i> cultivation to enhance the growth and protection against <i>Macrophomina phaseolina</i> . Journal of General and Applied Microbiology, 2012, 58, 121-127.	0.7	9
67	Nematicidal fluorescent pseudomonads for the <i>in vitro</i> and <i>in vivo</i> suppression of root knot (<i>Meloidogyne incognita</i>) of <i>Capsicum annum</i> L.. Pest Management Science, 2012, 68, 1148-1155.	3.4	12
68	Transformation of pWVO in <i>Rhizobium leguminosarum</i> DPT to Engineer Toluene Degrading Ability for Rhizoremediation. Indian Journal of Microbiology, 2012, 52, 197-202.	2.7	6
69	Bacillus strains isolated from rhizosphere showed plant growth promoting and antagonistic activity against phytopathogens. Microbiological Research, 2012, 167, 493-499.	5.3	416
70	PGPR for Protection of Plant Health Under Saline Conditions. , 2012, , 239-258.		25
71	Nutrient Availability and Management in the Rhizosphere by Microorganisms. , 2012, , 301-326.		9
72	Enterobacter: Role in Plant Growth Promotion. , 2011, , 159-182.		42

#	ARTICLE	IF	CITATIONS
73	Emerging Role of Plant Growth Promoting Rhizobacteria in Agrobiology. , 2011, , 1-36.		40
74	Ecofriendly Management of Charcoal Rot and Fusarium Wilt Diseases in Sesame (<i>Sesamum indicum</i> L.) , 2011, , 387-405.		6
75	Role of PGPR in Integrated Nutrient Management of Oil Seed Crops. , 2011, , 1-15.		5
76	<i>Trachyspermum ammi</i> (L.) fruit essential oil influencing on membrane permeability and surface characteristics in inhibiting food-borne pathogens. <i>Food Control</i> , 2011, 22, 725-731.	5.5	154
77	Effect of plant growth promoting rhizobia on seed germination, growth promotion and suppression of Fusarium wilt of fenugreek (<i>Trigonella foenum-graecum</i> L.). <i>Crop Protection</i> , 2011, 30, 1396-1403.	2.1	44
78	Multifarious activity of bioformulated <i>Pseudomonas fluorescens</i> PS1 and biocontrol of <i>Sclerotinia sclerotiorum</i> in Indian rapeseed (<i>Brassica campestris</i> L.). <i>European Journal of Plant Pathology</i> , 2011, 131, 81-93.	1.7	41
79	Suppression of Charcoal Rot of Chickpea by Fluorescent <i>Pseudomonas</i> Under Saline Stress Condition. <i>Current Microbiology</i> , 2011, 62, 1548-1553.	2.2	30
80	Co-inoculation of Urea and DAP Tolerant <i>Sinorhizobium meliloti</i> and <i>Pseudomonas aeruginosa</i> as Integrated Approach for Growth Enhancement of <i>Brassica juncea</i> . <i>Indian Journal of Microbiology</i> , 2010, 50, 425-431.	2.7	32
81	Effect of Al and heavy metals on enzymes of nitrogen metabolism of fast and slow growing rhizobia under explanta conditions. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 811-816.	3.6	47
82	Wilt disease management and enhancement of growth and yield of <i>Cajanus cajan</i> (L) var. Manak by bacterial combinations amended with chemical fertilizer. <i>Crop Protection</i> , 2010, 29, 591-598.	2.1	109
83	Biological control of <i>Macrophomina phaseolina</i> by chemotactic fluorescent <i>Pseudomonas aeruginosa</i> PN1 and its plant growth promotory activity in chir-pine. <i>Crop Protection</i> , 2010, 29, 1142-1147.	2.1	52
84	Sustainable Approaches for Biological Control of Fusarium Wilt in Pigeon Pea (<i>Cajanus cajan</i> L.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30	0.6	2
85	Rhizosphere competent <i>Pseudomonas aeruginosa</i> in the management of <i>Heterodera cajani</i> on sesame. <i>World Journal of Microbiology and Biotechnology</i> , 2009, 25, 277-285.	3.6	17
86	Reduction in dose of chemical fertilizers and growth enhancement of sesame (<i>Sesamum indicum</i> L.) with application of rhizospheric competent <i>Pseudomonas aeruginosa</i> LES4. <i>European Journal of Soil Biology</i> , 2009, 45, 334-340.	3.2	88
87	FORMULATION OF AN EFFECTIVE RHIZOBIUM BIOINOCULANT USING GREEN FLUORESCENT PROTEIN REPORTER SYSTEM. , 2009, , .		0
88	Diverse mechanisms adopted by fluorescent <i>Pseudomonas</i> PGC2 during the inhibition of <i>Rhizoctonia solani</i> and <i>Phytophthora capsici</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 581-585.	3.6	66
89	Biological control of root rot fungus <i>Macrophomina phaseolina</i> and growth enhancement of <i>Pinus roxburghii</i> (Sarg.) by rhizosphere competent <i>Bacillus subtilis</i> BN1. <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 1669-1679.	3.6	125
90	Beneficial effects of fluorescent pseudomonads on seed germination, growth promotion, and suppression of charcoal rot in groundnut (<i>Arachis hypogea</i> L.). <i>Journal of Microbiology and Biotechnology</i> , 2008, 18, 1578-83.	2.1	34

#	ARTICLE	IF	CITATIONS
91	Role of chitinase and β -1,3-glucanase activities produced by a fluorescent pseudomonad and in vitro inhibition of <i>Phytophthora capsici</i> and <i>Rhizoctonia solani</i> . <i>Canadian Journal of Microbiology</i> , 2007, 53, 207-212.	1.7	55
92	Rhizosphere competent <i>Mesorhizobium loti</i> MP6 induces root hair curling, inhibits <i>Sclerotinia sclerotiorum</i> and enhances growth of Indian mustard (<i>Brassica campestris</i>). <i>Brazilian Journal of Microbiology</i> , 2007, 38, 124-130.	2.0	118
93	Occurrence of rhizobia in the gut of the higher termite <i>Nasutitermes nigriceps</i> . <i>Systematic and Applied Microbiology</i> , 2007, 30, 68-74.	2.8	23
94	Bioformulation of <i>Burkholderia</i> sp. MSSP with a multispecies consortium for growth promotion of <i>Cajanus cajan</i> . <i>Canadian Journal of Microbiology</i> , 2007, 53, 213-222.	1.7	50
95	Salinity-induced accumulation of poly- β -hydroxybutyrate in rhizobia indicating its role in cell protection. <i>World Journal of Microbiology and Biotechnology</i> , 2006, 22, 603-606.	3.6	47
96	Chitinase-mediated destructive antagonistic potential of <i>Pseudomonas aeruginosa</i> GRC1 against <i>Sclerotinia sclerotiorum</i> causing stem rot of peanut. <i>BioControl</i> , 2006, 51, 821-835.	2.0	58
97	Effect of Chemical Fertilizer-adaptive Variants, <i>Pseudomonas aeruginosa</i> GRC ₂ and <i>Azotobacter chroococcum</i> AC ₁ , on <i>Macrophomina phaseolina</i> Causing Charcoal Rot of <i>Brassica juncea</i> . <i>Korean Journal of Environmental Agriculture</i> , 2006, 25, 228-235.	0.4	40
98	Rhizosphere Competent <i>Pseudomonas aeruginosa</i> GRC1 Produces Characteristic Siderophore and Enhances Growth of Indian Mustard (<i>Brassica campestris</i>). <i>Current Microbiology</i> , 2005, 51, 303-309.	2.2	55
99	Isolation and Anti-fungal Activities of 2-Hydroxymethyl-chroman-4-one Produced by <i>Burkholderia</i> sp. MSSP. <i>Journal of Antibiotics</i> , 2004, 57, 726-731.	2.0	42
100	Rhizobia as a biological control agent against soil borne plant pathogenic fungi. <i>Indian Journal of Experimental Biology</i> , 2003, 41, 1160-4.	0.0	23
101	Antagonistic effect of fluorescent pseudomonads against <i>Macrophomina phaseolina</i> that causes charcoal rot of groundnut. <i>Indian Journal of Experimental Biology</i> , 2003, 41, 1442-6.	0.0	6
102	Plant growth enhancement and suppression of <i>Macrophomina phaseolina</i> causing charcoal rot of peanut by fluorescent <i>Pseudomonas</i> . <i>Biology and Fertility of Soils</i> , 2002, 35, 399-405.	4.3	106
103	Effect of metal ions on growth of <i>Pseudomonas aeruginosa</i> and siderophore and protein production. <i>Indian Journal of Experimental Biology</i> , 2001, 39, 1318-21.	0.0	8
104	<i>Pseudomonas aeruginosa</i> (GRC1) as a strong antagonist of <i>Macrophomina phaseolina</i> and <i>Fusarium oxysporum</i> . <i>Cytobios</i> , 1999, 99, 183-9.	0.2	24
105	Effect of carbaryl and 2,4-D to nitrogenase and uptake hydrogenase in agar cultures and root nodules formed by <i>Rhizobium leguminosarum</i> . <i>Journal of General and Applied Microbiology</i> , 1994, 40, 569-574.	0.7	5
106	Lipid variation at different temperatures on two species of <i>Xenorhabdus</i> . <i>Journal of Basic Microbiology</i> , 1994, 34, 329-334.	3.3	2
107	Paper mill sludge as a potential source for cellulase production by <i>Trichoderma reesei</i> QM 9123 and <i>Aspergillus niger</i> using mixed cultivation. <i>Carbohydrate Polymers</i> , 1994, 23, 161-163.	10.2	44
108	Effects of carbaryl and 2,4-D on growth, nitrogenase and uptake hydrogenase activity in agar culture and root nodules formed by <i>Bradyrhizobium japonicum</i> . <i>Microbiological Research</i> , 1994, 149, 401-406.	5.3	4

#	ARTICLE	IF	CITATIONS
109	Microbial degradation of aquatic biomass by <i>Trichoderma viride</i> 992 and <i>Aspergillus wentii</i> 669 with reference to the physical structure. <i>Journal of Basic Microbiology</i> , 1993, 33, 19-25.	3.3	5
110	Wheat straw, a potential substrate for cellulase production using <i>Trichoderma reesei</i> . <i>World Journal of Microbiology and Biotechnology</i> , 1993, 9, 120-121.	3.6	14
111	Dual Behaviour of Carbaryl and 2,4-Dichlorophenoxyacetic Acid in <i>Rhizobium leguminosarum</i> 2005 under Explanta Conditions. <i>Zentralblatt Für Mikrobiologie</i> , 1993, 148, 588-592.	0.2	4
112	Inhibitory effect of indole compounds on the production of cell wall degrading enzymes by <i>Aspergillus niger</i> . <i>Zentralblatt Für Mikrobiologie</i> , 1992, 147, 35-40.	0.2	0
113	Influence of 2 organocarbamates on growth, oxygen uptake in <i>Rhizobium japonicum</i> 2002 and nodulation in <i>Glycine max</i> . <i>Zentralblatt Für Mikrobiologie</i> , 1991, 146, 407-412.	0.2	6
114	Diverse Effects of Two Organocarbamates Nematocides on Nitrogen Assimilation of <i>Rhizobium japonicum</i> 2002 in Free Living Culture. <i>Biochemie Und Physiologie Der Pflanzen</i> , 1991, 187, 316-322.	0.5	6
115	Nematicidal Activity of Some Phenolics on Root Knot, Growth and Yield of <i>Capsicum frutescens</i> cv. California Wonder. <i>Journal of Phytopathology</i> , 1990, 129, 159-164.	1.0	10
116	Effect of GA ₃ on the Phytotoxicity of Aldicarb and Carbofuran on Seedling Growth in <i>Capsicum frutescens</i> var. California Wonder and Rate of Root Knot Nematode Infestation. <i>Journal of Phytopathology</i> , 1989, 127, 158-168.	1.0	2
117	Inhibitory Effects of Two Organocarbamates Nematocides on Growth and Yield of <i>Capsicum annum</i> , NP 46A, and Their Reversion by Gibberellic Acid. <i>Biochemie Und Physiologie Der Pflanzen</i> , 1989, 184, 137-143.	0.5	3