

Laura Rosiñol

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3609420/publications.pdf>

Version: 2024-02-01

57
papers

8,849
citations

185998

28
h-index

143772

57
g-index

58
all docs

58
docs citations

58
times ranked

7241
citing authors

#	ARTICLE	IF	CITATIONS
1	FlowCT for the analysis of large immunophenotypic data sets and biomarker discovery in cancer immunology. <i>Blood Advances</i> , 2022, 6, 690-703.	2.5	19
2	Clinical and Sociodemographic Characteristics of Patients With Relapsed and/or Refractory Multiple Myeloma and Their influence on Treatment in the Real-World Setting in Spain: The CharisMMa Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, e241-e249.	0.2	2
3	Real-world data on survival improvement in patients with multiple myeloma treated at a single institution over a 45-year period. <i>British Journal of Haematology</i> , 2022, 196, 649-659.	1.2	6
4	A Machine Learning Model Based on Tumor and Immune Biomarkers to Predict Undetectable MRD and Survival Outcomes in Multiple Myeloma. <i>Clinical Cancer Research</i> , 2022, 28, 2598-2609.	3.2	14
5	Mass spectrometry vs immunofixation for treatment monitoring in multiple myeloma. <i>Blood Advances</i> , 2022, 6, 3234-3239.	2.5	18
6	Extramedullary disease in multiple myeloma: a systematic literature review. <i>Blood Cancer Journal</i> , 2022, 12, 45.	2.8	57
7	Expression of p53 protein isoforms predicts survival in patients with multiple myeloma. <i>American Journal of Hematology</i> , 2022, , .	2.0	13
8	Real-world evidence of daratumumab monotherapy in relapsed/refractory multiple myeloma patients and efficacy on soft-tissue plasmacytomas. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, , .	0.2	5
9	A simple score to predict early severe infections in patients with newly diagnosed multiple myeloma. <i>Blood Cancer Journal</i> , 2022, 12, 68.	2.8	8
10	Unsupervised machine learning improves risk stratification in newly diagnosed multiple myeloma: an analysis of the Spanish Myeloma Group. <i>Blood Cancer Journal</i> , 2022, 12, 76.	2.8	5
11	PTCY and Tacrolimus for GVHD Prevention for Older Adults Undergoing HLA-Matched Sibling and Unrelated Donor AlloHCT. <i>Transplantation and Cellular Therapy</i> , 2022, 28, 489.e1-489.e9.	0.6	7
12	Subgroup analysis based on cytogenetic risk in patients with relapsed or refractory multiple myeloma in the CANDOR study. <i>British Journal of Haematology</i> , 2022, 198, 988-993.	1.2	5
13	Teclistamab in Relapsed or Refractory Multiple Myeloma. <i>New England Journal of Medicine</i> , 2022, 387, 495-505.	13.9	291
14	Circulating Tumor Cells for the Staging of Patients With Newly Diagnosed Transplant-Eligible Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2022, 40, 3151-3161.	0.8	40
15	Complement as the enabler of carfilzomib-induced thrombotic microangiopathy. <i>British Journal of Haematology</i> , 2021, 193, 181-187.	1.2	20
16	Deep MRD profiling defines outcome and unveils different modes of treatment resistance in standard- and high-risk myeloma. <i>Blood</i> , 2021, 137, 49-60.	0.6	80
17	Baseline correlations and prognostic impact of serum monoclonal proteins in follicular lymphoma. <i>British Journal of Haematology</i> , 2021, 193, 299-306.	1.2	5
18	Expert review on soft-tissue plasmacytomas in multiple myeloma: definition, disease assessment and treatment considerations. <i>British Journal of Haematology</i> , 2021, 194, 496-507.	1.2	67

#	ARTICLE	IF	CITATIONS
19	Lenalidomide and dexamethasone with or without clarithromycin in patients with multiple myeloma ineligible for autologous transplant: a randomized trial. <i>Blood Cancer Journal</i> , 2021, 11, 101.	2.8	14
20	High-Dose Cyclophosphamide and Tacrolimus as Graft-versus-Host Disease Prophylaxis for Matched and Mismatched Unrelated Donor Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 619.e1-619.e8.	0.6	15
21	Validation of the International Myeloma Working Group standard response criteria in the PETHEMA/GEM2012MENOS65 study: are these times of change?. <i>Blood</i> , 2021, 138, 1901-1905.	0.6	23
22	Predictors of return to work after autologous stem cell transplantation in patients with multiple myeloma. <i>Bone Marrow Transplantation</i> , 2021, 56, 2904-2910.	1.3	7
23	Reference Values to Assess Hemodilution and Warn of Potential False-Negative Minimal Residual Disease Results in Myeloma. <i>Cancers</i> , 2021, 13, 4924.	1.7	11
24	Primary plasma cell leukemia: consensus definition by the International Myeloma Working Group according to peripheral blood plasma cell percentage. <i>Blood Cancer Journal</i> , 2021, 11, 192.	2.8	62
25	A real world multicenter retrospective study on extramedullary disease from Balkan Myeloma Study Group and Barcelona University: analysis of parameters that improve outcome. <i>Haematologica</i> , 2020, 105, 201-208.	1.7	48
26	Measurable Residual Disease by Next-Generation Flow Cytometry in Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2020, 38, 784-792.	0.8	175
27	Comparison of next-generation sequencing (NGS) and next-generation flow (NGF) for minimal residual disease (MRD) assessment in multiple myeloma. <i>Blood Cancer Journal</i> , 2020, 10, 108.	2.8	60
28	Immunogenomic identification and characterization of granulocytic myeloid-derived suppressor cells in multiple myeloma. <i>Blood</i> , 2020, 136, 199-209.	0.6	76
29	Biological and clinical significance of dysplastic hematopoiesis in patients with newly diagnosed multiple myeloma. <i>Blood</i> , 2020, 135, 2375-2387.	0.6	24
30	Extramedullary Plasmacytoma Over the scar from Long-lasting Past Surgery as Presenting Feature of Multiple Myeloma. <i>Archives of Clinical and Biomedical Research</i> , 2020, 04, .	0.1	2
31	Bortezomib, lenalidomide, and dexamethasone as induction therapy prior to autologous transplant in multiple myeloma. <i>Blood</i> , 2019, 134, 1337-1345.	0.6	148
32	Role of urine immunofixation in the complete response assessment of MM patients other than light-chain-only disease. <i>Blood</i> , 2019, 133, 2664-2668.	0.6	11
33	Pomalidomide+dexamethasone for treatment of soft-tissue plasmacytomas in patients with relapsed / refractory multiple myeloma. <i>European Journal of Haematology</i> , 2019, 102, 389-394.	1.1	21
34	Qip-Mass Spectrometry in High Risk Smoldering Multiple Myeloma Patients Included in the GEM-CESAR Trial: Comparison with Conventional and Minimal Residual Disease IMWG Response Assessment. <i>Blood</i> , 2019, 134, 581-581.	0.6	14
35	Single Antigen-Mismatched Unrelated Hematopoietic Stem Cell Transplantation Using High-Dose Post-Transplantation Cyclophosphamide Is a Suitable Alternative for Patients Lacking HLA-Matched Donors. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1196-1202.	2.0	50
36	Double Vs Single Autologous Stem Cell Transplantation for Newly Diagnosed Multiple Myeloma: Long-Term Follow-up (10-Years) Analysis of Randomized Phase 3 Studies. <i>Blood</i> , 2018, 132, 124-124.	0.6	41

#	ARTICLE	IF	CITATIONS
37	Prognostic impact of circulating plasma cells in patients with multiple myeloma: implications for plasma cell leukemia definition. <i>Haematologica</i> , 2017, 102, 1099-1104.	1.7	81
38	Plasmacytomas in Multiple Myeloma: 45-Years Experience from a Single Institution. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, e107.	0.2	3
39	Depth of Response in Multiple Myeloma: A Pooled Analysis of Three PETHEMA/GEM Clinical Trials. <i>Journal of Clinical Oncology</i> , 2017, 35, 2900-2910.	0.8	248
40	Immune status of high-risk smoldering multiple myeloma patients and its therapeutic modulation under LenDex: a longitudinal analysis. <i>Blood</i> , 2016, 127, 1151-1162.	0.6	68
41	Carfilzomib significantly improves the progression-free survival of high-risk patients in multiple myeloma. <i>Blood</i> , 2016, 128, 1174-1180.	0.6	110
42	Extramedullary disease in multiple myeloma in the era of novel agents. <i>British Journal of Haematology</i> , 2015, 169, 763-765.	1.2	21
43	Revised International Staging System for Multiple Myeloma: A Report From International Myeloma Working Group. <i>Journal of Clinical Oncology</i> , 2015, 33, 2863-2869.	0.8	1,525
44	Extramedullary Myeloma Spread Triggered by Surgical Procedures: An Emerging Entity?. <i>Acta Haematologica</i> , 2014, 132, 36-38.	0.7	12
45	International Myeloma Working Group updated criteria for the diagnosis of multiple myeloma. <i>Lancet Oncology</i> , The, 2014, 15, e538-e548.	5.1	3,343
46	Combination of International Scoring System 3, High Lactate Dehydrogenase, and t(4;14) and/or del(17p) Identifies Patients With Multiple Myeloma (MM) Treated With Front-Line Autologous Stem-Cell Transplantation at High Risk of Early MM Progressionâ€“Related Death. <i>Journal of Clinical Oncology</i> , 2014, 32, 2173-2180.	0.8	150
47	Bortezomib-Based Versus Nonbortezomib-Based Induction Treatment Before Autologous Stem-Cell Transplantation in Patients With Previously Untreated Multiple Myeloma: A Meta-Analysis of Phase III Randomized, Controlled Trials. <i>Journal of Clinical Oncology</i> , 2013, 31, 3279-3287.	0.8	238
48	High-risk cytogenetics and persistent minimal residual disease by multiparameter flow cytometry predict unsustained complete response after autologous stem cell transplantation in multiple myeloma. <i>Blood</i> , 2012, 119, 687-691.	0.6	274
49	Superiority of bortezomib, thalidomide, and dexamethasone (VTD) as induction pretransplantation therapy in multiple myeloma: a randomized phase 3 PETHEMA/GEM study. <i>Blood</i> , 2012, 120, 1589-1596.	0.6	429
50	Soft-Tissue Plasmacytomas in Multiple Myeloma: Incidence, Mechanisms of Extramedullary Spread, and Treatment Approach. <i>Journal of Clinical Oncology</i> , 2011, 29, 3805-3812.	0.8	302
51	Busulfan 12 mg/kg plus melphalan 140 mg/m2 versus melphalan 200 mg/m2 as conditioning regimens for autologous transplantation in newly diagnosed multiple myeloma patients included in the PETHEMA/GEM2000 study. <i>Haematologica</i> , 2010, 95, 1913-1920.	1.7	101
52	Novel drugs for the treatment of multiple myeloma. <i>Haematologica</i> , 2010, 95, 702-704.	1.7	15
53	Extensive soft-tissue involvement by plasmablastic myeloma arising from displaced humeral fractures. <i>European Journal of Haematology</i> , 2010, 85, 448-451.	1.1	23
54	Influence of Pre- and Post-Transplantation Responses on Outcome of Patients With Multiple Myeloma: Sequential Improvement of Response and Achievement of Complete Response Are Associated With Longer Survival. <i>Journal of Clinical Oncology</i> , 2008, 26, 5775-5782.	0.8	263

#	ARTICLE	IF	CITATIONS
55	Extramedullary multiple myeloma escapes the effect of thalidomide. <i>Haematologica</i> , 2004, 89, 832-6.	1.7	100
56	Thalidomide in multiple myeloma: lack of response of soft-tissue plasmacytomas. <i>British Journal of Haematology</i> , 2001, 113, 422-424.	1.2	73
57	Long-Term Responders After Autologous Stem Cell Transplantation in Multiple Myeloma. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	3