

Daniel Freeman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3612437/publications.pdf>

Version: 2024-02-01

306
papers

24,763
citations

6254

80
h-index

9103

144
g-index

322
all docs

322
docs citations

322
times ranked

12410
citing authors

#	ARTICLE	IF	CITATIONS
1	Injection fears and COVID-19 vaccine hesitancy. <i>Psychological Medicine</i> , 2023, 53, 1185-1195.	4.5	94
2	The Oxford Agoraphobic Avoidance Scale. <i>Psychological Medicine</i> , 2023, 53, 1233-1243.	4.5	12
3	Body image concerns in patients with persecutory delusions. <i>Psychological Medicine</i> , 2023, 53, 4121-4129.	4.5	5
4	Virtual reality (VR) therapy for patients with psychosis: satisfaction and side effects. <i>Psychological Medicine</i> , 2023, 53, 4373-4384.	4.5	7
5	Do letters about conspiracy belief studies greatly exaggerate? A reply to Sutton and Douglas. <i>Psychological Medicine</i> , 2022, 52, 794-795.	4.5	3
6	COVID-19 vaccine hesitancy in the UK: the Oxford coronavirus explanations, attitudes, and narratives survey (Oceans) II. <i>Psychological Medicine</i> , 2022, 52, 3127-3141.	4.5	524
7	Coronavirus conspiracy beliefs, mistrust, and compliance with government guidelines in England. <i>Psychological Medicine</i> , 2022, 52, 251-263.	4.5	407
8	We should beware of ignoring uncomfortable possible truths (a reply to McManus et al). <i>Psychological Medicine</i> , 2022, 52, 599-599.	4.5	5
9	Coronavirus conspiracy beliefs in the German-speaking general population: endorsement rates and links to reasoning biases and paranoia. <i>Psychological Medicine</i> , 2022, 52, 4162-4176.	4.5	36
10	A compassionate imagery intervention for patients with persecutory delusions. <i>Behavioural and Cognitive Psychotherapy</i> , 2022, 50, 15-27.	1.2	10
11	Differential psychological response to the COVID-19 pandemic in psychiatric inpatients compared to a non-clinical population from Germany. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 67-79.	3.2	12
12	Appraisal of patient-level health economic models of severe mental illness: systematic review. <i>British Journal of Psychiatry</i> , 2022, 220, 86-97.	2.8	3
13	The impact of Patient and Public Involvement in the SlowMo study: Reflections on peer innovation. <i>Health Expectations</i> , 2022, 25, 191-202.	2.6	8
14	Dissociation in patients with non-affective psychosis: Prevalence, symptom associations, and maintenance factors. <i>Schizophrenia Research</i> , 2022, 239, 11-18.	2.0	6
15	Automated Virtual Reality Cognitive Therapy (gameChange) in Inpatient Psychiatric Wards: Qualitative Study of Staff and Patient Views Using an Implementation Framework. <i>JMIR Formative Research</i> , 2022, 6, e34225.	1.4	11
16	COVID-19 vaccination rates, intent, and hesitancy in patients with solid organ and blood cancers: A multicenter study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, 18, 570-577.	1.1	24
17	SlowMo therapy, a new digital blended therapy for fear of harm from others: An account of therapy personalisation within a targeted intervention. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 423-446.	2.5	3
18	The Latent Structure of Negative Symptoms in the General Population in Adolescence and Emerging Adulthood. <i>Schizophrenia Bulletin Open</i> , 2022, 3, sgac009.	1.7	4

#	ARTICLE	IF	CITATIONS
19	Psychological mechanisms connected to dissociation: Generating hypotheses using network analyses. <i>Journal of Psychiatric Research</i> , 2022, 148, 165-173.	3.1	6
20	The psychological journey of weight gain in psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 525-540.	2.5	10
21	The journey of adolescent paranoia: A qualitative study with patients attending child and adolescent mental health services. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 508-524.	2.5	4
22	It seems impossible that itâ€™s been made so quickly a qualitative investigation of concerns about the speed of COVID-19 vaccine development and how these may be overcome. <i>Human Vaccines and Immunotherapeutics</i> , 2022, 18, 1-8.	3.3	8
23	Understanding agoraphobic avoidance: the development of the Oxford Cognitions and Defences Questionnaire (O-CDQ). <i>Behavioural and Cognitive Psychotherapy</i> , 2022, 50, 257-268.	1.2	5
24	Why conspiracy theorists are not always paranoid: Conspiracy theories and paranoia form separate factors with distinct psychological predictors. <i>PLoS ONE</i> , 2022, 17, e0259053.	2.5	15
25	Automated virtual reality therapy to treat agoraphobic avoidance and distress in patients with psychosis (gameChange): a multicentre, parallel-group, single-blind, randomised, controlled trial in England with mediation and moderation analyses. <i>Lancet Psychiatry</i> , 2022, 9, 375-388.	7.4	44
26	The service user experience of SlowMo therapy: A co-produced thematic analysis of service usersâ€™ subjective experience. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 680-700.	2.5	3
27	Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. <i>JMIR Human Factors</i> , 2022, 9, e29725.	2.0	4
28	Serious Underlying Medical Conditions and COVID-19 Vaccine Hesitancy: A Large Cross-Sectional Analysis from Australia. <i>Vaccines</i> , 2022, 10, 851.	4.4	15
29	The physical activity profiles of patients with persecutory delusions. <i>Mental Health and Physical Activity</i> , 2022, 23, 100462.	1.8	0
30	Dissociation in relation to other mental health conditions: An exploration using network analysis. <i>Journal of Psychiatric Research</i> , 2021, 136, 460-467.	3.1	32
31	Parenting behaviour and paranoia: a network analysis and results from the National Comorbidity Survey-Adolescents (NCS-A). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 593-604.	3.1	6
32	Insomnia as a mediating therapeutic target for depressive symptoms: A sub-analysis of participant data from two large randomized controlled trials of a digital sleep intervention. <i>Journal of Sleep Research</i> , 2021, 30, e13140.	3.2	39
33	The revised Green et al., Paranoid Thoughts Scale (R-GPTS): psychometric properties, severity ranges, and clinical cut-offs. <i>Psychological Medicine</i> , 2021, 51, 244-253.	4.5	126
34	Excessive sleepiness in patients with psychosis: An initial investigation. <i>PLoS ONE</i> , 2021, 16, e0245301.	2.5	9
35	Paranoia in patients attending child and adolescent mental health services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 000486742098141.	2.3	10
36	Psychotic-Like Experiences in Adolescence Occurring in Combination or Isolation: Associations with Schizophrenia Risk Factors. <i>Psychiatric Research and Clinical Practice</i> , 2021, 3, 67-75.	2.4	3

#	ARTICLE	IF	CITATIONS
37	Participatory design to create a VR therapy for psychosis. <i>Design for Health</i> , 2021, 5, 98-119.	0.8	14
38	A new perspective and assessment measure for common dissociative experiences: "Felt Sense of Anomaly". <i>PLoS ONE</i> , 2021, 16, e0247037.	2.5	15
39	Anticipatory pleasure in current psychosis: Cognitive and emotional correlates. <i>Psychiatry Research</i> , 2021, 297, 113697.	3.3	4
40	Annual Research Review: Immersive virtual reality and digital applied gaming interventions for the treatment of mental health problems in children and young people: the need for rigorous treatment development and clinical evaluation. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 584-605.	5.2	30
41	COVID-19 vaccines, hesitancy and mental health. <i>Evidence-Based Mental Health</i> , 2021, 24, 47-48.	4.5	29
42	Paranoia and Grandiosity in the General Population: Differential Associations With Putative Causal Factors. <i>Frontiers in Psychiatry</i> , 2021, 12, 668152.	2.6	8
43	Online Social Endorsement and Covid-19 Vaccine Hesitancy in the United Kingdom. <i>Social Media and Society</i> , 2021, 7, 205630512110088.	3.0	64
44	Effects of different types of written vaccination information on COVID-19 vaccine hesitancy in the UK (OCEANS-III): a single-blind, parallel-group, randomised controlled trial. <i>Lancet Public Health</i> , The, 2021, 6, e416-e427.	10.0	184
45	Automated Virtual Reality Cognitive Therapy for People With Psychosis: Protocol for a Qualitative Investigation Using Peer Research Methods. <i>JMIR Research Protocols</i> , 2021, 10, e31742.	1.0	4
46	Effects of SlowMo, a Blended Digital Therapy Targeting Reasoning, on Paranoia Among People With Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 714.	11.0	41
47	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , the, 2021, 8, 696-707.	7.4	40
48	Digitally supported CBT to reduce paranoia and improve reasoning for people with schizophrenia-spectrum psychosis: the SlowMo RCT. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-90.	0.7	4
49	The COVID-19 Pandemic Mental Health Questionnaire (CoPaQ): psychometric evaluation and compliance with countermeasures in psychiatric inpatients and non-clinical individuals. <i>BMC Psychiatry</i> , 2021, 21, 426.	2.6	23
50	Does raising heart rate prior to a behavioural test enhance learning in cognitive therapy for anxiety? An experimental test for the treatment of fear of heights using virtual reality. <i>Behaviour Research and Therapy</i> , 2021, 144, 103928.	3.1	4
51	Willingness of children and adolescents to have a COVID-19 vaccination: Results of a large whole schools survey in England. <i>EClinicalMedicine</i> , 2021, 40, 101144.	7.1	61
52	Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-124.	2.8	7
53	Catastrophic cognitions about coronavirus: the Oxford psychological investigation of coronavirus questionnaire [TOPIC-Q]. <i>Psychological Medicine</i> , 2021, , 1-10.	4.5	10
54	Cognitive appraisals of dissociation in psychosis: a new brief measure. <i>Behavioural and Cognitive Psychotherapy</i> , 2021, 49, 472-484.	1.2	7

#	ARTICLE	IF	CITATIONS
55	The challenges and opportunities of social connection when hearing derogatory and threatening voices: A thematic analysis with patients experiencing psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 341-356.	2.5	9
56	COVID-19 vaccine hesitancy in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 131, 165-166.	0.8	1
57	COVID-19 vaccine hesitancy in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 165-166.	0.8	4
58	Self-observation of a virtual body-double engaged in social interaction reduces persecutory thoughts. <i>Scientific Reports</i> , 2021, 11, 23923.	3.3	5
59	The Dunn Worry Questionnaire and the Paranoia Worries Questionnaire: new assessments of worry. <i>Psychological Medicine</i> , 2020, 50, 771-780.	4.5	24
60	The experience of body image concerns in patients with persecutory delusions: "People don't want to sit next to me". <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020, 93, 639-655.	2.5	14
61	Sleep and schizophrenia: From epiphenomenon to treatable causal target. <i>Schizophrenia Research</i> , 2020, 221, 44-56.	2.0	76
62	Measuring Reasoning in Paranoia: Development of the Fast and Slow Thinking Questionnaire. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	6
63	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2020, 7, 788-800.	7.4	51
64	Why do patients with psychosis listen to and believe derogatory and threatening voices? 21 reasons given by patients. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 631-645.	1.2	5
65	Estimating EQ-5D utilities based on the Short-Form Long Term Conditions Questionnaire (LTCQ-8). <i>Health and Quality of Life Outcomes</i> , 2020, 18, 279.	2.4	2
66	Sleep disturbance and psychiatric disorders. <i>Lancet Psychiatry</i> , 2020, 7, 628-637.	7.4	295
67	Developing an automated VR cognitive treatment for psychosis: gameChange VR therapy. <i>Journal of Behavioral and Cognitive Therapy</i> , 2020, 30, 33-40.	1.4	25
68	The assessment of paranoia in young people: Item and test properties of the Bird Checklist of Adolescent Paranoia. <i>Schizophrenia Research</i> , 2020, 220, 116-122.	2.0	7
69	Power posing for paranoia: A double-blind randomised controlled experimental test using virtual reality. <i>Behaviour Research and Therapy</i> , 2020, 132, 103691.	3.1	2
70	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. <i>PLoS ONE</i> , 2020, 15, e0229091.	2.5	17
71	Virtual reality clinical-experimental tests of compassion treatment techniques to reduce paranoia. <i>Scientific Reports</i> , 2020, 10, 8547.	3.3	25
72	Treating sleep problems in young people at ultra-high-risk of psychosis: study protocol for a single-blind parallel group randomised controlled feasibility trial (SleepWell). <i>BMJ Open</i> , 2020, 10, e045235.	1.9	11

#	ARTICLE	IF	CITATIONS
73	Virtual Reality Cognitive Therapy in Inpatient Psychiatric Wards: Protocol for a Qualitative Investigation of Staff and Patient Views Across Multiple National Health Service Sites. JMIR Research Protocols, 2020, 9, e20300.	1.0	10
74	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
75	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
76	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
77	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
78	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
79	Describing the indescribable: A qualitative study of dissociative experiences in psychosis. , 2020, 15, e0229091.		0
80	Links between psychotic and neurotic symptoms in the general population: an analysis of longitudinal British National Survey data using Directed Acyclic Graphs. Psychological Medicine, 2019, 49, 388-395.	4.5	30
81	Sleep duration and psychotic experiences in patients at risk of psychosis: A secondary analysis of the EDIE-2 trial. Schizophrenia Research, 2019, 204, 326-333.	2.0	28
82	It feels real: physiological responses to a stressful virtual reality environment and its impact on working memory. Journal of Psychopharmacology, 2019, 33, 1264-1273.	4.0	82
83	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). Trials, 2019, 20, 395.	1.6	11
84	Suicidal ideation and behaviour in patients with persecutory delusions: Prevalence, symptom associations, and psychological correlates. Comprehensive Psychiatry, 2019, 93, 41-47.	3.1	36
85	Treatable clinical intervention targets for patients with schizophrenia. Schizophrenia Research, 2019, 211, 44-50.	2.0	76
86	The comments of voices on the appearance of patients with psychosis: "the voices tell me that I am ugly". BJPsych Open, 2019, 5, e86.	0.7	5
87	The weeks before 100 persecutory delusions: the presence of many potential contributory causal factors. BJPsych Open, 2019, 5, e83.	0.7	14
88	Automated psychological therapy using virtual reality (VR) for patients with persecutory delusions: study protocol for a single-blind parallel-group randomised controlled trial (THRIVE). Trials, 2019, 20, 87.	1.6	38
89	A Twin Study on the Association Between Psychotic Experiences and Tobacco Use During Adolescence. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 267-276.e8.	0.5	11
90	Cognitive Behavioural Therapy for Nightmares for Patients with Persecutory Delusions (Nites): An Assessor-Blind, Pilot Randomized Controlled Trial. Canadian Journal of Psychiatry, 2019, 64, 070674371984742.	1.9	29

#	ARTICLE	IF	CITATIONS
91	Automated virtual reality (VR) cognitive therapy for patients with psychosis: study protocol for a single-blind parallel group randomised controlled trial (gameChange). <i>BMJ Open</i> , 2019, 9, e031606.	1.9	36
92	Understanding, treating, and renaming grandiose delusions: A qualitative study. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2019, 94, 119-140.	2.5	28
93	Sleep Disorders in Early Psychosis: Incidence, Severity, and Association With Clinical Symptoms. <i>Schizophrenia Bulletin</i> , 2019, 45, 287-295.	4.3	106
94	Adolescent Paranoia: Prevalence, Structure, and Causal Mechanisms. <i>Schizophrenia Bulletin</i> , 2019, 45, 1134-1142.	4.3	26
95	“Twisting the lion’s tail”: Manipulationist tests of causation for psychological mechanisms in the occurrence of delusions and hallucinations. <i>Clinical Psychology Review</i> , 2019, 68, 25-37.	11.4	12
96	Effect of Digital Cognitive Behavioral Therapy for Insomnia on Health, Psychological Well-being, and Sleep-Related Quality of Life: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019, 76, 21.	11.0	269
97	Disrupting Sleep: The Effects of Sleep Loss on Psychotic Experiences Tested in an Experimental Study With Mediation Analysis. <i>Schizophrenia Bulletin</i> , 2018, 44, 662-671.	4.3	73
98	Adapted CBT to Stabilize Sleep on Psychiatric Wards: a Transdiagnostic Treatment Approach. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 661-675.	1.2	28
99	Genome-wide analysis of adolescent psychotic-like experiences shows genetic overlap with psychiatric disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 416-425.	1.7	74
100	Schematic beliefs and problem solving performance predict depression in people experiencing persecutory delusions. <i>Journal of Psychiatric Research</i> , 2018, 100, 5-7.	3.1	1
101	Authors’ reply to a comment on “Body image and paranoia”. <i>Psychiatry Research</i> , 2018, 263, 281.	3.3	0
102	The effects of cannabidiol on persecutory ideation and anxiety in a high trait paranoid group. <i>Journal of Psychopharmacology</i> , 2018, 32, 276-282.	4.0	41
103	Stabilising sleep for patients admitted at acute crisis to a psychiatric hospital (OWLS): an assessor-blind pilot randomised controlled trial. <i>Psychological Medicine</i> , 2018, 48, 1694-1704.	4.5	58
104	A twin study exploring the association between childhood emotional and behaviour problems and specific psychotic experiences in a community sample of adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 565-573.	5.2	9
105	Treating Sleep Problems in Young People at Ultra-High Risk of Psychosis: A Feasibility Case Series. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 276-291.	1.2	53
106	The Experience of Sleep Problems and Their Treatment in Young People at Ultra-High Risk of Psychosis: A Thematic Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 375.	2.6	20
107	The paranoia as defence model of persecutory delusions: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2018, 5, 913-929.	7.4	47
108	Insomnia, negative affect, and psychotic experiences: Modelling pathways over time in a clinical observational study. <i>Psychiatry Research</i> , 2018, 269, 673-680.	3.3	45

#	ARTICLE	IF	CITATIONS
109	Cost-effectiveness of cognitive-behavioural therapy for sleep disorder added to usual care in patients with schizophrenia: the BEST study. <i>BJPsych Open</i> , 2018, 4, 126-135.	0.7	15
110	Group-Based Worry Intervention for Persecutory Delusions: an Initial Feasibility Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 619-625.	1.2	4
111	Automated psychological therapy using immersive virtual reality for treatment of fear of heights: a single-blind, parallel-group, randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 625-632.	7.4	231
112	How Inclusive, User-Centered Design Research Can Improve Psychological Therapies for Psychosis: Development of SlowMo. <i>JMIR Mental Health</i> , 2018, 5, e11222.	3.3	44
113	Transdiagnostic Extension of Delusions: Schizophrenia and Beyond. <i>Schizophrenia Bulletin</i> , 2017, 43, 273-282.	4.3	58
114	Persistent persecutory delusions: The spirit, style and content of targeted treatment. <i>World Psychiatry</i> , 2017, 16, 208-209.	10.4	8
115	Using Directed Acyclic Graphs in Epidemiological Research in Psychosis: An Analysis of the Role of Bullying in Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 1273-1279.	4.3	78
116	Clinician perceptions of sleep problems, and their treatment, in patients with non-affective psychosis. <i>Psychosis</i> , 2017, 9, 129-139.	0.8	42
117	The concomitants of conspiracy concerns. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 595-604.	3.1	116
118	Virtual reality in the assessment, understanding, and treatment of mental health disorders. <i>Psychological Medicine</i> , 2017, 47, 2393-2400.	4.5	746
119	Body image and paranoia. <i>Psychiatry Research</i> , 2017, 258, 136-140.	3.3	18
120	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. <i>Lancet Psychiatry</i> , 2017, 4, 749-758.	7.4	459
121	Nightmares in the general population: identifying potential causal factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1123-1133.	3.1	36
122	Cognitive, affective, and social factors maintaining paranoia in adolescents with mental health problems: A longitudinal study. <i>Psychiatry Research</i> , 2017, 257, 34-39.	3.3	35
123	Characterization and structure of hypomania in a British nonclinical adolescent sample. <i>Journal of Affective Disorders</i> , 2017, 207, 228-235.	4.1	15
124	SlowMo, a digital therapy targeting reasoning in paranoia, versus treatment as usual in the treatment of people who fear harm from others: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 510.	1.6	44
125	Treating Sleep Problems in Patients with Schizophrenia. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 273-287.	1.2	75
126	Targeting Recovery in Persistent Persecutory Delusions: A Proof of Principle Study of a New Translational Psychological Treatment (the Feeling Safe Programme). <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 539-552.	1.2	30

#	ARTICLE	IF	CITATIONS
127	Insomnia and hallucinations in the general population: Findings from the 2000 and 2007 British Psychiatric Morbidity Surveys. <i>Psychiatry Research</i> , 2016, 241, 141-146.	3.3	54
128	Self-Confidence and Paranoia: An Experimental Study Using an Immersive Virtual Reality Social Situation. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 56-64.	1.2	37
129	Negative cognitions about the self in patients with persecutory delusions: An empirical study of self-compassion, self-stigma, schematic beliefs, self-esteem, fear of madness, and suicidal ideation. <i>Psychiatry Research</i> , 2016, 239, 79-84.	3.3	57
130	Psychological Mechanisms Mediating Effects Between Trauma and Psychotic Symptoms: The Role of Affect Regulation, Intrusive Trauma Memory, Beliefs, and Depression. <i>Schizophrenia Bulletin</i> , 2016, 42, S34-S43.	4.3	111
131	Persecutory delusions: a cognitive perspective on understanding and treatment. <i>Lancet Psychiatry</i> , 2016, 3, 685-692.	7.4	218
132	The patient experience of sleep problems and their treatment in the context of current delusions and hallucinations. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2016, 89, 181-193.	2.5	56
133	Digital Cognitive Behavioural Therapy for Insomnia versus sleep hygiene education: the impact of improved sleep on functional health, quality of life and psychological well-being. Study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 257.	1.6	32
134	Association between stressful life events and psychotic experiences in adolescence: Evidence for gene-environment correlations. <i>British Journal of Psychiatry</i> , 2016, 208, 532-538.	2.8	31
135	Virtual reality in the treatment of persecutory delusions: Randomised controlled experimental study testing how to reduce delusional conviction. <i>British Journal of Psychiatry</i> , 2016, 209, 62-67.	2.8	180
136	Hallucinations in the months after a trauma: An investigation of the role of cognitive processing of a physical assault in the occurrence of hallucinatory experiences. <i>Psychiatry Research</i> , 2016, 246, 601-605.	3.3	23
137	Insomnia, Nightmares, and Chronotype as Markers of Risk for Severe Mental Illness: Results from a Student Population. <i>Sleep</i> , 2016, 39, 173-181.	1.1	108
138	Sleep Disturbances and Suicide Risk in an 8-Year Longitudinal Study of Schizophrenia-Spectrum Disorders. <i>Sleep</i> , 2016, 39, 1275-1282.	1.1	81
139	Shared Etiology of Psychotic Experiences and Depressive Symptoms in Adolescence: A Longitudinal Twin Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 1197-1206.	4.3	22
140	Dimensional psychotic experiences in adolescence: Evidence from a taxometric study of a community-based sample. <i>Psychiatry Research</i> , 2016, 241, 35-42.	3.3	16
141	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). <i>Trials</i> , 2016, 17, 134.	1.6	24
142	Worry processes in patients with persecutory delusions. <i>British Journal of Clinical Psychology</i> , 2016, 55, 387-400.	3.5	31
143	Conceptualising paranoia in ASD: A systematic review and development of a theoretical framework. <i>Research in Autism Spectrum Disorders</i> , 2016, 25, 97-111.	1.5	13
144	The Perseverative Thinking Questionnaire in Patients with Persecutory Delusions. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 472-481.	1.2	19

#	ARTICLE	IF	CITATIONS
145	How Do Individuals with Persecutory Delusions Bring Worry to a Close? An Interpretive Phenomenological Analysis. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 465-477.	1.2	7
146	Effects of cognitive behaviour therapy for worry on persecutory delusions in patients with psychosis (WIT): a parallel, single-blind, randomised controlled trial with a mediation analysis. <i>Lancet Psychiatry</i> , 2015, 2, 305-313.	7.4	207
147	Do sleep disturbances and psychotic-like experiences in adolescence share genetic and environmental influences?. <i>Journal of Abnormal Psychology</i> , 2015, 124, 674-684.	1.9	68
148	Effects of cognitive behavioural therapy for insomnia on the mental health of university students: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 236.	1.6	33
149	A longitudinal twin study of the association between childhood autistic traits and psychotic experiences in adolescence. <i>Molecular Autism</i> , 2015, 6, 44.	4.9	24
150	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 82-89.	1.2	64
151	A Shared Genetic Propensity Underlies Experiences of Bullying Victimization in Late Childhood and Self-Rated Paranoid Thinking in Adolescence. <i>Schizophrenia Bulletin</i> , 2015, 41, 754-763.	4.3	55
152	The stabilized set of p's in Krivine's theorem can be disconnected. <i>Advances in Mathematics</i> , 2015, 281, 553-577.	1.1	4
153	Psychotic experiences are linked to cannabis use in adolescents in the community because of common underlying environmental risk factors. <i>Psychiatry Research</i> , 2015, 227, 144-151.	3.3	26
154	Cognitive Mechanisms of Change in Delusions: An Experimental Investigation Targeting Reasoning to Effect Change in Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 400-410.	4.3	102
155	The Stress of the Street for Patients With Persecutory Delusions: A Test of the Symptomatic and Psychological Effects of Going Outside Into a Busy Urban Area. <i>Schizophrenia Bulletin</i> , 2015, 41, 971-979.	4.3	67
156	Efficacy of cognitive behavioural therapy for sleep improvement in patients with persistent delusions and hallucinations (BEST): a prospective, assessor-blind, randomised controlled pilot trial. <i>Lancet Psychiatry</i> , 2015, 2, 975-983.	7.4	169
157	Adult attention deficit hyperactivity symptoms and psychosis: Epidemiological evidence from a population survey in England. <i>Psychiatry Research</i> , 2015, 229, 49-56.	3.3	21
158	How Cannabis Causes Paranoia: Using the Intravenous Administration of Δ^9 -Tetrahydrocannabinol (THC) to Identify Key Cognitive Mechanisms Leading to Paranoia. <i>Schizophrenia Bulletin</i> , 2015, 41, 391-399.	4.3	101
159	How Do People with Persecutory Delusions Evaluate Threat in a Controlled Social Environment? A Qualitative Study Using Virtual Reality. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 89-107.	1.2	16
160	Adult Attention Deficit Hyperactivity Symptoms and Psychosis: Epidemiological Evidence From a Population Survey in England. <i>European Psychiatry</i> , 2015, 30, 880.	0.2	0
161	Jumping to conclusions and the persistence of delusional beliefs in first episode psychosis. <i>Schizophrenia Research</i> , 2015, 165, 243-246.	2.0	19
162	Bullying victimisation and risk of psychotic phenomena: analyses of British national survey data. <i>Lancet Psychiatry</i> , 2015, 2, 618-624.	7.4	74

#	ARTICLE	IF	CITATIONS
163	The effect of paranoia on the judging of harmful events. <i>Cognitive Neuropsychiatry</i> , 2015, 20, 122-127.	1.3	4
164	Urbanicity, Persecutory Delusions, and Clinical Intervention: The Development of a Brief CBT Module for Helping Patients with Persecutory Delusions Enter Social Urban Environments. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 42-51.	1.2	13
165	The role of sleep dysfunction in the occurrence of delusions and hallucinations: A systematic review. <i>Clinical Psychology Review</i> , 2015, 42, 96-115.	11.4	177
166	Social defeat predicts paranoid appraisals in people at high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 168, 16-22.	2.0	48
167	Genetic moderation of the effects of cannabis: Catechol-O-methyltransferase (COMT) affects the impact of Δ^9 -tetrahydrocannabinol (THC) on working memory performance but not on the occurrence of psychotic experiences. <i>Journal of Psychopharmacology</i> , 2015, 29, 1146-1151.	4.0	35
168	Heritability of Individual Psychotic Experiences Captured by Common Genetic Variants in a Community Sample of Adolescents. <i>Behavior Genetics</i> , 2015, 45, 493-502.	2.1	31
169	Interpretation Biases in Paranoia. <i>Behavior Therapy</i> , 2015, 46, 110-124.	2.4	38
170	Jumping to Conclusions, Neuropsychological Functioning, and Delusional Beliefs in First Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 411-418.	4.3	66
171	An explanatory randomised controlled trial testing the effects of targeting worry in patients with persistent persecutory delusions: the Worry Intervention Trial (WIT). <i>Efficacy and Mechanism Evaluation</i> , 2015, 2, 1-36.	0.7	4
172	Consistent Etiology of Severe, Frequent Psychotic Experiences and Milder, Less Frequent Manifestations. <i>JAMA Psychiatry</i> , 2014, 71, 1049.	11.0	129
173	The use of immersive virtual reality (VR) to predict the occurrence 6 months later of paranoid thinking and posttraumatic stress symptoms assessed by self-report and interviewer methods: A study of individuals who have been physically assaulted. <i>Psychological Assessment</i> , 2014, 26, 841-847.	1.5	31
174	Characterization of Psychotic Experiences in Adolescence Using the Specific Psychotic Experiences Questionnaire: Findings From a Study of 5000 16-Year-Old Twins. <i>Schizophrenia Bulletin</i> , 2014, 40, 868-877.	4.3	175
175	An early Phase II randomised controlled trial testing the effect on persecutory delusions of using CBT to reduce negative cognitions about the self: The potential benefits of enhancing self confidence. <i>Schizophrenia Research</i> , 2014, 160, 186-192.	2.0	99
176	Depersonalization in Patients With Persecutory Delusions. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 752-758.	1.0	11
177	Delusional belief flexibility and informal caregiving relationships in psychosis: a potential cognitive route for the protective effect of social support. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 389-397.	3.9	14
178	Negative Communication in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 829-832.	1.0	9
179	Suspicious young minds: paranoia and mistrust in 8- to 14-year-olds in the UK and Hong Kong. <i>British Journal of Psychiatry</i> , 2014, 205, 221-229.	2.8	50
180	Understanding jumping to conclusions in patients with persecutory delusions: working memory and intolerance of uncertainty. <i>Psychological Medicine</i> , 2014, 44, 3017-3024.	4.5	54

#	ARTICLE	IF	CITATIONS
181	Persecutory delusions and psychological well-being. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1045-1050.	3.1	42
182	Mood Instability and Psychosis: Analyses of British National Survey Data. <i>Schizophrenia Bulletin</i> , 2014, 40, 269-277.	4.3	99
183	A pilot validation of a modified Illness Perceptions Questionnaire designed to predict response to cognitive therapy for psychosis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 459-466.	1.2	14
184	The use of intuitive and analytic reasoning styles by patients with persecutory delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 454-458.	1.2	31
185	Advances in understanding and treating persecutory delusions: a review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1179-1189.	3.1	275
186	Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1051-1061.	3.1	18
187	A pilot trial of cognitive behavioural therapy for interpersonal sensitivity in individuals with persecutory delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 441-446.	1.2	32
188	Height, social comparison, and paranoia: An immersive virtual reality experimental study. <i>Psychiatry Research</i> , 2014, 218, 348-352.	3.3	94
189	Jumping to the wrong conclusions? An investigation of the mechanisms of reasoning errors in delusions. <i>Psychiatry Research</i> , 2014, 219, 275-282.	3.3	27
190	Authors' reply. <i>British Journal of Psychiatry</i> , 2014, 204, 242-243.	2.8	1
191	Caregiver Reports of Patient-Initiated Violence in Psychosis. <i>Canadian Journal of Psychiatry</i> , 2014, 59, 376-384.	1.9	37
192	Are Genetic Risk Factors for Psychosis Also Associated with Dimension-Specific Psychotic Experiences in Adolescence?. <i>PLoS ONE</i> , 2014, 9, e94398.	2.5	56
193	The effects of using cognitive behavioural therapy to improve sleep for patients with delusions and hallucinations (the BEST study): study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 214.	1.6	23
194	The interaction of affective with psychotic processes: A test of the effects of worrying on working memory, jumping to conclusions, and anomalies of experience in patients with persecutory delusions. <i>Journal of Psychiatric Research</i> , 2013, 47, 1837-1842.	3.1	43
195	Cognitive factors maintaining persecutory delusions in psychosis: The contribution of depression.. <i>Journal of Abnormal Psychology</i> , 2013, 122, 1121-1131.	1.9	86
196	Persecutory ideation and a history of cannabis use. <i>Schizophrenia Research</i> , 2013, 148, 122-125.	2.0	9
197	Neuropsychological functioning and jumping to conclusions in delusions. <i>Schizophrenia Research</i> , 2013, 150, 570-574.	2.0	106
198	Intrusive mental imagery in patients with persecutory delusions. <i>Behaviour Research and Therapy</i> , 2013, 51, 7-14.	3.1	35

#	ARTICLE	IF	CITATIONS
199	The structure of paranoia in the general population. <i>British Journal of Psychiatry</i> , 2013, 202, 419-427.	2.8	202
200	Current Paranoid Thinking in Patients With Delusions: The Presence of Cognitive-Affective Biases. <i>Schizophrenia Bulletin</i> , 2013, 39, 1281-1287.	4.3	105
201	Socioeconomic Status and Paranoia. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 698-702.	1.0	6
202	Differences in Cognitive and Emotional Processes Between Persecutory and Grandiose Delusions. <i>Schizophrenia Bulletin</i> , 2013, 39, 629-639.	4.3	81
203	Patients' beliefs about the causes, persistence and control of psychotic experiences predict take-up of effective cognitive behaviour therapy for psychosis. <i>Psychological Medicine</i> , 2013, 43, 269-277.	4.5	64
204	Paranoia and post-traumatic stress disorder in the months after a physical assault: a longitudinal study examining shared and differential predictors. <i>Psychological Medicine</i> , 2013, 43, 2673-2684.	4.5	60
205	The past and future of delusions research: from the inexplicable to the treatable. <i>British Journal of Psychiatry</i> , 2013, 203, 327-333.	2.8	295
206	Jumping to conclusions, a lack of belief flexibility and delusional conviction in psychosis: A longitudinal investigation of the structure, frequency, and relatedness of reasoning biases.. <i>Journal of Abnormal Psychology</i> , 2012, 121, 129-139.	1.9	123
207	Effective elements of cognitive behaviour therapy for psychosis: results of a novel type of subgroup analysis based on principal stratification. <i>Psychological Medicine</i> , 2012, 42, 1057-1068.	4.5	56
208	Reasoning bias and belief conviction in obsessive-compulsive disorder and delusions: Jumping to conclusions across disorders?. <i>British Journal of Clinical Psychology</i> , 2012, 51, 84-99.	3.5	40
209	Negative Cognition, Depressed Mood, and Paranoia: A Longitudinal Pathway Analysis Using Structural Equation Modeling. <i>Schizophrenia Bulletin</i> , 2012, 38, 1063-1073.	4.3	154
210	Gut feelings, deliberative thought, and paranoid ideation: A study of experiential and rational reasoning. <i>Psychiatry Research</i> , 2012, 197, 119-122.	3.3	39
211	The effects of reducing worry in patients with persecutory delusions: study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 223.	1.6	16
212	Assessing Levels of Subthreshold Psychotic Symptoms in the Recovery Phase: The Schizotypal Symptoms Inventory (SSI). <i>Journal of Experimental Psychopathology</i> , 2012, 3, 582-593.	0.8	17
213	Insomnia, worry, anxiety and depression as predictors of the occurrence and persistence of paranoid thinking. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1195-1203.	3.1	190
214	Improving cognitive treatments for delusions. <i>Schizophrenia Research</i> , 2011, 132, 135-139.	2.0	63
215	Cognitive behavioural treatment of insomnia in individuals with persistent persecutory delusions: A pilot trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 330-336.	1.2	132
216	Targeting reasoning biases in delusions: A pilot study of the Maudsley Review Training Programme for individuals with persistent, high conviction delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 414-421.	1.2	104

#	ARTICLE	IF	CITATIONS
217	Correlates of perceptual distortions in clinical and non-clinical populations using the Cardiff Anomalous Perceptions Scale (CAPS): Associations with anxiety and depression and a re-validation using a representative population sample. <i>Psychiatry Research</i> , 2011, 189, 451-457.	3.3	22
218	Coping Styles in Carers of People With Recent and Long-Term Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 423-424.	1.0	31
219	Developing Treatments of Persistent Persecutory Delusions. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 653-658.	1.0	38
220	Jumping to conclusions: the psychology of delusional reasoning. <i>Advances in Psychiatric Treatment</i> , 2011, 17, 332-339.	0.5	35
221	A Randomized Experimental Investigation of Reasoning Training for People With Delusions. <i>Schizophrenia Bulletin</i> , 2011, 37, 324-333.	4.3	124
222	Paranoid Explanations of Experience: A Novel Experimental Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 21-34.	1.2	20
223	Concomitants of paranoia in the general population. <i>Psychological Medicine</i> , 2011, 41, 923-936.	4.5	217
224	Testing the continuum of delusional beliefs: An experimental study using virtual reality.. <i>Journal of Abnormal Psychology</i> , 2010, 119, 83-92.	1.9	154
225	Persecutory ideation and insomnia: Findings from the second British National Survey Of Psychiatric Morbidity. <i>Journal of Psychiatric Research</i> , 2010, 44, 1021-1026.	3.1	87
226	The need for closure in caregivers of people with psychosis. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 159-167.	0.9	7
227	A randomised controlled trial of a worry intervention for individuals with persistent persecutory delusions. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 45-51.	1.2	111
228	Cognitive triggers of auditory hallucinations: An experimental investigation. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 179-184.	1.2	17
229	Cognitive and Social Processes in Psychosis: Recent Developments. , 2010, , 283-298.		1
230	Fear of madness and persecutory delusions: Preliminary investigation of a new scale. <i>Psychosis</i> , 2009, 1, 39-50.	0.8	25
231	Family interventions in psychosis: a scale to measure therapist adherence. <i>Journal of Family Therapy</i> , 2009, 31, 270-283.	1.0	8
232	Carers' attributions about positive events in psychosis relate to expressed emotion. <i>Behaviour Research and Therapy</i> , 2009, 47, 783-789.	3.1	13
233	Routes to psychotic symptoms: Trauma, anxiety and psychosis-like experiences. <i>Psychiatry Research</i> , 2009, 169, 107-112.	3.3	170
234	Insomnia and paranoia. <i>Schizophrenia Research</i> , 2009, 108, 280-284.	2.0	125

#	ARTICLE	IF	CITATIONS
235	Patient Perceptions of Caregiver Criticism in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 85-91.	1.0	35
236	The psychological effect of an urban environment on individuals with persecutory delusions: The Camberwell walk study. <i>Schizophrenia Research</i> , 2008, 99, 77-84.	2.0	115
237	A large-scale validation study of the Medication Adherence Rating Scale (MARS). <i>Schizophrenia Research</i> , 2008, 100, 53-59.	2.0	171
238	Virtual reality and persecutory delusions: Safety and feasibility. <i>Schizophrenia Research</i> , 2008, 104, 228-236.	2.0	69
239	Jumping to conclusions and persecutory delusions. <i>European Psychiatry</i> , 2008, 23, 457-459.	0.2	39
240	Jumping to conclusions and paranoid ideation in the general population. <i>Schizophrenia Research</i> , 2008, 102, 254-260.	2.0	148
241	Cognitive-behavioural therapy and family intervention for relapse prevention and symptom reduction in psychosis: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008, 192, 412-423.	2.8	251
242	Impact of State Anxiety on the Jumping to Conclusions Delusion Bias. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 879-886.	2.3	34
243	Virtual reality study of paranoid thinking in the general population. <i>British Journal of Psychiatry</i> , 2008, 192, 258-263.	2.8	226
244	Measuring ideas of persecution and social reference: the Green et al. Paranoid Thought Scales (GPTS). <i>Psychological Medicine</i> , 2008, 38, 101-111.	4.5	296
245	What makes one person paranoid and another person anxious? The differential prediction of social anxiety and persecutory ideation in an experimental situation. <i>Psychological Medicine</i> , 2008, 38, 1121-1132.	4.5	119
246	Measuring Adherence in CBT for Psychosis: A Psychometric Analysis of an Adherence Scale. <i>Behavioural and Cognitive Psychotherapy</i> , 2008, 36, 163-178.	1.2	34
247	Caregiving and Illness Beliefs in the Course of Psychotic Illness. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 460-468.	1.9	47
248	Theories of cognition, emotion and the social world: missing links in psychosis. , 2008, , 219-237.		7
249	The assessment of persecutory ideation. , 2008, , 23-52.		8
250	Paranoia. , 2008, , .		42
251	Virtual reality and paranoid ideations in people with an "at-risk mental state"™ for psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s63-s68.	2.8	77
252	Studying and Treating Schizophrenia Using Virtual Reality: A New Paradigm. <i>Schizophrenia Bulletin</i> , 2007, 34, 605-610.	4.3	124

#	ARTICLE	IF	CITATIONS
253	Implications for neurobiological research of cognitive models of psychosis: a theoretical paper. <i>Psychological Medicine</i> , 2007, 37, 1377-1391.	4.5	290
254	A Measure of State Persecutory Ideation for Experimental Studies. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 781-784.	1.0	77
255	The Application of Cognitive-Behavioral Therapy for Psychosis in Clinical and Research Settings. <i>Psychiatric Services</i> , 2007, 58, 1297-1302.	2.0	15
256	Slow habituation of arousal associated with psychosis proneness. <i>Psychological Medicine</i> , 2007, 37, 577.	4.5	11
257	Suspicious minds: The psychology of persecutory delusions. <i>Clinical Psychology Review</i> , 2007, 27, 425-457.	11.4	667
258	Acting on persecutory delusions: The importance of safety seeking. <i>Behaviour Research and Therapy</i> , 2007, 45, 89-99.	3.1	163
259	Persecutory delusions and catastrophic worry in psychosis: Developing the understanding of delusion distress and persistence. <i>Behaviour Research and Therapy</i> , 2007, 45, 523-537.	3.1	155
260	The multidimensional measurement of the positive symptoms of psychosis. <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 88-96.	2.1	56
261	The association between traumatic experience, paranoia and hallucinations: a test of the predictions of psychological models. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 280-289.	4.5	191
262	Discrepant illness perceptions, affect and expressed emotion in people with psychosis and their carers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 277-283.	3.1	48
263	The Application of Cognitive-Behavioral Therapy for Psychosis in Clinical and Research Settings. <i>Psychiatric Services</i> , 2007, 58, 1297-1302.	2.0	8
264	Delusions. , 2006, , 205-213.		0
265	0231 THE NATURE OF SCHIZOTYPY IN EARLY PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S88-S89.	2.0	0
266	0110 VIRTUAL REALITY AND PARANOID IDEATIONS. <i>Schizophrenia Research</i> , 2006, 86, S137-S138.	2.0	1
267	Misattribution of self-generated speech in relation to hallucinatory proneness and delusional ideation in healthy volunteers. <i>Schizophrenia Research</i> , 2006, 84, 281-288.	2.0	72
268	A validation of a new measure of activity in psychosis. <i>Schizophrenia Research</i> , 2006, 85, 288-295.	2.0	69
269	Emotion and psychosis: Links between depression, self-esteem, negative schematic beliefs and delusions and hallucinations. <i>Schizophrenia Research</i> , 2006, 86, 181-188.	2.0	336
270	Delusions and decision-making style: Use of the Need for Closure Scale. <i>Behaviour Research and Therapy</i> , 2006, 44, 1147-1158.	3.1	81

#	ARTICLE	IF	CITATIONS
271	Attributional style in psychosis—The role of affect and belief type. <i>Behaviour Research and Therapy</i> , 2006, 44, 1597-1607.	3.1	61
272	Understanding suicidal ideation in psychosis: findings from the Psychological Prevention of Relapse in Psychosis (PRP) trial. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 177-186.	4.5	127
273	Identifying potential predictors of traumatic reactions to psychotic episodes. <i>British Journal of Clinical Psychology</i> , 2006, 45, 545-559.	3.5	32
274	Content and affect in persecutory delusions. <i>British Journal of Clinical Psychology</i> , 2006, 45, 561-577.	3.5	48
275	Delusions in the nonclinical population. <i>Current Psychiatry Reports</i> , 2006, 8, 191-204.	4.5	127
276	Helping patients with paranoid and suspicious thoughts: a cognitive—behavioural approach. <i>Advances in Psychiatric Treatment</i> , 2006, 12, 404-415.	0.5	33
277	Influence of carer expressed emotion and affect on relapse in non-affective psychosis. <i>British Journal of Psychiatry</i> , 2006, 188, 173-179.	2.8	89
278	Emotional dysfunction in schizophrenia spectrum psychosis: the role of illness perceptions. <i>Psychological Medicine</i> , 2006, 36, 761-770.	4.5	95
279	Cognitive, Emotional, and Social Processes in Psychosis: Refining Cognitive Behavioral Therapy for Persistent Positive Symptoms. <i>Schizophrenia Bulletin</i> , 2006, 32, S24-S31.	4.3	122
280	The Brief Core Schema Scales (BCSS): psychometric properties and associations with paranoia and grandiosity in non-clinical and psychosis samples. <i>Psychological Medicine</i> , 2006, 36, 749-759.	4.5	340
281	Delusions. , 2006, , 205-213.		0
282	The Psychology of Persecutory Ideation I. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 302-308.	1.0	64
283	Grandiose Delusions. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 480-487.	1.0	38
284	The Psychology of Persecutory Ideation II. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 309-315.	1.0	115
285	Trauma and Hallucinatory Experience in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 501-507.	1.0	186
286	The prediction of hallucinatory predisposition in non-clinical individuals: Examining the contribution of emotion and reasoning. <i>British Journal of Clinical Psychology</i> , 2005, 44, 127-132.	3.5	67
287	Developing a theoretical understanding of therapy techniques: An illustrative analogue study. <i>British Journal of Clinical Psychology</i> , 2005, 44, 241-254.	3.5	12
288	Psychological investigation of the structure of paranoia in a non-clinical population. <i>British Journal of Psychiatry</i> , 2005, 186, 427-435.	2.8	579

#	ARTICLE	IF	CITATIONS
289	Reasoning, Emotions, and Delusional Conviction in Psychosis.. Journal of Abnormal Psychology, 2005, 114, 373-384.	1.9	379
290	Why Do People With Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation.. Journal of Consulting and Clinical Psychology, 2004, 72, 671-680.	2.0	183
291	CBT for psychosis. British Journal of Psychiatry, 2004, 185, 438-438.	2.8	1
292	Connecting neurosis and psychosis: the direct influence of emotion on delusions and hallucinations. Behaviour Research and Therapy, 2003, 41, 923-947.	3.1	375
293	Can Virtual Reality be Used to Investigate Persecutory Ideation?. Journal of Nervous and Mental Disease, 2003, 191, 509-514.	1.0	102
294	A cognitive model of persecutory delusions. British Journal of Clinical Psychology, 2002, 41, 331-347.	3.5	669
295	Persecutory delusions: developing the understanding of belief maintenance and emotional distress. Psychological Medicine, 2001, 31, 1293-1306.	4.5	259
296	A cognitive model of the positive symptoms of psychosis. Psychological Medicine, 2001, 31, 189-195.	4.5	1,240
297	Comments on the content of persecutory delusions: Does the definition need clarification?. British Journal of Clinical Psychology, 2000, 39, 407-414.	3.5	257
298	An Examination of Hypervigilance for External Threat in Individuals with Generalized Anxiety Disorder and Individuals with Persecutory Delusions Using Visual Scan Paths. Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology, 2000, 53, 549-567.	2.3	54
299	WORRY, WORRY PROCESSES AND DIMENSIONS OF DELUSIONS: AN EXPLORATORY INVESTIGATION OF A ROLE FOR ANXIETY PROCESSES IN THE MAINTENANCE OF DELUSIONAL DISTRESS. Behavioural and Cognitive Psychotherapy, 1999, 27, 47-62.	1.2	173
300	Cognitive approaches to delusions: A critical review of theories and evidence. British Journal of Clinical Psychology, 1999, 38, 113-154.	3.5	652
301	The London-East Anglia randomized controlled trial of cognitive-behaviour therapy for psychosis IV: Self-esteem and persecutory delusions. British Journal of Clinical Psychology, 1998, 37, 415-430.	3.5	152
302	London-East Anglia randomised controlled trial of cognitive-behavioural therapy for psychosis. British Journal of Psychiatry, 1998, 173, 61-68.	2.8	198
303	Londonâ€œEast Anglia randomised controlled trial of cognitiveâ€œbehavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 420-426.	2.8	253
304	Londonâ€œEast Anglia randomised controlled trial of cognitiveâ€œbehavioural therapy for psychosis. British Journal of Psychiatry, 1997, 171, 319-327.	2.8	387
305	Paranoia. , 0, , .		68
306	The Disease Influenced Vaccine Acceptance Scale-Six (DIVAS-6): Validation of a Measure to Assess Disease-Related COVID-19 Vaccine Attitudes and Concerns. Behavioral Medicine, 0, , 1-10.	1.9	5