

Masahiko Maekawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3614838/publications.pdf>

Version: 2024-02-01

79
papers

2,189
citations

201674

27
h-index

243625

44
g-index

80
all docs

80
docs citations

80
times ranked

1999
citing authors

#	ARTICLE	IF	CITATIONS
1	Syntheses and structural characterizations of mononuclear Ir(III) hydride complexes with 2,2,6,6-tetrakis(2-terpyridine) in the λ^2N,N' and λ^3N,N',N'' coordination modes. <i>Inorganica Chimica Acta</i> , 2021, 514, 119962.	3.3	3
2	Structurally diverse dinuclear Cu(I) complexes and 1D helical Cu(I) coordination polymers bridged by 2,2,6,6-tetrakis(4-terpyridine). <i>Inorganica Chimica Acta</i> , 2021, 528, 120628.	2.4	2
3	Dinuclear cobalt complexes with a redox active biphenyl bridging ligand [Co ₂ (BP)(tqa) ₂](PF ₆) ₂ (H ₄ BP =) Tj ETQq1 1 0.784314 rgBT ₃ /Overlo	3.9	8
4	Spectroscopic characterization of valence tautomeric behavior in a cobalt-dioxolene complex using an ancillary ligand containing quinoline groups. <i>Inorganic Chemistry Communication</i> , 2020, 114, 107826.	1.4	0
5	Intermolecular Carbon-Carbon Bond Formation Followed by Intramolecular Cyclization of Electrochemically Generated Magnesium Anthracenes and Esters in the Presence of Chlorotrimethylsilane. <i>Electrochemistry</i> , 2020, 88, 314-320.	2.4	3
6	Self-assembly of Cu(I) metallomacrocyclic and coordination polymers with 2,2,5,5-tetrakis(4-terpyridine) directed by anions and solvents. <i>Inorganica Chimica Acta</i> , 2019, 497, 119088.	2.2	6
7	Syntheses, structure and properties of dinuclear Co complexes with bis(catecholate) ligands - Effect of a quinoline ring in the terminal group. <i>Polyhedron</i> , 2019, 171, 480-485.	2.8	12
8	A new semiconducting 1D Cu(I)-Cu(II) mixed-valence coordination polymer with Cu(II) dimethylpiperidine-dithiocarbamate and a tetranuclear Cu(I)-Br cluster unit. <i>New Journal of Chemistry</i> , 2018, 42, 3995-3998.	4.0	21
9	Crystal Structure and Band-Gap Engineering of a Semiconducting Coordination Polymer Consisting of Copper(I) Bromide and a Bridging Acceptor Ligand. <i>Inorganic Chemistry</i> , 2018, 57, 2373-2376.	3.9	6
10	A new semiconducting coordination polymer consisting of copper(I)-iodide and 3-pyridinecarboxaldehyde. <i>Inorganic Chemistry Communication</i> , 2018, 88, 34-37.	0.5	2
11	Crystal structure of a new mixed-metal coordination polymer consisting of Ni(II) piperidine-dithiocarbamate and pentanuclear Cu(I) cluster units. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 233-236.	2.4	5
12	Structural diversity of copper(I) cyclodienes complexes bridged by 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine. <i>Inorganica Chimica Acta</i> , 2017, 467, 204-211.	2.0	8
13	Heterometallic Ag(I)-Ir(III) Hydride Coordination Polymers Bridged by Ir(III) Metalloligands. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 78-91.	1.5	2
14	Structurally Diverse Polynuclear Copper(I) Complexes Bridged by Pyrimidine-, Pyrazine-, and Triazine-based Ligands with Several -Pyridyl Groups. <i>ChemistrySelect</i> , 2016, 1, 3812-3822.	2.2	8
15	Synthesis, Crystal Structure, and Electroconducting Properties of a 1D Mixed-Valence Cu(I)-Cu(II) Coordination Polymer with a Dicyclohexyl Dithiocarbamate Ligand. <i>Crystals</i> , 2015, 5, 215-225.	2.4	11
16	Dinuclear and polymeric copper(I) ethylene adducts bridged by bis-pyridyl derivatives of 1,2,4-triazole and 1,2,4,5-tetrazine. <i>Inorganica Chimica Acta</i> , 2015, 426, 64-70.	2.4	18
17	Preparations and structural diversity of copper(I) ethylene adducts with related 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine ligands. <i>Inorganica Chimica Acta</i> , 2014, 410, 46-53.	2.4	7
18	The first copper(I) coordination polymers self-assembled by 4,4'-biquinazoline. <i>Inorganica Chimica Acta</i> , 2014, 414, 257-263.		

#	ARTICLE	IF	CITATIONS
19	Crystal structure and carrier transport properties of a new semiconducting 2D coordination polymer with a 3,5-dimethylpiperidine dithiocarbamate ligand. <i>Chemical Communications</i> , 2013, 49, 4316-4318.	4.1	65
20	Structural diversity among copper(i) ethylene adducts of 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine. <i>Dalton Transactions</i> , 2013, 42, 4258.	3.3	25
21	Halido-Bridged 1D Mixed-Valence CuI-CuII Coordination Polymers Bearing a Piperidine-1-carbodithioato Ligand: Crystal Structure, Magnetic and Conductive Properties, and Application in Dye-Sensitized Solar Cells. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3384-3391.	2.0	13
22	Dye-sensitized Solar Cells with New One-Dimensional Halide-Bridged Cu(I)-Ni(II) Heterometal Coordination Polymers Containing Hexamethylene Dithiocarbamate Ligand. <i>Polymers</i> , 2012, 4, 1613-1626.	4.5	18
23	Structural controls of 2D sheet copper(i) ethylene and carbonyl coordination polymers directed by anions and solvents. <i>CrystEngComm</i> , 2012, 14, 5955.	2.6	12
24	Framework dimensionality of copper(i) coordination polymers of 4,4'-bipyrimidine controlled by anions and solvents. <i>CrystEngComm</i> , 2012, 14, 1345-1353.	2.6	25
25	Syntheses, crystal structures, spectroscopic characterization and unusual thermal robustness of mono- and di-nuclear Iridium(III) hydride complexes of 2,2'-bipyrimidine. <i>Polyhedron</i> , 2012, 40, 145-152.	2.2	4
26	Crystal structure and carrier transport properties of a new 3D mixed-valence Cu(I)-Cu(II) coordination polymer including pyrrolidine dithiocarbamate ligand. <i>Dalton Transactions</i> , 2011, 40, 2218-2224.	3.3	34
27	Synthesis and Conducting Properties of a New Mixed-valence Cu(I)-Cu(II) 1-D Coordination Polymer Bridged by Morpholine Dithiocarbamate. <i>Chemistry Letters</i> , 2011, 40, 1184-1186.	1.3	17
28	Novel 1D Cu(I) coordination polymers formed by the combination of Cu(I) halides and 4-(2-pyridyl)pyrimidine. <i>Polyhedron</i> , 2010, 29, 2807-2813.	2.2	6
29	Magnetic and Conducting Properties of New Halide-Bridged Mixed-Valence Cu(I)-Cu(II) 1D Coordination Polymers Including a Hexamethylene Dithiocarbamate Ligand. <i>Inorganic Chemistry</i> , 2010, 49, 3700-3702.	4.0	67
30	Novel Cu(I) Ethylene Complexes with 6,6'-Diphenyl-4,4'-bipyrimidine Three-Dimensionally Self-Assembled by an Intermolecular π - π Stacking Interaction and a C-H...N Contact. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 4225-4231.	2.0	15
31	A unique chair-shaped hexanuclear Cu(I) metallamacrocyclic C ₂ H ₄ adduct encapsulating a BF ₄ ⁻ anion. <i>Dalton Transactions</i> , 2009, , 415-417.	3.3	29
32	Bowl-shaped Cu(i) metallamacrocyclic ethylene and carbonyl adducts as structural analogues of organic calixarenes. <i>Chemical Communications</i> , 2007, , 5179.	4.1	43
33	Sandwich-shaped silver(i) metallomacrocycles encapsulating a XF ₆ ²⁻ (X = Si, Ge and Sn) anion. <i>Chemical Communications</i> , 2006, , 2161.	4.1	26
34	Syntheses and structural characterization of mononuclear Rh(Cp*) and Ir(Cp*) complexes with 1,6-phenanthrene, 1,6-pyrene and 1,6-triphenylene. <i>Inorganica Chimica Acta</i> , 2006, 359, 168-182.	2.4	7
35	3D coordination polymers of [2.2]paracyclophane and in situ silver(I) perfluoro-dicarboxylates: effects of the dicarboxylate spacers and conformations on the formation of complexes. <i>Inorganica Chimica Acta</i> , 2005, 358, 919-926.	2.4	21
36	Synthesis and structural characterization of dinuclear iridium hydrido complex with 3,6-bis(2-pyridyl)tetrazine, [Ir ₂ (H) ₄ (PPh ₃) ₄ (bptz)](PF ₆) ₂ ·4CH ₂ Cl ₂ . <i>Inorganica Chimica Acta</i> , 2005, 358, 1317-1321.	2.4	22

#	ARTICLE	IF	CITATIONS
37	First crystallographic determination of dichloro-bridged dinuclear rhodium Cp* complex with neutral Me ₂ CO molecules. [Rh ₂ (Cp*) ₂ (μ ₂ -Cl) ₂ (Me ₂ CO) ₂](BF ₄) ₂ (Cp* = η ⁵ -C ₅ Me ₅). <i>Inorganica Chimica Acta</i> , 2005, 358, 1313-1316.	2.4	2
38	Silver(I) Compounds Consisting of [2.2]Paracyclophane: A Reversible Guest-Driven Solid-State Transformation and Incorporation Behavior. <i>Inorganic Chemistry</i> , 2005, 44, 1686-1692.	4.0	21
39	Syntheses and structural characterizations of novel mono- and dinuclear iridium hydrido complexes with polydentate nitrogen donor ligands. <i>Inorganica Chimica Acta</i> , 2004, 357, 3456-3472.	2.4	36
40	Syntheses and crystal structures of the first iridium complexes with m- and p-terphenyl (tp). {[Ir ₂ (p-tp)(cod) ₂](BF ₄) ₂ ·2CH ₂ Cl ₂] ₃ and [Ir(m-tp)(η ⁵ -C ₅ Me ₅)](BF ₄) ₂ . <i>Inorganica Chimica Acta</i> , 2004, 357, 331-338.	2.4	8
41	Syntheses, Structures, and Properties of Intercalation Compounds of Silver(I) Complex with [2.2]Paracyclophane. <i>Inorganic Chemistry</i> , 2004, 43, 633-641.	4.0	27
42	Crystal Structure of Tetrafluoroborate with a Unique Trigonal-bipyramidal Ir ₂ Cl ₃ Core, [Ir ₂ (Cp*) ₂ (μ ₂ -Cl) ₃](BF ₄) ₂ (Cp* = η ⁵ -C ₅ Me ₅). <i>Inorganic Chemistry</i> , 2004, 43, 642-647.	4.0	10
43	Syntheses and structural characterization of [2.2]paracyclophane complexes of rhodium and iridium supported by diene ligands. <i>Inorganica Chimica Acta</i> , 2003, 344, 143-157.	2.4	14
44	Syntheses and Structures of Photochromic Silver(I) Coordination Polymers with cis-1,2-Dicyano-1,2-bis(2,4,5-trimethyl-3-thienyl)ethene. <i>Inorganic Chemistry</i> , 2003, 42, 1928-1934.	4.0	60
45	Solvent-Dependent Formation of Di- and Trinuclear Rhodium and Iridium Complexes Bridged by N,N'-Donor Ligands. <i>Bulletin of the Chemical Society of Japan</i> , 2002, 75, 267-275.	3.2	29
46	Preparation, crystal structures and spectroscopic properties of vanadium(III) complexes with [V(μ ² -O) ₂] ₄ cores. <i>Dalton Transactions RSC</i> , 2002, , 2390.	2.3	21
47	Syntheses and crystal structures of mononuclear rhodium hydrido complexes from the reactions of [Rh(H) ₂ (PPh ₃) ₂ (EtOH) ₂](ClO ₄) with various nitrogen ligands. <i>Polyhedron</i> , 2002, 21, 1613-1620.	2.2	12
48	Syntheses and crystal structures of mononuclear [2.2]paracyclophane complexes of rhodium and iridium supported by the pentamethylcyclopentadienyl ligand [M(η ⁵ -C ₅ Me ₅)](BF ₄) ₂ (M = Rh and Ir). <i>Inorganica Chimica Acta</i> , 2002, 328, 254-258.	2.4	14
49	A Double-Decker Silver(I) Coordination Polymer of 1-Methylpyrene with Columnar Aromatic Stacks. Effect of Substituting Groups on Structure of Silver(I) Complexes with Polycyclic Aromatic Hydrocarbons. <i>Inorganic Chemistry</i> , 2001, 40, 7087-7090.	4.0	14
50	Spiral, Herringbone, and Triple-Decker Silver(I) Complexes of Benzopyrene Derivatives Assembled through μ ₂ -Coordination. <i>Inorganic Chemistry</i> , 2001, 40, 3191-3199.	4.0	35
51	Crystal Structure of η ⁵ -1-Pentamethylcyclopentadienyl-η ⁶ -1-toluene Rhodium Tetrafluoroborate, [Rh(Cp*)(η ⁶ -C ₆ H ₅ Me)](BF ₄) ₂ (Cp* = η ⁵ -C ₅ Me ₅). <i>Analytical Sciences</i> , 2001, 17, 1361-1362.	1.6	8
52	Syntheses and Crystal Structures of Novel Di- and Trinuclear Rhodium Complexes Bridged by Pyrazine. <i>Chemistry Letters</i> , 2001, 30, 168-169.	1.3	13
53	2-D Interwoven and 3-D 5-fold Interpenetrating Silver(I) Complexes of 1-(Isocyanidomethyl)-1H-benzotriazole and 1,3-Bis(dicyanomethylidene)indan. <i>Inorganic Chemistry</i> , 2000, 39, 4273-4279.	4.0	74
54	A New Method to Synthesize Unsymmetrical Dithiolene Metal Complexes of 1,3-Dithiole-2-thione-4,5-dithiolate for Third-Order Nonlinear Optical Applications. <i>Journal of the American Chemical Society</i> , 2000, 122, 11007-11008.	13.7	81

#	ARTICLE	IF	CITATIONS
55	Synthesis and crystal structure of tetranuclear copper(I) and silver(I) complexes bridged by 2-amino-1,3,4-thiadiazole (atdz): [Cu ₄ (atdz) ₆](ClO ₄) ₄ ·2CH ₃ OH and [Ag ₄ (atdz) ₆](ClO ₄) ₄ . <i>Inorganica Chimica Acta</i> , 1999, 290, 153-158.	2.4	23
56	Syntheses, crystal structures and autoreduction behavior of antiferromagnetically coupled dicopper(II) oximato complexes. <i>Inorganica Chimica Acta</i> , 1999, 293, 20-29.	2.4	45
57	Construction of Metal Sandwich Systems Derived from Assembly of Silver(I) Complexes with Polycyclic Aromatic Compounds. <i>Journal of the American Chemical Society</i> , 1999, 121, 4968-4976.	13.7	154
58	Mobility of Silver(I) Ions around the Propeller Ligand, Hexaphenylbenzene (HPB), in Silver(I) π -Complexes. <i>Inorganic Chemistry</i> , 1999, 38, 5668-5673.	4.0	32
59	Cationic Tetrasilver Complex of Hexaphenylbenzene. <i>Inorganic Chemistry</i> , 1999, 38, 1376-1377.	4.0	18
60	Synthesis and crystal structure of dinuclear palladium(II) dppm complex with 4-mercaptopyridine in the thione mode. [Pd ₂ ($\frac{1}{4}$ -dppm) ₂ (HpyS) ₂](ClO ₄) ₂ ·CH ₃ OH. <i>Inorganica Chimica Acta</i> , 1998, 281, 116-119.	2.4	10
61	Synthesis and crystal structure of two ternary dicopper(I) complexes having the unsymmetrical coordination arrangement bridged by 1,8-naphthyridine (napy). [Cu ₂ (napy) ₂ (Me ₂ CO)](PF ₆) ₂ ·2Me ₂ CO and [Cu ₂ (napy) ₂ (dppm)(CH ₃ CN)](PF ₆) ₂ . <i>Inorganica Chimica Acta</i> , 1998, 271, 129-136.	2.4	31
62	Crystal Structure of Bis(diphenylphosphino)methane Dipalladium(II) Nitrate Complex, (Pd ₂ (.MU.-dppm) ₂ (NO ₃) ₂) ₂ . <i>Analytical Sciences</i> , 1998, 14, 447-449.	1.6	5
63	Crystal Structure of Tetranuclear Palladium Complex Bridged by Bis(diphenylphosphino)methane, (Pd ₄ (.MU.-dppm) ₄ (.MU.-Cl) ₂)(ClO ₄) ₂ bpe. <i>Analytical Sciences</i> , 1998, 14, 451-453.	1.6	9
64	Double Hydrogen Bond- and π -Stacking-Assembled Two-Dimensional Copper(I) Complex of 2-Hydroxyquinoxaline. <i>Inorganic Chemistry</i> , 1997, 36, 2688-2690.	4.0	77
65	Structure and ¹ H NMR study of copper(I) complex with ethylene and tetramethylethylenediamine. <i>Polyhedron</i> , 1997, 16, 67-70.	2.2	40
66	Reversible Photochromism of a Crystalline Dithienylethene Copper(I) Polymer. <i>Journal of the American Chemical Society</i> , 1996, 118, 3305-3306.	13.7	72
67	Syntheses, Characterization and X-Ray Crystal Structures of Tetrakis(Ethylthio)Tetrathiafulvalenium Hexachlorodicopper(II) and Hexabromodicopper(II). <i>Molecular Crystals and Liquid Crystals</i> , 1996, 285, 75-82.	0.3	9
68	TTC1TTF π -Cation Coordinated to Copper(I): Crystal Structure and Properties of [(TTC1TTF)CuBr ₂] ₂ . <i>Molecular Crystals and Liquid Crystals</i> , 1996, 285, 69-74.	0.3	4
69	SYNTHESIS AND STRUCTURE OF A THREE-DIMENSIONAL LANTHANUM(III) COORDINATION POLYMER WITH MELLITATE, {La ₂ [C ₆ (COO) ₆](H ₂ O) ₉ } · 2H ₂ O. <i>Journal of Coordination Chemistry</i> , 1996, 37, 361-369.	2.2	37
70	A Molecular Cavity for Tetrahedral and Y-Shaped Anions. Synthetic and Structural Studies of Macrocyclic Dicopper(I) and Disilver(I) Compounds of 1,6-Bis(diphenylphosphino)hexane. <i>Inorganic Chemistry</i> , 1995, 34, 1455-1465.	4.0	99
71	Syntheses, structures and properties of copper(I) co-ordination polymers with bridging phenazine: construction of one- and two-dimensional structures with π -stacking of phenazine. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 2201-2208.	1.1	58
72	Co-ordinative versatility of 3,5-bis(2-pyridyl)pyrazole in silver and copper compounds. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 4099.	1.1	49

#	ARTICLE	IF	CITATIONS
73	Synthesis and structure of di- and tetra-copper(I) complexes bridged by pyridazine. Journal of the Chemical Society Dalton Transactions, 1994, , 603.	1.1	21
74	Architecture of 2D Sheets with Six-Membered Rings of Coppers Interconnected by 2,1,3-Benzothiadiazoles and a Layered Structure Composed of the 2D Sheets. Inorganic Chemistry, 1994, 33, 1284-1291.	4.0	96
75	Synthesis, structures, and properties of the molecular assemblies of copper(I) and silver(I) complexes with phenazine. Novel donor-acceptor and huge polynuclear complexes. Inorganic Chemistry, 1993, 32, 826-832.	4.0	71
76	Synthesis, formation constants and structures of ternary copper(I) complexes with 1,10-phenanthroline and alkynes. Journal of the Chemical Society Dalton Transactions, 1992, , 2225.	1.1	30
77	Synthesis and X-Ray Crystal Structure of the Dicopper(I) Complex of 2-(Diphenylphosphino)pyridine (Ph ₂ Ppy). [Cu ₂ (1¼-Ph ₂ Ppy) ₂ (CH ₃ CN) ₂](PF ₆) ₂ . Bulletin of the Chemical Society of Japan, 1991, 64, 2286-2288.	3.2	21
78	Synthesis, properties and crystal structures of dicopper(I) and disilver(I) complexes with 1,8-naphthyridine (napy): [Cu ₂ (napy) ₂](ClO ₄) ₂ and [Ag ₂ (napy) ₂](ClO ₄) ₂ . Inorganica Chimica Acta, 1990, 167, 181-188.	2.4	80
79	Synthesis and structures of (2,9-dimethyl-1,10-phenanthroline)(acetonitrile)copper(I) perchlorate and hexafluorophosphate. A correlation between bond angles and bond distances in T- and Y-shaped three-coordinate copper(I) complexes. Inorganic Chemistry, 1989, 28, 4300-4302.	4.0	51