

Jens Schlossmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3616920/publications.pdf>

Version: 2024-02-01

79
papers

3,704
citations

126907

33
h-index

128289

60
g-index

80
all docs

80
docs citations

80
times ranked

3573
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of intracellular calcium by a signalling complex of IRAG, IP3 receptor and cGMP kinase β 2. <i>Nature</i> , 2000, 404, 197-201.	27.8	438
2	Function of cGMP-Dependent Protein Kinases as Revealed by Gene Deletion. <i>Physiological Reviews</i> , 2006, 86, 1-23.	28.8	384
3	Mapping of the protein import machinery in the mitochondrial outer membrane by crosslinking of translocation intermediates. <i>Nature</i> , 1992, 355, 84-87.	27.8	196
4	Signaling through NO and cGMP-dependent protein kinases. <i>Annals of Medicine</i> , 2003, 35, 21-27.	3.8	156
5	IRAG mediates NO/cGMP-dependent inhibition of platelet aggregation and thrombus formation. <i>Blood</i> , 2007, 109, 552-559.	1.4	139
6	IRAG is essential for relaxation of receptor-triggered smooth muscle contraction by cGMP kinase. <i>EMBO Journal</i> , 2004, 23, 4222-4231.	7.8	130
7	Molecular Determinants of the Interaction between the Inositol 1,4,5-Trisphosphate Receptor-associated cGMP Kinase Substrate (IRAG) and cGMP Kinase β 2. <i>Journal of Biological Chemistry</i> , 2001, 276, 24153-24159.	3.4	124
8	Protein Phosphatase 2A Is Essential for the Activation of Ca ²⁺ -activated K ⁺ Currents by cGMP-dependent Protein Kinase in Tracheal Smooth Muscle and Chinese Hamster Ovary Cells. <i>Journal of Biological Chemistry</i> , 1996, 271, 19760-19767.	3.4	120
9	Functional Reconstitution of Vascular Smooth Muscle Cells With cGMP-Dependent Protein Kinase I Isoforms. <i>Circulation Research</i> , 2002, 90, 1080-1086.	4.5	115
10	Distribution of IRAG and cGKI-isoforms in murine tissues. <i>FEBS Letters</i> , 2004, 575, 19-22.	2.8	98
11	Rescue of cGMP Kinase I Knockout Mice by Smooth Muscle-specific Expression of Either Isozyme. <i>Circulation Research</i> , 2007, 101, 1096-1103.	4.5	98
12	cGMP Produced by NO-Sensitive Guanylyl Cyclase Essentially Contributes to Inflammatory and Neuropathic Pain by Using Targets Different from cGMP-Dependent Protein Kinase I. <i>Journal of Neuroscience</i> , 2008, 28, 8568-8576.	3.6	94
13	Renal effects of soluble guanylate cyclase stimulators and activators: A review of the preclinical evidence. <i>Current Opinion in Pharmacology</i> , 2015, 21, 95-104.	3.5	93
14	Tom71, a Novel Homologue of the Mitochondrial Preprotein Receptor Tom70. <i>Journal of Biological Chemistry</i> , 1996, 271, 17890-17895.	3.4	82
15	cGMP-Prkg1 signaling and Pde5 inhibition shelter cochlear hair cells and hearing function. <i>Nature Medicine</i> , 2012, 18, 252-259.	30.7	82
16	Presynaptically Localized Cyclic GMP-Dependent Protein Kinase 1 Is a Key Determinant of Spinal Synaptic Potentiation and Pain Hypersensitivity. <i>PLoS Biology</i> , 2012, 10, e1001283.	5.6	82
17	cGMP-dependent protein kinases in drug discovery. <i>Drug Discovery Today</i> , 2005, 10, 627-634.	6.4	69
18	Distribution of cGMP-dependent protein kinase type I and its isoforms in the mouse brain and retina. <i>Neuroscience</i> , 2005, 135, 863-868.	2.3	69

#	ARTICLE	IF	CITATIONS
19	Roles of cGMP-dependent protein kinase I (cGKI) and PDE5 in the regulation of Ang II-induced cardiac hypertrophy and fibrosis. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 12925-12929.	7.1	62
20	IRAG determines nitric oxide- and atrial natriuretic peptide-mediated smooth muscle relaxation. Cardiovascular Research, 2010, 86, 496-505.	3.8	60
21	Insights into cGMP signalling derived from cGMP kinase knockout mice. Frontiers in Bioscience - Landmark, 2005, 10, 1279.	3.0	59
22	Cytidylyl and Uridylyl Cyclase Activity of <i>Bacillus anthracis</i> Edema Factor and <i>Bordetella pertussis</i> CyaA. Biochemistry, 2010, 49, 5494-5503.	2.5	59
23	Association of phospholamban with a cGMP kinase signaling complex. Biochemical and Biophysical Research Communications, 2003, 300, 155-160.	2.1	54
24	Cyclic Nucleotide Signalling in Kidney Fibrosis. International Journal of Molecular Sciences, 2015, 16, 2320-2351.	4.1	45
25	IRAG and novel PKG targeting in the cardiovascular system. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 301, H672-H682.	3.2	43
26	InsP3R-associated cGMP Kinase Substrate (IRAG) Is Essential for Nitric Oxide-induced Inhibition of Calcium Signaling in Human Colonic Smooth Muscle. Journal of Biological Chemistry, 2004, 279, 12551-12559.	3.4	42
27	Relaxin and extracellular matrix remodeling: Mechanisms and signaling pathways. Molecular and Cellular Endocrinology, 2019, 487, 59-65.	3.2	42
28	cGK Substrates. Handbook of Experimental Pharmacology, 2009, , 163-193.	1.8	41
29	Regulation of stably expressed and native BK channels from human myometrium by cGMP- and cAMP-dependent protein kinase. Pflugers Archiv European Journal of Physiology, 1998, 436, 725-734.	2.8	40
30	Reduced rather than enhanced cholinergic airway constriction in mice with ablation of the large conductance Ca ²⁺ -activated K ⁺ channel. FASEB Journal, 2007, 21, 812-822.	0.5	40
31	Cyclic cytidine 3',5'-monophosphate (cCMP) signals via cGMP kinase I. FEBS Letters, 2010, 584, 3979-3984.	2.8	40
32	Atrial Natriuretic Peptide-Mediated Inhibition of Microcirculatory Endothelial Ca ²⁺ and Permeability Response to Histamine Involves cGMP-Dependent Protein Kinase I and TRPC6 Channels. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 2121-2129.	2.4	39
33	Assembly of the Preprotein Receptor MOM72/MAS70 into the Protein Import Complex of the Outer Membrane of Mitochondria. Journal of Biological Chemistry, 1995, 270, 27116-27121.	3.4	38
34	cGMP becomes a drug target. Naunyn-Schmiedeberg's Archives of Pharmacology, 2012, 385, 243-252.	3.0	33
35	IL-3 contributes to development of lupus nephritis in MRL/lpr mice. Kidney International, 2015, 88, 1088-1098.	5.2	33
36	cGMP-Dependent Protein Kinase Inhibitors in Health and Disease. Pharmaceuticals, 2013, 6, 269-286.	3.8	29

#	ARTICLE	IF	CITATIONS
37	The cyclic GMP-dependent protein kinase $\hat{I}\pm$ suppresses kidney fibrosis. <i>Kidney International</i> , 2013, 84, 1198-1206.	5.2	28
38	Impact of Experimental Variables on the Protein Binding of Tigecycline in Human Plasma as Determined by Ultrafiltration. <i>Journal of Pharmaceutical Sciences</i> , 2018, 107, 739-744.	3.3	28
39	Signaling via IRAG is essential for NO/cGMP-dependent inhibition of platelet activation. <i>Platelets</i> , 2011, 22, 217-227.	2.3	27
40	Inhibition of the $\langle \text{TGF} \rangle \hat{I}^2$ signalling pathway by $\langle \text{cGMP} \rangle$ and $\langle \text{cGMP} \rangle$ -dependent kinase I in renal fibrosis. <i>FEBS Open Bio</i> , 2017, 7, 550-561.	2.3	27
41	Antimicrobial and Hemolytic Studies of a Series of Polycations Bearing Quaternary Ammonium Moieties: Structural and Topological Effects. <i>International Journal of Molecular Sciences</i> , 2017, 18, 303.	4.1	19
42	Determination of total and free ceftolozane and tazobactam in human plasma and interstitial fluid by HPLC-UV. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 163, 34-38.	2.8	19
43	Calcium-dependent and calcium-independent inhibition of contraction by cGMP/cGKI in intestinal smooth muscle. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, G834-G839.	3.4	17
44	Neutrophil Dysfunction in Guanosine 3',5'-Cyclic Monophosphate-Dependent Protein Kinase I-Deficient Mice. <i>Journal of Immunology</i> , 2005, 175, 1919-1929.	0.8	16
45	Involvement of Cyclic Guanosine Monophosphate-Dependent Protein Kinase I in Renal Antifibrotic Effects of Serelaxin. <i>Frontiers in Pharmacology</i> , 2016, 7, 195.	3.5	14
46	Targeted Delivery of Soluble Guanylate Cyclase (sGC) Activator Cinaciguat to Renal Mesangial Cells via Virus-Mimetic Nanoparticles Potentiates Anti-Fibrotic Effects by cGMP-Mediated Suppression of the TGF- \hat{I}^2 Pathway. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2557.	4.1	13
47	Activation of soluble guanylyl cyclase signalling with cinaciguat improves impaired kidney function in diabetic mice. <i>British Journal of Pharmacology</i> , 2022, 179, 2460-2475.	5.4	12
48	Iron deficiency anemia in cyclic GMP kinase knockout mice. <i>Haematologica</i> , 2016, 101, e48-e51.	3.5	11
49	Protein Kinase G Is Involved in Acute but Not in Long-Term Regulation of Renin Secretion. <i>Frontiers in Pharmacology</i> , 2019, 10, 800.	3.5	11
50	Truncated IRAG variants modulate cGMP-mediated inhibition of human colonic smooth muscle cell contraction. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 301, C1445-C1457.	4.6	10
51	Regulation of the $\text{Na}^+ \text{K}^+ \text{2Cl}^-$ cotransporter by $\langle \text{cGMP} \rangle / \langle \text{cGMP} \rangle$ -dependent protein kinase I after furosemide administration. <i>FEBS Journal</i> , 2015, 282, 3786-3798.	4.7	10
52	Interaction of cGMP with the cGK, cAK and MAPK Kinases in Murine Tissues. <i>PLoS ONE</i> , 2015, 10, e0126057.	2.5	9
53	IRAG2 Interacts with IP3-Receptor Types 1, 2, and 3 and Regulates Intracellular Ca^{2+} in Murine Pancreatic Acinar Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13409.	4.1	9
54	Function of cGMP-dependent protein kinase II in volume load-induced diuresis. <i>Pflugers Archiv European Journal of Physiology</i> , 2014, 466, 2009-2018.	2.8	8

#	ARTICLE	IF	CITATIONS
55	IRAG1 Deficient Mice Develop PKG1 ^{Î²} Dependent Pulmonary Hypertension. <i>Cells</i> , 2020, 9, 2280.	4.1	7
56	Differences in the renal antifibrotic cGMP/cGKI-dependent signaling of serelaxin, zaprinast, and their combination. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 939-948.	3.0	5
57	Two isoforms of cyclic GMP-dependent kinase-I exhibit distinct expression patterns in the adult mouse dorsal root ganglion. <i>Molecular Pain</i> , 2018, 14, 174480691879640.	2.1	5
58	Real-Time Imaging Reveals Augmentation of Glutamate-Induced Ca ²⁺ Transients by the NO-cGMP Pathway in Cerebellar Granule Neurons. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2185.	4.1	4
59	Establishing a Split Luciferase Assay for Protein Kinase G (PKG) Interaction Studies. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1180.	4.1	4
60	Loss of PKG1 ^{Î²} /IRAG1 Signaling Causes Anemia-Associated Splenomegaly. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5458.	4.1	4
61	Kinetics of relaxation by cGMP/cGKI signaling in fundus smooth muscle. <i>European Journal of Pharmacology</i> , 2011, 670, 266-271.	3.5	3
62	Asymmetric dimethylarginine in psychiatric disorders. <i>Psychiatry Research</i> , 2021, 300, 113901.	3.3	3
63	Methods for Identification of cGKI Substrates. <i>Methods in Molecular Biology</i> , 2013, 1020, 147-162.	0.9	2
64	Identification of cCMP and cUMP Substrate Proteins and Cross Talk Between cNMPs. <i>Handbook of Experimental Pharmacology</i> , 2015, 238, 149-167.	1.8	2
65	Homozygous mutation in murine retrovirus integration site 1 gene associated with a non-syndromic form of isolated familial achalasia. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13923.	3.0	2
66	Properties of a new calcium-permeable single channel from tracheal microsomes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999, 1417, 25-31.	2.6	1
67	IRAG is involved in NO/cGMP-mediated inhibition of platelet function. <i>BMC Pharmacology</i> , 2005, 5, P2.	0.4	1
68	The role of cGMP-cGKI-signaling for duodenal bicarbonate secretion. <i>BMC Pharmacology</i> , 2009, 9, .	0.4	1
69	Editorial of the Special Issue: Signaling Molecules and Signal Transduction in Cells. <i>International Journal of Molecular Sciences</i> , 2013, 14, 11438-11443.	4.1	1
70	An innovative, time- and cost-saving method for the quantification of asymmetric dimethylarginine in serum by high-performance liquid chromatography without evaporation. <i>Separation Science Plus</i> , 2020, 3, 571-577.	0.6	1
71	Phosphorylation of the cGMP kinase substrate IRAG in platelets. <i>BMC News and Views</i> , 2003, 3, .	0.0	1
72	Function of IRAG2 Is Modulated by NO/cGMP in Murine Platelets. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6695.	4.1	1

#	ARTICLE	IF	CITATIONS
73	IRAG is involved in cGMP/cGK-mediated relaxation of contractions induced by calcium entry. BMC Pharmacology, 2005, 5, P60.	0.4	0
74	Relaxation of vascular smooth muscle by the cGMP-kinase substrate IRAG. BMC Pharmacology, 2007, 7, .	0.4	0
75	Rescue of cGMP kinase I and the cause of premature death. BMC Pharmacology, 2009, 9, .	0.4	0
76	Identification of cCMP binding and activated proteins. BMC Pharmacology & Toxicology, 2013, 14, .	2.4	0
77	Interaction of cCMP with the cGK, cAK and MAPK kinases in murine tissues. BMC Pharmacology & Toxicology, 2015, 16, .	2.4	0
78	Gastrointestinal dysfunction mediated by an IRAG mutation in mice. BMC News and Views, 2003, 3, .	0.0	0
79	Editorial of the Special Issue: cGMP-Signaling in Cells and Tissues: Molecular, Functional and Pharmacological Aspects. International Journal of Molecular Sciences, 2022, 23, 6482.	4.1	0