

Carlos Jose Macedo Tavares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/362228/publications.pdf>

Version: 2024-02-01

96
papers

2,788
citations

172457

29
h-index

197818

49
g-index

100
all docs

100
docs citations

100
times ranked

3205
citing authors

#	ARTICLE	IF	CITATIONS
1	Nucleation of the Electroactive \hat{I}^3 Phase and Enhancement of the Optical Transparency in Low Filler Content Poly(vinylidene)/Clay Nanocomposites. <i>Journal of Physical Chemistry C</i> , 2011, 115, 18076-18082.	3.1	255
2	Use and misuse of the Kubelka-Munk function to obtain the band gap energy from diffuse reflectance measurements. <i>Solid State Communications</i> , 2022, 341, 114573.	1.9	177
3	Micro and nanofilms of poly(vinylidene fluoride) with controlled thickness, morphology and electroactive crystalline phase for sensor and actuator applications. <i>Smart Materials and Structures</i> , 2011, 20, 087002.	3.5	116
4	Hard nanocomposite $Ti\hat{I}Si\hat{I}N$ coatings prepared by DC reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 2000, 133-134, 234-239.	4.8	115
5	Iron-doped photocatalytic TiO_2 sputtered coatings on plastics for self-cleaning applications. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2007, 138, 144-150.	3.5	102
6	Photocatalytic and antimicrobial multifunctional nanocomposite membranes for emerging pollutants water treatment applications. <i>Chemosphere</i> , 2020, 250, 126299.	8.2	95
7	Structural, electrical, optical, and mechanical characterizations of decorative ZrO_xN_y thin films. <i>Journal of Applied Physics</i> , 2005, 98, 023715.	2.5	87
8	Reactive sputtering deposition of photocatalytic TiO_2 thin films on glass substrates. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2007, 138, 139-143.	3.5	73
9	Improving Photocatalytic Performance and Recyclability by Development of Er-Doped and Er/Pr-Codoped TiO_2 /Poly(vinylidene difluoride)- \hat{I} -Trifluoroethylene Composite Membranes. <i>Journal of Physical Chemistry C</i> , 2014, 118, 27944-27953.	3.1	73
10	A new route for the synthesis of highly-active N-doped TiO_2 nanoparticles for visible light photocatalysis using urea as nitrogen precursor. <i>Catalysis Today</i> , 2019, 326, 36-45.	4.4	73
11	Synthesis of iron-doped TiO_2 nanoparticles by ball-milling process: the influence of process parameters on the structural, optical, magnetic, and photocatalytic properties. <i>Journal of Materials Science</i> , 2014, 49, 7476-7488.	3.7	71
12	Microstructure, mechanical properties and cutting performance of superhard $(Ti,Si,Al)N$ nanocomposite films grown by d.c. reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 2004, 177-178, 459-468.	4.8	58
13	Solar selective absorbing coatings based on $AlSiN/AlSiON/AlSiO_y$ layers. <i>Applied Surface Science</i> , 2015, 356, 203-212.	6.1	53
14	PVD grown $(Ti,Si,Al)N$ nanocomposite coatings and $(Ti,Al)N/(Ti,Si)N$ multilayers: structural and mechanical properties. <i>Surface and Coatings Technology</i> , 2003, 172, 109-116.	4.8	52
15	Microencapsulation of Essential Oils: A Review. <i>Polymers</i> , 2022, 14, 1730.	4.5	50
16	PVD-Grown photocatalytic TiO_2 thin films on PVDF substrates for sensors and actuators applications. <i>Thin Solid Films</i> , 2008, 517, 1161-1166.	1.8	48
17	Dependence of Ga-doped ZnO thin film properties on different sputtering process parameters: Substrate temperature, sputtering pressure and bias voltage. <i>Thin Solid Films</i> , 2015, 586, 13-21.	1.8	46
18	Diethylenetriamine/diamines/copper (II) complexes $[Cu(dien)(NN)]Br_2$: Synthesis, solvatochromism, thermal, electrochemistry, single crystal, Hirshfeld surface analysis and antibacterial activity. <i>Arabian Journal of Chemistry</i> , 2017, 10, 845-854.	4.9	43

#	ARTICLE	IF	CITATIONS
19	Comparative efficiency of TiO ₂ nanoparticles in suspension vs. immobilization into P(VDF-TrFE) porous membranes. RSC Advances, 2016, 6, 12708-12716.	3.6	42
20	XPS analysis of ZnO:Ga films deposited by magnetron sputtering: Substrate bias effect. Applied Surface Science, 2018, 458, 1043-1049.	6.1	42
21	The role of composition, morphology and crystalline structure in the electrochemical behaviour of TiN _x thin films for dry electrode sensor materials. Electrochimica Acta, 2009, 55, 59-67.	5.2	40
22	Optical and structural analysis of solar selective absorbing coatings based on AlSiO _x :W cermets. Solar Energy, 2017, 150, 335-344.	6.1	40
23	Development of electrospun photocatalytic TiO ₂ -polyamide-12 nanocomposites. Materials Chemistry and Physics, 2015, 164, 91-97.	4.0	38
24	Enhancement in the photocatalytic nature of nitrogen-doped PVD-grown titanium dioxide thin films. Journal of Applied Physics, 2009, 106, .	2.5	37
25	Structural evolution of Ti-Al-Si-N nanocomposite coatings. Vacuum, 2009, 83, 1206-1212.	3.5	36
26	Deposition and characterization of multilayered TiN/ZrN coatings. Thin Solid Films, 1998, 317, 124-128.	1.8	34
27	Synthesis of Bi ₂ O ₃ /TiO ₂ nanostructured films for photocatalytic applications. Ceramics International, 2018, 44, 22638-22644.	4.8	34
28	Mechanical characterisation of TiN/ZrN multi-layered coatings. Journal of Materials Processing Technology, 1999, 92-93, 177-183.	6.3	33
29	XRD and FTIR analysis of Ti-Si-Ca-ON coatings for biomedical applications. Surface and Coatings Technology, 2008, 203, 490-494.	4.8	31
30	Drinking water treatment in a gravimetric flow system with TiO ₂ coated membranes. Chemical Engineering Journal, 2011, 174, 102-109.	12.7	29
31	Comprehensive design analysis of ZnO anti-reflection nanostructures for Si solar cells. Superlattices and Microstructures, 2018, 124, 1-9.	3.1	27
32	Compositional analysis by RBS, XPS and EDX of ZnO:Al,Bi and ZnO:Ga,Bi thin films deposited by d.c. magnetron sputtering. Vacuum, 2019, 161, 268-275.	3.5	26
33	Strain analysis of photocatalytic TiO ₂ thin films on polymer substrates. Thin Solid Films, 2008, 516, 1434-1438.	1.8	24
34	Structural and electrical properties of Al doped ZnO thin films deposited at room temperature on poly(vinilidene fluoride) substrates. Thin Solid Films, 2009, 517, 6290-6293.	1.8	24
35	Structural characterization of multilayered sputtered TiN/ZrN coatings. Surface and Coatings Technology, 1998, 100-101, 65-71.	4.8	22
36	Synthesis, solvatochromism and crystal structure of trans -[Cu(Et ₂ NCH ₂ CH ₂ NH ₂) ₂ .H ₂ O](NO ₃) ₂ complex: Experimental with DFT combination. Journal of Molecular Structure, 2017, 1148, 328-338.	3.6	22

#	ARTICLE	IF	CITATIONS
37	Study of the effect of the silver content on the structural and mechanical behavior of Ag ⁺ ZrCN coatings for orthopedic prostheses. <i>Materials Science and Engineering C</i> , 2014, 42, 782-790.	7.3	21
38	Microencapsulation of citronella oil for solar-activated controlled release as an insect repellent. <i>Applied Materials Today</i> , 2016, 5, 90-97.	4.3	21
39	Is Poly(methyl methacrylate) (PMMA) a Suitable Substrate for ALD?: A Review. <i>Polymers</i> , 2021, 13, 1346.	4.5	21
40	A structural and mechanical analysis on PVD-grown (Ti,Al)N/Mo multilayers. <i>Thin Solid Films</i> , 2000, 377-378, 425-429.	1.8	20
41	Optimisation of surface treatments of TiO ₂ :Nb transparent conductive coatings by a post-hot-wire annealing in a reducing H ₂ atmosphere. <i>Thin Solid Films</i> , 2014, 550, 404-412.	1.8	20
42	Multifunctional Ti ⁺ Me (Me=Al, Cu) thin film systems for biomedical sensing devices. <i>Vacuum</i> , 2015, 122, 353-359.	3.5	20
43	Ultrasonic synthesis of Oct. trans-Br ₂ Cu(N ⁻ â ⁺ â ⁻ N) ₂ Jahn-Teller distortion complex: XRD-properties, solvatochromism, thermal, kinetic and DNA-binding evaluations. <i>Ultrasonics Sonochemistry</i> , 2019, 52, 428-436.	8.2	20
44	Dielectric relaxation, XPS and structural studies of polyethylene oxide/iodine complex composite films. <i>Polymer Bulletin</i> , 2022, 79, 3759-3778.	3.3	20
45	Influence of Nb-doping on the local structure and thermoelectric properties of transparent TiO ₂ :Nb thin films. <i>Journal of Alloys and Compounds</i> , 2020, 838, 155561.	5.5	20
46	Hard ZrO ₂ /Al ₂ O ₃ nanolaminated PVD coatings evaluated by nanoindentation. <i>Surface and Coatings Technology</i> , 2005, 200, 765-768.	4.8	19
47	Effect of hot-filament annealing in a hydrogen atmosphere on the electrical and structural properties of Nb-doped TiO ₂ sputtered thin films. <i>Thin Solid Films</i> , 2012, 520, 2514-2519.	1.8	19
48	Deposition of Pd ⁺ Ag thin film membranes on ceramic supports for hydrogen purification/separation. <i>Materials Research Bulletin</i> , 2015, 61, 528-533.	5.2	19
49	Photocatalytic degradation of C.I. Reactive Blue 19 with nitrogen-doped TiO ₂ catalysts thin films under UV/visible light. <i>Journal of Molecular Structure</i> , 2010, 983, 147-152.	3.6	18
50	Optical and structural properties of ZnO NPs and ZnO ⁺ Bi ₂ O ₃ nanocomposites. <i>Ceramics International</i> , 2022, 48, 266-277.	4.8	18
51	Biodegradable Polymers for Microencapsulation Systems. <i>Advances in Polymer Technology</i> , 2022, 2022, 1-43.	1.7	18
52	Optimization and thermal stability of TiAlN/Mo multilayers. <i>Surface and Coatings Technology</i> , 2005, 200, 288-292.	4.8	16
53	Influence of hydrogen plasma thermal treatment on the properties of ZnO:Al thin films prepared by dc magnetron sputtering. <i>Vacuum</i> , 2014, 107, 145-154.	3.5	16
54	Interfacial roughness of multilayered coatings. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1998, 136-138, 278-282.	1.4	15

#	ARTICLE	IF	CITATIONS
55	Study of roughness in TiO ₂ /Al ₂ O ₃ /Mo multilayer structures. Nuclear Instruments & Methods in Physics Research B, 2002, 188, 90-95.	1.4	14
56	Multifunctional hybrid membranes for photocatalytic and adsorptive removal of water contaminants of emerging concern. Chemosphere, 2022, 293, 133548.	8.2	14
57	Strain dependence electrical resistance and cohesive strength of ITO thin films deposited on electroactive polymer. Thin Solid Films, 2010, 518, 4525-4528.	1.8	13
58	Effect on the electrical and morphological properties of Bi incorporation into ZnO:Ga and ZnO:Al thin films deposited by confocal magnetron sputtering. Vacuum, 2018, 152, 252-260.	3.5	13
59	Joining of $\hat{3}$ -TiAl Alloy to Ni-Based Superalloy Using Ag-Cu Sputtered Coated Ti Brazing Filler Foil. Metals, 2018, 8, 723.	2.3	13
60	Nb-doped Ti ₂ O ₃ Films Deposited Through Grid-Assisted Magnetron Sputtering on Glass Substrate: Electrical and Optical Analysis. Materials Research, 2019, 22, .	1.3	13
61	Friction and adhesion behavior of polycrystalline diamond films deposited on metals. Surface and Coatings Technology, 2000, 126, 110-115.	4.8	12
62	Microstructure of superhard (Ti,Al)N/Mo multilayers. Thin Solid Films, 2001, 398-399, 397-404.	1.8	12
63	N-Doped Photocatalytic Titania Thin Films on Active Polymer Substrates. Journal of Nanoscience and Nanotechnology, 2010, 10, 1072-1077.	0.9	11
64	Mn-doped ZnO nanocrystals embedded in Al ₂ O ₃ : structural and electrical properties. Nanotechnology, 2010, 21, 505705.	2.6	11
65	X-ray scattering experiments on sputtered titanium dioxide coatings onto PVDF polymers for self-cleaning applications. Journal of Applied Polymer Science, 2011, 119, 726-731.	2.6	11
66	Atomic environment and interfacial structural order of TiAlN/Mo multilayers. Surface and Coatings Technology, 2004, 187, 393-398.	4.8	10
67	Mechanical and surface analysis of TiO ₂ /Al ₂ O ₃ /Mo multilayers. Vacuum, 2001, 60, 339-346.	3.5	9
68	HRTEM interfacial analysis on superhard TiAlN/Mo multilayers. Surface and Coatings Technology, 2003, 174-175, 273-280.	4.8	9
69	Joining Alumina to Titanium Alloys Using Ag-Cu Sputter-Coated Ti Brazing Filler. Materials, 2020, 13, 4802.	2.9	9
70	Development of stable current collectors for large area dye-sensitized solar cells. Applied Surface Science, 2017, 423, 549-556.	6.1	8
71	Synthesis and characterization of photocatalytic polyurethane and poly(methyl methacrylate) microcapsules for the controlled release of methotrexate. Drug Development and Industrial Pharmacy, 2018, 44, 2083-2088.	2.0	8
72	Photocatalytic Bi ₂ O ₃ /TiO ₂ :N Thin Films with Enhanced Surface Area and Visible Light Activity. Coatings, 2020, 10, 445.	2.6	8

#	ARTICLE	IF	CITATIONS
73	Development of Photocatalytic 3D-Printed Cementitious Mortars: Influence of the Curing, Spraying Time Gaps and TiO ₂ Coating Rates. <i>Buildings</i> , 2021, 11, 381.	3.1	8
74	Study of Nd-doping effect and mechanical cracking on photoreactivity of TiO ₂ thin films. <i>Vacuum</i> , 2008, 82, 1475-1481.	3.5	7
75	Food contact surfaces coated with nitrogen-doped titanium dioxide: effect on <i>Listeria monocytogenes</i> survival under different light sources. <i>Applied Surface Science</i> , 2013, 270, 1-5.	6.1	7
76	Release of Volatile Compounds from Polymeric Microcapsules Mediated by Photocatalytic Nanoparticles. <i>International Journal of Photoenergy</i> , 2013, 2013, 1-9.	2.5	7
77	The role of Ga and Bi doping on the local structure of transparent zinc oxide thin films. <i>Journal of Alloys and Compounds</i> , 2021, 870, 159489.	5.5	6
78	Autler-Townes modulation of coherent transients in photoexcited color centers. <i>Physical Review B</i> , 1994, 50, 13795-13798.	3.2	5
79	Electron backscatter diffraction analysis of ZnO:Al thin films. <i>Applied Surface Science</i> , 2012, 259, 590-595.	6.1	4
80	Optical, electrical and morphological properties of (PANI/CSA-PEO)/(AgNPs-AgNO ₃) nanocomposite films. <i>Physica B: Condensed Matter</i> , 2022, 634, 413636.	2.7	4
81	Structure determination of (Ti,Al)N/Mo multilayers. <i>Thin Solid Films</i> , 2000, 373, 287-292.	1.8	3
82	Preparation of robust polyamide microcapsules by interfacial polycondensation of p-phenylenediamine and sebacoyl chloride and plasticization with oleic acid. <i>Journal of Microencapsulation</i> , 2015, 32, 349-357.	2.8	3
83	Joining of TiAl Alloy Using Novel Ag-Cu Sputtered Coated Ti Brazing Filler. <i>Microscopy and Microanalysis</i> , 2019, 25, 192-195.	0.4	3
84	Effect of Cu-In-Ga Target Composition on Hybrid-Sputtered Cu(In,Ga)Se ₂ Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2021, 11, 1206-1212.	2.5	3
85	Transparent niobium-doped titanium dioxide thin films with high Seebeck coefficient for thermoelectric applications. <i>Surface and Coatings Technology</i> , 2021, 425, 127724.	4.8	3
86	Nanometer-Scale Multilayered Mo/Ti _{0.4} Al _{0.6} N Hard Coatings. <i>Key Engineering Materials</i> , 2002, 230-232, 623-626.	0.4	2
87	Transmission electron microscopy analysis of the interfaces of TiAlN/Mo multilayers. <i>Microscopy and Microanalysis</i> , 2008, 14, 1-4.	0.4	2
88	Photocatalytic thin films coupled with polymeric microcapsules for the controlled-release of volatile agents upon solar activation. <i>Journal of Physics: Conference Series</i> , 2013, 439, 012018.	0.4	2
89	Combined in-depth X-ray Photoelectron Spectroscopy and Time-of-Flight Secondary Ion Mass Spectroscopy study of the effect of deposition pressure and substrate bias on the electrical properties and composition of Ga-doped ZnO thin films grown by magnetron sputtering. <i>Thin Solid Films</i> , 2018, 665, 184-192.	1.8	2
90	Self-assembly modification of polyamide membrane by coating titanium dioxide nanoparticles for water treatment applications. <i>Revista Ambiente & Água</i> , 2019, 14, 1.	0.3	2

#	ARTICLE	IF	CITATIONS
91	Chemical preparation, crystal structure, Hirshfeld surface analysis, spectroscopy, DFT studies, thermal decomposition and magnetic measurements of $(C_4H_{12}N_2)[FeCl_3(H_2O)_3]Cl_2$. Inorganic Chemistry Communication, 2020, 112, 107748.	3.9	2
92	Joining of Zirconia to Ti6Al4V Using Ag-Cu Sputter-Coated Ti Brazing Filler. Metals, 2022, 12, 358.	2.3	2
93	PMMA Microcapsules for the Inactivation of SARS-CoV-2. ACS Omega, 2022, 7, 22383-22393.	3.5	2
94	<sc>XPS</sc>, <sc>UV-Vis</sc>, <sc>XRD,</sc> and <sc>PL</sc> spectroscopies for studying nickel nanoparticle positioning effect on nanocomposite film properties. Journal of Applied Polymer Science, 2022, 139, .	2.6	1
95	Autler-townes splittings of photo-excited point defects. Radiation Effects and Defects in Solids, 1995, 134, 453-455.	1.2	0
96	Influence of Substrate Temperature and Post-Annealing Treatment on the Microstructure and Electric Properties of ZnO:Al Thin Films Deposited by Sputtering. Materials Science Forum, 0, 730-732, 215-220.	0.3	0