

David B. Dunger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3624697/publications.pdf>

Version: 2024-02-01

205
papers

16,113
citations

25014

57
h-index

17580

121
g-index

209
all docs

209
docs citations

209
times ranked

17515
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between postnatal catch-up growth and obesity in childhood: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2000, 320, 967-971.	2.4	1,373
2	Robust associations of four new chromosome regions from genome-wide analyses of type 1 diabetes. <i>Nature Genetics</i> , 2007, 39, 857-864.	9.4	1,324
3	Summary and Recommendations of the Fifth International Workshop-Conference on Gestational Diabetes Mellitus. <i>Diabetes Care</i> , 2007, 30, S251-S260.	4.3	1,201
4	Manual closed-loop insulin delivery in children and adolescents with type 1 diabetes: a phase 2 randomised crossover trial. <i>Lancet, The</i> , 2010, 375, 743-751.	6.3	429
5	Home Use of an Artificial Beta Cell in Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2015, 373, 2129-2140.	13.9	397
6	Insulin Sensitivity and Secretion Are Related to Catch-Up Growth in Small-for-Gestational-Age Infants at Age 1 Year: Results from a Prospective Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3645-3650.	1.8	396
7	The Diagnosis and Management of Lipodystrophy Syndromes: A Multi-Society Practice Guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4500-4511.	1.8	323
8	Poor Prognosis of Young Adults With Type 1 Diabetes: A longitudinal study. <i>Diabetes Care</i> , 2003, 26, 1052-1057.	4.3	318
9	Childhood obesity and the timing of puberty. <i>Trends in Endocrinology and Metabolism</i> , 2009, 20, 237-242.	3.1	307
10	Causal mechanisms and balancing selection inferred from genetic associations with polycystic ovary syndrome. <i>Nature Communications</i> , 2015, 6, 8464.	5.8	304
11	Closed-loop insulin delivery in suboptimally controlled type 1 diabetes: a multicentre, 12-week randomised trial. <i>Lancet, The</i> , 2018, 392, 1321-1329.	6.3	302
12	ESPE/LWPES consensus statement on diabetic ketoacidosis in children and adolescents. <i>Archives of Disease in Childhood</i> , 2004, 89, 188-194.	1.0	275
13	Longitudinal changes in insulin sensitivity and secretion from birth to age three years in small- and appropriate-for-gestational-age children. <i>Diabetologia</i> , 2005, 48, 2609-2614.	2.9	272
14	Early Insulin Therapy in Very-Low-Birth-Weight Infants. <i>New England Journal of Medicine</i> , 2008, 359, 1873-1884.	13.9	264
15	A Type I Interferon Transcriptional Signature Precedes Autoimmunity in Children Genetically at Risk for Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 2538-2550.	0.3	261
16	Insulin sensitivity and secretion in normal children related to size at birth, postnatal growth, and plasma insulin-like growth factor-I levels. <i>Diabetologia</i> , 2004, 47, 1064-70.	2.9	235
17	The Relationship of Disordered Eating Habits and Attitudes to Clinical Outcomes in Young Adult Females With Type 1 Diabetes. <i>Diabetes Care</i> , 2005, 28, 84-88.	4.3	229
18	Infancy Weight Gain Predicts Childhood Body Fat and Age at Menarche in Girls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 1527-1532.	1.8	220

#	ARTICLE	IF	CITATIONS
19	The UK caseâ€“control study of cerebral oedema complicating diabetic ketoacidosis in children. <i>Diabetologia</i> , 2006, 49, 2002-2009.	2.9	209
20	Overnight Closed-Loop Insulin Delivery in Young People With Type 1 Diabetes: A Free-Living, Randomized Clinical Trial. <i>Diabetes Care</i> , 2014, 37, 1204-1211.	4.3	193
21	The prevalence of stunting, overweight and obesity, and metabolic disease risk in rural South African children. <i>BMC Public Health</i> , 2010, 10, 158.	1.2	190
22	Blood and Islet Phenotypes Indicate Immunological Heterogeneity in Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 3835-3845.	0.3	189
23	Size at Birth and Cord Blood Levels of Insulin, Insulin-Like Growth Factor I (IGF-I), IGF-II, IGF-Binding Protein-1 (IGFBP-1), IGFBP-3, and the Soluble IGF-II/Mannose-6-Phosphate Receptor in Term Human Infants1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 4266-4269.	1.8	179
24	Risk of microalbuminuria and progression to macroalbuminuria in a cohort with childhood onset type 1 diabetes: prospective observational study. <i>BMJ: British Medical Journal</i> , 2008, 336, 697-701.	2.4	170
25	Early and late weight gain and the timing of puberty. <i>Molecular and Cellular Endocrinology</i> , 2006, 254-255, 140-145.	1.6	159
26	Closed-Loop Basal Insulin Delivery Over 36 Hours in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 838-844.	4.3	144
27	Prevalence and Determinants of Hyperglycemia in Very Low Birth Weight Infants: Cohort Analyses of the NIRTURE Study. <i>Journal of Pediatrics</i> , 2010, 157, 715-719.e3.	0.9	142
28	Breast milk nutrient content and infancy growth. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 641-647.	0.7	142
29	Home use of closed-loop insulin delivery for overnight glucose control in adults with type 1 diabetes: a 4-week, multicentre, randomised crossover study. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 701-709.	5.5	140
30	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1414-1427.	0.3	136
31	Fine-mapping, trans-ancestral and genomic analyses identify causal variants, cells, genes and drug targets for type 1 diabetes. <i>Nature Genetics</i> , 2021, 53, 962-971.	9.4	133
32	The relationship between microalbuminuria and glomerular filtration rate in young type 1 diabetic subjects: The Oxford Regional Prospective Study. <i>Kidney International</i> , 2005, 68, 1740-1749.	2.6	132
33	Closing the loop overnight at home setting: psychosocial impact for adolescents with type 1 diabetes and their parents. <i>BMJ Open Diabetes Research and Care</i> , 2014, 2, e000025.	1.2	132
34	Insulinâ€“like growth factor 1 has multisystem effects on foetal and preterm infant development. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 576-586.	0.7	128
35	Effects of obesity on growth and puberty. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2005, 19, 375-390.	2.2	126
36	The continuous glucose monitoring sensor in neonatal intensive care. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2005, 90, F307-f310.	1.4	120

#	ARTICLE	IF	CITATIONS
37	DNA methylation profiling at imprinted loci after periconceptional micronutrient supplementation in humans: results of a pilot randomized controlled trial. <i>FASEB Journal</i> , 2012, 26, 1782-1790.	0.2	120
38	Gestational Diabetes Mellitus in Africa: A Systematic Review. <i>PLoS ONE</i> , 2014, 9, e97871.	1.1	115
39	Longitudinal Changes in Insulin-Like Growth Factor-I, Insulin Sensitivity, and Secretion from Birth to Age Three Years in Small-for-Gestational-Age Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 4645-4649.	1.8	107
40	Day-and-Night Hybrid Closed-Loop Insulin Delivery in Adolescents With Type 1 Diabetes: A Free-Living, Randomized Clinical Trial. <i>Diabetes Care</i> , 2016, 39, 1168-1174.	4.3	105
41	The Genetic Landscape of Renal Complications in Type 1 Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 557-574.	3.0	101
42	rhIGF-1/rhIGFBP-3 in Preterm Infants: A Phase 2 Randomized Controlled Trial. <i>Journal of Pediatrics</i> , 2019, 206, 56-65.e8.	0.9	101
43	Low IGF-I and Elevated Testosterone During Puberty in Subjects With Type 1 Diabetes Developing Microalbuminuria in Comparison to Normoalbuminuric Control Subjects: The Oxford Regional Prospective Study. <i>Diabetes Care</i> , 2003, 26, 1456-1461.	4.3	100
44	Association of aromatase (CYP 19) gene variation with features of hyperandrogenism in two populations of young women. <i>Human Reproduction</i> , 2005, 20, 1837-1843.	0.4	98
45	Prevalence of Abnormal Lipid Profiles and the Relationship With the Development of Microalbuminuria in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2009, 32, 658-663.	4.3	89
46	ACE Inhibitors and Statins in Adolescents with Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2017, 377, 1733-1745.	13.9	89
47	Risk of nephropathy can be detected before the onset of microalbuminuria during the early years after diagnosis of type 1 diabetes. <i>Diabetes Care</i> , 2000, 23, 1811-1815.	4.3	80
48	Cells with Treg-specific FOXP3 demethylation but low CD25 are prevalent in autoimmunity. <i>Journal of Autoimmunity</i> , 2017, 84, 75-86.	3.0	78
49	Prolonged cardiac repolarisation during spontaneous nocturnal hypoglycaemia in children and adolescents with type 1 diabetes. <i>Diabetologia</i> , 2004, 47, 1940-1947.	2.9	77
50	The development and validation of a fast and robust dried blood spot based lipid profiling method to study infant metabolism. <i>Metabolomics</i> , 2014, 10, 1018-1025.	1.4	76
51	Insulin-like growth factor I concentrations in infancy predict differential gains in body length and adiposity: the Cambridge Baby Growth Study. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 156-161.	2.2	72
52	Session 7: Early nutrition and later health Early developmental pathways of obesity and diabetes risk. <i>Proceedings of the Nutrition Society</i> , 2007, 66, 451-457.	0.4	70
53	Home Use of Day-and-Night Hybrid Closed-Loop Insulin Delivery in Suboptimally Controlled Adolescents With Type 1 Diabetes: A 3-Week, Free-Living, Randomized Crossover Trial. <i>Diabetes Care</i> , 2016, 39, 2019-2025.	4.3	65
54	Early changes in cardiovascular structure and function in adolescents with type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 31.	2.7	64

#	ARTICLE	IF	CITATIONS
55	Pros and cons of GnRHa treatment for early puberty in girls. <i>Nature Reviews Endocrinology</i> , 2014, 10, 352-363.	4.3	63
56	Improvement in insulin sensitivity without concomitant changes in body composition and cardiovascular risk markers following fixed administration of a very low growth hormone (GH) dose in adults with severe GH deficiency. <i>Clinical Endocrinology</i> , 2005, 63, 428-436.	1.2	62
57	Validation of the continuous glucose monitoring sensor in preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2013, 98, F136-F140.	1.4	61
58	Adolescent Type 1 Diabetes Cardio-Renal Intervention Trial (AddIT): Urinary Screening and Baseline Biochemical and Cardiovascular Assessments. <i>Diabetes Care</i> , 2014, 37, 805-813.	4.3	60
59	Lipidomic Analyses, Breast- and Formula-Feeding, and Growth in Infants. <i>Journal of Pediatrics</i> , 2015, 166, 276-281.e6.	0.9	60
60	Even transient rapid infancy weight gain is associated with higher BMI in young adults and earlier menarche. <i>International Journal of Obesity</i> , 2015, 39, 939-944.	1.6	59
61	Breastfeeding and Infant Temperament at Age Three Months. <i>PLoS ONE</i> , 2012, 7, e29326.	1.1	57
62	Human Milk Short-Chain Fatty Acid Composition is Associated with Adiposity Outcomes in Infants. <i>Journal of Nutrition</i> , 2019, 149, 716-722.	1.3	57
63	Prenatal paracetamol exposure is associated with shorter anogenital distance in male infants. <i>Human Reproduction</i> , 2016, 31, 2642-2650.	0.4	56
64	An Unbiased Lipidomics Approach Identifies Early Second Trimester Lipids Predictive of Maternal Glycemic Traits and Gestational Diabetes Mellitus. <i>Diabetes Care</i> , 2016, 39, 2232-2239.	4.3	56
65	Insulin lispro: a potential role in preventing nocturnal hypoglycaemia in young children with diabetes mellitus. <i>Diabetic Medicine</i> , 2003, 20, 656-660.	1.2	54
66	Early Atherosclerosis Relates to Urinary Albumin Excretion and Cardiovascular Risk Factors in Adolescents With Type 1 Diabetes: Adolescent Type 1 Diabetes cardio-renal Intervention Trial (AddIT). <i>Diabetes Care</i> , 2014, 37, 3069-3075.	4.3	54
67	Ambulatory blood pressure measurements are related to albumin excretion and are predictive for risk of microalbuminuria in young people with type 1 diabetes. <i>Diabetologia</i> , 2009, 52, 1173-1181.	2.9	53
68	Young Children Have Higher Variability of Insulin Requirements: Observations During Hybrid Closed-Loop Insulin Delivery. <i>Diabetes Care</i> , 2019, 42, 1344-1347.	4.3	51
69	Serum kidney injury molecule 1 and β 2-microglobulin perform as well as larger biomarker panels for prediction of rapid decline in renal function in type 2 diabetes. <i>Diabetologia</i> , 2019, 62, 156-168.	2.9	50
70	The prevalence of gestational diabetes mellitus amongst black South African women is a public health concern. <i>Diabetes Research and Clinical Practice</i> , 2018, 139, 278-287.	1.1	49
71	Insulin Gene Variable Number of Tandem Repeat Genotype and the Low Birth Weight, Precocious Pubarche, and Hyperinsulinism Sequence. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5788-5793.	1.8	48
72	Can we identify adolescents at high risk for nephropathy before the development of microalbuminuria?. <i>Diabetic Medicine</i> , 2007, 24, 131-136.	1.2	48

#	ARTICLE	IF	CITATIONS
73	Age at Weaning and Infant Growth: Primary Analysis and Systematic Review. <i>Journal of Pediatrics</i> , 2015, 167, 317-324.e1.	0.9	48
74	Hyperinsulinaemic androgen excess in adolescent girls. <i>Nature Reviews Endocrinology</i> , 2014, 10, 499-508.	4.3	46
75	The translation of lipid profiles to nutritional biomarkers in the study of infant metabolism. <i>Metabolomics</i> , 2017, 13, 25.	1.4	43
76	Increasing urine albumin excretion is associated with growth hormone hypersecretion and reduced clearance of insulin in adolescents and young adults with type 1 diabetes: The Oxford Regional Prospective Study. <i>Clinical Endocrinology</i> , 2005, 62, 137-144.	1.2	42
77	Growth and Body Composition in Type 1 Diabetes mellitus. <i>Hormone Research in Paediatrics</i> , 2002, 58, 66-71.	0.8	41
78	Mecasermin rinfabate: rhIGF-I/rhIGFBP-3 complex: iPLEX [®] . <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2008, 4, 311-324.	1.5	41
79	Associations Between Genetic Obesity Susceptibility and Early Postnatal Fat and Lean Mass. <i>JAMA Pediatrics</i> , 2014, 168, 1122.	3.3	41
80	Hyperfiltration, urinary albumin excretion, and ambulatory blood pressure in adolescents with Type 1 diabetes mellitus. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F667-F674.	1.3	41
81	Biomarker panels associated with progression of renal disease in type 1 diabetes. <i>Diabetologia</i> , 2019, 62, 1616-1627.	2.9	41
82	Associations of vomiting and antiemetic use in pregnancy with levels of circulating GDF15 early in the second trimester: A nested case-control study. <i>Wellcome Open Research</i> , 2018, 3, 123.	0.9	40
83	Low Circulating Levels of IGF-1 in Healthy Adults Are Associated With Reduced β -Cell Function, Increased Intramyocellular Lipid, and Enhanced Fat Utilization During Fasting. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 2198-2207.	1.8	39
84	Cohort Profile: the Cambridge Baby Growth Study (CBGS). <i>International Journal of Epidemiology</i> , 2016, 45, 35-35g.	0.9	39
85	Examining the relationships between body image, eating attitudes, BMI, and physical activity in rural and urban South African young adult females using structural equation modeling. <i>PLoS ONE</i> , 2017, 12, e0187508.	1.1	39
86	Real-time continuous glucose monitoring in preterm infants (REACT): an international, open-label, randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 265-273.	2.7	38
87	Polycystic ovarian syndrome during puberty and adolescence. <i>Molecular and Cellular Endocrinology</i> , 2013, 373, 61-67.	1.6	37
88	The effects of gestational diabetes mellitus on fetal growth and neonatal birth measures in an African cohort. <i>Diabetic Medicine</i> , 2018, 35, 1425-1433.	1.2	37
89	Altered triglyceride and phospholipid metabolism predates the diagnosis of gestational diabetes in obese pregnancy. <i>Molecular Omics</i> , 2019, 15, 420-430.	1.4	34
90	Prevention and treatment of microvascular disease in childhood type 1 diabetes. <i>British Medical Bulletin</i> , 2010, 94, 145-164.	2.7	33

#	ARTICLE	IF	CITATIONS
91	The relationship between urinary renin-angiotensin system markers, renal function, and blood pressure in adolescents with type 1 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F335-F342.	1.3	33
92	Understanding the Relationship between Socio-Economic Status, Physical Activity and Sedentary Behaviour, and Adiposity in Young Adult South African Women Using Structural Equation Modelling. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1271.	1.2	33
93	Genetics of Size at Birth. <i>Diabetes Care</i> , 2007, 30, S150-S155.	4.3	32
94	Maternal serum concentrations of bisphenol A and propyl paraben in early pregnancy are associated with male infant genital development. <i>Human Reproduction</i> , 2020, 35, 913-928.	0.4	32
95	Size at Birth and Early Childhood Growth in Relation to Maternal Smoking, Parity and Infant Breast-Feeding: Longitudinal Birth Cohort Study and Analysis. <i>Pediatric Research</i> , 2002, 52, 863-867.	1.1	32
96	Genetic Variations and Normal Fetal Growth. <i>Hormone Research in Paediatrics</i> , 2006, 65, 34-40.	0.8	31
97	Insulin-Like Growth Factor I and Impaired Glucose Tolerance. <i>Hormone Research in Paediatrics</i> , 2004, 62, 101-107.	0.8	30
98	Î²â€œCell specific Tâ€œlymphocyte response has a distinct inflammatory phenotype in children with Type 1 diabetes compared with adults. <i>Diabetic Medicine</i> , 2017, 34, 419-425.	1.2	29
99	Ultrasound Estimates of Visceral and Subcutaneous-Abdominal Adipose Tissues in Infancy. <i>Journal of Obesity</i> , 2013, 2013, 1-9.	1.1	28
100	Relationship between Insulin-Like Growth Factor I Levels, Early Insulin Treatment, and Clinical Outcomes of Very Low Birth Weight Infants. <i>Journal of Pediatrics</i> , 2014, 164, 1038-1044.e1.	0.9	28
101	Social Determinants of Health Are Associated with Modifiable Risk Factors for Cardiovascular Disease and Vascular Function in Pediatric Type 1 Diabetes. <i>Journal of Pediatrics</i> , 2016, 177, 167-172.	0.9	28
102	Reliability and validity of last menstrual period for gestational age estimation in a lowâ€œtoâ€œmiddleâ€œincome setting. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 217-225.	0.6	28
103	Relationship between serum inflammatory markers and vascular function in a cohort of adolescents with type 1 diabetes. <i>Cytokine</i> , 2017, 99, 233-239.	1.4	27
104	Renal and Cardiovascular Risk According to Tertiles of Urinary Albumin-to-Creatinine Ratio: The Adolescent Type 1 Diabetes Cardio-Renal Intervention Trial (AdDIT). <i>Diabetes Care</i> , 2018, 41, 1963-1969.	4.3	27
105	Feasibility of automated insulin delivery guided by continuous glucose monitoring in preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2020, 105, 279-284.	1.4	27
106	Endocrine and Metabolic Consequences of Intrauterine Growth Retardation. <i>Endocrinology and Metabolism Clinics of North America</i> , 2005, 34, 597-615.	1.2	26
107	Targeting glucose control in preterm infants: pilot studies of continuous glucose monitoring. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019, 104, fetalneonatal-2018-314814.	1.4	26
108	C-Reactive Protein in Relation to the Development of Microalbuminuria in Type 1 Diabetes. <i>Diabetes Care</i> , 2008, 31, 974-976.	4.3	25

#	ARTICLE	IF	CITATIONS
109	Associations Between Fetal Imprinted Genes and Maternal Blood Pressure in Pregnancy. <i>Hypertension</i> , 2016, 68, 1459-1466.	1.3	25
110	Serum Insulin-Like Growth Factor-I Levels and Potential Risk of Type 2 Diabetes. <i>Hormone Research in Paediatrics</i> , 2003, 60, 131-135.	0.8	24
111	Symmetric dimethylarginine, an endogenous marker of glomerular filtration rate, and the risk for microalbuminuria in young people with type 1 diabetes. <i>Archives of Disease in Childhood</i> , 2010, 95, 119-124.	1.0	24
112	Cardiac Autonomic Dysfunction Is Associated With High-Risk Albumin-to-Creatinine Ratio in Young Adolescents With Type 1 Diabetes in AddIT (Adolescent Type 1 Diabetes Cardio-Renal Interventional) Tj ETQq0 0 0 4gBT /Overlock 10 Tf	4.8	24
113	Insulin therapy in preterm newborns. <i>Early Human Development</i> , 2008, 84, 839-842.	0.8	23
114	Reduced size at birth and persisting reductions in adiposity in recent, compared with earlier, cohorts of infants born to mothers with gestational diabetes mellitus. <i>Diabetologia</i> , 2019, 62, 1977-1987.	2.9	23
115	Abundance of adiponectin in the newborn*. <i>Clinical Endocrinology</i> , 2004, 61, 416-417.	1.2	22
116	Association Between Plasma Uric Acid Levels and Cardiorenal Function in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2016, 39, 611-616.	4.3	22
117	The effects of a specific growth hormone antagonist on overnight insulin requirements and insulin sensitivity in young adults with Type 1 diabetes mellitus. <i>Diabetologia</i> , 2003, 46, 1203-1210.	2.9	21
118	A new strategy for vascular complications in young people with type 1 diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2019, 15, 429-435.	4.3	21
119	Maternal but Not Paternal Association of Ambulatory Blood Pressure With Albumin Excretion in Young Offspring With Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 366-371.	4.3	20
120	Baseline IGF-I Levels Determine Insulin Secretion and Insulin Sensitivity during the First Year on Growth Hormone Therapy in Children Born Small for Gestational Age. Results from a North European Multicentre Study (NESGAS). <i>Hormone Research in Paediatrics</i> , 2013, 80, 38-46.	0.8	20
121	Associations between a fetal imprinted gene allele score and late pregnancy maternal glucose concentrations. <i>Diabetes and Metabolism</i> , 2017, 43, 323-331.	1.4	20
122	Insulin treatment in children and adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2004, 93, 440-446.	0.7	18
123	The Urinary Cytokine/Chemokine Signature of Renal Hyperfiltration in Adolescents with Type 1 Diabetes. <i>PLoS ONE</i> , 2014, 9, e111131.	1.1	18
124	A randomised controlled trial evaluating IGF1 titration in contrast to current GH dosing strategies in children born small for gestational age: the North European Small-for-Gestational-Age Study. <i>European Journal of Endocrinology</i> , 2014, 171, 509-518.	1.9	18
125	Vomiting in pregnancy is associated with a higher risk of low birth weight: a cohort study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 133.	0.9	18
126	Early Pregnancy-Associated Plasma Protein A Concentrations Are Associated With Third Trimester Insulin Sensitivity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2000-2008.	1.8	18

#	ARTICLE	IF	CITATIONS
127	Status and rationale of renoprotection studies in adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2009, 10, 347-355.	1.2	17
128	Developmental aspects in the pathogenesis of type 2 diabetes. <i>Molecular and Cellular Endocrinology</i> , 2001, 185, 145-149.	1.6	16
129	Reply to Comment on: Ong KK, Petry CJ, Emmett PM et al.; ALSPAC study team (2004) Insulin sensitivity and secretion in normal children related to size at birth, postnatal growth, and plasma insulin-like growth factor-I levels. <i>Diabetologia</i> 47:1064-1070. <i>Diabetologia</i> , 2004, 47, 2046-2046.	2.9	16
130	Associations between common variation in the aromatase gene promoter region and testosterone concentrations in two young female populations. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2006, 98, 199-206.	1.2	16
131	Age at menarche and the future risk of gestational diabetes: a systematic review and dose response meta-analysis. <i>Acta Diabetologica</i> , 2018, 55, 1209-1219.	1.2	16
132	What is the evidence for beneficial effects of growth hormone treatment beyond height in short children born small for gestational age? A review of published literature. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2020, 33, 53-70.	0.4	16
133	Interleukin-2 Therapy of Autoimmunity in Diabetes (ITAD): a phase 2, multicentre, double-blind, randomized, placebo-controlled trial. <i>Wellcome Open Research</i> , 2020, 5, 49.	0.9	16
134	The Adolescent Cardio-Renal Intervention Trial (AddIT): retinal vascular geometry and renal function in adolescents with type 1 diabetes. <i>Diabetologia</i> , 2018, 61, 968-976.	2.9	15
135	Rural-urban variations in age at menarche, adult height, leg-length and abdominal adiposity in black South African women in transitioning South Africa. <i>Annals of Human Biology</i> , 2018, 45, 123-132.	0.4	15
136	Frequent Monitoring of C-Peptide Levels in Newly Diagnosed Type 1 Subjects Using Dried Blood Spots Collected at Home. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3350-3358.	1.8	15
137	Reduced endogenous secretory receptor for advanced glycation end products (esRAGE) in young people with Type 1 diabetes developing microalbuminuria. <i>Diabetic Medicine</i> , 2009, 26, 815-819.	1.2	14
138	Asymmetric dimethylarginine in young people with Type 1 diabetes: a paradoxical association with HbA _{1c} . <i>Diabetic Medicine</i> , 2011, 28, 685-691.	1.2	14
139	An independent effect of parental lipids on the offspring lipid levels in a cohort of adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2012, 13, 463-469.	1.2	14
140	<i>Banting Memorial Lecture 2016</i> Reducing lifetime risk of complications in adolescents with Type 1 diabetes. <i>Diabetic Medicine</i> , 2017, 34, 460-466.	1.2	14
141	Social Determinants of Health Are Associated with Markers of Renal Injury in Adolescents with Type 1 Diabetes. <i>Journal of Pediatrics</i> , 2018, 198, 247-253.e1.	0.9	14
142	Medication Adherence During Adjunct Therapy With Statins and ACE Inhibitors in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2020, 43, 1070-1076.	4.3	14
143	Assessing the effect of closed-loop insulin delivery from onset of type 1 diabetes in youth on residual beta-cell function compared to standard insulin therapy (CLOuD study): a randomised parallel study protocol. <i>BMJ Open</i> , 2020, 10, e033500.	0.8	14
144	Childhood and Adolescent Diabetes. , 2005, 9, 107-120.		13

#	ARTICLE	IF	CITATIONS
145	Babies Born Small for Gestational Age: Insulin Sensitivity and Growth Hormone Treatment. <i>Hormone Research in Paediatrics</i> , 2005, 64, 58-65.	0.8	13
146	Temporal trends without seasonal effects on gestational diabetes incidence relate to reductions in indices of insulin secretion: the Cambridge Baby Growth Study. <i>Acta Diabetologica</i> , 2019, 56, 1133-1140.	1.2	13
147	Hypoglycemia and Resistance to Ketoacidosis in a Subject without Functional Insulin Receptors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 3319-3326.	1.8	13
148	Mixed meal tolerance test to assess residual beta-cell secretion: Beyond the area under curve of plasma C-peptide concentration. <i>Pediatric Diabetes</i> , 2019, 20, 282-285.	1.2	12
149	Catch-Up Growth in Children Born Small for Gestational Age Related to Body Composition and Metabolic Risk at Six Years of Age in the UK. <i>Hormone Research in Paediatrics</i> , 2020, 93, 119-127.	0.8	12
150	Which infancy growth parameters are associated with later adiposity? The Cambridge Baby Growth Study. <i>Annals of Human Biology</i> , 2020, 47, 142-149.	0.4	12
151	A one-year study of human milk oligosaccharide profiles in the milk of healthy UK mothers and their relationship to maternal FUT2 genotype. <i>Glycobiology</i> , 2021, 31, 1254-1267.	1.3	12
152	Circulating C-Peptide Levels in Living Children and Young People and Pancreatic β -Cell Loss in Pancreas Donors Across Type 1 Diabetes Disease Duration. <i>Diabetes</i> , 2022, 71, 1591-1596.	0.3	12
153	INNODIA Master Protocol for the evaluation of investigational medicinal products in children, adolescents and adults with newly diagnosed type 1 diabetes. <i>Trials</i> , 2022, 23, 414.	0.7	12
154	The development of microalbuminuria is associated with raised longitudinal adiponectin levels in female but not male adolescent patients with type 1 diabetes. <i>Diabetologia</i> , 2008, 51, 1707-1713.	2.9	11
155	Age at menarche and blood pressure in pregnancy. <i>Pregnancy Hypertension</i> , 2019, 15, 134-140.	0.6	11
156	Protocol of a randomised controlled trial of real-time continuous glucose monitoring in neonatal intensive care â€” REACT™. <i>BMJ Open</i> , 2018, 8, e020816.	0.8	11
157	Adiposity in Children Born Small for Gestational Age Is Associated With β -Cell Function, Genetic Variants for Insulin Resistance, and Response to Growth Hormone Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 131-142.	1.8	10
158	The association between age at menarche and later risk of gestational diabetes is mediated by insulin resistance. <i>Acta Diabetologica</i> , 2018, 55, 853-859.	1.2	10
159	Methylation of the C19MC microRNA locus in the placenta: association with maternal and childhood body size. <i>International Journal of Obesity</i> , 2020, 44, 13-22.	1.6	10
160	Multiple Micronutrient Supplementation during Pregnancy and Increased Birth Weight and Skinfold Thicknesses in the Offspring: The Cambridge Baby Growth Study. <i>Nutrients</i> , 2020, 12, 3466.	1.7	10
161	Insulin-like growth factor-I for the treatment of type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2000, 2, 335-343.	2.2	9
162	Associations between bacterial infections and blood pressure in pregnancy. <i>Pregnancy Hypertension</i> , 2017, 10, 202-206.	0.6	9

#	ARTICLE	IF	CITATIONS
163	Body composition and physical activity as mediators in the relationship between socioeconomic status and blood pressure in young South African women: a structural equation model analysis. <i>BMJ Open</i> , 2018, 8, e023404.	0.8	9
164	Evidence from 3-month-old infants shows that a combination of postnatal feeding and exposures in utero shape lipid metabolism. <i>Scientific Reports</i> , 2019, 9, 14321.	1.6	9
165	Biomarkers associated with early stages of kidney disease in adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2020, 21, 1322-1332.	1.2	9
166	Associations between Maternal Iron Supplementation in Pregnancy and Changes in Offspring Size at Birth Reflect Those of Multiple Micronutrient Supplementation. <i>Nutrients</i> , 2021, 13, 2480.	1.7	9
167	Identification of nutritionally modifiable hormonal and epigenetic drivers of positive and negative growth deviance in rural African fetuses and infants: Project protocol and cohort description. <i>Gates Open Research</i> , 2020, 4, 25.	2.0	9
168	Efficacy of Growth Hormone Treatment in Children with Type 1 Diabetes Mellitus and Growth Hormone Deficiency—An Analysis of KIGS Data. <i>Journal of Pediatrics</i> , 2018, 198, 260-264.	0.9	8
169	Effect of early glycemic control on HbA1c tracking and development of vascular complications after 5 years of childhood onset type 1 diabetes: Systematic review and meta-analysis. <i>Pediatric Diabetes</i> , 2019, 20, 494-509.	1.2	8
170	Temporal Trends in Maternal Food Intake Frequencies and Associations with Gestational Diabetes: The Cambridge Baby Growth Study. <i>Nutrients</i> , 2019, 11, 2822.	1.7	8
171	Vascular Effects of ACE (Angiotensin-Converting Enzyme) Inhibitors and Statins in Adolescents With Type 1 Diabetes. <i>Hypertension</i> , 2020, 76, 1734-1743.	1.3	8
172	Tolvaptan use during hyperhydration in paediatric intracranial lymphoma with SIADH. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2016, 2016, .	0.2	8
173	Obesity and the insulin resistance syndrome. <i>Archives of Disease in Childhood</i> , 2005, 90, 1-1.	1.0	7
174	Assessing social determinants of health in a pediatric diabetes clinical research trial: Are recruited subjects representative of the larger clinical population?. <i>Diabetes Research and Clinical Practice</i> , 2016, 113, 41-43.	1.1	7
175	Maternal rates of lipolysis and glucose production in late pregnancy are independently related to foetal weight. <i>Clinical Endocrinology</i> , 2017, 87, 272-278.	1.2	7
176	Increases in Bioactive IGF do not Parallel Increases in Total IGF-I During Growth Hormone Treatment of Children Born SGA. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e1291-e1298.	1.8	7
177	Randomized Control Trial of Postnatal rhIGF-1/rhIGFBP-3 Replacement in Preterm Infants: Post-hoc Analysis of Its Effect on Brain Injury. <i>Frontiers in Pediatrics</i> , 2020, 8, 517207.	0.9	7
178	Extensive Study of Breast Milk and Infant Growth: Protocol of the Cambridge Baby Growth and Breastfeeding Study (CBGS-BF). <i>Nutrients</i> , 2021, 13, 2879.	1.7	7
179	Urinary albumin/creatinine ratio tertiles predict risk of diabetic retinopathy progression: a natural history study from the Adolescent Cardio-Renal Intervention Trial (AdDIT) observational cohort. <i>Diabetologia</i> , 2022, 65, 872-878.	2.9	7
180	Paternal phenotype is associated with microalbuminuria in young adults with Type 1 diabetes mellitus of short duration. <i>Diabetic Medicine</i> , 2004, 21, 246-251.	1.2	6

#	ARTICLE	IF	CITATIONS
181	Management of insulin pump therapy in children with type 1 diabetes. Archives of Disease in Childhood: Education and Practice Edition, 2014, 99, 214-220.	0.3	6
182	The exon3-deleted growth hormone receptor gene polymorphism (d3-GHR) is associated with insulin and spontaneous growth in short SGA children (NESCAS). Growth Hormone and IGF Research, 2017, 35, 45-51.	0.5	6
183	Compositional marker in vivo reveals intramyocellular lipid turnover during fasting-induced lipolysis. Scientific Reports, 2018, 8, 2750.	1.6	6
184	Factors predicting poor glycemic control in the first two years of childhood onset type 1 diabetes in a cohort from East London, UK: Analyses using mixed effects fractional polynomial models. Pediatric Diabetes, 2020, 21, 288-299.	1.2	6
185	Serum Uric Acid and Cardiovascular Risk Among Portuguese Adolescents. Journal of Adolescent Health, 2015, 56, 376-381.	1.2	5
186	Anthropometry-based prediction of body composition in early infancy compared to air displacement plethysmography. Pediatric Obesity, 2021, 16, e12818.	1.4	5
187	Cardiovascular autonomic dysfunction predicts increasing albumin excretion in type 1 diabetes. Pediatric Diabetes, 2018, 19, 464-469.	1.2	5
188	Clustering of cardio-metabolic risk factors in parents of adolescents with type 1 diabetes and microalbuminuria. Pediatric Diabetes, 2017, 18, 947-954.	1.2	4
189	Timing of the Infancy-Childhood Growth Transition in Rural Gambia. Frontiers in Endocrinology, 2020, 11, 142.	1.5	4
190	Folic acid supplementation during pregnancy and associations with offspring size at birth and adiposity: a cohort study. BMC Research Notes, 2021, 14, 160.	0.6	4
191	Study protocol: Minimum effective low dose: anti-human thymocyte globulin (MELD-ATG): phase II, dose ranging, efficacy study of antithymocyte globulin (ATG) within 6 weeks of diagnosis of type 1 diabetes. BMJ Open, 2021, 11, e053669.	0.8	4
192	Early weight gain influences duration of breast feeding: prospective cohort study. Archives of Disease in Childhood, 2022, 107, 1034-1037.	1.0	4
193	Genetic influence on the associations between IGF-I and glucose metabolism in a cohort of elderly twins. European Journal of Endocrinology, 2018, 178, 153-161.	1.9	3
194	Identification of methylation changes associated with positive and negative growth deviance in Gambian infants using a targeted methyl sequencing approach of genomic DNA. FASEB BioAdvances, 2021, 3, 205-230.	1.3	3
195	The polycystic ovary syndrome and adolescent women. , 2004, , 342-353.		3
196	The influence of maternal pregnancy glucose concentrations on associations between a fetal imprinted gene allele score and offspring size at birth. BMC Research Notes, 2018, 11, 821.	0.6	2
197	The High-Risk Type 1 Diabetes HLA-DR and HLA-DQ Polymorphisms Are Differentially Associated With Growth and IGF-I Levels in Infancy: The Cambridge Baby Growth Study. Diabetes Care, 2021, 44, 1852-1859.	4.3	2
198	A Novel method for the identification and quantification of weight faltering. American Journal of Physical Anthropology, 2021, 175, 282-291.	2.1	2

#	ARTICLE	IF	CITATIONS
199	Insulin Sensitivity Assessed by Stable Isotopes with Oral Glucose Administration: Validation with Euglycaemic Clamp. <i>Isrn Endocrinology</i> , 2013, 2013, 1-7.	2.0	1
200	ACE Inhibitors and Statins in Adolescents with Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2018, 378, 579-581.	13.9	1
201	Carlo Acerini â€œraging against the dying of the light. <i>Diabetic Medicine</i> , 2019, 36, 1187-1188.	1.2	1
202	Continuous glucose monitoring in extremely preterm infants in intensive care: the REACT RCT and pilot study of â€œclosed-loopâ€™™ technology. <i>Efficacy and Mechanism Evaluation</i> , 2021, 8, 1-142.	0.9	1
203	Growth hormone hypothesis and development of diabetic nephropathy in Type 1 diabetes. <i>Expert Review of Endocrinology and Metabolism</i> , 2006, 1, 673-684.	1.2	0
204	Determinants of Short Stature and the Response to Growth Hormone Therapy. <i>Hormone Research in Paediatrics</i> , 2009, 71, 2-4.	0.8	0
205	Physiological and clinical role of insulin in the neonate. <i>Expert Review of Endocrinology and Metabolism</i> , 2010, 5, 197-207.	1.2	0