

Giuseppe ZuccalÀ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3624841/publications.pdf>

Version: 2024-02-01

67
papers

2,188
citations

331670

21
h-index

233421

45
g-index

69
all docs

69
docs citations

69
times ranked

3023
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomised trial of impact of model of integrated care and case management for older people living in the community. <i>BMJ: British Medical Journal</i> , 1998, 316, 1348-1351.	2.3	370
2	The effects of cognitive impairment on mortality among hospitalized patients with heart failure. <i>American Journal of Medicine</i> , 2003, 115, 97-103.	1.5	314
3	Correlates of cognitive impairment among patients with heart failure: Results of a multicenter survey. <i>American Journal of Medicine</i> , 2005, 118, 496-502.	1.5	173
4	Clinical effects of <i>Helicobacter pylori</i> outside the stomach. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2014, 11, 234-242.	17.8	137
5	Use of angiotensin-converting enzyme inhibitors and variations in cognitive performance among patients with heart failure. <i>European Heart Journal</i> , 2005, 26, 226-233.	2.2	113
6	Direct visualization of intestinal villi by high-resolution magnifying upper endoscopy: a validation study. <i>Gastrointestinal Endoscopy</i> , 2004, 60, 732-738.	1.0	72
7	Impact of a New Assessment System, the MDS-HC, on Function and Hospitalization of Homebound Older People: A Controlled Clinical Trial. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1288-1293.	2.6	64
8	Predictors of length of hospital stay among older adults admitted to acute care wards: a multicentre observational study. <i>European Journal of Internal Medicine</i> , 2014, 25, 56-62.	2.2	64
9	Sarcopenia in Parkinson Disease: Comparison of Different Criteria and Association With Disease Severity. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 523-527.	2.5	60
10	Anemia and cognitive performance in hospitalized older patients: results from the GIFA study. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 529-534.	2.7	53
11	Association of metabolic syndrome with cognitive function: The role of sex and age. <i>Clinical Nutrition</i> , 2008, 27, 747-754.	5.0	53
12	Reliability of the "immersion technique" during routine upper endoscopy for detection of abnormalities of duodenal villi in patients with dyspepsia. <i>Gastrointestinal Endoscopy</i> , 2004, 60, 223-228.	1.0	46
13	Use of proton-pump inhibitors is associated with depression: a population-based study. <i>International Psychogeriatrics</i> , 2018, 30, 153-159.	1.0	44
14	Functional impairment is associated with an increased risk of mortality in patients on chronic hemodialysis. <i>BMC Nephrology</i> , 2016, 17, 72.	1.8	35
15	Use of calcium antagonists and need for perioperative transfusion in older patients with hip fracture: observational study. <i>BMJ: British Medical Journal</i> , 1997, 314, 643-643.	2.3	35
16	Haemoglobin levels are associated with bone mineral density in the elderly: a population-based study. <i>Clinical Rheumatology</i> , 2009, 28, 145-151.	2.2	34
17	Depressive Symptoms and Metabolic Syndrome: Selective Association in Older Women. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2009, 22, 215-222.	2.3	33
18	Digoxin and Cognitive Performance in Patients with Heart Failure. <i>Drugs and Aging</i> , 2009, 26, 103-112.	2.7	31

#	ARTICLE	IF	CITATIONS
19	Definition of a Geriatric Depression Scale cutoff based upon quality of life: a population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e58-e64.	2.7	25
20	Masticatory dysfunction is associated with osteoporosis in older men. <i>Journal of Clinical Periodontology</i> , 2007, 34, 964-968.	4.9	24
21	Health care for older persons in Italy. <i>Aging Clinical and Experimental Research</i> , 2002, 14, 247-251.	2.9	22
22	Dopaminergic agents and nutritional status in Parkinson's disease. <i>Movement Disorders</i> , 2014, 29, 1543-1547.	3.9	22
23	The role of cognitive reserve in cognitive aging: what we can learn from Parkinson's disease. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 877-880.	2.9	21
24	Use of calcium antagonists and hemoglobin loss in hospitalized elderly patients: A cohort study. <i>Clinical Pharmacology and Therapeutics</i> , 2000, 67, 314-322.	4.7	18
25	Metabolic syndrome and quality of life in the elderly: age and gender differences. <i>European Journal of Nutrition</i> , 2013, 52, 307-316.	3.9	18
26	PHYSIOTHERAPY AND OCCUPATIONAL THERAPY. <i>American Journal of Physical Medicine and Rehabilitation</i> , 1997, 76, 38-42.	1.4	18
27	Association of depressive symptoms with circadian blood pressure alterations in Parkinson's disease. <i>Journal of Neurology</i> , 2015, 262, 2564-2571.	3.6	17
28	Association of Left Ventricular Function with Bone Mineral Density in Older Women: A Population-Based Study. <i>Calcified Tissue International</i> , 2008, 82, 27-33.	3.1	16
29	Association of depressive symptoms with bone mineral density in older men: a population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 1119-1126.	2.7	16
30	Masticatory dysfunction is associated with worse functional ability: a population-based study. <i>Journal of Clinical Periodontology</i> , 2010, 37, 113-119.	4.9	16
31	Interaction of HDL cholesterol concentrations on the relationship between physical function and inflammation in community-dwelling older persons. <i>Age and Ageing</i> , 2010, 39, 74-80.	1.6	16
32	Recovery Time after Hemodialysis Is Inversely Associated with the Ultrafiltration Rate. <i>Blood Purification</i> , 2019, 47, 45-51.	1.8	16
33	Use of ACE-inhibitors and falls in patients with Parkinson's disease. <i>Gait and Posture</i> , 2017, 54, 39-44.	1.4	13
34	The Geriatrician: The Frontline Specialist in the Treatment of COVID-19 Patients. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 937-938.	2.5	11
35	Prevalence of Impulsive-Compulsive Symptoms in Elderly Parkinson's Disease Patients. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	2.2	11
36	Author response to 23-0839 let. <i>American Journal of Medicine</i> , 2004, 116, 138.	1.5	10

#	ARTICLE	IF	CITATIONS
37	Intradialytic hypotension is associated with dialytic age in patients on chronic hemodialysis. <i>Renal Failure</i> , 2013, 35, 1260-1263.	2.1	10
38	Cognitive performance is associated with left ventricular function in older chronic hemodialysis patients: result of a pilot study. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 445-451.	2.9	10
39	Impact of disease duration and cardiovascular dysautonomia on hypertension in Parkinson's disease. <i>Journal of Clinical Hypertension</i> , 2017, 19, 418-423.	2.0	10
40	Use of calcium antagonists and worsening renal function in patients receiving angiotensin-converting-enzyme inhibitors. <i>European Journal of Clinical Pharmacology</i> , 2003, 58, 695-699.	1.9	9
41	Untangling the relationship between fat distribution, nutritional status and Parkinson's disease severity. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 77-84.	2.9	9
42	Prevalence of Obsessive-Compulsive Symptoms in Elderly Parkinson Disease Patients: A Case-Control Study. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 167-175.	1.2	9
43	Depressive symptoms are associated with hospitalization, but not with mortality in the elderly: A population-based study. <i>Aging and Mental Health</i> , 2010, 14, 955-961.	2.8	8
44	Left ventricle diastolic function and cognitive performance in adults with Down syndrome. <i>International Journal of Cardiology</i> , 2016, 203, 816-818.	1.7	8
45	What about the caregiver? A journey into Parkinson's disease following the burden tracks. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 991-996.	2.9	8
46	Postsurgical Complications in Older Patients. <i>Drugs and Aging</i> , 1994, 5, 419-430.	2.7	7
47	Association of metabolic syndrome with falls in patients with Parkinson's disease. <i>Clinical Nutrition</i> , 2017, 36, 559-563.	5.0	7
48	Coronary Risk Factors in the Elderly: Their Interactions and Treatment. <i>Current Pharmaceutical Design</i> , 2003, 9, 2465-2478.	1.9	7
49	Disability is associated with emergency room visits in the elderly: a population-based study. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 663-671.	2.9	6
50	Hospital Care of Older Patients With COPD: Adherence to International Guidelines for Use of Inhaled Bronchodilators and Corticosteroids. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1313-1317.e9.	2.5	5
51	Association of Pisa Syndrome With Mortality in Patients With Parkinson's Disease. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1037-1041.e1.	2.5	4
52	Safinamide as an adjunct therapy in older patients with Parkinson's disease: a retrospective study. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 1369-1373.	2.9	4
53	Letter by Gronda et al Regarding Article, "Effect of Empagliflozin on Worsening Heart Failure Events in Patients With Heart Failure and Preserved Ejection Fraction: EMPEROR-Preserved Trial" <i>Circulation</i> , 2022, 145, e839-e840.	1.6	4
54	Non-Scientific Drug Prescription in Demented Older People Living in the Community. <i>Clinical Drug Investigation</i> , 2001, 21, 157-160.	2.2	3

#	ARTICLE	IF	CITATIONS
55	Low blood pressure and the risk of dementia in very old individuals. <i>Neurology</i> , 2004, 63, 598-599.	1.1	3
56	Prevention of dementia: Syst-Eur trial. <i>Lancet, The</i> , 1999, 353, 235-236.	13.7	2
57	Introduction of angiotensin-converting enzyme inhibitors induces a fall in hemoglobin levels in elderly patients hospitalized with heart failure: a cohort study. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 145-151.	2.9	2
58	Methotrexate-induced dysautonomia in a patient with rheumatoid arthritis. <i>Rheumatology</i> , 2017, 56, 1428-1430.	1.9	2
59	Prevalence of use and appropriateness of antidepressants prescription in acutely hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2019, 68, e7-e11.	2.2	2
60	Dose-Related Impact of Alcohol Consumption on Cognitive Function in Advanced Age: Results of a Multicenter Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 1743-1748.	2.4	2
61	Optimum dose of digoxin. <i>Lancet, The</i> , 1997, 349, 1845.	13.7	1
62	Constrictive pericarditis and tuberculosis. <i>Lancet, The</i> , 1997, 350, 1782.	13.7	1
63	Optimal Digoxin Concentrations for Patients With Heart Failure—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 2643.	7.4	1
64	Increased Risk of Bleeding in Elderly Patients Treated With Oral Anticoagulants and Angiotensin-Converting Enzyme Inhibitors. <i>Canadian Journal of Cardiology</i> , 2019, 35, 545.e3-545.e4.	1.7	1
65	Metabolic syndrome is associated with better quality of sleep in the oldest old: results from the “Mugello Study”. <i>Diabetology and Metabolic Syndrome</i> , 2020, 12, 46.	2.7	1
66	Thrombolytic Therapy for Elderly Patients With Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 1997, 278, 1401.	7.4	0
67	Congestive Heart Failure/Heart Transplant. , 2009, , 151-162.		0