Ana GonzÃ;lez-Pinto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3625462/publications.pdf

Version: 2024-02-01

61984 79698 6,741 179 43 73 citations h-index g-index papers 181 181 181 6849 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. American Journal of Psychiatry, 2013, 170, 1249-1262.	7.2	579
2	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. American Journal of Psychiatry, 2013, 170, 852-859.	7.2	269
3	Adherence to Antipsychotic Medication in Bipolar Disorder and Schizophrenic Patients. Journal of Clinical Psychopharmacology, 2016, 36, 355-371.	1.4	250
4	Decreased levels of plasma BDNF in first-episode schizophrenia and bipolar disorder patients. Schizophrenia Research, 2006, 86, 321-322.	2.0	189
5	Suicidal risk in bipolar I disorder patients and adherence to long-term lithium treatment. Bipolar Disorders, 2006, 8, 618-624.	1.9	165
6	Pro-/Anti-inflammatory Dysregulation in Patients With First Episode of Psychosis: Toward an Integrative Inflammatory Hypothesis of Schizophrenia. Schizophrenia Bulletin, 2014, 40, 376-387.	4.3	156
7	Polarity index of pharmacological agents used for maintenance treatment of bipolar disorder. European Neuropsychopharmacology, 2012, 22, 339-346.	0.7	152
8	New treatment guidelines for acute bipolar depression: A systematic review. Journal of Affective Disorders, 2011, 129, 14-26.	4.1	135
9	Progressive Brain Changes in Children and Adolescents With First-Episode Psychosis. Archives of General Psychiatry, 2012, 69, 16.	12.3	135
10	Suicide Attempts in Bipolar Patients. Journal of Clinical Psychiatry, 2001, 62, 963-966.	2.2	126
11	Cannabis and First-Episode Psychosis: Different Long-term Outcomes Depending on Continued or Discontinued Use. Schizophrenia Bulletin, 2011, 37, 631-639.	4.3	112
12	Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. Journal of Clinical Psychiatry, 2009, 70, 1017-1023.	2.2	108
13	Trait and State Attributes of Insight in First Episodes of Early-Onset Schizophrenia and Other Psychoses: A 2-Year Longitudinal Study. Schizophrenia Bulletin, 2011, 37, 38-51.	4.3	100
14	Cognitive impairment is related to oxidative stress and chemokine levels in first psychotic episodes. Schizophrenia Research, 2012, 137, 66-72.	2.0	96
15	Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. BMC Psychiatry, 2011, 11, 26.	2.6	94
16	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. Schizophrenia Research, 2015, 164, 65-73.	2.0	92
17	Impact of Cannabis and Other Drugs on Age at Onset of Psychosis. Journal of Clinical Psychiatry, 2008, 69, 1210-1216.	2.2	87
18	Cannabis use in children and adolescents with first episode psychosis: Influence on psychopathology and short-term outcome (CAFEPS study). Schizophrenia Research, 2009, 113, 129-137.	2.0	86

#	Article	IF	Citations
19	The child and adolescent first-episode psychosis study (CAFEPS): Design and baseline results. Schizophrenia Research, 2007, 91, 226-237.	2.0	85
20	First episode in bipolar disorder: misdiagnosis and psychotic symptoms. Journal of Affective Disorders, 1998, 50, 41-44.	4.1	80
21	Association between smoking and alcohol use in the general population: stable and unstable odds ratios across two years in two different countries. Alcohol and Alcoholism, 2007, 42, 252-257.	1.6	80
22	New treatment guidelines for acute bipolar mania: A critical review. Journal of Affective Disorders, 2012, 140, 125-141.	4.1	76
23	Relationship between the use of benzodiazepines and falls in older adults: A systematic review. Maturitas, 2017, 101, 17-22.	2.4	76
24	Peripheral Endocannabinoid System Dysregulation in First-Episode Psychosis. Neuropsychopharmacology, 2013, 38, 2568-2577.	5.4	73
25	Verbal memory as a mediator in the relationship between subthreshold depressive symptoms and functional outcome in bipolar disorder. Journal of Affective Disorders, 2014, 160, 50-54.	4.1	71
26	Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 1-8.	1.8	68
27	Different profile of substance abuse in relation to predominant polarity in bipolar disorder. Journal of Affective Disorders, 2010, 124, 250-255.	4.1	62
28	Peripheral Inflammatory Parameters in Late-Life Depression: A Systematic Review. International Journal of Molecular Sciences, 2016, 17, 2022.	4.1	62
29	Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: A 2-year longitudinal study. Schizophrenia Research, 2014, 152, 130-138.	2.0	59
30	Mood stabilizers and antipsychotics during breastfeeding: Focus on bipolar disorder. European Neuropsychopharmacology, 2016, 26, 1562-1578.	0.7	59
31	Poor Long-Term Prognosis in Mixed Bipolar Patients. Journal of Clinical Psychiatry, 2011, 72, 671-676.	2.2	59
32	Predictors of Suicide Attempt in Early-Onset, First-Episode Psychoses. Journal of Clinical Psychiatry, 2013, 74, 59-66.	2.2	59
33	Antipsychotic Treatment in Child and Adolescent First-Episode Psychosis: A Longitudinal Naturalistic Approach. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 327-336.	1.3	58
34	Working memory as a predictor of negative symptoms and functional outcome in first episode psychosis. Psychiatry Research, 2013, 206, 8-16.	3.3	58
35	Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. Schizophrenia Bulletin, 2016, 42, 344-357.	4.3	58
36	Increase in brain-derived neurotrophic factor in first episode psychotic patients after treatment with atypical antipsychotics. International Clinical Psychopharmacology, 2010, 25, 241-245.	1.7	54

#	Article	IF	CITATIONS
37	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. European Neuropsychopharmacology, 2015, 25, 257-264.	0.7	52
38	Two-year diagnostic stability in early-onset first-episode psychosis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2011, 52, 1089-1098.	5.2	51
39	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. Schizophrenia Research, 2012, 137, 58-65.	2.0	50
40	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. Schizophrenia Research, 2018, 193, 188-196.	2.0	50
41	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. Schizophrenia Research, 2017, 189, 84-90.	2.0	49
42	Epidemiology, Diagnosis and Management of Mixed Mania. CNS Drugs, 2007, 21, 611-626.	5.9	47
43	Consenso español sobre los riesgos y detección de la hiperprolactinemia iatrogénica por antipsicóticos. Revista De PsiquiatrÃa Y Salud Mental, 2016, 9, 158-173.	1.8	47
44	Baseline Characteristics and Outcomes in Patients With First Episode or Multiple Episodes of Acute Mania. Journal of Clinical Psychiatry, 2010, 71, 255-261.	2.2	47
45	Multidisciplinary consensus on the therapeutic recommendations for iatrogenic hyperprolactinemia secondary to antipsychotics. Frontiers in Neuroendocrinology, 2017, 45, 25-34.	5.2	46
46	Relationship between negative symptoms and plasma levels of insulin-like growth factor 1 in first-episode schizophrenia and bipolar disorder patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 44, 29-33.	4.8	45
47	Predictors of Suicide in First-Episode Affective and Nonaffective Psychotic Inpatients. Journal of Clinical Psychiatry, 2007, 68, 242-247.	2.2	44
48	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. Journal of Affective Disorders, 2014, 167, 104-111.	4.1	43
49	Modelling gene-environment interaction in first episodes of psychosis. Schizophrenia Research, 2017, 189, 181-189.	2.0	43
50	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. Schizophrenia Research, 2014, 156, 23-29.	2.0	42
51	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. Schizophrenia Bulletin, 2019, 45, 846-858.	4.3	41
52	Can positive family factors be protective against the development of psychosis? Psychiatry Research, 2011, 186, 28-33.	3.3	40
53	Impact of sunlight on the age of onset of bipolar disorder. Bipolar Disorders, 2012, 14, 654-663.	1.9	39
54	Influence of light exposure during early life on the age of onset of bipolar disorder. Journal of Psychiatric Research, 2015, 64, 1-8.	3.1	39

#	Article	IF	CITATIONS
55	Bipolar Disorder Differences between Genders: Special Considerations for Women. Women's Health, 2011, 7, 663-676.	1.5	38
56	Validation and Use of the Functioning Assessment Short Test in First Psychotic Episodes. Journal of Nervous and Mental Disease, 2010, 198, 836-840.	1.0	37
57	Internet use by patients with bipolar disorder: Results from an international multisite survey. Psychiatry Research, 2016, 242, 388-394.	3.3	36
58	Treatment of Bipolar I Rapid Cycling Patients During Dysphoric Mania with Olanzapine. Journal of Clinical Psychopharmacology, 2002, 22, 450-454.	1.4	35
59	Bipolar disorder comorbid with alcohol use disorder: focus on neurocognitive correlates. Frontiers in Physiology, 2015, 6, 108.	2.8	35
60	Online information seeking by patients with bipolar disorder: results from an international multisite survey. International Journal of Bipolar Disorders, 2016, 4, 17.	2,2	35
61	Differences in the Use and Opinions About New eHealth Technologies Among Patients With Psychosis: Structured Questionnaire. JMIR Mental Health, 2018, 5, e51.	3.3	35
62	Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. BMC Psychiatry, 2013, 13, 27.	2.6	34
63	Gut microbiota, innate immune pathways, and inflammatory control mechanisms in patients with major depressive disorder. Translational Psychiatry, 2021, 11, 645.	4.8	34
64	Cannabis use and involuntary admission may mediate long-term adherence in first-episode psychosis patients: a prospective longitudinal study. BMC Psychiatry, 2013, 13, 326.	2.6	33
65	Premorbid impairments in early-onset psychosis: Differences between patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2013, 146, 103-110.	2.0	33
66	A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. Schizophrenia Research, 2014, 158, 126-133.	2.0	33
67	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. Journal of Affective Disorders, 2021, 295, 173-182.	4.1	32
68	Dimensions of mania: differences between mixed and pure episodes. European Psychiatry, 2004, 19, 307-310.	0.2	31
69	Long-term efficacy of a psychological intervention program for patients with refractory bipolar disorder: A pilot study. Psychiatry Research, 2010, 176, 161-165.	3.3	29
70	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. International Journal of Neuropsychopharmacology, 2016, 19, pyv121.	2.1	29
71	A systematic review of sex-based differences in effectiveness and adverse effects of clozapine. Psychiatry Research, 2019, 280, 112506.	3.3	28
72	Overview of lithium's use: a nationwide survey. International Journal of Bipolar Disorders, 2021, 9, 10.	2.2	28

#	Article	IF	CITATIONS
73	Pro-/Antiinflammatory Dysregulation in Early Psychosis: Results from a 1-Year Follow-Up Study. International Journal of Neuropsychopharmacology, 2015, 18, pyu037-pyu037.	2.1	26
74	The affective dimension of earlyâ€onset psychosis and its relationship with suicide. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 747-755.	5.2	26
75	The Efficacy of Non-Pharmacological Interventions on Brain-Derived Neurotrophic Factor in Schizophrenia: A Systematic Review and Meta-Analysis. International Journal of Molecular Sciences, 2016, 17, 1766.	4.1	26
76	Cannabis use, COMT, BDNF and age at first-episode psychosis. Psychiatry Research, 2017, 250, 38-43.	3.3	26
77	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. European Neuropsychopharmacology, 2017, 27, 350-359.	0.7	26
78	Association between solar insolation and a history of suicide attempts in bipolar I disorder. Journal of Psychiatric Research, 2019, 113, 1-9.	3.1	25
79	Longitudinal outcome of attenuated positive symptoms, negative symptoms, functioning and remission in people at clinical high risk for psychosis: a meta-analysis. EClinicalMedicine, 2021, 36, 100909.	7.1	25
80	How effective is a psychological intervention program for patients with refractory bipolar disorder? A randomized controlled trial. Journal of Affective Disorders, 2010, 126, 80-87.	4.1	24
81	Eficacia y seguridad de la ketamina en depresión bipolar: una revisión sistemática. Revista De PsiquiatrÃa Y Salud Mental, 2017, 10, 104-112.	1.8	24
82	Twenty-Four Months of Antipsychotic Treatment in Children and Adolescents With First Psychotic Episode. Journal of Clinical Psychopharmacology, 2013, 33, 463-471.	1.4	23
83	Validity and Reliability of the Hamilton Depression Rating Scale (5 Items) for Manic and Mixed Bipolar Disorders. Journal of Nervous and Mental Disease, 2009, 197, 682-686.	1.0	22
84	Prescripción de benzodiacepinas y caÃdas en mujeres y hombres ancianos. Revista De PsiquiatrÃa Y Salud Mental, 2018, 11, 12-18.	1.8	22
85	Subclinical Depressive Symptoms and Continued Cannabis Use: Predictors of Negative Outcomes in First Episode Psychosis. PLoS ONE, 2015, 10, e0123707.	2.5	22
86	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. PLoS ONE, 2016, 11, e0160949.	2.5	22
87	Predictors of good outcome in patients with refractory bipolar disorder after a drug or a drug and cognitive-behavioral treatment. Comprehensive Psychiatry, 2012, 53, 224-229.	3.1	21
88	The functioning assessment short test (FAST) applied to first-episode psychosis: Psychometric properties and severity thresholds. European Neuropsychopharmacology, 2021, 47, 98-111.	0.7	21
89	Twelve-month follow-up of family communication and psychopathology in children and adolescents with a first psychotic episode (CAFEPS study). Psychiatry Research, 2011, 185, 72-77.	3.3	20
90	Identifying clinical clusters with distinct trajectories in first-episode psychosis through an unsupervised machine learning technique. European Neuropsychopharmacology, 2021, 47, 112-129.	0.7	20

#	Article	IF	CITATIONS
91	Number of prior episodes and the presence of depressive symptoms are associated with longer length of stay for patients with acute manic episodes. Annals of General Psychiatry, 2012, 11, 7.	2.7	19
92	Mindfulness-based cognitive therapy versus psychoeducational intervention in bipolar outpatients with sub-threshold depressive symptoms: a randomized controlled trial. BMC Psychiatry, 2014, 14, 215.	2.6	19
93	Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. European Child and Adolescent Psychiatry, 2015, 24, 1447-1459.	4.7	19
94	Predictors of Functional and Clinical Outcome in Early-Onset First-Episode Psychosis. Journal of Clinical Psychiatry, 2015, 76, e1441-e1448.	2.2	19
95	Predictors of recurrence in bipolar disorders in Spain (PREBIS study data). Journal of Affective Disorders, 2012, 141, 406-414.	4.1	18
96	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. Journal of Psychiatric Research, 2016, 75, 14-21.	3.1	18
97	A systematic review of suicide and suicide attempts in adolescents with psychotic disorders. Schizophrenia Research, 2021, 235, 80-90.	2.0	18
98	Efficacy of quetiapine XR vs. placebo as concomitant treatment to mood stabilizers in the control of subthreshold symptoms of bipolar disorder: Results from a pilot, randomized controlled trial. European Neuropsychopharmacology, 2017, 27, 959-969.	0.7	17
99	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. European Child and Adolescent Psychiatry, 2018, 27, 113-126.	4.7	17
100	Cannabis use and nonuse in patients with first-episode psychosis: A systematic review and meta-analysis of studies comparing neurocognitive functioning. European Psychiatry, 2020, 63, e6.	0.2	17
101	Trajectories of suicidal ideation after firstâ€episode psychosis: a growth mixture modeling approach. Acta Psychiatrica Scandinavica, 2021, 143, 418-433.	4.5	17
102	Predictors of Bipolar Disorder Versus Schizophrenia Diagnosis in a Multicenter First Psychotic Episode Cohort. Journal of Clinical Psychiatry, 2020, 81, .	2.2	17
103	Effectiveness of olanzapine monotherapy and olanzapine combination treatment in the long term following acute mania $\hat{a} \in \mathbb{R}$ Results of a two year observational study in bipolar disorder (EMBLEM). Journal of Affective Disorders, 2011, 131, 320-329.	4.1	16
104	Prognostic Value of Affective Symptoms in First-Admission Psychotic Patients. International Journal of Molecular Sciences, 2016, 17, 1039.	4.1	16
105	White Matter Tract Integrity in Alzheimer's Disease vs. Late Onset Bipolar Disorder and Its Correlation with Systemic Inflammation and Oxidative Stress Biomarkers. Frontiers in Aging Neuroscience, 2017, 9, 179.	3.4	16
106	Long-Term Antipsychotic Effectiveness in First Episode of Psychosis: A 3-Year Follow-Up Randomized Clinical Trial Comparing Aripiprazole, Quetiapine, and Ziprasidone. International Journal of Neuropsychopharmacology, 2018, 21, 1090-1101.	2.1	16
107	Gene-environment interaction between an endocannabinoid system genetic polymorphism and cannabis use in first episode of psychosis. European Neuropsychopharmacology, 2019, 29, 786-794.	0.7	16
108	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. BMC Psychiatry, 2013, 13, 71.	2.6	15

#	Article	IF	Citations
109	Risk Factors for Emergency Department Short Time Readmission in Stratified Population. BioMed Research International, 2015, 2015, 1-7.	1.9	15
110	Cognition in Recent Suicide Attempts: Altered Executive Function. Frontiers in Psychiatry, 2021, 12, 701140.	2.6	15
111	Clinical and treatment predictors of relapse during a three-year follow-up of a cohort of first episodes of schizophrenia. Schizophrenia Research, 2022, 243, 32-42.	2.0	15
112	Birth Weight, Working Memory and Epigenetic Signatures in IGF2 and Related Genes: A MZ Twin Study. PLoS ONE, 2014, 9, e103639.	2.5	14
113	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. Journal of Clinical Medicine, 2021, 10, 73.	2.4	14
114	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. Schizophrenia Research, 2017, 189, 196-203.	2.0	13
115	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. European Neuropsychopharmacology, 2017, 27, 647-656.	0.7	13
116	Smoking does not impact social and non-social cognition in patients with first episode psychosis. Schizophrenia Research, 2018, 199, 64-74.	2.0	13
117	Internet use by older adults with bipolar disorder: international survey results. International Journal of Bipolar Disorders, 2018, 6, 20.	2.2	13
118	Suicidal behaviour and cognition: A systematic review with special focus on prefrontal deficits. Journal of Affective Disorders, 2021, 278, 488-496.	4.1	13
119	Inflammation biomarkers in suicide attempts and their relation to abuse, global functioning and cognition. World Journal of Biological Psychiatry, 2022, 23, 307-317.	2.6	13
120	Efficacy and safety of ketamine in bipolar depression: A systematic review. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2017, 10, 104-112.	0.3	12
121	Can lithium salts prevent depressive episodes in the real world?. European Neuropsychopharmacology, 2018, 28, 1351-1359.	0.7	12
122	The effect of family environment and psychiatric family history on psychosocial functioning in first-episode psychosis at baseline and after 2 years. European Neuropsychopharmacology, 2021, 49, 54-68.	0.7	12
123	Online psycho-education to the treatment of bipolar disorder: protocol of a randomized controlled trial. BMC Psychiatry, 2016, 16, 452.	2.6	11
124	Communicative and Social Skills among Medical Students in Spain: A Descriptive Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 1408.	2.6	11
125	Increase in urgent care for patients with an eating disorder during the COVID-19 pandemic in a Spanish province. Revista De PsiquiatrÃa Y Salud Mental, 2022, 15, 142-146.	1.8	11
126	Nutritional supplements in depressive disorders. Actas Espanolas De Psiquiatria, 2017, 45, 8-15.	0.1	11

#	Article	IF	CITATIONS
127	Psychosis and smoking cessation: Difficulties in quitting associated with sex and substance abuse. Psychiatry Research, 2012, 195, 45-50.	3.3	10
128	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. Journal of Clinical Medicine, 2021, 10, 2474.	2.4	10
129	Cognitive clusters in first-episode psychosis. Schizophrenia Research, 2021, 237, 31-39.	2.0	10
130	Gender differences in outcomes of acute mania: a 12-month follow-up study. Archives of Women's Mental Health, 2011, 14, 107-113.	2.6	9
131	Twin-based study of the complex interplay between childhood maltreatment, socioeconomic status and adult memory. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 435-440.	3.2	9
132	Eigenanatomy on Fractional Anisotropy Imaging Provides White Matter Anatomical Features Discriminating Between Alzheimer's Disease and Late Onset Bipolar Disorder. Current Alzheimer Research, 2016, 13, 557-565.	1.4	9
133	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). European Neuropsychopharmacology, 2018, 28, 185-194.	0.7	9
134	Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. Schizophrenia Research, 2019, 209, 148-155.	2.0	9
135	Duration of untreated illness and bipolar disorder: time for a new definition? Results from a cross-sectional study. Journal of Affective Disorders, 2021, 294, 513-520.	4.1	9
136	The complex association between the antioxidant defense system and clinical status in early psychosis. PLoS ONE, 2018, 13, e0194685.	2.5	8
137	Gender effects on brain changes in early-onset psychosis. European Child and Adolescent Psychiatry, 2015, 24, 1193-1205.	4.7	7
138	Correlates of neurocognitive functions in individuals at ultra-high risk for psychosis - A 6-month follow-up study. Psychiatry Research, 2018, 268, 1-7.	3.3	7
139	Prevention of Suicidal Behavior with Telemedicine in Patients with a Recent Suicide Attempt: Is a 6â€month Intervention Long Enough?. Suicide and Life-Threatening Behavior, 2020, 50, 211-219.	1.9	7
140	A Multicentre, Randomised, Controlled Trial of a Combined Clinical Treatment for First-Episode Psychosis. International Journal of Environmental Research and Public Health, 2021, 18, 7239.	2.6	7
141	Genetics of adult attachment: An updated review of the literature. World Journal of Psychiatry, 2021, 11, 530-542.	2.7	7
142	Cognitive Behavioral Therapy Program for Cannabis Use Cessation in First-Episode Psychosis Patients: A 1-Year Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 7325.	2.6	7
143	Cognitive behavioral therapy program for cannabis use cessation in first-episode psychosis patients: study protocol for a randomized controlled trial. Trials, 2016, 17, 372.	1.6	6
144	Psychometric properties and validation of a four-item version of the Strauss–Carpenter scale in bipolar disorder. International Journal of Bipolar Disorders, 2016, 4, 22.	2.2	6

#	Article	IF	CITATIONS
145	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. Schizophrenia Research, 2020, 218, 292-294.	2.0	6
146	Consenso de expertos sobre propuestas de informaci \tilde{A}^3 n al paciente en tratamiento con sales de litio. Revista De Psiquiatr \tilde{A} a Y Salud Mental, 2021, 14, 27-39.	1.8	6
147	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. International Journal of Bipolar Disorders, 2021, 9, 26.	2.2	6
148	Antioxidant defense system and family environment in adolescents with family history of psychosis. BMC Psychiatry, 2012, 12, 200.	2.6	5
149	CIBERSAM: Ten years of collaborative translational research in mental disorders. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 1-8.	0.3	5
150	Relevance of well-being, resilience, and health-related quality of life to mental health profiles of European adolescents: results from a cross-sectional analysis of the school-based multinational UPRIGHT project. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 279-291.	3.1	5
151	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. Schizophrenia Research, 2021, 236, 19-28.	2.0	5
152	Necesidades de las personas con psicosis y sus cuidadores: «en voz propia». Revista De PsiquiatrÃa Y Salud Mental, 2020, 13, 80-89.	1.8	5
153	International multi-site survey on the use of online support groups in bipolar disorder. Nordic Journal of Psychiatry, 2017, 71, 473-476.	1.3	4
154	Overdosing of benzodiazepines/Z-drugs and falls in older adults: Costs for the health system. Experimental Gerontology, 2018, 110, 42-45.	2.8	4
155	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. Psychological Medicine, 2021, 51, 2044-2053.	4.5	4
156	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. Journal of Clinical Medicine, 2021, 10, 3929.	2.4	4
157	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. Journal of Affective Disorders, 2022, 302, 83-93.	4.1	4
158	Absence of association between the level of lethality and the recidivism of suicide attempts in a Spanish province. Actas Espanolas De Psiquiatria, 2019, 47, 179-89.	0.1	4
159	The role of BDNF and NGF plasma levels in first-episode schizophrenia: A longitudinal study. European Neuropsychopharmacology, 2022, 57, 105-117.	0.7	4
160	Affective symptom dimensions in early-onset psychosis over time: a principal component factor analysis of the Young Mania Rating Scale and the Hamilton Depression Rating Scale. European Child and Adolescent Psychiatry, 2022, 31, 1715-1728.	4.7	3
161	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 164-176.	0.3	3
162	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. Revista De PsiquiatrÃa Y Salud Mental, 2021, , .	1.8	3

#	Article	IF	Citations
163	Cortical thinning over two years after first-episode psychosis depends on age of onset. NPJ Schizophrenia, 2022, 8, 20.	3.6	3
164	Link between cognitive polygenic risk scores and clinical progression after a first-psychotic episode. Psychological Medicine, 2023, 53, 4634-4647.	4.5	3
165	â€~Effectiveness of a remote nutritional intervention to increase the adherence to the Mediterranean diet among recovered depression patients'. Nutritional Neuroscience, 2023, 26, 696-705.	3.1	3
166	GuÃa de práctica clÃnica para el tratamiento farmacológico y psicológico de los pacientes adultos con trastorno bipolar y un diagnóstico comórbido de trastorno por uso de sustancias. Revista De Psicologia De La Salud, 2021, 0, 1528.	0.5	2
167	Association Between Medication Adherence and Oxidative Stress in Patients With First-Episode Mania. Frontiers in Psychiatry, 2019, 10, 162.	2.6	1
168	Esketamina intranasal: un nuevo abordaje para el tratamiento de la depresi \tilde{A}^3 n resistente al tratamiento. Psiquiatria Biologica, 2020, 27, 9-15.	0.1	1
169	Sex and substance use in first episode psychosis: Impact on clinical symptoms, psychosocial functioning and cognitive performance. Revista De PsiquiatrÃa Y Salud Mental, 2022, , .	1.8	1
170	Axis II comorbidities are less common in people with borderline personality disorder who are in remission. Evidence-Based Mental Health, 2005, 8, 51-51.	4.5	0
171	F12. INFLAMMATORY BIOMARKERS AND COGNITION IN FIRST EPISODE PSYCHOSIS: GENDER DIFFERENCES. Schizophrenia Bulletin, 2018, 44, S222-S223.	4.3	0
172	F245. COGNITIVE RESERVE DIFFERENCE IN AFFECTIVE AND NONAFFECTIVE PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S318-S318.	4.3	0
173	Mixed Forms in Bipolar Disorder and Relation to Gender. , 2019, , 765-781.		0
174	S229. THE EFFECT OF FAMILY ENVIRONMENT ON LONGITUDINAL FUNCTIONING IN FIRST PSYCHOTIC EPISODES. Schizophrenia Bulletin, 2020, 46, S125-S126.	4.3	0
175	Repercusiones del consumo de cannabis en la evolución del trastorno bipolar. Psiquiatria Biologica, 2020, 27, 54-60.	0.1	0
176	An Imaging and Blood Biomarkers Open Dataset on Alzheimer's Disease vs. Late Onset Bipolar Disorder. Frontiers in Aging Neuroscience, 2020, 12, 583212.	3.4	0
177	Expert consensus on information sheet proposals for patients under treatment with lithium. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 27-39.	0.3	0
178	Mixed Forms in Bipolar Disorder and Relation to Gender. , 2015, , 661-677.		0
179	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. Revista De PsiquiatrÃa Y Salud Mental (English) Tj ETQq1 1	0. 7&4 314	rg B T Overlo