Marie-Paule Mingeot-Leclercq

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3625845/publications.pdf

Version: 2024-02-01

98 papers 5,362 citations

76326 40 h-index 70 g-index

99 all docs 99 docs citations 99 times ranked 6793 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Contribution of Membrane Vesicle to Reprogramming of Bacterial Membrane Fluidity in Pseudomonas aeruginosa. MSphere, 2022, 7, . | 2.9 | 8 |
| 2 | Surfactant Protein B Promotes Cytosolic SiRNA Delivery by Adopting a Virus-like Mechanism of Action. ACS Nano, 2021, 15, 8095-8109. | 14.6 | 24 |
| 3 | Interest of Homodialkyl Neamine Derivatives against Resistant P. aeruginosa, E. coli, and β-Lactamases-Producing Bacteria—Effect of Alkyl Chain Length on the Interaction with LPS. International Journal of Molecular Sciences, 2021, 22, 8707. | 4.1 | 0 |
| 4 | Lipid Membranes as Key Targets for the Pharmacological Actions of Ginsenosides. Frontiers in Pharmacology, 2020, 11, 576887. | 3.5 | 10 |
| 5 | Labelâ€Free Imaging of Cholesterol Assemblies Reveals Hidden Nanomechanics of Breast Cancer Cells. Advanced Science, 2020, 7, 2002643. | 11.2 | 21 |
| 6 | Amphiphilic Aminoglycosides as Medicinal Agents. International Journal of Molecular Sciences, 2020, 21, 7411. | 4.1 | 12 |
| 7 | The Budesonide-Hydroxypropyl-Î ² -Cyclodextrin Complex Attenuates ROS Generation, IL-8 Release and Cell Death Induced by Oxidant and Inflammatory Stress. Study on A549 and A-THP-1 Cells. Molecules, 2020, 25, 4882. | 3.8 | 5 |
| 8 | Membrane Vesicle Production as a Bacterial Defense Against Stress. Frontiers in Microbiology, 2020, 11, 600221. | 3.5 | 51 |
| 9 | Synthesis and Evaluation of 2â€Aminothiophene Derivatives as <i>Staphylococcus aureus</i> Pump Inhibitors. ChemMedChem, 2020, 15, 716-725. | 3.2 | 15 |
| 10 | The activity of the saponin ginsenoside Rh2 is enhanced by the interaction with membrane sphingomyelin but depressed by cholesterol. Scientific Reports, 2019, 9, 7285. | 3.3 | 15 |
| 11 | Antimicrobial activity of amphiphilic neamine derivatives: Understanding the mechanism of action on Gram-positive bacteria. Biochimica Et Biophysica Acta - Biomembranes, 2019, 1861, 182998. | 2.6 | 18 |
| 12 | Evaluation of the Anti-Trypanosomal Activity of Vietnamese Essential Oils, with Emphasis on Curcuma longa L. and Its Components. Molecules, 2019, 24, 1158. | 3.8 | 20 |
| 13 | Sphingomyelin Plays a Critical Role in Membrane-Related Effects Induced by the Steroid Saponin Ginsenoside Rh2. Biophysical Journal, 2019, 116, 512a. | 0.5 | 0 |
| 14 | The origin of neural stem cells impacts their interactions with targeted-lipid nanocapsules: Potential role of plasma membrane lipid composition and fluidity. Journal of Controlled Release, 2018, 292, 248-255. | 9.9 | 15 |
| 15 | Membrane cholesterol delays cellular apoptosis induced by ginsenoside Rh2, a steroid saponin. Toxicology and Applied Pharmacology, 2018, 352, 59-67. | 2.8 | 29 |
| 16 | Broad-spectrum antibacterial amphiphilic aminoglycosides: A new focus on the structure of the lipophilic groups extends the series of active dialkyl neamines. European Journal of Medicinal Chemistry, 2018, 157, 1512-1525. | 5.5 | 19 |
| 17 | Effect of cardiolipin on the antimicrobial activity of a new amphiphilic aminoglycoside derivative on Pseudomonas aeruginosa. PLoS ONE, 2018, 13, e0201752. | 2.5 | 23 |
| 18 | Tuning of Differential Lipid Order Between Submicrometric Domains and Surrounding Membrane Upon Erythrocyte Reshaping. Cellular Physiology and Biochemistry, 2018, 48, 2563-2582. | 1.6 | 22 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Submicrometric Lipid Domains Play Key Roles in Erythrocyte Deformation: From Membrane Bending to Shape Restoration. Biophysical Journal, 2017, 112, 319a. | 0.5 | 0 |
| 20 | Targeting Bacterial Cardiolipin Enriched Microdomains: An Antimicrobial Strategy Used by Amphiphilic Aminoglycoside Antibiotics. Scientific Reports, 2017, 7, 10697. | 3.3 | 59 |
| 21 | Changes in membrane biophysical properties induced by the Budesonide/Hydroxypropyl-β-cyclodextrin complex. Biochimica Et Biophysica Acta - Biomembranes, 2017, 1859, 1930-1940. | 2.6 | 17 |
| 22 | In Vitro Anti-Leishmanial Activity of Essential Oils Extracted from Vietnamese Plants. Molecules, 2017, 22, 1071. | 3.8 | 32 |
| 23 | Negatively Charged Lipids as a Potential Target for New Amphiphilic Aminoglycoside Antibiotics. Journal of Biological Chemistry, 2016, 291, 13864-13874. | 3.4 | 33 |
| 24 | Subcellular mechanisms involved in apoptosis induced by aminoglycoside antibiotics: Insights on p53, proteasome and endoplasmic reticulum. Toxicology and Applied Pharmacology, 2016, 309, 24-36. | 2.8 | 15 |
| 25 | New Broad-Spectrum Antibacterial Amphiphilic Aminoglycosides Active against Resistant Bacteria: From Neamine Derivatives to Smaller Neosamine Analogues. Journal of Medicinal Chemistry, 2016, 59, 9350-9369. | 6.4 | 34 |
| 26 | α-Hederin Induces Apoptosis, Membrane Permeabilization and Morphologic Changes in Two Cancer Cell Lines Through a Cholesterol-Dependent Mechanism. Planta Medica, 2016, 82, 1532-1539. | 1.3 | 30 |
| 27 | Targeting the Type Three Secretion System in Pseudomonas aeruginosa. Trends in Pharmacological Sciences, 2016, 37, 734-749. | 8.7 | 97 |
| 28 | Bacterial lipid membranes as promising targets to fight antimicrobial resistance, molecular foundations and illustration through the renewal of aminoglycoside antibiotics and emergence of amphiphilic aminoglycosides. MedChemComm, 2016, 7, 586-611. | 3.4 | 110 |
| 29 | Hyperspectral Analysis of Laurdan Emission Spectra in Red Blood Cells and Giant Unilamellar Vesicles. Biophysical Journal, 2015, 108, 622a. | 0.5 | 3 |
| 30 | Study of Macrophage Functions in Murine J774 Cells and Human Activated THP-1 Cells Exposed to Oritavancin, a Lipoglycopeptide with High Cellular Accumulation. Antimicrobial Agents and Chemotherapy, 2014, 58, 2059-2066. | 3.2 | 19 |
| 31 | Comparison of the Antibiotic Activities of Daptomycin, Vancomycin, and the Investigational Fluoroquinolone Delafloxacin against Biofilms from Staphylococcus aureus Clinical Isolates. Antimicrobial Agents and Chemotherapy, 2014, 58, 6385-6397. | 3.2 | 88 |
| 32 | New Amphiphilic Neamine Derivatives Active against Resistant Pseudomonas aeruginosa and Their Interactions with Lipopolysaccharides. Antimicrobial Agents and Chemotherapy, 2014, 58, 4420-4430. | 3.2 | 52 |
| 33 | The amphiphilic nature of saponins and their effects on artificial and biological membranes and potential consequences for red blood and cancer cells. Organic and Biomolecular Chemistry, 2014, 12, 8803-8822. | 2.8 | 172 |
| 34 | Domain Formation and Permeabilization Induced by the Saponin α-Hederin and Its Aglycone Hederagenin in a Cholesterol-Containing Bilayer. Langmuir, 2014, 30, 4556-4569. | 3.5 | 42 |
| 35 | Pharmacological Characterization of 7-(4-(Piperazin-1-yl)) Ciprofloxacin Derivatives: Antibacterial Activity, Cellular Accumulation, Susceptibility to Efflux Transporters, and Intracellular Activity. Pharmaceutical Research, 2014, 31, 1290-1301. | 3.5 | 20 |
| 36 | Tuning the Antibacterial Activity of Amphiphilic Neamine Derivatives and Comparison to Paromamine Homologues. Journal of Medicinal Chemistry, 2013, 56, 7691-7705. | 6.4 | 43 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Induction of Highly Curved Structures in Relation to Membrane Permeabilization and Budding by the Triterpenoid Saponins, α- and δ-Hederin. Journal of Biological Chemistry, 2013, 288, 14000-14017. | 3.4 | 55 |
| 38 | Analysis of the Membrane Proteome of Ciprofloxacin-Resistant Macrophages by Stable Isotope Labeling with Amino Acids in Cell Culture (SILAC). PLoS ONE, 2013, 8, e58285. | 2.5 | 8 |
| 39 | Novel polymyxin derivatives are less cytotoxic than polymyxin B to renal proximal tubular cells. Peptides, 2012, 35, 248-252. | 2.4 | 39 |
| 40 | Major increases of the reactivity and selectivity in aminoglycoside O-alkylation due to the presence of fluoride ions. Tetrahedron, 2012, 68, 737-746. | 1.9 | 12 |
| 41 | Cellular accumulation of fluoroquinolones is not predictive of their intracellular activity: studies with gemifloxacin, moxifloxacin and ciprofloxacin in a pharmacokinetic/pharmacodynamic model of uninfected and infected macrophages. International Journal of Antimicrobial Agents, 2011, 38, 249-56. | 2.5 | 34 |
| 42 | The Pseudomonas aeruginosa membranes: A target for a new amphiphilic aminoglycoside derivative?. Biochimica Et Biophysica Acta - Biomembranes, 2011, 1808, 1716-1727. | 2.6 | 78 |
| 43 | Modulation of the expression of ABC transporters in murine (J774) macrophages exposed to large concentrations of the fluoroquinolone antibiotic moxifloxacin. Toxicology, 2011, 290, 178-186. | 4.2 | 9 |
| 44 | Role of oxidative stress in lysosomal membrane permeabilization and apoptosis induced by gentamicin, an aminoglycoside antibiotic. Free Radical Biology and Medicine, 2011, 51, 1656-1665. | 2.9 | 91 |
| 45 | Interactions of oritavancin, a new semi-synthetic lipoglycopeptide, with lipids extracted from Staphylococcus aureus. Biochimica Et Biophysica Acta - Biomembranes, 2010, 1798, 1876-1885. | 2.6 | 26 |
| 46 | Synthesis and Antimicrobial Evaluation of Amphiphilic Neamine Derivatives. Journal of Medicinal Chemistry, 2010, 53, 119-127. | 6.4 | 63 |
| 47 | Identification of the Efflux Transporter of the Fluoroquinolone Antibiotic Ciprofloxacin in Murine Macrophages: Studies with Ciprofloxacin-Resistant Cells. Antimicrobial Agents and Chemotherapy, 2009, 53, 2410-2416. | 3.2 | 26 |
| 48 | Interactions of oritavancin, a new lipoglycopeptide derived from vancomycin, with phospholipid bilayers: Effect on membrane permeability and nanoscale lipid membrane organization. Biochimica Et Biophysica Acta - Biomembranes, 2009, 1788, 1832-1840. | 2.6 | 77 |
| 49 | Renal cell apoptosis induced by nephrotoxic drugs: cellular and molecular mechanisms and potential approaches to modulation. Apoptosis: an International Journal on Programmed Cell Death, 2008, 13, 11-32. | 4.9 | 167 |
| 50 | Atomic force microscopy of supported lipid bilayers. Nature Protocols, 2008, 3, 1654-1659. | 12.0 | 186 |
| 51 | Characterization of the Interactions between Fluoroquinolone Antibiotics and Lipids: a Multitechnique Approach. Biophysical Journal, 2008, 94, 3035-3046. | 0.5 | 38 |
| 52 | The bacterial envelope as a target for novel anti-MRSA antibiotics. Trends in Pharmacological Sciences, 2008, 29, 124-134. | 8.7 | 129 |
| 53 | Interactions of ciprofloxacin with DPPC and DPPG: Fluorescence anisotropy, ATR-FTIR and 31P NMR spectroscopies and conformational analysis. Biochimica Et Biophysica Acta - Biomembranes, 2008, 1778, 2535-2543. | 2.6 | 78 |

Cellular pharmacokinetics of telavancin, a novel lipoglycopeptide antibiotic, and analysis of lysosomal changes in cultured eukaryotic cells (J774 mouse macrophages and rat embryonic) Tj ETQq0 0 0 rgBT |Osem| 50 57 T

54

| # | Article | IF | CITATIONS |
|----|--|----------------------------|------------------------|
| 55 | Cooperation between Prokaryotic (Lde) and Eukaryotic (MRP) Efflux Transporters in J774 Macrophages Infected with <i>Listeria monocytogenes</i> Studies with Ciprofloxacin and Moxifloxacin. Antimicrobial Agents and Chemotherapy, 2008, 52, 3040-3046. | 3.2 | 26 |
| 56 | Apoptosis Induced by Aminoglycosides in LLC-PK1 Cells: Comparative Study of Neomycin, Gentamicin, Amikacin, and Isepamicin Using Electroporation. Antimicrobial Agents and Chemotherapy, 2008, 52, 2236-2238. | 3.2 | 16 |
| 57 | Selection of quinolone resistance in Streptococcus pneumoniae exposed in vitro to subinhibitory drug concentrations. Journal of Antimicrobial Chemotherapy, 2007, 60, 965-972. | 3.0 | 42 |
| 58 | Role of Acidic pH in the Susceptibility of Intraphagocytic Methicillin-Resistant Staphylococcus aureus Strains to Meropenem and Cloxacillin. Antimicrobial Agents and Chemotherapy, 2007, 51, 1627-1632. | 3.2 | 32 |
| 59 | Modulation of the Cellular Accumulation and Intracellular Activity of Daptomycin towards Phagocytized Staphylococcus aureus by the P-Glycoprotein (MDR1) Efflux Transporter in Human THP-1 Macrophages and Madin-Darby Canine Kidney Cells. Antimicrobial Agents and Chemotherapy, 2007, 51, 2748-2757. | 3.2 | 53 |
| 60 | The Biologically Important Surfactin Lipopeptide Induces Nanoripples in Supported Lipid Bilayers. Langmuir, 2007, 23, 9769-9772. | 3.5 | 32 |
| 61 | Evaluation of the extracellular and intracellular activities (human THP-1 macrophages) of telavancin versus vancomycin against methicillin-susceptible, methicillin-resistant, vancomycin-intermediate and vancomycin-resistant Staphylococcus aureus. Journal of Antimicrobial Chemotherapy, 2006, 58, 1177-1184. | 3.0 | 100 |
| 62 | Gentamicin Causes Apoptosis at Low Concentrations in Renal LLC-PK 1 Cells Subjected to Electroporation. Antimicrobial Agents and Chemotherapy, 2006, 50, 1213-1221. | 3.2 | 73 |
| 63 | Cellular Accumulation and Activity of Quinolones in Ciprofloxacin-Resistant J774 Macrophages. Antimicrobial Agents and Chemotherapy, 2006, 50, 1689-1695. | 3.2 | 24 |
| 64 | Water-soluble amphotericin B–polyvinylpyrrolidone complexes with maintained antifungal activity against Candida spp. and Aspergillus spp. and reduced haemolytic and cytotoxic effects. Journal of Antimicrobial Chemotherapy, 2006, 57, 236-244. | 3.0 | 52 |
| 65 | Combined effect of pH and concentration on the activities of gentamicin and oxacillin against Staphylococcus aureus in pharmacodynamic models of extracellular and intracellular infections. Journal of Antimicrobial Chemotherapy, 2006, 59, 246-253. | 3.0 | 87 |
| 66 | Pharmacodynamic Evaluation of the Intracellular Activities of Antibiotics against Staphylococcus aureus in a Model of THP-1 Macrophages. Antimicrobial Agents and Chemotherapy, 2006, 50, 841-851. | 3.2 | 228 |
| 67 | Modulation of the in vitro activity of lysosomal phospholipase A1 by membrane lipids. Chemistry and Physics of Lipids, 2005, 133, 1-15. | 3.2 | 21 |
| 68 | Gentamicin-induced apoptosis in LLC-PK1 cells: Involvement of lysosomes and mitochondria. Toxicology and Applied Pharmacology, 2005, 206, 321-333. | 2.8 | 124 |
| 69 | Mixed-Lipid Storage Disorder Induced in Macrophages and Fibroblasts by Oritavancin (LY333328), a New Glycopeptide Antibiotic with Exceptional Cellular Accumulation. Antimicrobial Agents and Chemotherapy, 2005, 49, 1695-1700. | 3.2 | 32 |
| 70 | Activity of three Î ² -lactams (ertapenem, meropenem and ampicillin) against intraphagocytic Listeria monocytogenes and Staphylococcus aureus. Journal of Antimicrobial Chemotherapy, 2005, 55, 897-904. | 3.0 | 50 |
| 71 | Accumulation and Oriented Transport of Ampicillin in Caco-2 Cells from Its Pivaloyloxymethylester Prodrug, Pivampicillin. Antimicrobial Agents and Chemotherapy, 2005, 49, 1279-1288. | 3.2 | 19 |
| 72 | Influence of Efflux Transporters on the Accumulation and Efflux of Four Quinolones (Ciprofloxacin,) Tj ETQq0 0 Chemotherapy, 2005, 49, 2429-2437. | 0 rgBT /Ον 3 . 2 | verlock 10 Tf 50 76 |

Chemotherapy, 2005, 49, 2429-2437.

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Impairment of Growth ofListeria monocytogenesin THPâ€1 Macrophages by Granulocyte Macrophage Colonyâ€Stimulating Factor: Release of Tumor Necrosis Factor–α and Nitric Oxide. Journal of Infectious Diseases, 2004, 189, 2101-2109. | 4.0 | 29 |
| 74 | Inhibition of TNF-Â production in THP-1 macrophages by glatiramer acetate does not alter their susceptibility to infection by Listeria monocytogenes and does not impair the efficacy of ampicillin or moxifloxacin against intracellular bacteria. Journal of Antimicrobial Chemotherapy, 2004, 54, 288-289. | 3.0 | 1 |
| 75 | Active Efflux of Ciprofloxacin from J774 Macrophages through an MRP-Like Transporter. Antimicrobial Agents and Chemotherapy, 2004, 48, 2673-2682. | 3.2 | 52 |
| 76 | Cellular Pharmacokinetics and Pharmacodynamics of the Glycopeptide Antibiotic Oritavancin (LY333328) in a Model of J774 Mouse Macrophages. Antimicrobial Agents and Chemotherapy, 2004, 48, 2853-2860. | 3.2 | 66 |
| 77 | Cocaine induces a mixed lysosomal lipidosis in cultured fibroblasts, by inactivation of acid sphingomyelinase and inhibition of phospholipase A1. Toxicology and Applied Pharmacology, 2004, 194, 101-110. | 2.8 | 17 |
| 78 | Cell handling, membrane-binding properties, and membrane-penetration modeling approaches of pivampicillin and phthalimidomethylampicillin, two basic esters of ampicillin, in comparison with chloroquine and azithromycin. Pharmaceutical Research, 2003, 20, 624-631. | 3.5 | 15 |
| 79 | Influence of P-Glycoprotein Inhibitors on Accumulationof Macrolides in J774 MurineMacrophages. Antimicrobial Agents and Chemotherapy, 2003, 47, 1047-1051. | 3.2 | 64 |
| 80 | Activity of beta-lactams (ampicillin, meropenem), gentamicin, azithromycin and moxifloxacin against intracellular Listeria monocytogenes in a 24 h THP-1 human macrophage model. Journal of Antimicrobial Chemotherapy, 2003, 51, 1051-1052. | 3.0 | 40 |
| 81 | Intracellular accumulation and activity of ampicillin used as freedrug and as its phthalimidomethyl or pivaloyloxymethyl ester (pivampicillin) against Listeria monocytogenes in J774 macrophages. Journal of Antimicrobial Chemotherapy, 2003, 52, 610-615. | 3.0 | 8 |
| 82 | Cellular uptake of Antennapedia Penetratin peptides is a two-step process in which phase transfer precedes a tryptophan-dependent translocation. Nucleic Acids Research, 2003, 31, 556-561. | 14.5 | 108 |
| 83 | Comparative Stability Studies of Antipseudomonal β-Lactams for Potential Administration through Portable Elastomeric Pumps (Home Therapy for Cystic Fibrosis Patients) and Motor-Operated Syringes (Intensive Care Units). Antimicrobial Agents and Chemotherapy, 2002, 46, 2327-2332. | 3.2 | 178 |
| 84 | Comparative Intracellular (THP-1 Macrophage) and Extracellular Activities of \hat{l}^2 -Lactams, Azithromycin, Gentamicin, and Fluoroquinolones against <i>Listeria monocytogenes</i> at Clinically Relevant Concentrations. Antimicrobial Agents and Chemotherapy, 2002, 46, 2095-2103. | 3.2 | 116 |
| 85 | Azithromycin, a Lysosomotropic Antibiotic, Has Distinct Effects on Fluid-Phase and Receptor-Mediated Endocytosis, but Does Not Impair Phagocytosis in J774 Macrophages. Experimental Cell Research, 2002, 281, 86-86. | 2.6 | 6 |
| 86 | Membrane destabilization induced by \hat{l}^2 -amyloid peptide 29-42: Importance of the amino-terminus. Chemistry and Physics of Lipids, 2002, 120, 57-74. | 3.2 | 37 |
| 87 | Azithromycin, a lysosomotropic antibiotic, impairs fluid-phase pinocytosis in cultured fibroblasts. European Journal of Cell Biology, 2001, 80, 466-478. | 3.6 | 35 |
| 88 | Experimental and Conformational Analyses of Interactions between Butenafine and Lipids. Antimicrobial Agents and Chemotherapy, 2001, 45, 3347-3354. | 3.2 | 20 |
| 89 | Biophysical studies and intracellular destabilization of pHâ€sensitive liposomes. Lipids, 2000, 35, 213-223. | 1.7 | 33 |
| 90 | Apoptosis in Renal Proximal Tubules of Rats Treated with Low Doses of Aminoglycosides. Antimicrobial Agents and Chemotherapy, 2000, 44, 665-675. | 3.2 | 116 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 91 | Aminoglycosides: Activity and Resistance. Antimicrobial Agents and Chemotherapy, 1999, 43, 727-737. | 3.2 | 762 |
| 92 | Aminoglycoside antibiotics prevent the formation of non-bilayer structures in negatively-charged membranes. Comparative studies using fusogenic (bis(\hat{l}^2 -diethylaminoethylether)hexestrol) and aggregating (spermine) agents. Chemistry and Physics of Lipids, 1996, 79, 123-135. | 3.2 | 14 |
| 93 | Aminoglycoside antibiotics induce aggregation but not fusion of negatively-charged liposomes. European Journal of Pharmacology, 1995, 289, 321-333. | 2.6 | 33 |
| 94 | Alterations in membrane permeability induced by aminoglycoside antibiotics: studies on liposomes and cultured cells. European Journal of Pharmacology, 1993, 247, 155-168. | 2.6 | 44 |
| 95 | Interactions of aminoglycoside antibiotics with phospholipids. A deuterium nuclear magnetic resonance study. Chemistry and Physics of Lipids, 1992, 62, 153-163. | 3.2 | 15 |
| 96 | Effect of acidic phospholipids on the activity of lysosomal phospholipases and on their inhibition by aminoglycoside antibiotics—l. Biochemical Pharmacology, 1990, 40, 489-497. | 4.4 | 35 |
| 97 | Ultrastructural, physico-chemical and conformational study of the interactions of gentamicin and bis(beta-diethylaminoethylether)hexestrol with negatively-charged phospholipid layers. Biochemical Pharmacology, 1989, 38, 729-741. | 4.4 | 47 |
| 98 | Biochemical mechanism of aminoglycoside-induced inhibition of phosphatidylcholine hydrolysis by lysosomal phospholipases. Biochemical Pharmacology, 1988, 37, 591-599. | 4.4 | 65 |