

Hai-Gwo Hwu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3632125/publications.pdf>

Version: 2024-02-01

178
papers

6,735
citations

94433

37
h-index

95266

68
g-index

179
all docs

179
docs citations

179
times ranked

7260
citing authors

#	ARTICLE	IF	CITATIONS
1	Protocol of guided antipsychotic reduction to reach minimum effective dose (<scp>GARMED</scp>) in patients with remitted psychosis based on pragmatic design. <i>Microbial Biotechnology</i> , 2022, 16, 178-185.	1.7	7
2	Impaired response to sleep deprivation in heterozygous <i>Disc1</i> mutant mice. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 55-66.	2.6	3
3	Follow-up of subjects labelled with putative pre-psychotic states: Viewed from a transdiagnostic clinical high-at-risk mental state (CHARMS) paradigm. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 1159-1166.	1.7	2
4	Identifying dopamine supersensitivity through a randomized controlled study of switching to aripiprazole from other antipsychotic agents in patients with schizophrenia. <i>Therapeutic Advances in Psychopharmacology</i> , 2022, 12, 204512532110643.	2.7	0
5	Detection of advanced brain aging in schizophrenia and its structural underpinning by using normative brain age metrics. <i>NeuroImage: Clinical</i> , 2022, 34, 103003.	2.7	9
6	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	27.8	929
7	Rare coding variants in ten genes confer substantial risk for schizophrenia. <i>Nature</i> , 2022, 604, 509-516.	27.8	326
8	Niacin skin flush and membrane polyunsaturated fatty acids in schizophrenia from the acute state to partial remission: a dynamic relationship. <i>NPJ Schizophrenia</i> , 2022, 8, .	3.6	2
9	Discontinuing Antipsychotic Medication After Remission from First-Episode Psychosis: A Survey of Psychiatristsâ€™ Attitudes in Taiwan. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 465-475.	2.2	3
10	Challenging the Minimum Effective Antipsychotic Dose During Maintenance: Implications From 10-Year Follow-Up of First Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2021, 12, 714878.	2.6	4
11	Stigmas toward psychosisâ€™related clinical features among the general public in Taiwan. <i>Asia-Pacific Psychiatry</i> , 2020, 12, e12370.	2.2	8
12	Characterization of striatal phenotypes in heterozygous <i>Disc1</i> mutant mice, a model of haploinsufficiency. <i>Journal of Comparative Neurology</i> , 2020, 528, 1157-1172.	1.6	5
13	S122. TEN-YEAR FOLLOW-UP AFTER FIRST EPISODE PSYCHOSIS: FOCUSED ON LOW DOSE ANTIPSYCHOTIC MAINTENANCE AND FUNCTIONING. <i>Schizophrenia Bulletin</i> , 2020, 46, S82-S82.	4.3	0
14	S139. PROGRESSIVE DETERIORATION OF WHITE MATTER TRACTS IN SCHIZOPHRENIA: A DIFFUSION MRI STUDY ON A LARGE SINGLE COHORT USING NORMATIVE MODELS. <i>Schizophrenia Bulletin</i> , 2020, 46, S88-S89.	4.3	0
15	P50, N100, and P200 Auditory Sensory Gating Deficits in Schizophrenia Patients. <i>Frontiers in Psychiatry</i> , 2020, 11, 868.	2.6	40
16	Abnormally low prolactin levels in schizophrenia patients after switching to aripiprazole in a randomized trial: a biomarker for rebound in psychotic symptoms?. <i>BMC Psychiatry</i> , 2020, 20, 552.	2.6	9
17	Generalization of diffusion magnetic resonance imagingâ€™based brain age prediction model through transfer learning. <i>NeuroImage</i> , 2020, 217, 116831.	4.2	39
18	Clinical implications of oxidative stress in schizophrenia: Acute relapse and chronic stable phase. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 99, 109868.	4.8	27

#	ARTICLE	IF	CITATIONS
19	Trajectories after first-episode psychosis: Complement to ambiguous outcomes of long-term antipsychotic treatment by exploring a few hidden cases. <i>Microbial Biotechnology</i> , 2019, 13, 895-901.	1.7	5
20	Auditory Event-Related Potentials in Antipsychotic-Free Subjects With Ultra-High-Risk State and First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 223.	2.6	23
21	Genetic associations and expression of extra-short isoforms of disrupted-in-schizophrenia 1 in a neurocognitive subgroup of schizophrenia. <i>Journal of Human Genetics</i> , 2019, 64, 653-663.	2.3	4
22	Advanced Paternal Age and Early Onset of Schizophrenia in Sporadic Cases: Not Confounded by Parental Polygenic Risk for Schizophrenia. <i>Biological Psychiatry</i> , 2019, 86, 56-64.	1.3	18
23	Comparative genetic architectures of schizophrenia in East Asian and European populations. <i>Nature Genetics</i> , 2019, 51, 1670-1678.	21.4	440
24	Shared and distinct alterations of white matter tracts in remitted and nonremitted patients with schizophrenia. <i>Human Brain Mapping</i> , 2018, 39, 2007-2019.	3.6	14
25	Covariate-adjusted heatmaps for visualizing biological data via correlation decomposition. <i>Bioinformatics</i> , 2018, 34, 3529-3538.	4.1	7
26	Development and Psychometric Properties of the Taiwan Odd-Even Number Sequencing Test: A Nonalphabetic Measure of Working Memory. <i>Assessment</i> , 2018, 25, 183-192.	3.1	3
27	Individualized prediction of schizophrenia based on the whole-brain pattern of altered white matter tract integrity. <i>Human Brain Mapping</i> , 2018, 39, 575-587.	3.6	12
28	T182. SHARED AND DISTINCT ALTERATIONS IN THE WHITE MATTER TRACTS OF REMITTED AND NON-REMITTED PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S186-S187.	4.3	0
29	Association between mismatch negativity and voxel-based brain volume in schizophrenia. <i>Clinical Neurophysiology</i> , 2018, 129, 1899-1906.	1.5	6
30	Dissociative disorders in acute psychiatric inpatients in Taiwan. <i>Psychiatry Research</i> , 2017, 250, 285-290.	3.3	20
31	Seroprevalence survey of selective anti-neuronal autoantibodies in patients with first-episode schizophrenia and chronic schizophrenia. <i>Schizophrenia Research</i> , 2017, 190, 28-31.	2.0	29
32	Genetic loci associated with an earlier age at onset in multiplex schizophrenia. <i>Scientific Reports</i> , 2017, 7, 6486.	3.3	15
33	Adaptive combination of Bayes factors as a powerful method for the joint analysis of rare and common variants. <i>Scientific Reports</i> , 2017, 7, 13858.	3.3	4
34	Using an Event-History with Risk-Free Model to Study the Genetics of Alcoholism. <i>Scientific Reports</i> , 2017, 7, 1975.	3.3	5
35	Misattributing the Source of Self-Generated Representations Related to Dissociative and Psychotic Symptoms. <i>Frontiers in Psychology</i> , 2016, 7, 541.	2.1	21
36	Haplotypes of the D-Amino Acid Oxidase Gene Are Significantly Associated with Schizophrenia and Its Neurocognitive Deficits. <i>PLoS ONE</i> , 2016, 11, e0150435.	2.5	38

#	ARTICLE	IF	CITATIONS
37	Switch Function and Pathological Dissociation in Acute Psychiatric Inpatients. PLoS ONE, 2016, 11, e0154667.	2.5	12
38	Cumulative traumatization associated with pathological dissociation in acute psychiatric inpatients. Psychiatry Research, 2015, 230, 406-412.	3.3	18
39	Automatic whole brain tract-based analysis using predefined tracts in a diffusion spectrum imaging template and an accurate registration strategy. Human Brain Mapping, 2015, 36, 3441-3458.	3.6	55
40	Altered integrity of the right arcuate fasciculus as a trait marker of schizophrenia: A sibling study using tractography-based analysis of the whole brain. Human Brain Mapping, 2015, 36, 1065-1076.	3.6	21
41	Fast Versus Slow Strategy of Switching Patients With Schizophrenia to Aripiprazole From Other Antipsychotics. Journal of Clinical Psychopharmacology, 2015, 35, 635-644.	1.4	17
42	Elevated plasma orexin A levels in a subgroup of patients with schizophrenia associated with fewer negative and disorganized symptoms. Psychoneuroendocrinology, 2015, 53, 1-9.	2.7	44
43	Altered cortical structures and tract integrity of the mirror neuron system in association with symptoms of schizophrenia. Psychiatry Research - Neuroimaging, 2015, 231, 286-291.	1.8	9
44	Intramuscular olanzapine versus intramuscular haloperidol plus lorazepam for the treatment of acute schizophrenia with agitation: An open-label, randomized controlled trial. Journal of the Formosan Medical Association, 2015, 114, 438-445.	1.7	24
45	Trajectory classes of violent behavior and their relationship to lipid levels in schizophrenia inpatients. Journal of Psychiatric Research, 2015, 66-67, 105-111.	3.1	8
46	Neurocognitive functioning of subjects with putative pre-psychotic states and early psychosis. Schizophrenia Research, 2015, 164, 40-46.	2.0	25
47	Primary and secondary alterations of white matter connectivity in schizophrenia: A study on first-episode and chronic patients using whole-brain tractography-based analysis. Schizophrenia Research, 2015, 169, 54-61.	2.0	23
48	Metamemory in patients with schizophrenia measured by the feeling of knowing. Psychiatry Research, 2015, 230, 511-516.	3.3	5
49	Dosage and duration of antipsychotic treatment in demented outpatients with agitation or psychosis. Journal of the Formosan Medical Association, 2015, 114, 147-153.	1.7	7
50	Allocation Variable-Based Probabilistic Algorithm to Deal with Label Switching Problem in Bayesian Mixture Models. PLoS ONE, 2015, 10, e0138899.	2.5	0
51	Modulated expression of human peripheral blood microRNA from infancy to adulthood and its role in aging. Aging Cell, 2014, 13, 679-689.	6.7	33
52	Reduced structural integrity and functional lateralization of the dorsal language pathway correlate with hallucinations in schizophrenia: A combined diffusion spectrum imaging and functional magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2014, 224, 303-310.	1.8	15
53	Co-Occurring Eating and Psychiatric Symptoms in Taiwanese College Students: Effects of Gender and Parental Factors. Journal of Clinical Psychology, 2014, 70, 224-237.	1.9	11
54	Frequency-specific alternations in the amplitude of low-frequency fluctuations in schizophrenia. Human Brain Mapping, 2014, 35, 627-637.	3.6	197

#	ARTICLE	IF	CITATIONS
55	Phenotypic characterization of C57BL/6J mice carrying the Disc1 gene from the 129S6/SvEv strain. <i>Brain Structure and Function</i> , 2014, 219, 1417-1431.	2.3	29
56	A recently-discovered NMDA receptor gene, GRIN3B, is associated with duration mismatch negativity. <i>Psychiatry Research</i> , 2014, 218, 356-358.	3.3	14
57	Clinical prediction of violence among inpatients with schizophrenia using the Chinese modified version of Violence Scale: A prospective cohort study. <i>International Journal of Nursing Studies</i> , 2014, 51, 198-207.	5.6	6
58	Stable signatures of schizophrenia in the corticalâ€“subcorticalâ€“cerebellar network using fMRI of verbal working memory. <i>Schizophrenia Research</i> , 2013, 151, 133-140.	2.0	17
59	Development of a brief self-report questionnaire for screening putative pre-psychotic states. <i>Schizophrenia Research</i> , 2013, 143, 32-37.	2.0	25
60	Psychopathology, rehospitalization and quality of life among patients with schizophrenia under home care case management in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 208-215.	1.7	14
61	DRD2 haplotype associated with negative symptoms and sustained attention deficits in Han Chinese with schizophrenia in Taiwan. <i>Journal of Human Genetics</i> , 2013, 58, 229-232.	2.3	27
62	Are there differential deficits in facial emotion recognition between paranoid and non-paranoid schizophrenia? A signal detection analysis. <i>Psychiatry Research</i> , 2013, 209, 424-430.	3.3	14
63	The DAO Gene Is Associated with Schizophrenia and Interacts with Other Genes in the Taiwan Han Chinese Population. <i>PLoS ONE</i> , 2013, 8, e60099.	2.5	14
64	Performance on the Wisconsin Card Sorting Test in Families of Schizophrenia Patients With Different Familial Loadings. <i>Schizophrenia Bulletin</i> , 2013, 39, 537-546.	4.3	27
65	Aripiprazole for Drug-Naive or Antipsychotic-Short-Exposure Subjects With Ultra-High Risk State and First-Episode Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 18-23.	1.4	19
66	A Genome-wide Quantitative Linkage Scan of Niacin Skin Flush Response in Families With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 68-76.	4.3	19
67	Frequency Dependent Alterations in Regional Homogeneity of Baseline Brain Activity in Schizophrenia. <i>PLoS ONE</i> , 2013, 8, e57516.	2.5	74
68	The deficits on a corticalâ€“subcortical loop of meaning processing in schizophrenia. <i>NeuroReport</i> , 2013, 24, 147-151.	1.2	14
69	A Diagnostic Model Incorporating P50 Sensory Gating and Neuropsychological Tests for Schizophrenia. <i>PLoS ONE</i> , 2013, 8, e57197.	2.5	9
70	A stochastic inference of de novo CNV detection and association test in multiplex schizophrenia families. <i>Frontiers in Genetics</i> , 2013, 4, 185.	2.3	0
71	Facial and Prosodic Emotion Recognition Deficits Associate with Specific Clusters of Psychotic Symptoms in Schizophrenia. <i>PLoS ONE</i> , 2013, 8, e66571.	2.5	45
72	Forgetting the unforgotten affective autobiographical memories in nonclinical dissociators.. <i>Emotion</i> , 2012, 12, 1102-1110.	1.8	21

#	ARTICLE	IF	CITATIONS
73	Recovered memory experience in a nonclinical sample is associated with dissociation rather than with aversive experiences. <i>Psychiatry Research</i> , 2012, 197, 265-269.	3.3	9
74	The Chinese Facial Emotion Recognition Database (CFERD): A computer-generated 3-D paradigm to measure the recognition of facial emotional expressions at different intensities. <i>Psychiatry Research</i> , 2012, 200, 928-932.	3.3	17
75	Medium-term course and outcome of schizophrenia depicted by the sixth-month subtype after an acute episode. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 265-274.	1.7	3
76	Donating a Kidney in Taiwan: A Study of 90 Relative Living Donors. <i>Journal of Experimental and Clinical Medicine</i> , 2012, 4, 125-129.	0.2	1
77	Auditory event-related potential of subjects with suspected pre-psychotic state and first-episode psychosis. <i>Schizophrenia Research</i> , 2012, 140, 243-249.	2.0	61
78	Genome-Wide Association Study of Treatment Refractory Schizophrenia in Han Chinese. <i>PLoS ONE</i> , 2012, 7, e33598.	2.5	55
79	Differentiation of Schizophrenia Patients from Healthy Subjects by Mismatch Negativity and Neuropsychological Tests. <i>PLoS ONE</i> , 2012, 7, e34454.	2.5	34
80	ANXA7, PPP3CB, DNAJC9, and ZMYND17 Genes at Chromosome 10q22 Associated with the Subgroup of Schizophrenia with Deficits in Attention and Executive Function. <i>Biological Psychiatry</i> , 2011, 70, 51-58.	1.3	25
81	Follow-up of subjects with suspected pre-psychotic state in Taiwan. <i>Schizophrenia Research</i> , 2011, 126, 65-70.	2.0	30
82	Patient subgroups of schizophrenia based on the Positive and Negative Syndrome Scale: composition and transition between acute and subsided disease states. <i>Comprehensive Psychiatry</i> , 2011, 52, 469-478.	3.1	7
83	Association between the dopamine transporter gene and the inattentive subtype of attention deficit hyperactivity disorder in Taiwan. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 421-428.	4.8	29
84	Outcome of Severe Obsessive-compulsive Disorder With Schizotypal Features: A Pilot Study. <i>Journal of the Formosan Medical Association</i> , 2011, 110, 85-92.	1.7	15
85	A Genome-Wide Linkage Scan for Distinct Subsets of Schizophrenia Characterized by Age at Onset and Neurocognitive Deficits. <i>PLoS ONE</i> , 2011, 6, e24103.	2.5	6
86	Autonomic Modulation and Health-Related Quality of Life among Schizophrenic Patients Treated with Non-Intensive Case Management. <i>PLoS ONE</i> , 2011, 6, e26378.	2.5	19
87	Clinical Manifestations of Aggressive Acts by Schizophrenic Inpatients: A Prospective Study. <i>Perspectives in Psychiatric Care</i> , 2011, 47, 110-116.	1.9	7
88	Needs and Demands for Community Psychiatric Rehabilitation Programs from the Perspectives of Patients and Caregivers. <i>Community Mental Health Journal</i> , 2011, 47, 415-423.	2.0	6
89	TIME-FREQUENCY ANALYSIS OF MISMATCH NEGATIVITY IN SCHIZOPHRENIA PATIENTS IN TAIWAN. <i>Biomedical Engineering - Applications, Basis and Communications</i> , 2011, 23, 287-293.	0.6	0
90	Handedness and schizotypy in non-psychotic relatives of patients with schizophrenia. <i>Laterality</i> , 2011, 16, 690-706.	1.0	7

#	ARTICLE	IF	CITATIONS
91	MicroRNA Expression Aberration as Potential Peripheral Blood Biomarkers for Schizophrenia. PLoS ONE, 2011, 6, e21635.	2.5	200
92	The multidimensionality of schizotypy in nonpsychotic relatives of patients with schizophrenia and its applications in ordered subsets linkage analysis of schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1-9.	1.7	19
93	Correlates of Gender Dysphoria in Taiwanese University Students. Archives of Sexual Behavior, 2010, 39, 1415-1428.	1.9	43
94	Genetic copy number variants in sib pairs both affected with schizophrenia. Journal of Biomedical Science, 2010, 17, 2.	7.0	27
95	Differential propensity in recognition of prepsychotic phenomena among psychiatrists, clinical psychologists and school counsellors. Microbial Biotechnology, 2010, 4, 275-282.	1.7	5
96	Rapid response to antipsychotic treatment on psychotic prodrome: Implications from a case series. Psychiatry and Clinical Neurosciences, 2010, 64, 202-206.	1.8	10
97	Comparison of psychiatrists's views on classification of mental disorders in four East Asian countries/area. Asian Journal of Psychiatry, 2010, 3, 20-25.	2.0	10
98	Asian Federation of Psychiatric Association's Section. Asian Journal of Psychiatry, 2010, 3, 44-45.	2.0	0
99	More evidence to support the role of S2 in P50 studies. Schizophrenia Research, 2010, 122, 270-272.	2.0	13
100	Genetic variants of IL-6 and its receptor are not associated with schizophrenia in Taiwan. Neuroscience Letters, 2010, 468, 330-333.	2.1	21
101	Creating a Platform to Bridge Service and Research for Early Psychosis. Journal of the Formosan Medical Association, 2010, 109, 543-549.	1.7	12
102	Applicability of the Chinese Version of the Prodromal Questionnaire. Journal of the Formosan Medical Association, 2010, 109, 647-655.	1.7	10
103	A Randomized Controlled Trial of Risperidone and Olanzapine for Schizophrenic Patients With Neuroleptic-Induced Tardive Dyskinesia. Journal of Clinical Psychiatry, 2010, 71, 1226-1233.	2.2	42
104	Impaired Flush Response to Niacin Skin Patch Among Schizophrenia Patients and Their Nonpsychotic Relatives: The Effect of Genetic Loading. Schizophrenia Bulletin, 2009, 35, 213-221.	4.3	35
105	Hospital Staff Responses to Workplace Violence in a Psychiatric Hospital in Taiwan. International Journal of Occupational and Environmental Health, 2009, 15, 173-179.	1.2	21
106	Psychometric evaluation of Chinese version of Violence Scale for objective rating among inpatients with schizophrenia. Journal of Clinical Nursing, 2009, 18, 1889-1896.	3.0	6
107	Genetic variants in COMT and neurocognitive impairment in families of patients with schizophrenia. Genes, Brain and Behavior, 2009, 8, 228-237.	2.2	19
108	Clustering by neurocognition for fine mapping of the schizophrenia susceptibility loci on chromosome 6p. Genes, Brain and Behavior, 2009, 8, 785-794.	2.2	34

#	ARTICLE	IF	CITATIONS
109	Individual and family correlates for cigarette smoking among Taiwanese college students. <i>Comprehensive Psychiatry</i> , 2009, 50, 276-285.	3.1	32
110	Family-based association study of SELENBP1 in schizophrenia. <i>Schizophrenia Research</i> , 2009, 113, 268-272.	2.0	18
111	Association of the 3' Region of COMT with Schizophrenia in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 301-309.	1.7	13
112	Construction of Balanced Translocation t(1;11)(q42.1;q14.3) Probe and Screening Application in Genomic Samples in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 587-591.	1.7	1
113	A protein interaction based model for schizophrenia study. <i>BMC Bioinformatics</i> , 2008, 9, S23.	2.6	13
114	RASD2, MYH9, and CACNG2 Genes at Chromosome 22q12 Associated with the Subgroup of Schizophrenia with Non-Deficit in Sustained Attention and Executive Function. <i>Biological Psychiatry</i> , 2008, 64, 789-796.	1.3	51
115	Factors Related to Perceived Needs of Primary Caregivers of Patients with Schizophrenia. <i>Journal of the Formosan Medical Association</i> , 2008, 107, 644-652.	1.7	22
116	Risk Factors for Suicide in Taiwanese College Students. <i>Journal of American College Health</i> , 2008, 57, 135-142.	1.5	52
117	Prevalence and Determinants of Workplace Violence of Health Care Workers in a Psychiatric Hospital in Taiwan. <i>Journal of Occupational Health</i> , 2008, 50, 288-293.	2.1	132
118	Aripiprazole and Haloperidol. <i>Clinical Neuropharmacology</i> , 2008, 31, 173-175.	0.7	6
119	HTF9C gene of 22q11.21 region associates with schizophrenia having deficit-sustained attention. <i>Psychiatric Genetics</i> , 2007, 17, 333-338.	1.1	12
120	Absent response to niacin skin patch is specific to schizophrenia and independent of smoking. <i>Psychiatry Research</i> , 2007, 152, 181-187.	3.3	29
121	No association evidence between schizophrenia and dystrobrevin-binding protein 1 (DTNBP1) in Taiwanese families. <i>Schizophrenia Research</i> , 2007, 93, 391-398.	2.0	15
122	More evidence supports the association of PPP3CC with schizophrenia. <i>Molecular Psychiatry</i> , 2007, 12, 966-974.	7.9	57
123	Association evidence of schizophrenia with distal genomic region of NOTCH4 in Taiwanese families. <i>Genes, Brain and Behavior</i> , 2007, 6, 497-502.	2.2	9
124	Health-related quality of life of Chinese people with schizophrenia in Hong Kong and Taipei: A cross-sectional analysis. <i>Research in Nursing and Health</i> , 2007, 30, 261-269.	1.6	21
125	Efficacy and Safety of Aripiprazole in the Acute Treatment of Schizophrenia in Chinese Patients With Risperidone as an Active Control. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 29-36.	2.2	82
126	Patterns and Clinical Correlates of Neuropsychologic Deficits in Patients with Schizophrenia. <i>Journal of the Formosan Medical Association</i> , 2006, 105, 978-991.	1.7	20

#	ARTICLE	IF	CITATIONS
127	A Single Nucleotide Polymorphism Fine Mapping Study of Chromosome 1q42.1 Reveals the Vulnerability Genes for Schizophrenia, GNPAT and DISC1: Association with Impairment of Sustained Attention. <i>Biological Psychiatry</i> , 2006, 60, 554-562.	1.3	64
128	More severe sustained attention deficits in nonpsychotic siblings of multiplex schizophrenia families than in those of simplex ones. <i>Schizophrenia Research</i> , 2006, 87, 172-180.	2.0	40
129	No association of G72 and d-amino acid oxidase genes with schizophrenia. <i>Schizophrenia Research</i> , 2006, 87, 15-20.	2.0	49
130	Brain responses of explicit and implicit memory: an event-related potential study. <i>NeuroReport</i> , 2006, 17, 1483-1486.	1.2	3
131	Genome Scan of Han Chinese Schizophrenia Families From Taiwan: Confirmation of Linkage to 10q22.3. <i>American Journal of Psychiatry</i> , 2006, 163, 1760-1766.	7.2	70
132	Absence of significant associations between four AKT1 SNP markers and schizophrenia in the Taiwanese population. <i>Psychiatric Genetics</i> , 2006, 16, 39-41.	1.1	33
133	Re-examining sustained attention deficits as vulnerability indicators for schizophrenia: Stability in the long term course. <i>Journal of Psychiatric Research</i> , 2006, 40, 613-621.	3.1	19
134	Evaluation of RGS4 as a candidate gene for schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 418-420.	1.7	16
135	Familial Aggregation in Skin Flush Response to Niacin Patch Among Schizophrenic Patients and Their Nonpsychotic Relatives. <i>Schizophrenia Bulletin</i> , 2006, 33, 174-182.	4.3	32
136	Neuregulin 1 gene and variations in perceptual aberration of schizotypal personality in adolescents. <i>Psychological Medicine</i> , 2005, 35, 1589-1598.	4.5	59
137	Psychiatric Nurses' Anxiety and Cognition in Managing Psychiatric Patients' Aggression. <i>Archives of Psychiatric Nursing</i> , 2005, 19, 141-149.	1.4	24
138	Linkage evidence of schizophrenia to loci near neuregulin 1 gene on chromosome 8p21 in Taiwanese families. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 134B, 79-83.	1.7	33
139	Taiwan schizophrenia linkage study: The field study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 134B, 30-36.	1.7	45
140	Dual-modality impairment of implicit learning of letter-strings versus color-patterns in patients with schizophrenia. <i>Behavioral and Brain Functions</i> , 2005, 1, 23.	3.3	3
141	Memory impairment and auditory evoked potential gating deficit in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2004, 130, 161-169.	1.8	49
142	Teachers' knowledge, beliefs and attitudes concerning schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 402-409.	3.1	62
143	Sustained attention deficits in nonpsychotic relatives of schizophrenic patients: a recurrence risk ratio analysis. <i>Biological Psychiatry</i> , 2004, 55, 995-1000.	1.3	52
144	Brief alcoholism screening questionnaire: establishment and validity in Taiwanese. <i>Journal of the Formosan Medical Association</i> , 2003, 102, 250-6.	1.7	2

#	ARTICLE	IF	CITATIONS
145	Morbidity Risk of Psychiatric Disorders Among the First Degree Relatives of Schizophrenia Patients in Taiwan. <i>Schizophrenia Bulletin</i> , 2002, 28, 379-392.	4.3	60
146	Deficits in Sustained Attention in Schizophrenia and Affective Disorders: Stable Versus State-Dependent Markers. <i>American Journal of Psychiatry</i> , 2002, 159, 975-982.	7.2	194
147	Symptom patterns and subgrouping of schizophrenic patients: significance of negative symptoms assessed on admission. <i>Schizophrenia Research</i> , 2002, 56, 105-119.	2.0	44
148	Effects of Olanzapine Plasma Concentrations on Depressive Symptoms in Schizophrenia: A Pilot Study. <i>Journal of Clinical Psychopharmacology</i> , 2002, 22, 530-532.	1.4	17
149	Suggestive evidence for linkage of schizophrenia to markers at chromosome 15q13-14 in Taiwanese families. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 658-661.	2.4	79
150	Evaluation of linkage of markers on chromosome 6p with schizophrenia in Taiwanese families. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 74-78.	2.4	28
151	Association of 5HT2A receptor gene polymorphism and alcohol abuse with behavior problems. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 797-800.	2.4	42
152	Evaluation of linkage of markers on chromosome 6p with schizophrenia in Taiwanese families. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 74.	2.4	2
153	Psychopathological dimensions in schizophrenia: a correlational approach to items of the SANS and SAPS. <i>Psychiatry Research</i> , 1998, 77, 121-130.	3.3	13
154	Dopamine D4 receptor gene polymorphisms and neuroleptic response in schizophrenia. <i>Biological Psychiatry</i> , 1998, 44, 483-487.	1.3	80
155	Sustained Attention Deficit and Schizotypal Personality Features in Nonpsychotic Relatives of Schizophrenic Patients. <i>American Journal of Psychiatry</i> , 1998, 155, 1214-1220.	7.2	236
156	Association study of NlaIII and MspI genetic polymorphisms of catechol-O-methyltransferase gene and susceptibility to Schizophrenia. <i>Biological Psychiatry</i> , 1997, 41, 985-987.	1.3	37
157	Suggestive evidence for linkage of schizophrenia to markers on chromosome 13 in Caucasian but not Oriental populations. <i>Human Genetics</i> , 1997, 99, 417-420.	3.8	86
158	Concordance of positive and negative symptoms in coaffected sib-pairs with schizophrenia. , 1997, 74, 1-6.		16
159	Further evidence of no association between Ser9Gly polymorphism of dopamine D3 receptor gene and schizophrenia. , 1997, 74, 40-43.		36
160	Dopamine D4 receptor variants in chinese sporadic and familial schizophrenics. , 1997, 74, 412-415.		25
161	Month of birth and schizophrenia in Taiwan: effect of gender, family history and age at onset. <i>Schizophrenia Research</i> , 1996, 20, 133-143.	2.0	15
162	Excess mortality of psychiatric inpatients in Taiwan. <i>Psychiatry Research</i> , 1996, 62, 239-250.	3.3	18

#	ARTICLE	IF	CITATIONS
163	Major Depressive Disorder in Taiwan Defined by the Chinese Diagnostic Interview Schedule. Journal of Nervous and Mental Disease, 1996, 184, 497-502.	1.0	46
164	A combined analysis of D22S278 marker alleles in affected sib-pairs: Support for a susceptibility locus for schizophrenia at chromosome 22q12. , 1996, 67, 40-45.		205
165	No association of dopamine D2 receptor molecular variant Cys311 and schizophrenia in Chinese patients. , 1996, 67, 418-420.		27
166	Lack of association between TaqI A1 allele of dopamine D2 receptor gene and alcohol-use disorders in Atayal natives of Taiwan. , 1996, 67, 488-490.		36
167	Identification of a BglI polymorphism of Catechol-O-methyltransferase (COMT) gene, and association study with schizophrenia. , 1996, 67, 556-559.		11
168	Negative Symptoms at Discharge and Outcome in Schizophrenia. British Journal of Psychiatry, 1995, 166, 61-67.	2.8	26
169	Comparison of major epidemiological surveys using the diagnostic interview schedule. International Review of Psychiatry, 1994, 6, 309-327.	2.8	23
170	Low Frequency of the ADH2*2 Allele among Atayal Natives of Taiwan with Alcohol Use Disorders. Alcoholism: Clinical and Experimental Research, 1994, 18, 640-643.	2.4	168
171	QUICK/SLOW NEUROLEPTIC RESPONSE IN SCHIZOPHRENIA: A VALIDITY STUDY. , 1994, , .		0
172	Plasma homovanillic acid and treatment response in a large group of schizophrenic patients. Schizophrenia Research, 1993, 10, 259-265.	2.0	21
173	A Typology of Alcoholism in Taiwan, Aborigines: A Study on Evolving Process of Community Cases. Psychopathology, 1992, 25, 311-318.	1.5	3
174	Dose-dependent reduced haloperidol/haloperidol ratios in schizophrenic patients. Psychiatry Research, 1991, 38, 215-225.	3.3	13
175	Lifetime prevalence of cognitive impairment by Chinese-modified NIMH diagnostic interview schedule among the elderly in Taiwan communities. Journal of Neurolinguistics, 1990, 5, 83-104.	1.1	3
176	Serial dexamethasone suppression test in psychiatric inpatients. Biological Psychiatry, 1990, 27, 609-616.	1.3	7
177	A longitudinal record study of renal function in patients treated with lithium. Journal of Affective Disorders, 1981, 3, 101-109.	4.1	10
178	Dexamethasone Suppression Test and Subtypes of Depression. Archives of General Psychiatry, 1981, 38, 363.	12.3	19