

# Sophie Laurent

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3635553/publications.pdf>

Version: 2024-02-01

225  
papers

20,125  
citations

34105

52  
h-index

10734

138  
g-index

232  
all docs

232  
docs citations

232  
times ranked

25452  
citing authors

#	ARTICLE	IF	CITATIONS
1	Magnetic Iron Oxide Nanoparticles: Synthesis, Stabilization, Vectorization, Physicochemical Characterizations, and Biological Applications. Chemical Reviews, 2008, 108, 2064-2110.	47.7	5,815
2	Superparamagnetic iron oxide nanoparticles (SPIONs): Development, surface modification and applications in chemotherapy. Advanced Drug Delivery Reviews, 2011, 63, 24-46.	13.7	1,555
3	Protein~Nanoparticle Interactions: Opportunities and Challenges. Chemical Reviews, 2011, 111, 5610-5637.	47.7	1,242
4	Magnetic fluid hyperthermia: Focus on superparamagnetic iron oxide nanoparticles. Advances in Colloid and Interface Science, 2011, 166, 8-23.	14.7	1,125
5	Hybrid Gadolinium Oxide Nanoparticles:~Multimodal Contrast Agents for in Vivo Imaging. Journal of the American Chemical Society, 2007, 129, 5076-5084.	13.7	721
6	Classification and basic properties of contrast agents for magnetic resonance imaging. Contrast Media and Molecular Imaging, 2009, 4, 1-23.	0.8	472
7	Magnetic Resonance Imaging Tracking of Stem Cells in Vivo Using Iron Oxide Nanoparticles as a Tool for the Advancement of Clinical Regenerative Medicine. Chemical Reviews, 2011, 111, 253-280.	47.7	385
8	Comparative study of the physicochemical properties of six clinical low molecular weight gadolinium contrast agents. Contrast Media and Molecular Imaging, 2006, 1, 128-137.	0.8	368
9	Magnetic iron oxide nanoparticles for drug delivery: applications and characteristics. Expert Opinion on Drug Delivery, 2019, 16, 69-78.	5.0	364
10	Superparamagnetic iron oxide nanoparticles for delivery of therapeutic agents: opportunities and challenges. Expert Opinion on Drug Delivery, 2014, 11, 1449-1470.	5.0	357
11	Toxicity Evaluations of Superparamagnetic Iron Oxide Nanoparticles: Cell ~Vision~<i>versus</i> Physicochemical Properties of Nanoparticles. ACS Nano, 2011, 5, 7263-7276.	14.6	317
12	Engineered nanoparticles for biomolecular imaging. Nanoscale, 2011, 3, 3007.	5.6	246
13	A High~Performance Magnetic Resonance Imaging <i>T</i><sub>2</sub> Contrast Agent. Advanced Materials, 2007, 19, 1874-1878.	21.0	226
14	Stability of MRI Paramagnetic Contrast Media. Investigative Radiology, 2001, 36, 115-122.	6.2	196
15	Therapeutic Benefits from Nanoparticles: The Potential Significance of Nanoscience in Diseases with Compromise to the Blood Brain Barrier. Chemical Reviews, 2013, 113, 1877-1903.	47.7	187
16	Synthesis, Functionalization, and Design of Magnetic Nanoparticles for Theranostic Applications. Advanced Healthcare Materials, 2017, 6, 1700306.	7.6	176
17	Efficient internalization of silica-coated iron oxide nanoparticles of different sizes by primary human macrophages and dendritic cells. Toxicology and Applied Pharmacology, 2011, 253, 81-93.	2.8	172
18	Magnetic iron oxide nanoparticles for biomedical applications. Future Medicinal Chemistry, 2010, 2, 427-449.	2.3	158

#	ARTICLE	IF	CITATIONS
19	Ultrasmall Rigid Particles as Multimodal Probes for Medical Applications. Angewandte Chemie - International Edition, 2011, 50, 12299-12303.	13.8	156
20	Crucial Ignored Parameters on Nanotoxicology: The Importance of Toxicity Assay Modifications and "Cell Vision" PLoS ONE, 2012, 7, e29997.	2.5	154
21	A multinuclear MR study of Gd-EOB-DTPA: Comprehensive preclinical characterization of an organ specific MRI contrast agent. Magnetic Resonance in Medicine, 1997, 38, 604-614.	3.0	136
22	Hydrogels Incorporating GdDOTA: Towards Highly Efficient Dual $^{1}H$ and $^{2}H$ MRI Contrast Agents. Angewandte Chemie - International Edition, 2012, 51, 9119-9122.	13.8	134
23	Irreversible changes in protein conformation due to interaction with superparamagnetic iron oxide nanoparticles. Nanoscale, 2011, 3, 1127-38.	5.6	112
24	Superparamagnetic iron oxide nanoparticles for <i>in vivo</i> molecular and cellular imaging. Contrast Media and Molecular Imaging, 2015, 10, 329-355.	0.8	109
25	Physicochemical Characterization of MS-325, a New Gadolinium Complex, by Multinuclear Relaxometry. European Journal of Inorganic Chemistry, 1999, 1999, 1949-1955.	2.0	107
26	Mastering the Shape and Composition of Dendronized Iron Oxide Nanoparticles To Tailor Magnetic Resonance Imaging and Hyperthermia. Chemistry of Materials, 2014, 26, 5252-5264.	6.7	105
27	High quality and tuneable silica shell "magnetic core nanoparticles. Journal of Nanoparticle Research, 2010, 12, 1137-1147.	1.9	104
28	Protein corona affects the relaxivity and MRI contrast efficiency of magnetic nanoparticles. Nanoscale, 2013, 5, 8656.	5.6	98
29	Contrast Agents: Magnetic Resonance. Handbook of Experimental Pharmacology, 2008, , 135-165.	1.8	96
30	Iron Oxide Based MR Contrast Agents: from Chemistry to Cell Labeling. Current Medicinal Chemistry, 2009, 16, 4712-4727.	2.4	88
31	Gold nanomaterials as key suppliers in biological and chemical sensing, catalysis, and medicine. Biochimica Et Biophysica Acta - General Subjects, 2020, 1864, 129435.	2.4	86
32	How to measure the transmetallation of a gadolinium complex. Contrast Media and Molecular Imaging, 2010, 5, 305-308.	0.8	83
33	Peptidic Targeting of Phosphatidylserine for the MRI Detection of Apoptosis in Atherosclerotic Plaques. Molecular Pharmaceutics, 2009, 6, 1903-1919.	4.6	78
34	Superparamagnetic nanosystems based on iron oxide nanoparticles for biomedical imaging. Nanomedicine, 2011, 6, 519-528.	3.3	76
35	How to quantify iron in an aqueous or biological matrix: a technical note. Contrast Media and Molecular Imaging, 2009, 4, 299-304.	0.8	73
36	Significance of cell "observer" and protein source in nanobiosciences. Journal of Colloid and Interface Science, 2013, 392, 431-445.	9.4	73

#	ARTICLE	IF	CITATIONS
37	Development of a Magnetic Resonance Imaging Protocol for the Characterization of Atherosclerotic Plaque by Using Vascular Cell Adhesion Molecule-1 and Apoptosis-Targeted Ultrasmall Superparamagnetic Iron Oxide Derivatives. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, e36-48.	2.4	72
38	Nanotoxicology: advances and pitfalls in research methodology. <i>Nanomedicine</i> , 2015, 10, 2931-2952.	3.3	70
39	Potential MRI Contrast Agents Based on Micellar Incorporation of Amphiphilic Bis(alkylamide) Derivatives of $[(Gd^{III}DTPA)(H_2O)]^{2+}$ . <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 3021-3027.	2.0	67
40	Relaxometric Studies of $Fe_2O_3@SiO_2$ Core Shell Nanoparticles: When the Coating Matters. <i>Journal of Physical Chemistry C</i> , 2012, 116, 2285-2291.	3.1	65
41	Iron oxide-gold core-shell nano-theranostic for magnetically targeted photothermal therapy under magnetic resonance imaging guidance. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1213-1219.	2.5	65
42	Superparamagnetic iron oxide nanoparticles: promises for diagnosis and treatment of cancer. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 367-90.	0.4	65
43	Polyglycerol-grafted superparamagnetic iron oxide nanoparticles: highly efficient MRI contrast agent for liver and kidney imaging and potential scaffold for cellular and molecular imaging. <i>Contrast Media and Molecular Imaging</i> , 2012, 7, 185-194.	0.8	64
44	Simulation-guided photothermal therapy using MRI-traceable iron oxide-gold nanoparticle. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2019, 199, 111599.	3.8	63
45	Proteomics Analysis Reveals Distinct Corona Composition on Magnetic Nanoparticles with Different Surface Coatings: Implications for Interactions with Primary Human Macrophages. <i>PLoS ONE</i> , 2015, 10, e0129008.	2.5	61
46	Gadolinium DTPA-Monoamide Complexes Incorporated into Mixed Micelles as Possible MRI Contrast Agents. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 3538-3543.	2.0	59
47	Synthesis and Characterization of Various Benzyl Diethylenetriaminepentaacetic Acids (dtpa) and Their Paramagnetic Complexes, Potential Contrast Agents for Magnetic Resonance Imaging. <i>Helvetica Chimica Acta</i> , 2000, 83, 394-406.	1.6	57
48	Optimization of the Synthesis of Superparamagnetic Contrast Agents by the Design of Experiments Method. <i>Journal of Physical Chemistry C</i> , 2008, 112, 19178-19185.	3.1	55
49	Synthesis and processing of magnetic nanoparticles. <i>Current Opinion in Chemical Engineering</i> , 2015, 8, 7-14.	7.8	55
50	Infection-resistant MRI-visible scaffolds for tissue engineering applications. <i>BioImpacts</i> , 2016, 6, 111-115.	1.5	55
51	A New Peptidic Vector for Molecular Imaging of Apoptosis, Identified by Phage Display Technology. <i>Journal of Biomolecular Screening</i> , 2006, 11, 537-545.	2.6	53
52	Can the Theoretical Fitting of the Proton-Nuclear-Magnetic-Relaxation-Dispersion (Proton NMRD) Curves of Paramagnetic Complexes Be Improved by Independent Measurement of Their Self-Diffusion Coefficients?. <i>Helvetica Chimica Acta</i> , 2005, 88, 574-587.	1.6	52
53	Nanoparticles Based on Star Polymers as Theranostic Vectors: Endosomal-Triggered Drug Release Combined with MRI Sensitivity. <i>Advanced Healthcare Materials</i> , 2015, 4, 148-156.	7.6	52
54	Hyperthermia-induced protein corona improves the therapeutic effects of zinc ferrite spinel-graphene sheets against cancer. <i>RSC Advances</i> , 2014, 4, 62557-62565.	3.6	50

#	ARTICLE	IF	CITATIONS
55	Fabrication of Nanofibrous PVA/Alginateâ€Sulfate Substrates for Growth Factor Delivery. Journal of Biomedical Materials Research - Part A, 2019, 107, 403-413.	4.0	50
56	Functionalization of Small Rigid Platforms with Cyclic RGD Peptides for Targeting Tumors Overexpressing Î±<sub>v</sub>Î²<sub>3</sub>-Integrins. Bioconjugate Chemistry, 2013, 24, 1584-1597.	3.6	49
57	A Heterobimetallic Rutheniumâ€Gadolinium Complex as a Potential Agent for Bimodal Imaging. Inorganic Chemistry, 2011, 50, 10005-10014.	4.0	48
58	Interdisciplinary challenges and promising theranostic effects of nanoscience in Alzheimer's disease. RSC Advances, 2012, 2, 5008.	3.6	48
59	A new approach to follow the formation of iron oxide nanoparticles synthesized by thermal decomposition. Nanotechnology, 2013, 24, 055705.	2.6	47
60	Nano-thermometers with thermo-sensitive polymer grafted USPIOs behaving as positive contrast agents in low-field MRI. Nanoscale, 2015, 7, 3754-3767.	5.6	47
61	Synthesis and Physicochemical Characterisation of Gdâ€DTPA Derivatives as Contrast Agents for MRI. European Journal of Inorganic Chemistry, 2012, 2012, 1889-1915.	2.0	46
62	Magnetic Resonance Molecular Imaging of Vascular Cell Adhesion Molecule-1 Expression in Inflammatory Lesions Using a Peptide-Vectorized Paramagnetic Imaging Probe. Journal of Medicinal Chemistry, 2009, 52, 4725-4742.	6.4	45
63	Metal chelating crosslinkers form nanogels with high chelation stability. Journal of Materials Chemistry B, 2013, 1, 6359.	5.8	45
64	Synthesis and Physicochemical Characterization of Gdâ€DTPAâ€B(sLex)A, a New MRI Contrast Agent Targeted to Inflammation. Bioconjugate Chemistry, 2004, 15, 99-103.	3.6	44
65	Potential amyloid plaque-specific peptides for the diagnosis of Alzheimer's disease. Neurobiology of Aging, 2010, 31, 1679-1689.	3.1	44
66	The precise molecular location of gadolinium atoms has a significant influence on the efficacy of nanoparticulate MRI positive contrast agents. Polymer Chemistry, 2014, 5, 2592-2601.	3.9	44
67	Hepatic and Renal Toxicity Induced by TiO<sub>2</sub> Nanoparticles in Rats: A Morphological and Metabonomic Study. Journal of Toxicology, 2019, 2019, 1-19.	3.0	43
68	Synthesis, Variable Temperature and Pressure 17O NMR Study of Bis(alkylamide) Derivatives of [(Gd-DTPA)(H2O)]2 â€ An Assessment of the Substitution Effect on Water Exchange Kinetics. European Journal of Inorganic Chemistry, 2002, 2002, 2686-2693.	2.0	40
69	Stereospecific binding of MRI contrast agents to human serum albumin: the case of Gd-(S)-EOB-DTPA (Eovist) and its (R) isomer. Journal of Biological Inorganic Chemistry, 2001, 6, 196-200.	2.6	39
70	Pharmacokinetic and in vivo evaluation of a self-assembled gadolinium(III)-iron(II) contrast agent with high relaxivity. Contrast Media and Molecular Imaging, 2006, 1, 267-278.	0.8	39
71	Mn<sup>II</sup>-containing coordination nanoparticles as highly efficient T<sub>1</sub> contrast agents for magnetic resonance imaging. Chemical Communications, 2014, 50, 6740-6743.	4.1	38
72	Superparamagnetic iron oxide nanoparticles alter expression of obesity and T2D-associated risk genes in human adipocytes. Scientific Reports, 2013, 3, 2173.	3.3	36

#	ARTICLE	IF	CITATIONS
73	Carboxy-silane coated iron oxide nanoparticles: a convenient platform for cellular and small animal imaging. <i>Journal of Materials Chemistry B</i> , 2014, 2, 387-397.	5.8	36
74	Dual nano-sized contrast agents in PET/MRI: a systematic review. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 428-447.	0.8	36
75	Morphological alterations induced by the exposure to TiO <sub>2</sub> nanoparticles in primary cortical neuron cultures and in the brain of rats. <i>Toxicology Reports</i> , 2018, 5, 878-889.	3.3	36
76	In vitro characterization of the Gd complex of [2,6-pyridinediylbis(methylene nitrilo)] tetraacetic acid (PMN-tetraacetic acid) and of its Eu analogue, suitable bimodal contrast agents for MRI and optical imaging. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 6230-6233.	2.2	35
77	Polymer-gold nanohybrids with potential use in bimodal MRI/CT: enhancing the relaxometric properties of Gd(III) complexes. <i>Journal of Materials Chemistry</i> , 2012, 22, 21382.	6.7	34
78	MRI-based numerical modeling strategy for simulation and treatment planning of nanoparticle-assisted photothermal therapy. <i>Physica Medica</i> , 2019, 66, 124-132.	0.7	34
79	Paramagnetic Liposomes: Inner versus Outer Membrane Relaxivity of DPPC Liposomes Incorporating Lipophilic Gadolinium Complexes. <i>Langmuir</i> , 2008, 24, 4347-4351.	3.5	33
80	Relaxivities of paramagnetic liposomes: on the importance of the chain type and the length of the amphiphilic complex. <i>European Biophysics Journal</i> , 2008, 37, 1007-1014.	2.2	32
81	In vitro biomedical applications of functionalized iron oxide nanoparticles, including those not related to magnetic properties. <i>Contrast Media and Molecular Imaging</i> , 2011, 6, 236-250.	0.8	32
82	In vitro and in vivo characterization of several functionalized ultrasmall particles of iron oxide, vectorized against amyloid plaques and potentially able to cross the blood-brain barrier: toward earlier diagnosis of Alzheimer's disease by molecular imaging. <i>Contrast Media and Molecular Imaging</i> , 2015, 10, 211-224.	0.8	32
83	Biocompatible and fluorescent superparamagnetic iron oxide nanoparticles with superior magnetic properties coated with charged polysaccharide derivatives. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 150, 402-407.	5.0	32
84	New mono-ether of glycerol and triterpenes with DPPH radical scavenging activity from Cameroonian propolis. <i>Natural Product Research</i> , 2017, 31, 1379-1389.	1.8	31
85	Influence of experimental parameters on iron oxide nanoparticle properties synthesized by thermal decomposition: size and nuclear magnetic resonance studies. <i>Nanotechnology</i> , 2018, 29, 165603.	2.6	31
86	Combinatorial effects of radiofrequency hyperthermia and radiotherapy in the presence of magneto-plasmonic nanoparticles on MCF-7 breast cancer cells. <i>Journal of Cellular Physiology</i> , 2019, 234, 20028-20035.	4.1	31
87	A new metallostear complex based on an aluminum(III) 8-hydroxyquinoline core as a potential bimodal contrast agent. <i>Dalton Transactions</i> , 2012, 41, 10549.	3.3	30
88	Micellar self-assemblies of gadolinium(III)/europium(III) amphiphilic complexes as model contrast agents for bimodal imaging. <i>Dalton Transactions</i> , 2014, 43, 3589.	3.3	30
89	Tuning the composition of biocompatible Gd nanohydrogels to achieve hypersensitive dual T <sub>1</sub> /T <sub>2</sub> MRI contrast agents. <i>Journal of Materials Chemistry B</i> , 2014, 2, 6397-6405.	5.8	29
90	An update on the applications and characteristics of magnetic iron oxide nanoparticles for drug delivery. <i>Expert Opinion on Drug Delivery</i> , 2022, 19, 321-335.	5.0	29

#	ARTICLE	IF	CITATIONS
91	Lanthanide(III) Complexes of Diethylenetriaminepentaacetic Acid (DTPA)â€“Bisamide Derivatives as Potential Agents for Bimodal (Optical/Magnetic Resonance) Imaging. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 2629-2639.	2.0	28
92	Validation of a dendron concept to tune colloidal stability, MRI relaxivity and bioelimination of functional nanoparticles. <i>Journal of Materials Chemistry B</i> , 2015, 3, 1484-1494.	5.8	28
93	A comparative physicochemical, morphological and magnetic study of silane-functionalized superparamagnetic iron oxide nanoparticles prepared by alkaline coprecipitation. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 75, 203-211.	2.8	28
94	Synthesis and Characterization of PEGylated and Fluorinated Chitosans: Application to the Synthesis of Targeted Nanoparticles for Drug Delivery. <i>Biomacromolecules</i> , 2017, 18, 2756-2766.	5.4	28
95	Synthesis of a Sialyl LewisX Mimetic Conjugated with DTPA, Potential Ligand of New Contrast Agents for Medical Imaging. <i>European Journal of Organic Chemistry</i> , 2002, 2002, 3966-3973.	2.4	27
96	An original route to stabilize and functionalize magnetite nanoparticles for theranosis applications. <i>Journal of Magnetism and Magnetic Materials</i> , 2011, 323, 410-415.	2.3	27
97	Galectin-1 is a diagnostic marker involved in thyroid cancer progression. <i>International Journal of Oncology</i> , 2017, 51, 760-770.	3.3	27
98	Fluorinated MRI contrast agents and their versatile applications in the biomedical field. <i>Future Medicinal Chemistry</i> , 2019, 11, 1157-1175.	2.3	27
99	Selective liquid phase oxidation of ethyl benzene to acetophenone by palladium nanoparticles immobilized on a g-C <sub>3</sub> N <sub>4</sub> â€“rGO composite as a recyclable catalyst. <i>New Journal of Chemistry</i> , 2019, 43, 6921-6931.	2.8	27
100	Influence of the length of the coating molecules on the nuclear magnetic relaxivity of superparamagnetic colloids. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2004, 1, 3644-3650.	0.8	26
101	Relaxivity and Transmetallation Stability of New Benzyl-Substituted Derivatives of Gadoliniumâ€“DTPA Complexes. <i>Helvetica Chimica Acta</i> , 2004, 87, 1077-1089.	1.6	26
102	PEGylated superparamagnetic iron oxide nanoparticles labeled with <sup>68</sup> Ga as a PET/MRI contrast agent: a biodistribution study. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 311, 769-774.	1.5	25
103	Discrimination of Regioisomeric and Stereoisomeric Saponins from <i>Aesculus hippocastanum</i> Seeds by Ion Mobility Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 2228-2237.	2.8	25
104	VCAM-1 Target in Non-Invasive Imaging for the Detection of Atherosclerotic Plaques. <i>Biology</i> , 2020, 9, 368.	2.8	25
105	MRI Contrast Agents. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2017, , .	0.4	24
106	Silica Coated Iron/Iron Oxide Nanoparticles as a Nano-Platform for T2 Weighted Magnetic Resonance Imaging. <i>Molecules</i> , 2019, 24, 4629.	3.8	24
107	Bis(phenylethylamide) Derivatives of Gd-DTPA as Potential Receptor-Specific MRI Contrast Agents. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 2061-2067.	2.0	23
108	Effect of chain length and electrical charge on properties of ammonium-bearing bisphosphonate-coated superparamagnetic iron oxide nanoparticles: formulation and physicochemical studies. <i>Journal of Nanoparticle Research</i> , 2010, 12, 1239-1248.	1.9	23



#	ARTICLE	IF	CITATIONS
109	Development of magnetic chromatography to sort polydisperse nanoparticles in ferrofluids. Contrast Media and Molecular Imaging, 2010, 5, 126-132.	0.8	23
110	New carboxysilane-coated iron oxide nanoparticles for nonspecific cell labelling. Contrast Media and Molecular Imaging, 2013, 8, 466-474.	0.8	23
111	Size-Controlled Synthesis of CoFe <sub>2</sub> O <sub>4</sub> Nanoparticles Potential Contrast Agent for MRI and Investigation on Their Size-Dependent Magnetic Properties. Journal of Nanomaterials, 2013, 2013, 1-9.	2.7	23
112	Unveiling the role of surface, size, shape and defects of iron oxide nanoparticles for theranostic applications. Nanoscale, 2021, 13, 14552-14571.	5.6	23
113	Metallic bismuth nanoparticles: Towards a robust, productive and ultrasound assisted synthesis from batch to flow-continuous chemistry. Ultrasonics Sonochemistry, 2019, 56, 167-173.	8.2	22
114	Investigation of non-covalent interactions between paramagnetic complexes and human serum albumin by electrospray mass spectrometry. Rapid Communications in Mass Spectrometry, 2004, 18, 1919-1924.	1.5	21
115	An Assessment of the Potential Relationship between the Charge of Gd-DTPA Complexes and the Exchange Rate of the Water Coordinated to the Metal. European Journal of Inorganic Chemistry, 2008, 2008, 4369-4379.	2.0	21
116	Fluorescent magnetic nanoparticles for cell labeling: Flux synthesis of manganite particles and novel functionalization of silica shell. Journal of Colloid and Interface Science, 2015, 447, 97-106.	9.4	21
117	Optimising the design of paramagnetic MRI contrast agents: influence of backbone substitution on the water exchange rate of Gd-DTPA derivatives. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2004, 16, 235-245.	2.0	20
118	High-Relaxivity and Luminescent Silica Nanoparticles As Multimodal Agents for Molecular Imaging. Langmuir, 2013, 29, 3419-3427.	3.5	20
119	Magnetofluorescent micellar complexes of terbium(III) as potential bimodal contrast agents for magnetic resonance and optical imaging. Chemical Communications, 2015, 51, 2984-2986.	4.1	20
120	Metal Oxide Particles and Their Prospects for Applications. , 2018, , 3-42.		20
121	Reinvestigation of the mechanism of polymerization of Î <sup>2</sup> -butyrolactone from 1,5,7-triazabicyclo[4.4.0]dec-5-ene. Polymer Chemistry, 2018, 9, 1840-1847.	3.9	20
122	Medical Applications of Metallic Bismuth Nanoparticles. Pharmaceutics, 2021, 13, 1793.	4.5	20
123	Characterization of iminopropadienone ions and neutrals in a tandem mass spectrometer. Rapid Communications in Mass Spectrometry, 1992, 6, 667-670.	1.5	19
124	New Bifunctional Contrast Agents: Bis-Amide Derivatives of C-Substituted Gd-DTPA. European Journal of Inorganic Chemistry, 2004, 2004, 463-468.	2.0	19
125	A Modular Approach towards the Synthesis of Target-Specific MRI Contrast Agents. European Journal of Inorganic Chemistry, 2011, 2011, 3577-3585.	2.0	19
126	Development of a peptide-functionalized imaging nanoprobe for the targeting of (FXD2)Î <sup>3</sup> a as a highly specific biomarker of pancreatic beta cells. Contrast Media and Molecular Imaging, 2015, 10, 398-412.	0.8	19



#	ARTICLE	IF	CITATIONS
127	Influence of Experimental Parameters of a Continuous Flow Process on the Properties of Very Small Iron Oxide Nanoparticles (VSION) Designed for T1-Weighted Magnetic Resonance Imaging (MRI). <i>Nanomaterials</i> , 2020, 10, 757.	4.1	19
128	Mn <sup>2+</sup> Complexes with Pycen-Based Derivatives as Contrast Agents for Magnetic Resonance Imaging: Synthesis and Relaxometry Characterization. <i>Inorganic Chemistry</i> , 2021, 60, 3604-3619.	4.0	19
129	Human Alveolar Epithelial Cell Responses to Core-Shell Superparamagnetic Iron Oxide Nanoparticles (SPIONs). <i>Langmuir</i> , 2015, 31, 3829-3839.	3.5	18
130	VSION as high field MRI T1 contrast agent: evidence of their potential as positive contrast agent for magnetic resonance angiography. <i>Nanotechnology</i> , 2018, 29, 265103.	2.6	18
131	Structure and Dynamics of Lanthanide Complexes of Triethylenetetramine-N,N,N',N',N'',N''-hexaacetic Acid (H6ttha) and of Diamides H4ttha(NHR) Derived from H6ttha as Studied by NMR, NMRD, and EPR. <i>Helvetica Chimica Acta</i> , 2005, 88, 618-632.	1.6	17
132	Ultrasmall Superparamagnetic Iron Oxide Nanoparticles with Europium(III) DO3A as a Bimodal Imaging Probe. <i>Chemistry - A European Journal</i> , 2016, 22, 4521-4527.	3.3	17
133	Fluorophore-tagged superparamagnetic iron oxide nanoparticles as bimodal contrast agents for MR/optical imaging. <i>Journal of the Iranian Chemical Society</i> , 2016, 13, 87-93.	2.2	17
134	Characterization of Gd loaded chitosan-TPP nanohydrogels by a multi-technique approach combining dynamic light scattering (DLS), asymmetrical flow-field-flow-fractionation (AF4) and atomic force microscopy (AFM) and design of positive contrast agents for molecular resonance imaging (MRI). <i>Nanotechnology</i> , 2017, 28, 055705.	2.6	17
135	Study of non-covalent interactions between MRI contrast agents and human serum albumin by NMR diffusometry. <i>Journal of Biological Inorganic Chemistry</i> , 2009, 14, 683-691.	2.6	16
136	Molecular Imaging: From Bench to Clinic. <i>BioMed Research International</i> , 2014, 2014, 1-3.	1.9	16
137	Dendron based antifouling, MRI and magnetic hyperthermia properties of different shaped iron oxide nanoparticles. <i>Nanotechnology</i> , 2019, 30, 374002.	2.6	16
138	Synthesis and Physicochemical Characterization of Gd-C4-Thyroxin-DTPA, a Potential MRI Contrast Agent. Evaluation of Its Affinity for Human Serum Albumin by Proton Relaxometry, NMR Diffusometry, and Electrospray Mass Spectrometry. <i>Journal of Physical Chemistry B</i> , 2010, 114, 3689-3697.	2.6	15
139	Importance of DOTA derivatives in bimodal imaging. <i>Israel Journal of Chemistry</i> , 2017, 57, 800-808.	2.3	15
140	Embedding of superparamagnetic iron oxide nanoparticles into membranes of well-defined poly(ethylene oxide)-block-poly( $\mu$ -caprolactone) nanoscale magnetovesicles as ultrasensitive MRI probes of membrane bio-degradation. <i>Journal of Materials Chemistry B</i> , 2019, 7, 4692-4705.	5.8	15
141	Tailored ultra-small Prussian blue-based nanoparticles for MRI imaging and combined photothermal/photoacoustic theranostics. <i>Chemical Communications</i> , 2019, 55, 14844-14847.	4.1	15
142	Bifunctional Gd(III) and Tb(III) chelates based on a pyridine-bis(iminodiacetate) platform, suitable optical probes and contrast agents for magnetic resonance imaging. <i>Contrast Media and Molecular Imaging</i> , 2014, 9, 300-312.	0.8	14
143	Magnetofluorescent micelles incorporating Dy <sup>III</sup> -DOTA as potential bimodal agents for optical and high field magnetic resonance imaging. <i>Dalton Transactions</i> , 2016, 45, 4791-4801.	3.3	14
144	Toxicity of TiO <sub>2</sub> nanoparticles on the NRK52E renal cell line. <i>Molecular and Cellular Toxicology</i> , 2017, 13, 419-431.	1.7	14

#	ARTICLE	IF	CITATIONS
145	Lipids constituents from <i>Gardenia aqualla</i> Stapf & Hutch. Open Chemistry, 2018, 16, 371-376.	1.9	14
146	Slow clearance gadolinium-based extracellular and intravascular contrast media for three-dimensional MR angiography. Journal of Magnetic Resonance Imaging, 2001, 13, 588-593.	3.4	13
147	The Gd <sup>3+</sup> complex of 1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic acid mono( <i>p</i> -isothiocyanatoanilide) conjugated to inulin: a potential stable macromolecular contrast agent for MRI. Contrast Media and Molecular Imaging, 2011, 6, 482-491.	0.8	13
148	Modulation of Relaxivity, Suspension Stability, and Biodistribution of Dendronized Iron Oxide Nanoparticles as a Function of the Organic Shell Design. Particle and Particle Systems Characterization, 2015, 32, 552-560.	2.3	13
149	HR-MAS NMR Spectroscopy: An Innovative Tool for the Characterization of Iron Oxide Nanoparticles Tracers for Molecular Imaging. Analytical Chemistry, 2015, 87, 1701-1710.	6.5	13
150	Functionalization of the PEG Corona of Nanoparticles by Click Photochemistry in Water: Application to the Grafting of RGD Ligands on PEGylated USPIO Imaging Agent. Bioconjugate Chemistry, 2015, 26, 822-829.	3.6	13
151	Bimodal Probe for Magnetic Resonance Imaging and Photoacoustic Imaging Based on a PCTA-Derived Gadolinium(III) Complex and ZW800. European Journal of Inorganic Chemistry, 2019, 2019, 3354-3365.	2.0	13
152	Development of an LDL Receptor-Targeted Peptide Susceptible to Facilitate the Brain Access of Diagnostic or Therapeutic Agents. Biology, 2020, 9, 161.	2.8	13
153	Synthesis and characterization of a new lanthanide based MRI contrast agent, potential and versatile tracer for multimodal imaging. Tetrahedron, 2014, 70, 5450-5454.	1.9	12
154	Thermodynamic stability and kinetic inertness of a Gd-DTPA bisamide complex grafted onto gold nanoparticles. Contrast Media and Molecular Imaging, 2015, 10, 179-187.	0.8	12
155	Screening for peptides targeted to IL-7R $\alpha$ for molecular imaging of rheumatoid arthritis synovium. Arthritis Research and Therapy, 2016, 18, 230.	3.5	12
156	Washing effect on superparamagnetic iron oxide nanoparticles. Data in Brief, 2016, 7, 1296-1301.	1.0	12
157	Anti-Inflammatory and Analgesic Effect of Arachic Acid Ethyl Ester Isolated from Propolis. BioMed Research International, 2020, 2020, 1-8.	1.9	12
158	Lanthanide complexes for magnetic resonance and optical molecular imaging. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2009, 53, 586-603.	0.7	12
159	Albumin-bound MRI contrast agents: the dilemma of the rotational correlation time. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2001, 12, 135-140.	2.0	11
160	Synthesis and Physicochemical Characterization of New C-Functionalized Derivatives of the Gadolinium(III) Complex with 3,6,10-Tris(carboxymethyl)-3,6,10-triazadodecanedioic Acid (H5ttda) Exhibiting Fast Water Exchange $\alpha$ Potential Paramagnetic Reporters for Molecular Imaging. Helvetica Chimica Acta, 2007, 90, 562-573.	1.6	11
161	Ultrasound-targeted microbubble destruction: toward a new strategy for diabetes treatment. Drug Discovery Today, 2016, 21, 540-543.	6.4	11
162	How a grafting anchor tailors the cellular uptake and in vivo fate of dendronized iron oxide nanoparticles. Journal of Materials Chemistry B, 2017, 5, 5152-5164.	5.8	11

#	ARTICLE	IF	CITATIONS
163	Optimizing Water Exchange Rates and Rotational Mobility for High-Relaxivity of a Novel Gd-DOTA Derivative Complex Conjugated to Inulin as Macromolecular Contrast Agents for MRI. <i>Chemistry and Biodiversity</i> , 2018, 15, e1700487.	2.1	11
164	Nanodiamonds as nanomaterial for biomedical field. <i>Frontiers of Materials Science</i> , 2021, 15, 334-351.	2.2	11
165	Synthesis of Isoxazolo[4,5-d]Pyrimidinones, and their Isomerization into Oxazolo[4,5-d]Pyrimidinones on Flash Vacuum Pyrolysis. <i>Bulletin Des Sociétés Chimiques Belges</i> , 1994, 103, 181-184.	0.0	10
166	Validation by Magnetic Resonance Imaging of the Diagnostic Potential of a Heptapeptide-Functionalized Imaging Probe Targeted to Amyloid- $\beta^2$ and Able to Cross the Blood-Brain Barrier. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1547-1565.	2.6	10
167	Evaluation of the Active Targeting of Melanin Granules after Intravenous Injection of Dendronized Nanoparticles. <i>Molecular Pharmaceutics</i> , 2018, 15, 536-547.	4.6	10
168	Blocked-micropores, surface functionalized, bio-compatible and silica-coated iron oxide nanocomposites as advanced MRI contrast agent. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	1.9	9
169	Early detection of colonic dysplasia by magnetic resonance molecular imaging with a contrast agent raised against the colon cancer marker MUC5AC. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 211-221.	0.8	9
170	New polyaminocarboxylate macrocycles containing phenolate binding units: synthesis, luminescent and relaxometric properties of their lanthanide complexes. <i>Dalton Transactions</i> , 2017, 46, 4654-4668.	3.3	9
171	Flying Cages in Traveling Wave Ion Mobility: Influence of the Instrumental Parameters on the Topology of the Host-Guest Complexes. <i>Journal of the American Society for Mass Spectrometry</i> , 2018, 29, 121-132.	2.8	9
172	Imaging of Human Insulin Secreting Cells with Gd-DOTA-P88, a Paramagnetic Contrast Agent Targeting the Beta Cell Biomarker FXYD2 $\beta$ a. <i>Molecules</i> , 2018, 23, 2100.	3.8	9
173	Simultaneous Alkyl- and Acyl-Lactone Cleavages from Hydroxy-Carboxylic Acid Initiators: Direct Access to Multiblock Architectures. <i>Macromolecules</i> , 2019, 52, 6382-6392.	4.8	9
174	Comparison of MRI Properties between Multimeric DOTAGA and DO3A Gadolinium-Dendron Conjugates. <i>Inorganic Chemistry</i> , 2019, 58, 12798-12808.	4.0	9
175	Accelerating effect of crown ethers on the lactide polymerization catalysed by potassium acetate. <i>Catalysis Science and Technology</i> , 2021, 11, 4387-4391.	4.1	9
176	Impact of the chain length on the biodistribution profiles of PEGylated iron oxide nanoparticles: a multimodal imaging study. <i>Journal of Materials Chemistry B</i> , 2021, 9, 5055-5068.	5.8	9
177	Magnetic and radio-labeled bio-hybrid scaffolds to promote and track <i>in vivo</i> the progress of bone regeneration. <i>Biomaterials Science</i> , 2021, 9, 7575-7590.	5.4	9
178	Development of New Glucosylated Derivatives of Gadolinium Diethylenetriaminepentaacetic for Magnetic Resonance Angiography. <i>Investigative Radiology</i> , 2003, 38, 320-333.	6.2	8
179	Relaxometric, Thermodynamic and Kinetic Studies of Lanthanide(III) Complexes of DO3A-Based Propylphosphonates. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 3298-3306.	2.0	8
180	Magnetofluorescent Nanoaggregates Incorporating Terbium(III) Complexes as Potential Bimodal Agents for Magnetic Resonance and Optical Imaging. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 4572-4578.	2.0	8

#	ARTICLE	IF	CITATIONS
181	Drawing on biology to inspire molecular design: a redox-responsive MRI probe based on Gd( $\text{tris}(\text{nicotinamide})$ ). <i>Chemical Communications</i> , 2018, 54, 12986-12989.	4.1	8
182	Molecular and cellular biology of PCSK9: impact on glucose homeostasis. <i>Journal of Drug Targeting</i> , 2022, 30, 948-960.	4.4	8
183	Preliminary studies of $^{68}\text{Ga}$ -NODA-USPION-BBN as a dual-modality contrast agent for use in positron emission tomography/magnetic resonance imaging. <i>Nanotechnology</i> , 2020, 31, 015102.	2.6	7
184	Antimicrobial and $\alpha$ -glucosidase inhibitory activities of chemical constituents from <i>Gardenia aqualla</i> (Rubiaceae). <i>Natural Product Research</i> , 2022, , 1-6.	1.8	7
185	Synthesis and characterization of new low-molecular-weight lysine-conjugated Gd-DTPA contrast agents. <i>Contrast Media and Molecular Imaging</i> , 2011, 6, 229-235.	0.8	6
186	Supramolecular Adducts of Negatively Charged Lanthanide(III) DTP Chelates and Cyclodextrins Functionalized with Ammonium Groups: Mass Spectrometry and Nuclear Magnetic Resonance Studies. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 2087-2098.	2.0	6
187	Design, Characterization and Molecular Modeling of New Fluorinated Paramagnetic Contrast Agents for Dual $^1\text{H}/^{19}\text{F}$ MRI. <i>Magnetochemistry</i> , 2020, 6, 8.	2.4	6
188	A Greener Chemistry Process Using Microwaves in Continuous Flow to Synthesize Metallic Bismuth Nanoparticles. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 9177-9187.	6.7	6
189	A new flavonoid glycoside from <i>Tapinanthus</i> sp. (Loranthaceae) and evaluation of anticancer activity of extract and some isolated compounds. <i>Natural Product Research</i> , 2022, 36, 4085-4093.	1.8	6
190	A new abietane-type diterpenoid from roots of <i>Burkea africana</i> Hook (Fabaceae) with $\alpha$ -amylase inhibitory potential. <i>Natural Product Research</i> , 2022, 36, 4132-4139.	1.8	6
191	Noncovalent Binding of Some New Lipophilic Gadolinium-DTPA Complexes to Human Serum Albumin. A Structure-Affinity Relationship. <i>Chemistry and Biodiversity</i> , 2010, 7, 2846-2855.	2.1	5
192	Interaction of bare and gold-coated superparamagnetic iron oxide nanoparticles with fetal bovine serum. <i>Journal of the Iranian Chemical Society</i> , 2011, 8, 944-950.	2.2	5
193	Optical and relaxometric properties of monometallic (Eu(III), Tb(III), Gd(III)) and heterobimetallic (ReI/Gd(III)) systems based on a functionalized bipyridine-containing acyclic ligand. <i>Dalton Transactions</i> , 2016, 45, 8379-8393.	3.3	5
194	Chemical and <i>in vitro</i> characterizations of a promising bimodal AGuIX probe able to target apoptotic cells for applications in MRI and optical imaging. <i>Contrast Media and Molecular Imaging</i> , 2016, 11, 381-395.	0.8	5
195	Novel Polymeric Micelles-Coated Magnetic Nanoparticles for In Vivo Bioimaging of Liver: Toxicological Profile and Contrast Enhancement. <i>Materials</i> , 2020, 13, 2722.	2.9	5
196	Molecular Imaging of Galectin-1 Expression as a Biomarker of Papillary Thyroid Cancer by Using Peptide-Functionalized Imaging Probes. <i>Biology</i> , 2020, 9, 53.	2.8	5
197	Functionalized silica nanoplatform as a bimodal contrast agent for MRI and optical imaging. <i>Nanoscale</i> , 2021, 13, 16509-16524.	5.6	5
198	Synthesis of CdTe QDs by hydrothermal method, with tunable emission fluorescence. <i>Materials Research Express</i> , 2015, 2, 095901.	1.6	4

#	ARTICLE	IF	CITATIONS
199	Structure of CoFe <sub>2</sub> O <sub>4</sub> @CdTe nanocomposite with core/shell structure for high-performance Bi-modal imaging. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 538, 467-473.	4.7	4
200	Surface engineering of silica nanoparticles with a gadolinium-PTCA complex for efficient T <sub>1</sub> -weighted MRI contrast agents. <i>New Journal of Chemistry</i> , 2020, 44, 18031-18047.	2.8	4
201	A new phenyl alkyl ester and a new combretin triterpene derivative from <i>Combretum fragrans</i> F. Hoffm (Combretaceae) and antiproliferative activity. <i>Open Chemistry</i> , 2020, 18, 1523-1531.	1.9	4
202	Development of new glucosylated derivatives of gadolinium diethylenetriaminepentaacetic for magnetic resonance angiography. <i>Investigative Radiology</i> , 2003, 38, 320-33.	6.2	4
203	Synthesis and Characterization of Conjugated Hyaluronic Acids. Application to Stability Studies of Chitosan-Hyaluronic Acid Nanogels Based on Fluorescence Resonance Energy Transfer. <i>Gels</i> , 2022, 8, 182.	4.5	4
204	Polymeric/Inorganic Multifunctional Nanoparticles for Simultaneous Drug Delivery and Visualization. <i>Materials Research Society Symposia Proceedings</i> , 2010, 1257, 1.	0.1	3
205	Interaction between Iron Oxide Nanoparticles and HepaRG Cells: A Preliminary In Vitro Evaluation. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-9.	2.7	3
206	Synthesis and characterization of monophosphinic acid DOTA derivative: A smart tool with functionalities for multimodal imaging. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 4297-4303.	3.0	3
207	Toward a new and noninvasive diagnostic method of papillary thyroid cancer by using peptide vectorized contrast agents targeted to galectin-1. <i>Medical Oncology</i> , 2017, 34, 184.	2.5	3
208	Synthesis and Relaxometric Characterization of New Poly[N,N'-bis(3-aminopropyl)glycine] (PAPGly) Dendrons Gd-Based Contrast Agents and Their In Vivo Study by Using the Dynamic Contrast-Enhanced MRI Technique at Low Field (1 T). <i>Chemistry and Biodiversity</i> , 2019, 16, e1900322.	2.1	3
209	Backbone Cleavages of Protonated Peptoids upon Collision-Induced Dissociation: Competitive and Consecutive B-Y and A <sub>1</sub> -Y <sub>X</sub> Reactions. <i>Journal of the American Society for Mass Spectrometry</i> , 2019, 30, 2726-2740.	2.8	3
210	Characterization of new diimines of carbon suboxide by tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1994, 8, 329-332.	1.5	2
211	NMR chemical shift study of the interaction of selected peptides with liposomal and micellar models of apoptotic cells. <i>Journal of Biological Inorganic Chemistry</i> , 2014, 19, 1367-1376.	2.6	2
212	Dual-Modality Imaging. , 2018, , 165-196.		2
213	Antifungal potential of extracts, fractions and compounds from <i>Uvaria comperei</i> (Annonaceae) and <i>Oxyanthus unilocularis</i> (Rubiaceae). <i>Natural Product Research</i> , 2020, 35, 1-5.	1.8	2
214	A new method of extracting polyphenols from honey using a biosorbent compared to the commercial resin amberlite XAD2. <i>Journal of Separation Science</i> , 2021, 44, 2089-2096.	2.5	2
215	A new phenanthrene derivative from <i>Entada abyssinica</i> with antimicrobial and antioxidant properties. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2021, .	0.7	2
216	Pyclen-based Gd complex with ionisable side-chain as a contrastophore for the design of hypersensitive MRI nanoprobe: Synthesis and relaxation studies. <i>Results in Chemistry</i> , 2021, 3, 100237.	2.0	2

#	ARTICLE	IF	CITATIONS
217	Impact of RAFT chain transfer agents on the polymeric shell density of magneto-fluorescent nanoparticles and their cellular uptake. <i>Nanoscale</i> , 2022, 14, 5884-5898.	5.6	2
218	Characterization of commercial iron oxide clusters with high transverse relaxivity. <i>Journal of Magnetic Resonance Open</i> , 2022, 10-11, 100054.	1.1	2
219	Antibacterial and antioxidant activities and phytochemical composition of <i>Stereospermum kunthianum</i> root bark. <i>Natural Product Research</i> , 2021, , 1-11.	1.8	2
220	Modulation of adiponectin receptors AdipoR1 and AdipoR2 by phage display-derived peptides in <i>in vitro</i> and <i>in vivo</i> models. <i>Journal of Drug Targeting</i> , 2020, 28, 831-851.	4.4	1
221	<sup>1</sup> H-NMR relaxometric studies of interaction between apoptosis specific MRI paramagnetic contrast agents and micellar models of apoptotic cells. <i>Magnetic Resonance in Chemistry</i> , 2016, 54, 568-574.	1.9	0
222	Bimodal Probe for Magnetic Resonance Imaging and Photoacoustic Imaging Based on a PCTA-Derived Gadolinium(III) Complex and ZW800-1. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 3353-3353.	2.0	0
223	Chemical Constituents and Biological Activities of the Aerial Parts of <i>Cyperus rotundus</i> (Cyperaceae). <i>Asian Journal of Chemistry</i> , 2021, 33, 1935-1940.	0.3	0
224	Characterization of Organic Molecules Grafted to Silica or Bismuth Nanoparticles by NMR. <i>Applied Nano</i> , 2021, 2, 330-343.	2.0	0
225	Editorial for "New Cluster Analysis Method for Quantitative <sup>1</sup> H-NMR Assessing Tumor Heterogeneity Induced by <sup>137</sup> ES Treatment to a Breast Cancer Mouse Model". <i>Journal of Magnetic Resonance Imaging</i> , 2022, 56, 1832-1833.	3.4	0