

Stefano Veneziano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3639849/publications.pdf>

Version: 2024-02-01

804
papers

48,818
citations

2544
96
h-index

3579
181
g-index

827
all docs

827
docs citations

827
times ranked

13524
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in Run $\bar{2}$. European Physical Journal C, 2022, 82, 1.	3.9	6
2	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
3	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
6	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
7	Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{\pm} events in Run $\bar{2}$ data. European Physical Journal C, 2022, 82, 1.	3.9	4
8	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
9	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
10	Measurement of the energy asymmetry in $t\bar{t}$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
11	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1.	3.9	12
12	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
13	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
14	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
15	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
16	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
17	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
18	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
19	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
20	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
21	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
22	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
23	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
24	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^-e^+e^-$ and $e^+e^-e^+e^-u\bar{u}$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
25	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
26	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the e^+e^-bb and e^+e^-WW final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
27	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
28	Measurements of $W+W^\pm$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
29	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	46
30	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
31	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_1$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
32	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
33	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\pm$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
34	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
35	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
36	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82

#	ARTICLE		IF	CITATIONS
37	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13	
38	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3	
39	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64	
40	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12	
41	Search for dark matter produced in association with a single top quark in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9	
42	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14	
43	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5	
44	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12	
45	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7	
46	Measurement of the t-bar-t overline{t} production cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10	
47	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10	
48	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4	
49	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4	
50	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28	
51	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7	
52	Measurement of b-quark fragmentation properties in jets using the decay $B \pm \bar{B} \rightarrow J/\psi K \pm$ in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3	
53	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17	
54	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24	

#	ARTICLE	IF	CITATIONS
55	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
56	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
57	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
58	Measurement of differential cross sections for single diffractive dissociation in pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
59	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
60	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
61	Search for the $H\bar{H}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
62	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
63	Measurements of top-quark pair spin correlations in the emu channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
64	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
65	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
66	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
67	Measurement of the $Z(\rightarrow e^+e^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	9
68	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	3.9	5
69	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}}=8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
70	Measurement of J/ψ production in association with a $W\pm$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
71	Search for new resonances in mass distributions of jet pairs using 139 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
72	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
73	Reconstruction and identification of boosted di- \tilde{l} , systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
74	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
75	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	124
76	Search for top squarks in events with a Higgs or Z boson using 139fb^{-1} of pp collision data at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
77	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
78	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
79	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13\text{TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	21
80	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
81	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
82	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
83	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{TeV}$ pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	49
84	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
85	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13\text{TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
86	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
87	Measurement of WZ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	41
88	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
89	Search for scalar resonances decaying into $\tilde{l}\tilde{l}$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
90	Search for diboson resonances in hadronic final states in 139fb^{-1} of pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
91	Search for excited electrons singly produced in protonâ€“proton collisions at $\sqrt{s} \sim 13\text{ TeV}$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4
92	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV . European Physical Journal C, 2019, 79, .	3.9	21
93	Measurement of the cross-section and charge asymmetry of W bosons produced in protonâ€“proton collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
94	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
95	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC protonâ€“proton collision data at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	77
96	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
97	Searches for scalar leptoquarks and differential cross-section measurements in dileptonâ€“dijet events in protonâ€“proton collisions at a centre-of-mass energy of $\sqrt{s} = 13\text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	22
98	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
99	Search for top-quark decays t â†’ Hq with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
100	Measurement of VH, $H\rightarrow b\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
101	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02\text{ s} = 5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
102	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
103	Measurements of inclusive and differential fiducial cross-sections of $t\gamma$ production in leptonic final states at $\sqrt{s}=13\text{ TeV}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
104	Electron and photon energy calibration with the ATLAS detector using 2015â€“2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
105	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
106	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
107	In situ calibration of large-radius jet energy and mass in 13 TeV protonâ€“proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
108	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46

#	ARTICLE	IF	CITATIONS
109	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
110	Measurement of the top quark mass in the $t \rightarrow t\bar{t}$ final state. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	47
111	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
112	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
113	Measurement of the top-quark mass in $t\bar{t} + 1\text{-jet}$ events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
114	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
115	Measurement of ZZ production in the $l^+l^-l^+l^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
116	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	8
117	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	9
118	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	50
119	Measurement of W^\pm boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
120	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	130
121	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
122	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
123	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
124	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb^{-1} of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
125	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4
126	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116

#	ARTICLE	IF	CITATIONS
127	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
128	Measurement of the W -boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
129	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 102.	3.9	13
130	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
131	Measurement of longitudinal flow decorrelations in $Pb+Pb$ collisions at $\sqrt{s_{\text{NN}}} = 2.76$ and 5.0. <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
132	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 171.	3.9	75
133	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
134	Search for heavy ZZ resonances in the $e^+e^- \rightarrow e^+e^- \rightarrow \ell^+\ell^- \bar{\nu}\nu$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	3.9	101
135	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
136	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow \ell^+\ell^- \bar{\nu}\nu$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	3.9	108
137	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
138	Search for WW/WZ resonance production in $\ell^+\ell^- q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
139	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow \ell^+\ell^- \bar{\nu}\nu$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	46
140	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow b\bar{b}$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	28
141	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	10
142	Prompt and non-prompt J/ψ elliptic flow in $Pb+Pb$ collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
143	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW \rightarrow \ell^+\ell^- \bar{\nu}\nu$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
144	Measurement of colour flow using jet-pull observables in $\text{tar}(t) t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16

#	ARTICLE	IF	CITATIONS
145	Angular analysis of $B_0 \rightarrow K^- \pi^+ \pi^+ \pi^-$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
146	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
147	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
148	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
149	Search for Higgs boson pair production in the $\gamma \gamma \gamma \gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
150	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
151	Measurement of the azimuthal anisotropy of charged particles produced in $\text{NN} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
152	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
153	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
154	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
155	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
156	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
157	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	22
158	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
159	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
160	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
161	Search for charged Higgs bosons decaying via $H^\pm \rightarrow l^\pm \nu_\ell$, in the $l_\pm + \text{jets}$ and $l_\pm + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	59
162	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61

#	ARTICLE	IF	CITATIONS
163	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
164	Search for exclusive Higgs and Z boson decays to $t\bar{t}^3$ and $b\bar{b}^3$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
165	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
166	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
167	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. <i>European Physical Journal C</i> , 2018, 78, 487.	3.9	10
168	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 565.	3.9	79
169	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 625.	3.9	27
170	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	136
171	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
172	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 18.	3.9	60
173	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 199.	3.9	132
174	Measurement of Z/γ polarisation in $Z \rightarrow l^+l^-$. <i>European Physical Journal C</i> , 2018, 78, 163.	3.9	7
175	Searches for heavy ZZ and ZW resonances in the $q\bar{q}, t\bar{t}, b\bar{b}$ and $\tilde{l}\tilde{l}, \tilde{b}\tilde{b}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
176	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	33
177	Measurement of differential cross sections and $W + W^\ast$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
178	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40.	3.9	41
179	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
180	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29

#	ARTICLE	IF	CITATIONS
181	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
182	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
183	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
184	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
185	Performance of algorithms that reconstruct missing transverse momentum in proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
186	Measurement of the prompt J/psi pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
187	Search for triboson $W^{\pm}W^{\pm}W^{\pm}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
188	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
189	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
190	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
191	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
192	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
193	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
194	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
195	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
196	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
197	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
198	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12

#	ARTICLE	IF	CITATIONS
199	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the ZZ $\rightarrow \ell^+ \ell^- \ell^+ \ell^-$ and Z Z $\rightarrow \ell^+ \ell^- \nu \bar{\nu}$ decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.		
200	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
201	Measurements of $\Upsilon(2S)$ and $X(3872) \rightarrow J/\psi + \pi^\pm$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	33
202	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
203	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70.	3.9	79
204	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
205	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
206	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 361.	3.9	47
207	Precision measurement and interpretation of inclusive $W^+ W^+$, $W^- W^-$. <i>European Physical Journal C</i> , 2017, 77, 367.	3.9	145
208	Measurement of jet fragmentation in Pb+Pb and pp collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
209	Search for dark matter at $s = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.	3.9	80
210	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
211	Search for direct top squark pair production in final states with two leptons in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.	3.9	50
212	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
213	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
214	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
215	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
216	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23

#	ARTICLE	IF	CITATIONS
217	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
218	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
219	Measurement of $WW/WZ \rightarrow ell u q q' \rightarrow WW/WZ \rightarrow l^{\pm} l^{\mp} q q' \rightarrow l^{\pm} l^{\mp} \nu \bar{\nu}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
220	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
221	Searches for the $Z \rightarrow l^{\pm} l^{\mp}$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
222	Studies of $Z \rightarrow l^{\pm} l^{\mp}$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
223	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
224	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow l^{\pm} l^{\mp}$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
225	Study of $WW\gamma$ and $WZ\gamma$. <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
226	Measurements of top quark spin observables in $t t \bar{t}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
227	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
228	Top-quark mass measurement in the all-hadronic $t \bar{t} \rightarrow l^{\pm} l^{\mp} \nu \bar{\nu}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
229	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
230	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
231	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $s = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
232	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
233	Measurement of the k t splitting scales in $Z \rightarrow l^{\pm} l^{\mp}$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
234	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
235	Evidence for the $H \rightarrow b\bar{b} \rightarrow H\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
236	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	168
237	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872.	3.9	32
238	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
239	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
240	Measurement of event-shape observables in $Z \rightarrow ell^+ ell^- + Z \rightarrow l^+ l^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
241	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
242	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
243	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
244	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}, b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
245	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73
246	Measurement of the $b\bar{b} \rightarrow b\bar{b} \gamma\gamma$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
247	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
248	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
249	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
250	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453
251	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658.	3.9	48
252	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565.	3.9	31

#	ARTICLE	IF	CITATIONS
253	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	44
254	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71
255	Search for flavour-changing neutral current top-quark decays to $q Z$ in $p p$ collision data collected with the ATLAS detector at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
256	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39
257	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 81.	3.9	10
258	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	43
259	Study of the rare decays of $B^0 \rightarrow B^- \pi^+$ and $B^0 \rightarrow B^- \eta$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 513.	3.9	46
260	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $s = 13 \text{ TeV}$ $p p$ collisions. <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
261	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	70
262	Search for single production of vector-like quarks decaying into $W b$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 442.	3.9	43
263	Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
264	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295.	3.9	50
265	Performance of pile-up mitigation techniques for jets in $p p$ collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 581.	3.9	298
266	Measurement of the charged-particle multiplicity inside jets from $s = 8 \text{ TeV}$ $p p$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322.	3.9	51
267	Measurement of jet activity in top quark events using the $e^{\pm} e^{\mp}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
268	Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 291.	3.9	154
269	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} e^{\mp} \nu \bar{\nu}$ with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
270	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
271	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
272	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
273	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	2.9	2
274	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
275	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
276	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	3.9	63
277	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
278	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
279	Addendum to "Measurement of the $t\bar{t}$ production cross-section using emu e^{\pm} events with b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
280	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
281	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
282	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
283	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
284	Measurement of the CP-violating phase δ_s and the $B_s \rightarrow D_s^+ \nu \bar{\nu}$ meson decay width difference with $B_s \rightarrow D_s^+ \nu \bar{\nu}$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
285	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
286	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38
287	A search for prompt lepton+jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
288	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
289	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
290	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
291	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
292	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
293	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 154.	3.9	62
294	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
295	Probing lepton flavour violation via neutrinoless $\nu_e \rightarrow e^- + \bar{\nu}_e$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
296	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
297	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
298	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
299	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
300	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
301	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
302	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
303	Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow J/\psi D_s^*$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
304	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow 2l^+2l^-$ decay channel at $\sqrt{s} = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
305	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
306	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 1.	1	

#	ARTICLE	IF	CITATIONS
307	Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Physical Review D, 2015, 91, . Search for vectorlike quarks in events with one isolated lepton, missing transverse momentum, and jets at the ATLAS detector. Physical Review D, 2015, 91, .	4.7	34
308	display="inline"><math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\frac{\sqrt{2} \cdot \sqrt{m_{\text{jet}}^2 + p_{\text{jet},\text{miss}}^2}}{m_{\text{jet}}} \cdot \frac{p_{\text{miss},\text{transverse}}}{m_{\text{jet}}} \leq \frac{1}{2} kinematic information in the final state with ATLAS. Physical Review D, 2015, 91, .	4.7	51
309	mathvariant="bold">lepton </math> \times $+$ \times $final$ $state$ $with$ $ATLAS$. Physical Review D, 2015, 91, . Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at the ATLAS detector. Physical Review D, 2015, 92, .	4.7	26
310	display="block">\frac{1}{2} \cdot \frac{m_{\text{jet}}}{m_{\text{miss}}} with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	61
311	display="block">\frac{1}{2} \cdot \frac{m_{\text{jet}}}{m_{\text{miss}}} with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	4.7	24
312	display="block">\frac{1}{2} \cdot \frac{m_{\text{jet}}}{m_{\text{miss}}} with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	4.7	27
313	display="block">\frac{1}{2} \cdot \frac{m_{\text{jet}}}{m_{\text{miss}}} with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	4.7	21
314	display="block">\frac{1}{2} \cdot \frac{m_{\text{jet}}}{m_{\text{miss}}} with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	20
315	display="block">\frac{1}{2} \cdot \frac{m_{\text{jet}}}{m_{\text{miss}}} with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	7.8	30
316	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
317	A search for high-mass resonances decaying to $\tilde{l}_1, \tilde{l}_2, \tilde{\chi}_1^0$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
318	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
319	Search for lepton-flavour-violating Higgs boson decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
320	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
321	A search for top quark-antiquark resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
322	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
323	Measurement of charged-particle spectra in Pb+Pb collisions at $s_N = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
324	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33

#	ARTICLE	IF	CITATIONS
325	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
326	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
327	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
328	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	84
329	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
330	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
331	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
332	Determination of the top-quark pole mass using $t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
333	Measurement of the $t\bar{t} W + t\bar{t} Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
334	Search for flavour-changing neutral current top quark decays $t \rightarrow b\tau^+$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
335	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. Combined Measurement of the Higgs Boson Mass in $\text{H} \rightarrow \text{bb}^*$ $\text{H} \rightarrow \text{WW}^*$ $\text{H} \rightarrow \text{gg}$	4.7	36
336	Measurements of the top-quark mass and the charge asymmetry in the decay $t\bar{t} \rightarrow b\bar{b} + \text{miss. energy}$ at $s = 8 \text{ TeV}$ with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015, 114, 191803.	7.8	1,062
337	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
338	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
339	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
340	Search for $W^+ \rightarrow tb$ decays in $t\bar{t} \rightarrow q\bar{q}bb$ and $t\bar{t} \rightarrow q\bar{q}bb$ decays in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
341	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
342	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67

#	ARTICLE	IF	CITATIONS
343	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW \rightarrow$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
344	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
345	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
346	Search for pair-produced long-lived neutral particles decaying to jets in the ATLAS hadronic calorimeter in pp collisions at $s=8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 743, 15-34. http://www.w3.org/1998/Math/MathML altimg="st1.gif"	4.1	48
347	Search for Higgs boson decays to $b\bar{b}$ plus jets final state. http://www.w3.org/1998/Math/MathML plus jets final state	4.1	44
348	Search for Higgs boson decays to $b\bar{b}$ plus jets final state. http://www.w3.org/1998/Math/MathML plus jets final state	4.1	44

#	ARTICLE	IF	CITATIONS
361	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
362	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$, $\tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	69
363	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in $p p$ collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209.	3.9	79
364	Performance of the ATLAS muon trigger in pp collisions at $s = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 120.	3.9	62
365	Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 412.	3.9	90
366	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e^+ e^- \mu^+ \mu^-$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	3.9	21
367	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299.	3.9	238
368	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e^+ e^- \mu^+ \mu^-$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263.	3.9	60
369	Measurement of three-jet production cross-sections in $p p$ collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228.	3.9	23
370	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335.	3.9	95
371	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $s = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 303.	3.9	70
372	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476.	3.9	174
373	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229.	3.9	64
374	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 349.	3.9	123
375	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318.	3.9	56
376	Search for heavy long-lived multi-charged particles in pp collisions at $s = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36
377	Two-particle Bose-Einstein correlations in pp collisions at $s = 0.9$ and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 466.	3.9	42
378	Measurement of the top quark mass in the $t\bar{t} \rightarrow l\nu + jets$ and $t\bar{t} \rightarrow \ell\nu + jets$ channels using $s = 7$ TeV ATLAS data. <i>European Physical Journal C</i> , 2015, 75, 330.	3.9	52

#	ARTICLE		IF	CITATIONS
379	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.		3.9	138
380	Measurement of the inclusive jet cross-section in proton-proton collisions at ($\sqrt{s}=7$) TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1.		3	
381	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.		4.7	82
382	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.		3.9	213
383	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $\text{pp} \rightarrow p p$ collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.		3.9	40
384	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.		3.9	23
385	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.		4.7	45
386	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $s = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.		4.7	12
387	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.		4.7	128
388	Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b -tagged jets in $\text{pp} \rightarrow p p$ collisions at $\sqrt{s}=7 \text{ TeV}$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.		3.9	143
389	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.		4.7	66
390	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.		3.9	58
391	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.		3.9	172
392	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} \sim 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.		3.9	48
393	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.		3.9	68
394	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in $\text{pp} \rightarrow p p$ collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.		3.9	46
395	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.		4.7	41
396	Measurement of the production cross-section of $\chi^0(2S) \rightarrow J/\psi + \chi^0$ in pp collisions at $s = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.		4.7	21

#	ARTICLE	IF	CITATIONS
397	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	131
398	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
399	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
400	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	47
401	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
402	Scintillation detectors based on silicon microfluidic channels. <i>Journal of Instrumentation</i> , 2014, 9, C01019-C01019.	1.2	5
403	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
404	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
405	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13
406	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	3.9	204
407	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
408	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	3.9	22
409	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.	3.9	77
410	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
411	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	88
412	Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
413	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
414	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59

#	ARTICLE	IF	CITATIONS
415	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
416	Search for supersymmetry at $\sqrt{s} = 8\text{TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
417	Measurement of the low-mass Drell-Yan differential cross section at $s = 7\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
418	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
419	Measurement of c_1 and c_2 production with $s = 7\text{TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
420	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $s = 8\text{TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
421	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
422	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $s = 8\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
423	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
424	Measurement of the cross-section for W boson production in association with b -jets in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
425	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
426	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
427	Measurement of ZZ production in pp collisions at $\sqrt{s}=7\text{TeV}$ and limits on anomalous ZZZ and ZZ^3 couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
428	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7\text{TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
429	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
430	Measurement of k_T splitting scales in $W\rightarrow l\nu$ events at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
431	Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Measurement of angular correlations in Drell-Yan lepton pairs to probe $\lambda_{H^+ c\bar{s}}$. http://www.w3.org/1998/Math/MathML altimg="si1.gif" overflow="scroll">$\lambda_{H^+ c\bar{s}}$	3.9	119
432	Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Measurement of angular correlations in Drell-Yan lepton pairs to probe $\lambda_{H^+ c\bar{s}}$. http://www.w3.org/1998/Math/MathML altimg="si2.gif" overflow="scroll">$\lambda_{H^+ c\bar{s}}$	3.9	119

#	ARTICLE	IF	CITATIONS
433	Search for high-mass resonances decaying to $\tau^{\pm} \nu \tau^{\pm} \nu$ in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 721, 32-50.	4.1	21
434	Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 721, 32-50.	4.1	20
435	Searches for heavy long-lived sleptons and R-hadrons with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 720, 277-308.	4.1	67
436	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
437	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
438	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
439	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
440	Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
441	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	3.9	105
442	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
443			

#	ARTICLE	IF	CITATIONS
451	Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in $\sqrt{s} = 7$ TeV production with the ATLAS detector	4.1	11
452	Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in $\sqrt{s} = 7$ TeV production with the ATLAS detector	4.1	195
453	Search for light top squark pair production in final states with leptons and b -jets with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV	4.1	195
454	Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector	4.1	6
455	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 7$ TeV	4.1	40
456	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector	4.1	317
457	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV	3.9	61
458	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV	3.9	45
459	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV	3.9	45
460	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 7$ TeV	4.1	24
461	Search for new phenomena in the final states with two leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 7$ TeV	4.1	27
462	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector	3.9	37
463	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC	3.9	15
464	Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7$ TeV recorded in 2010 with the ATLAS detector	3.9	45
465	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector	3.9	209
466	Measurement of hard double-parton interactions in W ($\tau^{\pm}\nu$) + 2-jet events at $\sqrt{s} = 7$ TeV with the ATLAS detector	3.9	45
467	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector	2.9	147
468	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector	2.9	15

#	ARTICLE	IF	CITATIONS
469	Search for extra dimensions in diphoton events from proton+proton collisions at $\sqrt{s} = 7\text{TeV}$ in the ATLAS detector at the LHC. New Journal of Physics, 2013, 15, 043007.	2.9	41
470	Observation of Associated Near-Side and Away-Side Long-Range Correlations in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ display="inline" $\langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle N \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle N \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \text{mathvariant="bold"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 5.02 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \dots \langle / \text{mml:mtext} \rangle \langle \text{mml:mtext} \rangle \dots \langle / \text{mml:mtext} \rangle \langle \text{mml:mtext} \rangle \dots \langle / \text{mml:mtext} \rangle \langle \text{mml:mi} \rangle$ $\text{Collisions with the ATLAS Detector. Physical Review Letters, 2013, 110, 182302.}$	4.7	112
471	Measurement of transverse momentum using mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ display="inline" $\langle \text{mml:mn} \rangle 4.7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \dots \langle / \text{mml:mtext} \rangle \langle \text{mml:mtext} \rangle \dots \langle / \text{mml:mtext} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle f_b \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle$ $\text{mathvariant="bold"} \rangle \hat{a} \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 1 \langle / \text{mml:mn} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msup} \rangle \langle / \text{mml:math} \rangle \text{of} \langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$	4.7	112
472	Measurement of upsilon production in 7TeV mml:math display="inline" $\langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle$ $\text{Physical Review D, 2013, 87, .}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ display="inline" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{collisions at ATLAS. Physical Review D, 2013, 87, .}$ $\text{Collisions and Large-Rapidity Distributions in Events with a Photon and Missing Transverse Momentum in} \langle \text{mml:math} \rangle \text{Collision Data at} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Collision Data at} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Transverse Momentum in} \langle \text{mml:math} \rangle \text{Collision Data at} \langle \text{mml:math} \rangle$	4.7	78
473	Search for contact interactions and large extra dimensions in dilepton events from mml:math display="inline" $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle$ $\text{Physical Review D, 2013, 87, .}$ display="inline" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{collisions at} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Collision Data at} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Search for contact interactions and large extra dimensions in dilepton events from} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle$ $\text{Physical Review D, 2013, 87, .}$	7.8	105
474	Measurement of ZBoson Production in Pb-Pb Collisions at $\text{NN}=2.76\text{TeV}$ with the ATLAS Detector. $\text{Physical Review Letters, 2013, 110, 022301.}$	7.8	63
476	Measurement of the mml:math display="inline" $\langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle \hat{b} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mn} \rangle 0 \langle / \text{mml:mn} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:math} \rangle$ $\text{lifetimes and mass in the ATLAS experiment. Physical Review D, 2013, 87, .}$	4.7	24
477	Search for new phenomena in events with three charged leptons at mml:math display="inline" $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \dots \langle / \text{mml:mtext} \rangle \langle \text{mml:mi} \rangle$ $\text{the ATLAS detector. Physical Review D, 2013, 87, .}$	4.7	14
478	Search for Gluinos in Events with Two Same-Sign Leptons, Jets, and Missing Transverse Momentum with the ATLAS Detector in ppCollisions at $\text{s}=7\text{TeV}$. $\text{Physical Review Letters, 2012, 108, 241802.}$	7.8	37
479	Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector. $\text{Physical Review D, 2012, 86, .}$	4.7	3
480	Search for resonant top quark plus jet production in $t\bar{t}+\text{jet}$ events with the ATLAS detector in ppcollisions at $\text{s}=7\text{TeV}$. $\text{Physical Review D, 2012, 86, .}$	4.7	16
481	Search for a Supersymmetric Partner to the Top Quark in Final States with Jets and Missing Transverse Momentum at mml:math display="inline" $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle$ $\text{the ATLAS Detector. Physical Review Letters, 2012, 109, 211802.}$	7.8	63
482	Search for Scalar Bottom Quark Pair Production with the ATLAS Detector in ppCollisions at $\text{s}=7\text{TeV}$. $\text{Physical Review Letters, 2012, 108, 181802.}$	7.8	61
483	ATLAS measurements of the properties of jets for boosted particle searches. $\text{Physical Review D, 2012, 86, .}$	4.7	21
484	Search for New Phenomena in mml:math display="inline" $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \rangle \text{Events with Large Missing Transverse Momentum in Proton-Proton Collisions at} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle \text{Decaying to} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{Boson and a} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle$ $\text{Observation of Spin Correlation in} \langle \text{mml:math} \rangle \text{at} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \rangle \text{display="inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle A \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ $\text{Events from} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Collisions at} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$	7.8	46
485	Observation of Spin Correlation in mml:math display="inline" $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \rangle \text{display="inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle A \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ $\text{Events from} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ $\text{Collisions at} \langle \text{mml:math} \rangle$ display="inline" $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle$	7.8	31
486	28	7.8	80

#	ARTICLE	IF	CITATIONS
487	Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2012, 86, Observation of a New	4.7	135
488	Observation of a New	7.8	90
489	Radiative Transitions to	4.7	45
490	Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$	7.8	33
491	Search for	4.7	12
492	Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2012, 86, Search for Pair Production of a New	7.8	26
493	that Decays into a	7.8	365
494	Physical Review Letters, 2012, 109, 071801.	7.8	35
495	Measurement of the azimuthal anisotropy for charged particle production in	7.8	61
496	lead-lead collisions with the ATLAS detector. <i>Physical Review C</i> , 2012, 86, .	7.8	23
497	Search for the Higgs Boson in the $H \rightarrow WW^*(*) \rightarrow l^+l^-l^+l^-$ Decay Channel in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 111802.	7.8	26
498	Search for a Light Higgs Boson Decaying to Long-Lived Weakly Interacting Particles in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 251801.	7.8	23
499	Further search for supersymmetry at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 251801.	7.8	117
500	Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, Measurement of the	7.8	12
501	production in jets from	7.8	33
502	Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum in pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 261804.	7.8	33
503	Search for Down-Type Fourth Generation Quarks with the ATLAS Detector in Events with One Lepton and Hadronically Decaying	4.7	23
504	Search for Down-Type Fourth Generation Quarks with the ATLAS Detector in Events with One Lepton and Hadronically Decaying	7.8	40

#	ARTICLE jets produced in association with a $\langle \text{mml:math} \rangle$ boson in $\langle \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$	IF	CITATIONS
505	xmml:math $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ boson in $\langle \text{mml:math} \rangle$ xmml:math $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle p \langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$ xmml:math $\text{display}=\text{"block"}$ $\langle \text{mml:math} \rangle$	4.7	47
506	Search for resonant WZ production in the $WZ \rightarrow l^+l^-l^+l^-$ channel in $s=7\text{TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	12
507	A study of the material in the ATLAS inner detector using secondary hadronic interactions. Journal of Instrumentation, 2012, 7, P01013-P01013.	1.2	23
508	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
509	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7\text{TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
510	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
511	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7fb^{-1} of $\sqrt{s} = 7\text{TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
512	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
513	Search for the Standard Model Higgs boson in the $H \rightarrow t\bar{t}, +\bar{l}, \nu$ decay mode in $\sqrt{s} = 7\text{TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
514	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
515	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
516	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
517	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
518	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
519	Time-dependent angular analysis of the decay $B_s \rightarrow \psi \phi$ and extraction of the s and the CP-violating weak phase ϕ by ATLAS. Journal of High Energy Physics, 2012, 2012, .	4.7	23
520	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
521	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
522	Search for excited leptons in proton-proton collisions at $s=7\text{TeV}$ with the ATLAS detector. Physical Review D, 2012, 85, .	4.7	14

#	ARTICLE	IF	CITATIONS
523	Measurement of the isolated diphoton cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 13 TeV with the ATLAS detector. <i>Phys. Rev. D</i> , 2012, 85, 032005.	4.7	41
524	Production of $t\bar{t}$ and $b\bar{b}$ jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Phys. Rev. D</i> , 2012, 85, 032006.	4.7	24
525	Measurement of the inclusive W^{\pm} production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Phys. Rev. D</i> , 2012, 85, 032007.	4.7	31
526	Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in final states with missing transverse momentum and b -jets with the ATLAS detector. <i>Phys. Rev. D</i> , 2012, 85, 032008.	4.7	30
527	Measurement of the transverse momentum distribution of b -hadrons produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Phys. Rev. D</i> , 2012, 85, 032009.	4.7	37
528	Measurement of the decay width of the b -hadron decay channel with the ATLAS detector. <i>Phys. Rev. D</i> , 2012, 85, 032010.	4.7	171
529	Search for the decay $b \rightarrow s \gamma$ with the ATLAS detector. <i>Phys. Rev. D</i> , 2012, 85, 032011.	7.8	11803
530	A Particle Consistent with the Higgs Boson Observed with the ATLAS Detector at the Large Hadron Collider. <i>Science</i> , 2012, 338, 1576-1582.	12.6	74
531	Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in pp collisions using 1 of ATLAS data. <i>Phys. Rev. D</i> , 2012, 85, 032012.	4.7	57
532	Measurement of the b -hadron production cross section using decays to $\tau^+ \tau^-$. <i>Nucl. Phys. B</i> , 2012, 864, 341-381.	2.5	31
533	Search for the decay $b \rightarrow s \gamma$ with the ATLAS detector. <i>Phys. Lett. B</i> , 2012, 713, 387-407.	4.1	59
534	Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector. <i>Phys. Lett. B</i> , 2012, 714, 180-196.	4.1	12
535	Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector. <i>Phys. Lett. B</i> , 2012, 714, 197-209.	4.1	6
536	Search for supersymmetric particles in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Phys. Lett. B</i> , 2012, 714, 210-222.	4.1	17
537	Evidence for the associated production of a W boson and a top quark in ATLAS at $\sqrt{s} = 7 \text{ TeV}$. <i>Phys. Lett. B</i> , 2012, 716, 142-159.	4.1	174
538	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. <i>Phys. Lett. B</i> , 2012, 716, 1-29.	4.1	6,386
540	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	248

#	ARTICLE	IF	CITATIONS
541	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	100
542	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	13
543	Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	3.9	109
544	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 2083.	3.9	25
545	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
546	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
547	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
548	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
549	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
550	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
551	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
552	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	36
553			

#	ARTICLE	IF	CITATIONS
577	ment of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead+lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 478-496.	4.1	231
578	Search for displaced vertices arising from decays of new heavy particles in 7 TeV pp collisions at ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 478-496.	4.1	39
579	Search for new physics in the dijet mass distribution using 1 fb ⁻¹ of pp collision data at $\sqrt{s} = 7 \text{ TeV}$. A measurement of the ratio of the W and Z cross sections with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 541-554.	4.1	8
580	Search for first generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 555-566.	4.1	58
581	Search for first generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 567-576.	4.1	58
582	Continued search for the Standard Model Higgs boson using up to 4.9 fb ⁻¹ of pp collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 577-586.	4.1	109
583	Measurement of the centrality dependence of the charged particle pseudorapidity distribution in lead+lead collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382.	4.1	17
584	Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 322-340.	4.1	17
585	Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in proton+proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 351-359.	4.1	21
586	Production cross section and limits on anomalous triple gauge couplings in proton+proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 360-368.	4.1	21
587	Search for diphoton events with large missing transverse momentum in proton+proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 369-377.	4.1	21
588	Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 711, 244-263.	4.1	69
589	Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39.	4.1	36
590	Search for extra dimensions using diphoton events in 7 TeV proton+proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 538-556.	4.1	23
591	Search for heavy vector-like quarks coupling to light quarks in proton+proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39.	4.1	23
592	Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 711, 244-263.	4.1	69
593	Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39.	4.1	40
594	Measurement of the WW cross section in $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39.	4.1	40

#	ARTICLE or new particles decaying to ZZ using final states with leptons and jets with the ATLAS detector in <math altimg= "si1.gif" overflow= "scroll">	IF	CITATIONS
595	xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" Search for "FCNC" single top-quark production at <math altimg= "si1.gif" overflow= "scroll"> <mml:math xmlns:b="http://www.Physics Letters, xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" /> TeV</mml:mtext></mml:math> with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 351-369.	4.1	16
596	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	15
597	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	36

599

#	ARTICLE or heavy long-lived charged particles with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{ TeV}$	IF	CITATIONS
613	Measurement of the τ lepton branching fraction in $\tau \rightarrow e\nu\tau^+\tau^-$ decays in $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector. <i>Phys Lett B</i> , 2011, 705, 294-312.	4.1	41
614	Search for neutral MSSM Higgs bosons decaying to $\tau^+\tau^-$ in $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector. <i>Phys Lett B</i> , 2011, 705, 294-312.	4.1	41
615	Search for a heavy gauge boson decaying to a charged lepton and a neutrino in $\sqrt{s} = 7\text{ TeV}$ pp collisions at the LHC with the ATLAS detector. <i>Phys Lett B</i> , 2011, 705, 294-312.	4.1	41
616	Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions. <i>Phys Lett B</i> , 2011, 705, 294-312.	4.1	45
617	Measurement of the transverse momentum distribution of the final state jets in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions. <i>Phys Lett B</i> , 2011, 705, 294-312.	4.1	49
618	Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. <i>Phys Lett B</i> , 2011, 705, 452-470.	4.1	57
619	Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s} = 7\text{ TeV}$. <i>Phys Lett B</i> , 2011, 705, 452-470.	4.1	22
620	Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. <i>Phys Lett B</i> , 2011, 705, 452-470.	4.1	23
621	Measurement of the inclusive isolated prompt photon cross-section in pp collisions at $\sqrt{s} = 7\text{ TeV}$. <i>Phys Lett B</i> , 2011, 705, 452-470.	4.1	49
622	Measurement of inclusive jet and dijet cross sections in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions at the ATLAS detector. <i>Eur Phys J C</i> , 2011, 71, 1.	3.9	114
623	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7\text{ TeV}$. <i>Eur Phys J C</i> , 2011, 71, 1.	3.9	146
624	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>Eur Phys J C</i> , 2011, 71, 1.	3.9	17
625	Luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. <i>Eur Phys J C</i> , 2011, 71, 1.	3.9	179
626	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 7\text{ TeV}$ and $\sqrt{s} = 900\text{ GeV}$ with the ATLAS detector at the LHC. <i>Eur Phys J C</i> , 2011, 71, 1.	3.9	31
627	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Eur Phys J C</i> , 2011, 71, 1.	3.9	18
628	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7\text{ TeV}$ proton-proton collisions with the ATLAS experiment. <i>Eur Phys J C</i> , 2011, 71, 1.	3.9	41
629	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. <i>Eur Phys J C</i> , 2011, 71, 1.	3.9	40
630	Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. <i>Eur Phys J C</i> , 2011, 71, 1.	3.9	15

#	ARTICLE	IF	CITATIONS
631	Measurement of multi-jet cross sections in protonâ€“proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
632	Measurement of the jet fragmentation function and transverse profile in protonâ€“proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
633	Search for a heavy neutral particle decaying into an electron and a muon using 1 fbâ˜¹ of ATLAS data. European Physical Journal C, 2011, 71, 1.	3.9	14
634	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ TeV protonâ€“proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
635	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
636	Measurement of dijet production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
637	Measurement of W^{\pm} and Z^{\pm} production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
638	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
639	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
640	Search for quark contact interactions in dijet angular distributions in pp collisions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 694, 327-345.		
641	Search for quark contact interactions in dijet angular distributions in pp collisions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 694, 327-345.	4.1	107
642	Search for quark contact interactions in dijet angular distributions in pp collisions at $\sqrt{s} = 7$ TeV measured with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 325-345.		
643	Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.	4.1	28
644	Search for high mass dilepton resonances in pp collisions at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.		
645	Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	4.1	52
646	Measurement of the W charge asymmetry in the $\sqrt{s} = 7$ TeV proton-proton collisions at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	4.1	38
647	Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.		
648	Search for stable hadronising squarks and gluinos with the ATLAS experiment at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 1-19.	4.1	126

#	ARTICLE or supersymmetry in pp collisions at $\sqrt{s}=7\text{ TeV}$	IF	CITATIONS
649	$\text{xmns:xocs= http://www.elsevier.com/xml/xocs/dtd }$ $\text{xmns:xs= http://www.w3.org/2001/XMLSchema"}$ $\text{xmns:xsi="http://www.w3.org/2001/XMLSchema-instance" }$ $\text{xmns="http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmns:ja="http://www.elsevier.com/xml/ja/dtd" }$ $\text{xmns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{xmns:tb="http://www.elsevier.com/xml/common/table/dtd"}$ $\text{xmns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" }$ $\text{xmns:ce="http://www. Physics Letter"}$	4.1	54
650	A search for new physics in dijet mass and angular distributions in $\langle i \rangle \text{pp} \langle /i \rangle$ collisions at $\sqrt{s}=7\text{ TeV}$ measured with the ATLAS detector. New Journal of Physics, 2011, 13, 053044.	2.9	116
651	Charged-particle multiplicities in $\langle i \rangle \text{pp} \langle /i \rangle$ interactions measured with the ATLAS detector at the LHC. New Journal of Physics, 2011, 13, 053033.	2.9	314
652	Measurement of the inelastic proton-proton cross-section at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Nature Communications, 2011, 2, 463.	12.8	160
653	Search for the Higgs Boson in the $\text{H} \rightarrow \text{WW} \rightarrow \ell^{\pm}\ell^{\pm}\text{jj}$ Decay Channel in pp Collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2011, 107, 231801. Search for a Heavy Particle Decaying into an Electron and a Muon with the ATLAS Detector	7.8	23
654	in $\langle mml:math \text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline" } <\text{mml:msqrt}> \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle <\text{mml:msqrt}> \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle \text{mml:mn} \rangle <\text{mml:mtext}>$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline" } <\text{mml:mi} \rangle p \langle \text{mml:mi} \rangle <\text{mml:mi} \rangle p \langle \text{mml:mi} \rangle </\text{mml:math}> \text{collisions at the LHC. Physical}$	7.8	15
655	With the ATLAS Detector in 2011. $\langle mml:math \text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline" } <\text{mml:msqrt}> \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle <\text{mml:msqrt}> \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle \text{mml:mn} \rangle <\text{mml:mtext}>$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline" } <\text{mml:mi} \rangle p \langle \text{mml:mi} \rangle <\text{mml:mi} \rangle p \langle \text{mml:mi} \rangle </\text{mml:math}> \text{Collisions. Physical Review}$	7.8	136
656	Search for Dilepton Resonances in $\langle mml:math \text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline" } <\text{mml:mi} \rangle p \langle \text{mml:mi} \rangle <\text{mml:mi} \rangle p \langle \text{mml:mi} \rangle </\text{mml:math}> \text{Collisions at } \langle mml:math}$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline" } <\text{mml:msqrt}> \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle <\text{mml:msqrt}> \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle \text{mml:mn} \rangle <\text{mml:mtext}>$ the ATLAS Detector. Physical Review Letters, 2011, 107, 272002.	7.8	81
657	$\langle mml:math \text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline" } <\text{mml:mi} \rangle p \langle \text{mml:mi} \rangle <\text{mml:mi} \rangle p \langle \text{mml:mi} \rangle </\text{mml:math}> \text{Collisions at } \langle mml:math}$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline" } <\text{mml:msqrt}> \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle <\text{mml:msqrt}> \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle \text{mml:mn} \rangle <\text{mml:mtext}>$ Physical Review Letters, 2011, 106, 172002.	7.8	61
658	Search for a Standard Model Higgs Boson in the $\text{H} \rightarrow \text{ZZ} \rightarrow \ell^+\ell^-\ell^+\ell^-$ Decay Channel with the ATLAS Detector. Physical Review Letters, 2011, 107, 221802.	7.8	29
659	Search for Diphoton Events with Large Missing Transverse Energy in 7 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2011, 106, 121803.	7.8	19
660	A Comparative Performance Evaluation of DNS Tunneling Tools. Lecture Notes in Computer Science, 2011, , 84-91.	1.3	18
661	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61
662	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95
663	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
664	Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 875-916.	3.9	23
665	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
666	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	3.9	121

#	ARTICLE	IF	CITATIONS
667	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	18
668	Measurement of the $W \rightarrow l^+l^-$ and $Z \rightarrow ll$ production cross sections in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	64
669	Charged-particle multiplicities in pp interactions at $\sqrt{s} = 900\text{GeV}$ measured with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010, 688, 21-42.	4.7	113
670	Search for New Particles in Two-Jet Final States in 7 TeV Proton-Proton Collisions with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2010, 105, 161801.	7.8	113
671	Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2010, 105, 252303.	7.8	581
672	The ATLAS Simulation Infrastructure. , 2010, 70, 823.		1
673	The Level-1 Trigger Muon Barrel System of the ATLAS experiment at CERN. <i>Journal of Instrumentation</i> , 2009, 4, P04010-P04010.	1.2	23
674	Study of the ATLAS MDT spectrometer using high energy CERN combined test beam data. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009, 598, 400-415.	1.6	10
675	System test of the ATLAS muon spectrometer in the H8 beam at the CERN SPS. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2008, 593, 232-254.	1.6	12
676	First cosmic ray results of the RPC commissioning in the ATLAS cavern. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 2008, 177-178, 335-338.	0.4	1
677	Status of the ATLAS Level-1 Central Trigger and Muon Barrel Trigger and First Results from Cosmic-Ray Data. <i>IEEE Transactions on Nuclear Science</i> , 2008, 55, 139-144.	2.0	3
678	Study of the Performances of the Level-1 Trigger System for Muons in the Barrel of ATLAS with Cosmic Rays. , 2008, , .		2
679	The ATLAS Experiment at the CERN Large Hadron Collider. <i>Journal of Instrumentation</i> , 2008, 3, S08003-S08003.	1.2	1,752
680	LATEST RESULTS FROM KLOE AT DA <small>F</small> NE. <i>International Journal of Modern Physics A</i> , 2007, 22, 357-364.	1.5	0
681	The ATLAS level-1 trigger: Status of the system and experience from commissioning with cosmic ray muons. , 2007, , .		0
682	Status of the ATLAS Level-1 Central Trigger and Muon Barrel Trigger and First Results from Cosmic-Ray Data. , 2007, , .		1
683	The ATLAS level-1 trigger: Status of the system and first results from cosmic-ray data. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Measurement of the pseodoscalar mixing angle</i> and <i>Measurement of the pseudoscalar mixing angle</i> . <i>Journal of High Energy Physics</i> , 2007, 2007, 017.	1.6	2
684	The ATLAS level-1 trigger: Status of the system and first results from cosmic-ray data. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Measurement of the pseodoscalar mixing angle</i> and <i>Measurement of the pseudoscalar mixing angle</i> . <i>Journal of High Energy Physics</i> , 2007, 2007, 017.	4.1	97

#	ARTICLE	IF	CITATIONS
685	Dalitz plot analysis of $e+e-\bar{e}$ events at $\sqrt{s} \approx M_{\phi}$ with the KLOE detector. European Physical Journal C, 2007, 49, 473.	3.9	62
686	RPC cosmic ray tests in the ATLAS experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 581, 213-216.	1.6	9
687	KLOE results on neutral kaon decays. , 2007, , .		0
688	The ATLAS LVL1 Barrel Muon Trigger Commissioning with Cosmic Rays. , 2006, , .		1
689	The RPC first level muon trigger in the barrel of the ATLAS experiment. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 11-15. Measurements of the absolute branching ratios for the dominant $\pi^+\pi^- \rightarrow e^+e^-$ and $\pi^+\pi^- \rightarrow \mu^+\mu^-$ transitions. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 11-15.	0.4	10
690	Study of the branching ratio and charge asymmetry for the decay $\pi^+\pi^- \rightarrow e^+e^-$. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 11-15.	4.1	68
691	Study of the branching ratio and charge asymmetry for the decay $\pi^+\pi^- \rightarrow \mu^+\mu^-$. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 11-15.	4.1	44
692	Study of the branching ratio and charge asymmetry for the decay $\pi^+\pi^- \rightarrow e^+e^-$. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 11-15.	4.1	72
693	Study of the branching ratio and charge asymmetry for the decay $\pi^+\pi^- \rightarrow \mu^+\mu^-$. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 11-15.	4.1	42
694	First observation of quantum interference in the process $\pi^+\pi^- \rightarrow e^+e^-$. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 11-15.	4.1	61
695	Precise measurement of $\Gamma(K_S \rightarrow e^+e^-)$ with the KLOE detector at DA <small>N</small> E. European Physical Journal C, 2006, 48, 767.	3.9	23
696	Measurement of the DA <small>N</small> E luminosity with the KLOE detector using large angle Bhabha scattering. European Physical Journal C, 2006, 47, 589.	3.9	43
697	New results on ATLAS RPC's aging at CERN's GIF. IEEE Transactions on Nuclear Science, 2006, 53, 567-571.	2.0	8
700	The Muon Spectrometer Barrel Level-1 Trigger of the ATLAS Experiment at LHC. IEEE Transactions on Nuclear Science, 2006, 53, 2446-2451.	2.0	6
701	PERFORMANCES OF THE ATLAS LEVEL-1 MUON TRIGGER PROCESSOR IN THE BARREL. , 2006, , .		2
702	Measurement of $\Gamma(K_S \rightarrow e^+e^-)$ with the KLOE detector at DA <small>N</small> E. European Physical Journal C, 2006, 48, 767.	4.1	194

#	ARTICLE	IF	CITATIONS
703	Upper limit on the $\bar{K} \rightarrow K^+ \pi^- \pi^-$ branching ratio with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 608, 199-205. A direct search for the decay $\bar{K} \rightarrow K^+ \pi^- \pi^-$. <small>Measurement of the branching ratio for the decay $\bar{K} \rightarrow K^+ \pi^- \pi^-$ with the KLOE detector</small>	4.1	21
704	Measurement of the leptonic decay widths of the \bar{D} -meson with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 608, 199-205. A direct search for the decay $\bar{K} \rightarrow K^+ \pi^- \pi^-$. <small>Measurement of the branching ratio for the decay $\bar{K} \rightarrow K^+ \pi^- \pi^-$ with the KLOE detector</small>	4.1	15
705	Measurement of the $\bar{K} \rightarrow K^+ \pi^- \pi^-$ branching ratio with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 608, 199-205. A direct search for the decay $\bar{K} \rightarrow K^+ \pi^- \pi^-$. <small>Measurement of the branching ratio for the decay $\bar{K} \rightarrow K^+ \pi^- \pi^-$ with the KLOE detector</small>	4.1	29
706	Meson decay studies with the KLOE detector at DA \dagger NE. Nuclear Physics A, 2005, 752, 175-184.	4.1	36
707	Meson decay studies with the KLOE detector at DA \dagger NE. Nuclear Physics A, 2005, 752, 175-184.	1.5	0
708	The hadronic cross section measurement at KLOE. Nuclear Physics, Section B, Proceedings Supplements, 2005, 144, 231-237.	0.4	2
709	The RPC Level-1 muon trigger of the ATLAS experiment at the LHC. , 2005, , .		2
710	RECENT RESULTS FROM THE KLOE EXPERIMENT AT DA \dagger NE. Modern Physics Letters A, 2005, 20, 1939-1952.	1.2	0
711	Determination of $f(e^+e^- \rightarrow \bar{K}^+ \bar{K}^-)$ from radiative processes at DA \dagger NE. European Physical Journal C, 2004, 33, s656-s658.	3.9	4
712	Data acquisition and monitoring for the KLOE detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 516, 288-314.	1.6	18
713	ATLAS Level-1 Muon Barrel Trigger robustness study at X5 test facility. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 518, 529-531.	1.6	8
714	Ageing test of the ATLAS RPCs at X5-GIF. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 533, 98-101.	1.6	14
715	The ATLAS RPC Level-1 muon trigger: design and simulation. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 533, 188-192.	1.6	3
716	Upper limit on the $\bar{K} \rightarrow K^+ \pi^- \pi^-$ branching ratio with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 49-54. <small>Measurement of the branching ratio for the decay $\bar{K} \rightarrow K^+ \pi^- \pi^-$ with the KLOE detector</small>	4.1	14
717	Upper limit on the $\bar{K} \rightarrow K^+ \pi^- \pi^-$ branching ratio with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 49-54. <small>Measurement of the branching ratio for the decay $\bar{K} \rightarrow K^+ \pi^- \pi^-$ with the KLOE detector</small>	4.1	11
718	The RPC LVL1 trigger system of the muon spectrometer of the ATLAS experiment at LHC. IEEE Transactions on Nuclear Science, 2004, 51, 1581-1589.	2.0	6
719	The KLOE computing environment. IEEE Transactions on Nuclear Science, 2004, 51, 897-902.	2.0	1
720	The trigger chambers of the ATLAS muon spectrometer: production and tests. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 535, 265-271.	1.6	11

#	ARTICLE	IF	CITATIONS
721	KLOE results on kaon decays and phi radiative decays. Nuclear Physics, Section B, Proceedings Supplements, 2003, 115, 145-149.	0.4	0
722	Measurement of the ratio $\langle K\bar{K} \rightarrow \pi^+ \pi^- \rangle / \langle K\bar{K} \rightarrow \eta \eta \rangle$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 566, 61-69.	4.1	12
723	Measuring the hadronic cross section via radiative return. Nuclear Physics, Section B, Proceedings Supplements, 2003, 116, 243-248.	0.4	10
724	Studies of π^+ meson radiative decays with KLOE. Nuclear Physics, Section B, Proceedings Supplements, 2003, 117, 677-680.	0.4	0
725	Study of the decay $\pi^+ \rightarrow e^+ \nu e^- \pi^0$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 55-60.	4.1	45
726	The coincidence matrix ASIC of the level-1 muon barrel trigger of the ATLAS experiment. IEEE Transactions on Nuclear Science, 2003, 50, 1078-1085.	2.0	27
727	Test beam results from the ATLAS LVL1 muon barrel trigger and RPC readout slice. , 2003, , .		2
728	CALIBRATION OF THE KLOE ELECTROMAGNETIC CALORIMETER. , 2003, , .		0
729	? , ?' Studies with the KLOE Detector at DAFNE The KLOE Collaboration ? Presented by A. Farilla. Physica Scripta, 2002, T99, 123.	2.5	1
730	The KLOE drift chamber VCI 2001. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 478, 138-141.	1.6	4
731	The tracking detector of the KLOE experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 488, 51-73.	1.6	232
732	Measurement of the branching fraction for the decay $K\bar{S} \rightarrow \pi^+ \pi^- \pi^0$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 535, 37-42.	4.1	16
733	Study of the decay $\pi^+ \rightarrow e^+ \nu e^- \pi^0$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 536, 209-216.	4.1	105
734	Study of the decay $\pi^+ \rightarrow e^+ \nu e^- \pi^0$ with the KLOE detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 537, 21-27.	4.1	148
735	Measurement of $\langle K\bar{S} \rightarrow \pi^+ \nu e^- e^- \pi^0 \rangle / \langle K\bar{S} \rightarrow \pi^+ \nu e^- e^- \pi^0 \rangle$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 538, 21-26.	4.1	18
736	Measurement of $\langle \pi^+ \rightarrow \pi^+ \pi^- \pi^0 \rangle / \langle \pi^+ \rightarrow \pi^+ \pi^- \pi^0 \rangle$ and the pseudoscalar mixing angle. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 541, 45-51.	4.1	47
737	Recent results from KLOE at DA <small>F</small> NE. Nuclear Physics, Section B, Proceedings Supplements, 2002, 111, 213-218.	0.4	1
738	Detection of $\pi^+ \rightarrow a_0(980) \pi^0$, $f_0(980) \pi^0$ and $\pi^+ \rightarrow \pi^+ \pi^- \pi^0$ with the KLOE detector at DA <small>F</small> NE. , 2002, , .		0

#	ARTICLE	IF	CITATIONS
739	The KLOE drift chamber. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 461, 25-28.	1.6	11
740	Calibration and reconstruction performances of the KLOE electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 461, 344-347.	1.6	9
741	The KLOE trigger system. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 461, 465-469.	1.6	2
742	Test of a small prototype of the KLOE drift chamber in magnetic field. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 449, 237-247.	1.6	6
743	Status report for the KLOE experiment at DAfNE. Nuclear Physics A, 2000, 675, 267-272.	1.5	0
744	The KLOE drift chamber readout system. IEEE Transactions on Nuclear Science, 2000, 47, 299-303.	2.0	0
745	Using Linux PCs in DAQ applications. IEEE Transactions on Nuclear Science, 2000, 47, 109-113.	2.0	3
746	The KLOE detector and physics program. Nuclear Physics, Section B, Proceedings Supplements, 1999, 78, 157-162.	0.4	1
747	Construction and test of a full-scale prototype of an ATLAS muon spectrometer tracking chamber. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 425, 140-164.	1.6	3
748	Status of the KLOE experiment at the \bar{p} -factory DA \bar{F} NE. Nuclear Physics, Section B, Proceedings Supplements, 1998, 66, 478-481.	0.4	0
749	Performances of a multichannel 1 GHz TDC ASIC for the KLOE Tracking Chamber. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 409, 363-368.	1.6	8
750	Calypso: a full-scale MDT prototype for the ATLAS muon spectrometer. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 419, 331-335.	1.6	10
751	Measurement of the beauty production cross section in 350 GeV / c \bar{p} -Cu interactions. Nuclear Physics B, 1998, 519, 19-36.	2.5	8
752	Search for the flavour-changing neutral-current decay D0 $\rightarrow \mu^+\mu^-$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 408, 469-475.	4.1	8
753	Autocalibration of high precision drift tubes. Nuclear Physics, Section B, Proceedings Supplements, 1997, 54, 311-316.	0.4	13
754	Measurement of momentum and angular distribution of punchthrough muons at the RD5 experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1997, 386, 421-430.	1.6	1
755	WA92: a fixed target experiment to trigger on and identify beauty particle decays. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1996, 379, 252-270.	1.6	13
756	A study of kinematical correlations between charmed particles produced in \bar{p} -Cu interactions at GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 385, 487-492.	4.1	9

#	ARTICLE	IF	CITATIONS
757	The RD27 muon trigger co-incidence array demonstrator ASIC. IEEE Transactions on Nuclear Science, 1996, 43, 1661-1665.	2.0	0
758	The Implementation of the ATLAS Level-1 Muon Trigger in the Barrel Region. , 1996, , .		2
759	Resistive plate chambers working at high rate. Nuclear Physics, Section B, Proceedings Supplements, 1995, 44, 218-221.	0.4	4
760	Trigger for the WA92 fixed-target beauty experiment. Nuclear Physics, Section B, Proceedings Supplements, 1995, 44, 435-440.	0.4	0
761	Electromagnetic secondaries in the detection of high energy muons. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 364, 473-487.	1.6	10
762	The first level muon trigger in the central toroid of the ATLAS experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 367, 428-431.	1.6	1
763	Measurement of hadronic shower punchthrough in magnetic field. Zeitschrift fÃ¼r Physik C-Particles and Fields, 1995, 69, 415-425.	1.5	0
764	Study of charm correlations in $\bar{c}^{\prime\prime}-N$ interactions at GeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 348, 256-262.	4.1	12
765	Search for the decay D0 $\rightarrow \bar{D}^0 + \pi^+ + \pi^-$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 353, 563-570.	4.1	8
766	Test of a resistive plate chamber under irradiation of photons and neutrons. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 355, 399-405.	1.6	7
767	Study of the efficiency and time resolution of an RPC irradiated with photons and neutrons. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 360, 42-47.	1.6	6
768	High precision limited streamer drift tubes. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 367, 154-158.	1.6	5
769	A TDC integrated circuit for drift chamber readout. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 367, 418-421.	1.6	13
770	Test of a resistive plate chamber operating with low gas amplification at high intensity beams. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 352, 552-556.	1.6	34
771	Measurement of the efficiency and time resolution of double-gap resistive plate chambers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1994, 345, 474-481.	1.6	15
772	Study of resistive plate chambers for muon detection at hadron colliders. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1994, 340, 466-473.	1.6	25
773	Use of GaAs circuits for first level muon triggering at LHC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1994, 344, 194-198.	1.6	4
774	A hodoscope made of resistive plate chambers to identify muons in a fixed target beauty hadroproduction experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1993, 324, 83-92.	1.6	17

#	ARTICLE	IF	CITATIONS
775	Measurement of hadron shower punchthrough in iron. Zeitschrift fÃ¼r Physik C-Particles and Fields, 1993, 60, 1-10.	1.5	10
776	A fast tracking muon trigger for experiment WA92. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1992, 315, 95-101.	1.6	9
777	Muon tracking and hadron punchthrough measurements using resistive plate chambers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1992, 315, 102-108.	1.6	9
778	WA92: A fixed target experiment to study beauty in hadronic interactions. Nuclear Physics, Section B, Proceedings Supplements, 1992, 27, 251-256.	0.4	6
779	A fast processor for muon triggering using resistive plate chambers. IEEE Transactions on Nuclear Science, 1992, 39, 821-825.	2.0	6
780	Performance of a semi-octagonal-shaped uranium/tetramethylpentane calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1991, 301, 445-450.	1.6	5
781	Performance of a uranium/tetramethylpentane calorimeter backed by an iron/scintillator calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1991, 305, 331-343.	1.6	10
782	J/ ψ and ψ' production at the CERN p _l ,p collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 256, 112-120.	4.1	57
783	Beauty production at the CERN pp _l , collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 256, 121-128.	4.1	99
784	First observation of the beauty baryon $b\bar{b}$ in the decay channel $b\rightarrow J/\psi l^+l^-$ at the CERN proton-antiproton collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 273, 540-548.	4.1	73
785	A search for rare B meson decays at the CERN Spp _l ,S collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 262, 163-170.	4.1	55
786	Measurement of $B_0 \rightarrow D^0$ mixing at the CERN Spp _l ,S collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 262, 171-178.	4.1	28
787	Measurement of the ratio $R = \frac{\text{f}W\text{Br}(W \rightarrow l^+l^-)}{\text{f}Z\text{Br}(Z \rightarrow l^+l^-)}$ and \hat{W}_{tot} at the CERN proton-antiproton collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 253, 503-510.	4.1	40
788	Limits on t-quark decay into charged Higgs from a direct search at the CERN collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1991, 257, 459-468.	4.1	15
789	Search for new heavy quarks in proton-antiproton collisions at $\sqrt{s} = 0.63$ TeV. Zeitschrift fÃ¼r Physik C-Particles and Fields, 1990, 48, 1-12.	1.5	27
790	A study of the D_s^+ content of jets at the CERN p _l collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 244, 566-572.	4.1	9
791	Experimental limit on the decay $W \rightarrow l^+l^- \nu \bar{\nu}$ at the cern proton-antiproton collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1990, 241, 283-288.	4.1	5
792	Influence of the electric field on compensation in a uranium/tetramethylpentane hadronic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1990, 292, 113-120.	1.6	12

#	ARTICLE	IF	CITATIONS
793	A study of the general characteristics of proton-antiproton collisions at $\sqrt{s}=0.2$ to 0.9 TeV. Nuclear Physics B, 1990, 335, 261-287.	2.5	311
794	Intermittency studies in p collisions at. Nuclear Physics B, 1990, 345, 1-21.	2.5	72
795	Bose-Einstein correlations in pp interactions at $\sqrt{s}=0.2$ to 0.9 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1989, 226, 410-416.	4.1	57
796	Performance of a uranium/tetramethylpentane electromagnetic calorimeter. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1988, 265, 303-318.	1.6	60
797	A fast processor for muon triggering using resistive plate chambers. , 0, , .	2	
798	Using Linux PCs in DAQ applications. , 0, , .	0	
799	The KLOE drift chamber readout system. , 0, , .	0	
800	Test beam results and integration of the ATLAS level-1 muon barrel trigger. , 0, , .	3	
801	The RPC Level-1 muon trigger of the ATLAS experiment at the LHC. , 0, , .	0	
802	Ageing test of ATLAS RPCs at CERN's gamma irradiation facility. , 0, , .	2	
803	The Muon Spectrometer Barrel Level-1 Trigger of the Atlas Experiment at LHC. , 0, , .	0	
804	The ATLAS Level-1 Barrel Muon Trigger Performances. , 0, , .	2	