

Eloiza H Tajara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3642216/publications.pdf>

Version: 2024-02-01

80
papers

3,714
citations

172457

29
h-index

138484

58
g-index

86
all docs

86
docs citations

86
times ranked

6983
citing authors

#	ARTICLE	IF	CITATIONS
1	Investigating the effect of sexual behaviour on oropharyngeal cancer risk: a methodological assessment of Mendelian randomization. <i>BMC Medicine</i> , 2022, 20, 40.	5.5	9
2	Genome-wide association meta-analysis identifies pleiotropic risk loci for aerodigestive squamous cell cancers. <i>PLoS Genetics</i> , 2021, 17, e1009254.	3.5	19
3	Using genetic variants to evaluate the causal effect of cholesterol lowering on head and neck cancer risk: A Mendelian randomization study. <i>PLoS Genetics</i> , 2021, 17, e1009525.	3.5	15
4	Biological and physical approaches on the role of piplartine (piperlongumine) in cancer. <i>Scientific Reports</i> , 2020, 10, 22283.	3.3	11
5	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019, 10, 431.	12.8	88
6	Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. <i>International Journal of Epidemiology</i> , 2019, 48, 751-766.	1.9	32
7	GLI3 knockdown decreases stemness, cell proliferation and invasion in oral squamous cell carcinoma. <i>International Journal of Oncology</i> , 2018, 53, 2458-2472.	3.3	19
8	Differentially expressed proteins in positive versus negative HNSCC lymph nodes. <i>BMC Medical Genomics</i> , 2018, 11, 73.	1.5	6
9	Geographic heterogeneity in the prevalence of human papillomavirus in head and neck cancer. <i>International Journal of Cancer</i> , 2017, 140, 1968-1975.	5.1	104
10	ANXA1Ac2-26 peptide, a possible therapeutic approach in inflammatory ocular diseases. <i>Gene</i> , 2017, 614, 26-36.	2.2	11
11	Effect of HPV on head and neck cancer patient survival, by region and tumor site: A comparison of 1362 cases across three continents. <i>Oral Oncology</i> , 2016, 62, 20-27.	1.5	64
12	Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. <i>Nature Genetics</i> , 2016, 48, 1544-1550.	21.4	164
13	Involvement of Kallikrein-Related Peptidases in Normal and Pathologic Processes. <i>Disease Markers</i> , 2015, 2015, 1-17.	1.3	36
14	ANXA1Ac2-26 peptide reduces ID1 expression in cervical carcinoma cultures. <i>Gene</i> , 2015, 570, 248-254.	2.2	10
15	Inflammation and Cancer: Role of Annexin A1 and FPR2/ALX in Proliferation and Metastasis in Human Laryngeal Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e111317.	2.5	61
16	PROX1 Gene is Differentially Expressed in Oral Cancer and Reduces Cellular Proliferation. <i>Medicine (United States)</i> , 2014, 93, e192.	1.0	19
17	Stable SET knockdown in head and neck squamous cell carcinoma promotes cell invasion and the mesenchymal-like phenotype in vitro, as well as necrosis, cisplatin sensitivity and lymph node metastasis in xenograft tumor models. <i>Molecular Cancer</i> , 2014, 13, 32.	19.2	57
18	Human papillomavirus (HPV) 16 and the prognosis of head and neck cancer in a geographical region with a low prevalence of HPV infection. <i>Cancer Causes and Control</i> , 2014, 25, 461-471.	1.8	67

#	ARTICLE	IF	CITATIONS
19	Research interests: behind the biological sample. <i>BMJ, The</i> , 2014, 349, g5231-g5231.	6.0	0
20	HIF-1alpha Expression Profile in Intratumoral and Peritumoral Inflammatory Cells as a Prognostic Marker for Squamous Cell Carcinoma of the Oral Cavity. <i>PLoS ONE</i> , 2014, 9, e84923.	2.5	17
21	Study of small proline-rich proteins (SPRRs) in health and disease: a review of the literature. <i>Archives of Dermatological Research</i> , 2013, 305, 857-866.	1.9	46
22	FAS/FASL Expression Profile as a Prognostic Marker in Squamous Cell Carcinoma of the Oral Cavity. <i>PLoS ONE</i> , 2013, 8, e69024.	2.5	19
23	Significant differences in demographic, clinical, and pathological features in relation to smoking and alcohol consumption among 1,633 head and neck cancer patients. <i>Clinics</i> , 2013, 68, 738-744.	1.5	22
24	SET protein accumulates in HNSCC and contributes to cell survival: Antioxidant defense, Akt phosphorylation and AVOs acidification. <i>Oral Oncology</i> , 2012, 48, 1106-1113.	1.5	39
25	Prognostic significance of NDRG1 expression in oral and oropharyngeal squamous cell carcinoma. <i>Molecular Biology Reports</i> , 2012, 39, 10157-10165.	2.3	23
26	Proteomic Approaches Identify Members of Cofilin Pathway Involved in Oral Tumorigenesis. <i>PLoS ONE</i> , 2012, 7, e50517.	2.5	24
27	FGFR4 Profile as a Prognostic Marker in Squamous Cell Carcinoma of the Mouth and Oropharynx. <i>PLoS ONE</i> , 2012, 7, e50747.	2.5	32
28	<i>ORAOV1</i> is amplified in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2012, 41, 54-60.	2.7	9
29	Accumulation of the SET protein in HEK293T cells and mild oxidative stress: cell survival or death signaling. <i>Molecular and Cellular Biochemistry</i> , 2012, 363, 65-74.	3.1	26
30	Salivary and serum proteomics in head and neck carcinomas: Before and after surgery and radiotherapy. <i>Cancer Biomarkers</i> , 2011, 8, 95-107.	1.7	24
31	Genomics and proteomics approaches to the study of cancer-stroma interactions. <i>BMC Medical Genomics</i> , 2010, 3, 14.	1.5	32
32	Epigenetic Silencing of CRABP2 and MX1 in Head and Neck Tumors. <i>Neoplasia</i> , 2009, 11, 1329-IN9.	5.3	70
33	Searching for molecular markers in head and neck squamous cell carcinomas (HNSCC) by statistical and bioinformatic analysis of larynx-derived SAGE libraries. <i>BMC Medical Genomics</i> , 2008, 1, 56.	1.5	52
34	Annexin A1 subcellular expression in laryngeal squamous cell carcinoma. <i>Histopathology</i> , 2008, 53, 715-727.	2.9	23
35	Global gene expression profiling of oral cavity cancers suggests molecular heterogeneity within anatomic subsites. <i>BMC Research Notes</i> , 2008, 1, 113.	1.4	46
36	Purification, Biochemical and Functional Characterization of Miliin, a New Thiol-Dependent Serine Protease Isolated from the Latex of <i>Euphorbia mili</i> . <i>Protein and Peptide Letters</i> , 2008, 15, 724-730.	0.9	14

#	ARTICLE	IF	CITATIONS
37	Sequence and transcriptional study of <i>HNRPK</i> pseudogenes, and expression and molecular modeling analysis of hnRNP K isoforms. <i>Genome</i> , 2007, 50, 451-462.	2.0	20
38	LINE-1 Hypomethylation in Cancer Is Highly Variable and Inversely Correlated with Microsatellite Instability. <i>PLoS ONE</i> , 2007, 2, e399.	2.5	221
39	Annexin 1: Differential expression in tumor and mast cells in human larynx cancer. <i>International Journal of Cancer</i> , 2007, 120, 2582-2589.	5.1	52
40	Methylation profile of genes CDKN2A (p14 and p16), DAPK1, CDH1, and ADAM23 in head and neck cancer. <i>Cancer Genetics and Cytogenetics</i> , 2007, 173, 31-37.	1.0	81
41	In vitro and in vivo studies on CCR10 regulation by Annexin A1. <i>FEBS Letters</i> , 2006, 580, 1431-1438.	2.8	15
42	Corrigendum to "In vitro and in vivo studies on CCR10 regulation by Annexin A1" [<i>FEBS Letters</i> 580 (2006) 1431-1438]. <i>FEBS Letters</i> , 2006, 580, 1908-1908.	2.8	0
43	Expression, purification, and circular dichroism analysis of human CDK9. <i>Protein Expression and Purification</i> , 2006, 47, 614-620.	1.3	9
44	Neurofibromin: a general outlook. <i>Clinical Genetics</i> , 2006, 70, 1-13.	2.0	169
45	LHX6 is a sensitive methylation marker in head and neck carcinomas. <i>Oncogene</i> , 2006, 25, 5018-5026.	5.9	50
46	Alterations of the CCND1 and HER-2/neu (ERBB2) proteins in esophageal and gastric cancers. <i>Cancer Genetics and Cytogenetics</i> , 2006, 165, 41-50.	1.0	45
47	Preliminary Functional Characterization, Cloning and Primary Sequence of Fastuosain, a Cysteine Peptidase Isolated from Fruits of <i>Bromelia fastuosa</i> . <i>Protein and Peptide Letters</i> , 2006, 13, 83-89.	0.9	22
48	Gene amplification in carcinogenesis. <i>Genetics and Molecular Biology</i> , 2006, 29, 1-7.	1.3	7
49	Solubilization of Proteins from Human Lymph Node Tissue and Two-Dimensional Gel Storage. <i>BMB Reports</i> , 2006, 39, 216-222.	2.4	14
50	Identification and frequency of transposable elements in <i>Eucalyptus</i> . <i>Genetics and Molecular Biology</i> , 2005, 28, 634-639.	1.3	5
51	Large-scale Transcriptome Analyses Reveal New Genetic Marker Candidates of Head, Neck, and Thyroid Cancer. <i>Cancer Research</i> , 2005, 65, 1693-1699.	0.9	55
52	A Transcript Finishing Initiative for Closing Gaps in the Human Transcriptome. <i>Genome Research</i> , 2004, 14, 1413-1423.	5.5	22
53	Presence of the R1748X Mutation in the <i>NF1</i> Gene in a Brazilian Patient with Ectropion uveae. <i>Ophthalmic Research</i> , 2004, 36, 349-352.	1.9	9
54	Analysis of human papillomavirus prevalence and TP53 polymorphism in head and neck squamous cell carcinomas. <i>Cancer Genetics and Cytogenetics</i> , 2004, 150, 44-49.	1.0	37

#	ARTICLE	IF	CITATIONS
55	A simple method for estimating global DNA methylation using bisulfite PCR of repetitive DNA elements. <i>Nucleic Acids Research</i> , 2004, 32, 38e-38.	14.5	898
56	Mutational analysis of the GAP-related domain of the neurofibromatosis type 1 gene in Brazilian NF1 patients. <i>Genetics and Molecular Biology</i> , 2004, 27, 326-330.	1.3	4
57	Identification and complete sequencing of novel human transcripts through the use of mouse orthologs and testis cDNA sequences. <i>Genetics and Molecular Research</i> , 2004, 3, 493-511.	0.2	0
58	Analysis of CDKN1A polymorphisms. <i>Cancer Genetics and Cytogenetics</i> , 2003, 142, 92-98.	1.0	17
59	The generation and utilization of a cancer-oriented representation of the human transcriptome by using expressed sequence tags. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13418-13423.	7.1	105
60	Systemic lupus erythematosus and microchimerism in autoimmunity. <i>Transplantation Proceedings</i> , 2002, 34, 2951-2952.	0.6	47
61	p53 gene analysis in childhood B non - Hodgkin's lymphoma. <i>Sao Paulo Medical Journal</i> , 2001, 119, 212-215.	0.9	7
62	The contribution of 700,000 ORF sequence tags to the definition of the human transcriptome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 12103-12108.	7.1	123
63	Deletion (1)(q12) and Double Minutes in a Metastatic Adenocarcinoma of the Prostate. <i>Cancer Genetics and Cytogenetics</i> , 2000, 116, 50-53.	1.0	3
64	Detection of Numerical Chromosome Anomalies in Interphase Cells of Benign and Malignant Thyroid Lesions Using Fluorescence In Situ Hybridization. <i>Cancer Genetics and Cytogenetics</i> , 2000, 117, 50-56.	1.0	18
65	Intrachromosomal distribution of telomeric repeats in <i>Eumops glaucinus</i> and <i>Eumops perotis</i> (Molossidae, Chiroptera). <i>Chromosome Research</i> , 2000, 8, 563-569.	2.2	21
66	Identification of human chromosome 22 transcribed sequences with ORF expressed sequence tags. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 12690-12693.	7.1	70
67	Chromosome breakpoint distribution in nonmelanoma skin cancers. <i>Cancer Genetics and Cytogenetics</i> , 1997, 99, 81-84.	1.0	1
68	Monosomy 22 and del(10)(p12) in an ameloblastoma previously diagnosed as an adenoid cystic carcinoma of the salivary gland. <i>Cancer Genetics and Cytogenetics</i> , 1996, 91, 74-76.	1.0	11
69	Cytogenetic analyses of patients with skin tumors. <i>Cancer Genetics and Cytogenetics</i> , 1995, 85, 88.	1.0	1
70	Cytogenetic study of neoplastic and nonneoplastic cells of the skin. <i>Cancer Genetics and Cytogenetics</i> , 1995, 85, 16-19.	1.0	13
71	Cytogenetic findings in two basal cell carcinomas. <i>Cancer Genetics and Cytogenetics</i> , 1994, 73, 152-156.	1.0	20
72	Telomeric fusions in a Wilms' tumor. <i>Cancer Genetics and Cytogenetics</i> , 1993, 69, 141-145.	1.0	13

#	ARTICLE	IF	CITATIONS
73	Sister chromatid exchanges and chromosome aberrations in lymphocytes of nurses handling antineoplastic drugs. <i>International Journal of Cancer</i> , 1992, 50, 341-344.	5.1	34
74	Multiple cytogenetic clones in a basal cell carcinoma. <i>Cancer Genetics and Cytogenetics</i> , 1991, 54, 33-38.	1.0	16
75	Translocation (4;14) and concomitant inv(14) in a basal cell carcinoma. <i>Cancer Genetics and Cytogenetics</i> , 1991, 56, 177-180.	1.0	6
76	Cytogenetic analysis of a multinodular thyroid goiter. <i>Cancer Genetics and Cytogenetics</i> , 1991, 55, 73-77.	1.0	16
77	Loss of common 3p14 fragile site expression in renal cell carcinoma with deletion breakpoint at 3p14. <i>Cancer Genetics and Cytogenetics</i> , 1988, 31, 75-82.	1.0	15
78	New common fragile sites. <i>Cancer Genetics and Cytogenetics</i> , 1988, 33, 1-9.	1.0	43
79	Partial trisomy 12q24.31—qter.. <i>Journal of Medical Genetics</i> , 1985, 22, 73-76.	3.2	16
80	Structural aberration of the X chromosome in a patient with gonadal dysgenesis: an approach to karyotype-phenotype correlation.. <i>Journal of Medical Genetics</i> , 1981, 18, 228-231.	3.2	18