Zaher Lakkis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3644765/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | SARSâ€CoVâ€2 infection and venous thromboembolism after surgery: an international prospective cohort study. Anaesthesia, 2022, 77, 28-39. | 3.8 | 82 |
| 2 | What Is the Optimal Elective Colectomy for Splenic Flexure Cancer: End of the Debate? A Multicenter Study From the GRECCAR Group With a Propensity Score Analysis. Diseases of the Colon and Rectum, 2022, 65, 55-65. | 1.3 | 23 |
| 3 | ls Adjuvant Chemotherapy Necessary for Obstructing Stage II Colon Cancer? Results From a Propensity Score Analysis of the French Surgical Association Database. Annals of Surgery, 2022, 275, 149-156. | 4.2 | 9 |
| 4 | ls it safe to perform an anastomosis for rectal cancer after prostate cancer? A multicentre study of 126 patients from the GRECCAR group. Colorectal Disease, 2022, 24, 594-600. | 1.4 | 1 |
| 5 | Cytoreductive Surgery and Intraperitoneal Chemotherapy in Advanced Serous Epithelial Ovarian Cancer: A 14-Year French Retrospective Single-Center Study of 124 Patients. Annals of Surgical Oncology, 2022, 29, 3322-3334. | 1.5 | 3 |
| 6 | Nonmetastatic ypt0 rectal cancer after neoadjuvant treatment and total mesorectal excision: Lessons from a retrospective multicentric cohort of 383 patients. Surgery, 2022, , . | 1.9 | 0 |
| 7 | Stratification of sigmoid volvulus early recurrence risk using a combination of CT features. Diagnostic and Interventional Imaging, 2022, 103, 79-85. | 3.2 | 3 |
| 8 | Predictors of surgical outcomes of minimally invasive right colectomy: the MERCY study. International Journal of Colorectal Disease, 2022, 37, 907-918. | 2.2 | 5 |
| 9 | Impact of a procalcitonin-based algorithm on the quality of management of patients with uncomplicated adhesion-related small bowel obstruction assessed by a textbook outcome: a multicenter cluster-randomized open-label controlled trial. BMC Gastroenterology, 2022, 22, 90. | 2.0 | 2 |
| 10 | Prognostic Factors in Non-occlusive mesenteric ischemia: A pragmatic pre-operative score for the prediction of 28-day mortality. American Journal of Surgery, 2022, 224, 617-623. | 1.8 | 7 |
| 11 | Delayed return of gastrointestinal function after hepatectomy in an ERAS program: incidence and risk factors. Hpb, 2022, 24, 1560-1568. | 0.3 | 1 |
| 12 | Is Lanreotide Really Useful in High Output Stoma? Comparison between Lanreotide to Conventional Antidiarrheal Treatment Alone. Journal of Investigative Surgery, 2021, 34, 1312-1316. | 1.3 | 4 |
| 13 | Death following pulmonary complications of surgery before and during the SARS-CoV-2 pandemic. British Journal of Surgery, 2021, 108, 1448-1464. | 0.3 | 29 |
| 14 | Diagnostic performance of CT for the detection of transmural bowel necrosis in non-occlusive mesenteric ischemia. European Radiology, 2021, 31, 6835-6845. | 4.5 | 15 |
| 15 | Réponse à correspondance «ÂMoszkowicz D. et al. Recommandations pour la pratique clinique SFCD-ACHBTÂ: hygiène au bloc opératoire». Journal De Chirurgie Viscérale, 2021, 158, 310-310. | 0.0 | 0 |
| 16 | Functional Outcomes and Quality of Life after Redo Anastomosis in Patients With Rectal Cancer: An International Multicenter Comparative Cohort Study. Diseases of the Colon and Rectum, 2021, 64, 822-832. | 1.3 | 9 |
| 17 | Induction chemotherapy followed by chemoradiotherapy <i>versus</i> chemoradiotherapy alone as neoadjuvant treatment for locally recurrent rectal cancer: study protocol of a multicentre, open-label, parallel-arms, randomized controlled study (PelvEx II). BJS Open, 2021, 5, . | 1.7 | 7 |
| 18 | Adult appendicitis: Clinical practice guidelines from the French Society of Digestive Surgery and the Society of Abdominal and Digestive Imaging. Journal of Visceral Surgery, 2021, 158, 242-252. | 0.8 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-------|-----------|
| 19 | Re: Moszkowicz D, et al. "Operating room hygiene: Clinical practice recommendations SFCD-ACHBT― Journal of Visceral Surgery, 2021, 158, 285-286. | 0.8 | 3 |
| 20 | Surgical Management of Retrorectal Tumors. Annals of Surgery, 2021, 274, 766-772. | 4.2 | 11 |
| 21 | Effects of preâ€operative isolation on postoperative pulmonary complications after elective surgery: an international prospective cohort study. Anaesthesia, 2021, 76, 1454-1464. | 3.8 | 40 |
| 22 | Fluorescence-based pancreas stump perfusion is associated with postoperative acute pancreatitis after pancreatoduodenectomy a prospective cohort study. Pancreatology, 2021, 21, 1023-1029. | 1.1 | 7 |
| 23 | An international assessment of the adoption of enhanced recovery after surgery (ERAS®) principles across colorectal units in 2019–2020. Colorectal Disease, 2021, 23, 2980-2987. | 1.4 | 2 |
| 24 | Characteristics of Early-Onset vs Late-Onset Colorectal Cancer. JAMA Surgery, 2021, 156, 865. | 4.3 | 110 |
| 25 | Réponse à correspondance «ÂAppendicite de l'adulte: recommandations pour la pratique clinique de la Société Française de Chirurgie Digestive (SFCD) et de la Société d'Imagerie Abdominale et Digest (SIAD). Journal De Chirurgie Viscérale, 2021, 158, 592-593. | ve0.0 | 0 |
| 26 | Re: Re: "Adult appendicitis: Clinical practice guidelines from the French Society of Digestive Surgery (SFCD) and the Society of Abdominal and Digestive Imaging (SIAD). Journal of Visceral Surgery, 2021, 158, 540-541. | 0.8 | 0 |
| 27 | Are colorectal cancer patients at risk for COVID-19 infection during the postoperative period? The Covid-GRECCAR study. International Journal of Colorectal Disease, 2021, 36, 611-615. | 2.2 | 3 |
| 28 | End Colostomy With or Without Mesh to Prevent a Parastomal Hernia (GRECCAR 7). Annals of Surgery, 2021, 274, 928-934. | 4.2 | 33 |
| 29 | Preoperative nasopharyngeal swab testing and postoperative pulmonary complications in patients undergoing elective surgery during the SARS-CoV-2 pandemic. British Journal of Surgery, 2021, 108, 88-96. | 0.3 | 45 |
| 30 | Case Report: Evolution of a Severe Vascular Refractory Form of ECD Requiring Liver Transplantation Correlated With the Change in the Monocyte Subset Analysis. Frontiers in Immunology, 2021, 12, 755846. | 4.8 | 2 |
| 31 | Emergency surgery for obstructive splenic flexure colon cancer: results of a multicentric study of the French Surgical Association (AFC). Updates in Surgery, 2021, , 1. | 2.0 | 1 |
| 32 | 30-Day Postoperative Morbidity of Emergency Surgery for Obstructive Right- and Left-Sided Colon Cancer in Obese Patients: A Multicenter Cohort Study of the French Surgical Association. Digestive Surgery, 2020, 37, 111-118. | 1.2 | 10 |
| 33 | Advanced colonic cancer with clinically suspected bladder invasion: Outcomes and prognosis from a multicentric study of 117 patients from the FRENCH research group. Surgery, 2020, 168, 786-792. | 1.9 | 2 |
| 34 | Second-look surgery plus hyperthermic intraperitoneal chemotherapy versus surveillance in patients at high risk of developing colorectal peritoneal metastases (PROPHYLOCHIP–PRODIGE 15): a randomised, phase 3 study. Lancet Oncology, The, 2020, 21, 1147-1154. | 10.7 | 143 |
| 35 | Prognostic value of tumor deposits in rectal cancer: A monocentric series of 505 patients. Journal of Surgical Oncology, 2020, 122, 1481-1489. | 1.7 | 12 |
| 36 | Risk factors for Coronavirus Disease 2019 (COVID-19) severity and mortality among solid cancer patients and impact of the disease on anticancer treatment: A French nationwide cohort study (GCO-002 CACOVID-19). European Journal of Cancer, 2020, 141, 62-81. | 2.8 | 122 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | The global cost of pelvic exenteration: in-hospital perioperative costs. British Journal of Surgery, 2020, 107, e470-e471. | 0.3 | 1 |
| 38 | Pooled analysis of 115 patients from updated data of Epitopes-HPV01 and Epitopes-HPV02 studies in first-line advanced anal squamous cell carcinoma. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592097535. | 3.2 | 24 |
| 39 | Prone Positioning for Severe Acute Respiratory Distress Syndrome in COVID-19 Patients by a Dedicated Team. Annals of Surgery, 2020, 272, e311-e315. | 4.2 | 27 |
| 40 | Colon sparing resection versus extended colectomy for leftâ€sided obstructing colon cancer with caecal ischaemia or perforation: a nationwide study from the French Surgical Association. Colorectal Disease, 2020, 22, 1304-1313. | 1.4 | 6 |
| 41 | ASO Author Reflections: Challenges in the Management of Synchronous Prostate Cancer and Rectal Cancer: Towards Double Organ Preservation?. Annals of Surgical Oncology, 2020, 27, 4294-4295. | 1.5 | Ο |
| 42 | Mortality and pulmonary complications in patients undergoing surgery with perioperative SARS-CoV-2 infection: an international cohort study. Lancet, The, 2020, 396, 27-38. | 13.7 | 1,314 |
| 43 | Neoadjuvant Treatment in Upper Rectal Cancer Does Not Improve Oncologic Outcomes But Increases Postoperative Morbidity. Anticancer Research, 2020, 40, 3579-3587. | 1.1 | 12 |
| 44 | Surgical Management and Outcomes of Rectal Cancer with Synchronous Prostate Cancer: A Multicenter Experience from the GRECCAR Group. Annals of Surgical Oncology, 2020, 27, 4286-4293. | 1.5 | 4 |
| 45 | Impact of hospital volume on outcomes after emergency management of obstructive colon cancer: a nationwide study of 1957 patients. International Journal of Colorectal Disease, 2020, 35, 1865-1874. | 2.2 | 4 |
| 46 | Sarcopenia and visceral obesity assessed by computed tomography are associated with adverse outcomes in patients with Crohn's disease. Clinical Nutrition, 2020, 39, 3024-3030. | 5.0 | 64 |
| 47 | Antibiotics alone as an alternative to appendectomy for uncomplicated acute appendicitis in adults: Changes in treatment modalities related to the COVID-19 health crisis. Journal of Visceral Surgery, 2020, 157, S33-S42. | 0.8 | 73 |
| 48 | Surgery for Crohn's disease during pregnancy: A nationwide survey. United European Gastroenterology Journal, 2020, 8, 736-740. | 3.8 | 7 |
| 49 | We Asked the Experts: How Do We Maintain Surgical Quality Standards for Enhanced Recovery Programs After Cancer Surgery During the COVIDâ€19 Outbreak?. World Journal of Surgery, 2020, 44, 2051-2052. | 1.6 | 7 |
| 50 | Intraâ€operative fluorescence angiography is reproducible and reduces the rate of anastomotic leak after colorectal resection for cancer: a prospective caseâ€matched study. Colorectal Disease, 2020, 22, 1263-1270. | 1.4 | 18 |
| 51 | CD4 T cells target colorectal cancer antigens upregulated by oxaliplatin. International Journal of Cancer, 2019, 145, 3112-3125. | 5.1 | 32 |
| 52 | Prognostic factors and patterns of recurrence after emergency management for obstructing colon cancer: multivariate analysis from a series of 2120 patients. Langenbeck's Archives of Surgery, 2019, 404, 717-729. | 1.9 | 19 |
| 53 | Recommandations pour la pratique clinique SFCD-ACHBTÂ: hygiène au bloc operatoire. Journal De Chirurgie Viscérale, 2019, 156, 448-459. | 0.0 | 2 |
| 54 | Operating room hygiene: Clinical practice recommendations. Journal of Visceral Surgery, 2019, 156, 413-422. | 0.8 | 12 |

| # | Article | IF | CITATIONS |
|----|---|---------------------|-----------|
| 55 | Mismatch Repair System Deficiency Is Associated With Response to Neoadjuvant Chemoradiation in Locally Advanced Rectal Cancer. International Journal of Radiation Oncology Biology Physics, 2019, 105, 824-833. | 0.8 | 25 |
| 56 | Long-term outcome and management of right colonic diverticulitis in western countries: Multicentric Retrospective Study. Journal of Visceral Surgery, 2019, 156, 296-304. | 0.8 | 13 |
| 57 | Correlation between a continent ileocecal valve and CT signs of severity in patients presenting with obstructive colonic cancer. Emergency Radiology, 2019, 26, 277-282. | 1.8 | 3 |
| 58 | The REAL (REctal Anastomotic Leak) score for prediction of anastomotic leak after rectal cancer surgery. Techniques in Coloproctology, 2019, 23, 649-663. | 1.8 | 50 |
| 59 | Morbidity and oncological outcomes of rectal cancer impaired by previous prostate malignancy. British Journal of Surgery, 2019, 106, 1087-1098. | 0.3 | 11 |
| 60 | Efficacy and Safety of Two Neoadjuvant Strategies With Bevacizumab in MRI-Defined Locally Advanced T3 Resectable Rectal Cancer: Final Results of a Randomized, Noncomparative Phase 2 INOVA Study. Clinical Colorectal Cancer, 2019, 18, 200-208.e1. | 2.3 | 12 |
| 61 | Thirtyâ€day mortality after emergency surgery for obstructing colon cancer: survey and dedicated score from the French Surgical Association. Colorectal Disease, 2019, 21, 782-790. | 1.4 | 11 |
| 62 | What is the functional result of a delayed coloanal anastomosis in redo rectal surgery?. ANZ Journal of Surgery, 2019, 89, E179-E183. | 0.7 | 17 |
| 68 | Right-sided vs. left-sided obstructing colonic cancer: results of a multicenter study of the French Surgical Association in 2325 patients and literature review. International Journal of Colorectal Disease, 2019, 34, 1021-1032. | 2.2 | 20 |
| 64 | Surgical management of obstructive left colon cancer at a national level: Results of a multicentre study of the French Surgical Association in 1500 patients. Journal of Visceral Surgery, 2019, 156, 197-208. | 0.8 | 15 |
| 65 | Comparison of Molecular and Histologic Ultrastaging Methods in Sentinel Lymph Node Analysis from Clinical Stage II Colon Cancers. Applied Immunohistochemistry and Molecular Morphology, 2019, 27, e65-e70. | 1.2 | 0 |
| 66 | Emergency Surgery for Obstructive Colon Cancer in Elderly Patients: Results of a Multicentric Cohort of the French National Surgical Association. Diseases of the Colon and Rectum, 2019, 62, 941-951. | 1.3 | 26 |
| 67 | Is diverting loop ileostomy necessary for completion proctectomy with ileal pouch-anal anastomosis? A multicenter randomized trial of the GETAID Chirurgie group (IDEAL trial): rationale and design (NCT03872271). BMC Surgery, 2019, 19, 192. | 1.3 | 16 |
| 68 | Carbon Dioxide Embolism Associated With Total Mesorectal Excision Surgery: A Report From the International Registries. Diseases of the Colon and Rectum, 2019, 62, 794-801. | 1.3 | 48 |
| 69 | Does A Longer Waiting Period After Neoadjuvant Radio-chemotherapy Improve the Oncological Prognosis of Rectal Cancer?. Annals of Surgery, 2019, 270, 747-754. | 4.2 | 51 |
| 70 | What is the Best Option Between Primary Diverting Stoma or Endoscopic Stent as a Bridge to Surgery with a Curative Intent for Obstructed Left Colon Cancer? Results from a Propensity Score Analysis of the French Surgical Association Multicenter Cohort of 518 Patients. Annals of Surgical Oncology, 2019, 26, 756-764. | 1.5 | 35 |
| 71 | Chirurgie du cancer du cÃ1on gauche en occlusion· résultat de l'étude multicentrique de | .35. ^{0.0} | 0 |
| 72 | ECCO-ESCP Consensus on Surgery for Crohn's Disease. Journal of Crohn's and Colitis, 2018, 12, 1-16. | 1.3 | 191 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Is transâ€anal total mesorectal excision really safe and better than laparoscopic total mesorectal excision with a perineal approach first in patients with low rectal cancer? A learning curve with caseâ€matched study in 68 patients. Colorectal Disease, 2018, 20, 0143-0151. | 1.4 | 44 |
| 74 | Perineal Closure after Abdominoperineal Resection Using a Pedicled Deep Inferior Epigastric Perforator Flap: A Safe Alternative to Rectus Abdominis Myocutaneous Flap. Journal of the American College of Surgeons, 2018, 227, e1-e4. | 0.5 | 10 |
| 75 | In situ delivery of allogeneic natural killer cell (NK) combined with Cetuximab in liver metastases of gastrointestinal carcinoma: A phase I clinical trial. OncoImmunology, 2018, 7, e1424673. | 4.6 | 27 |
| 76 | Perineal Reconstruction Remains Challenging: In Reply to Boccara and colleagues. Journal of the American College of Surgeons, 2018, 227, 627-628. | 0.5 | 0 |
| 77 | EP-1502: Is it possible to optimize the prescription of PET/CT and MRI in anal cancer patients follow-up?. Radiotherapy and Oncology, 2018, 127, S814-S815. | 0.6 | 0 |
| 78 | Multicentre international trial of laparoscopic lavage for Hinchey III acute diverticulitis (LLO Study). British Journal of Surgery, 2018, 105, 1835-1843. | 0.3 | 33 |
| 79 | Surgical management of obstructive right-sided colon cancer at a national level results of a multicenter study of the French Surgical Association in 776 patients. European Journal of Surgical Oncology, 2018, 44, 1522-1531. | 1.0 | 28 |
| 80 | lloprost Use in Patients with Persistent Intestinal Ischemia Unsuitable for Revascularization. Annals of Vascular Surgery, 2017, 42, 128-135. | 0.9 | 6 |
| 81 | Overall Survival Prediction and Usefulness of Second-Line Chemotherapy in Advanced Pancreatic Adenocarcinoma. Journal of the National Cancer Institute, 2017, 109, . | 6.3 | 35 |
| 82 | Does a Combination of Laparoscopic Approach and Full Fast Track Multimodal Management Decrease Postoperative Morbidity?. Annals of Surgery, 2017, 266, 729-737. | 4.2 | 32 |
| 83 | Is There Any Reason Not to Perform Standard Laparoscopic Total Mesorectal Excision?. Clinics in Colon and Rectal Surgery, 2017, 30, 333-338. | 1.1 | 7 |
| 84 | Perioperative docetaxel, cisplatin, and 5-fluorouracil compared to standard chemotherapy for resectable gastroesophageal adenocarcinoma. European Journal of Surgical Oncology, 2017, 43, 218-225. | 1.0 | 9 |
| 85 | Human papillomaviruses in colorectal cancers: A case-control study in western patients. Digestive and Liver Disease, 2017, 49, 446-450. | 0.9 | 14 |
| 86 | Management of rectal cancer: the 2016 French guidelines. Colorectal Disease, 2017, 19, 115-122. | 1.4 | 68 |
| 87 | Frozen Tissue Examination: Is It really no Longer of Use in Parathyroid Surgery? Single-center Retrospective Study on 97 Patients treated by minimally Invasive Approach. World Journal of Endocrine Surgery, 2017, 9, 55-60. | 0.0 | 1 |
| 88 | Additive value of pre-operative and one-month post-operative lymphocyte count for death-risk stratification in patients with resectable pancreatic cancer: a multicentric study. BMC Cancer, 2016, 16, 823. | 2.6 | 25 |
| 89 | Impact of Chemotherapy Beyond the Third Line in Patients With Recurrent Epithelial Ovarian Cancer. International Journal of Gynecological Cancer, 2016, 26, 807.1-807. | 2.5 | 0 |
| 90 | Docetaxel, Cisplatin, and 5â€Fluorouracil as perioperative chemotherapy compared with surgery alone for resectable gastroesophageal adenocarcinoma. Cancer Medicine, 2016, 5, 3085-3093. | 2.8 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Complete Response to Aflibercept-FOLFIRI in One Patient With Colorectal Cancer Refractory to Bevacizumab-FOLFOX: A Possible Autocrine Vascular Endothelial Growth Factor Receptor 2–Related Mechanism. Clinical Colorectal Cancer, 2016, 15, e229-e234. | 2.3 | 4 |
| 92 | Effect of Interval (7 or 11 weeks) Between Neoadjuvant Radiochemotherapy and Surgery on Complete Pathologic Response in Rectal Cancer: A Multicenter, Randomized, Controlled Trial (GRECCAR-6). Journal of Clinical Oncology, 2016, 34, 3773-3780. | 1.6 | 361 |
| 93 | Prognostic value of baseline seric Syndecan-1 in initially unresectable metastatic colorectal cancer patients: a simple biological score. International Journal of Cancer, 2016, 139, 2325-2335. | 5.1 | 14 |
| 94 | Efficacy, Safety and Cost of Regorafenib in Patients with Metastatic Colorectal Cancer in French Clinical Practice. Clinical Medicine Insights: Oncology, 2016, 10, CMO.S38335. | 1.3 | 19 |
| 95 | Impact of Chemotherapy Beyond the Third Line in Patients With Recurrent Epithelial Ovarian Cancer. International Journal of Gynecological Cancer, 2016, 26, 261-267. | 2.5 | 3 |
| 96 | 2345 Neoadjuvant docetaxel, cisplatin, and 5-fluorouracil (dcf) compared to standard chemotherapy for resectable gastroesophageal adenocarcinoma. European Journal of Cancer, 2015, 51, S449-S450. | 2.8 | 0 |
| 97 | The impact of taxane-based preoperative chemotherapy in gastroesophageal signet ring cell adenocarcinomas. Journal of Hematology and Oncology, 2015, 8, 52. | 17.0 | 14 |
| 98 | Management of Acute Appendicitis in Ambulatory Surgery. Annals of Surgery, 2015, 261, 1167-1172. | 4.2 | 49 |
| 99 | Evaluation of a 36 Gy elective node irradiation dose in anal cancer. Radiotherapy and Oncology, 2015, 116, 197-201. | 0.6 | 23 |
| 100 | Fatty acid composition of adipose tissue and colorectal cancer: a case-control study. American Journal of Clinical Nutrition, 2015, 101, 192-201. | 4.7 | 33 |
| 101 | Primary Linitis Plastica of the Rectum: Focus on Magnetic Resonance Imaging Patterns and Treatment Options. American Journal of Case Reports, 2015, 16, 581-585. | 0.8 | 10 |
| 102 | Bevacizumab Efficacy in Metastatic Colorectal Cancer is Dependent on Primary Tumor Resection. Annals of Surgical Oncology, 2014, 21, 1632-1640. | 1.5 | 23 |
| 103 | Liver resection for colorectal metastases: results and prognostic factors with 10-year follow-up. Langenbeck's Archives of Surgery, 2014, 399, 1031-1038. | 1.9 | 20 |
| 104 | Delay before implanting a port-a-cath after removing the previous one because of infection. Médecine Et Maladies Infectieuses, 2014, 44, 315-320. | 5.0 | 3 |
| 105 | Bifractionated CPT-11 with LV5FU2 infusion (FOLFIRI-3) in combination with bevacizumab: clinical outcomes in first-line metastatic colorectal cancers according to plasma angiopoietin-2 levels. BMC Cancer, 2013, 13, 611. | 2.6 | 18 |
| 106 | Metronomic cyclophosphamide: An alternative treatment for hepatic epithelioid hemangioendothelioma. Journal of Hepatology, 2013, 58, 1254-1257. | 3.7 | 33 |
| 107 | Redo Coloanal Anastomosis. Annals of Surgery, 2012, 256, 806-811. | 4.2 | 52 |
| 108 | Bifractionated CPT-11 with LV5FU2 Infusion (FOLFIRI-3) In Combination with Bevacizumab Followed by a Capecitabine and Bevacizumab Maintenance Therapy: A Phase II Study in First-Line Metastatic Colorectal Cancers. Annals of Oncology, 2012, 23, ix204. | 1.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Docetaxel, Cisplatin and Fluorouracil as Perioperative Chemotherapy in Resectable Gastroesophageal Carcinoma: a Retrospective Analysis. Annals of Oncology, 2012, 23, ix249. | 1.2 | 1 |
| 110 | Redo surgery for failed colorectal or coloanal anastomosis: A valuable surgical challenge. Surgery, 2011, 149, 65-71. | 1.9 | 69 |
| 111 | The Impact of Perioperative Chemotherapy on Survival in Patients With Gastric Signet Ring Cell Adenocarcinoma. Annals of Surgery, 2011, 254, 684-693. | 4.2 | 177 |
| 112 | Complete Cytoreductive Surgery Plus Intraperitoneal Chemohyperthermia With Oxaliplatin for Peritoneal Carcinomatosis of Colorectal Origin. Journal of Clinical Oncology, 2009, 27, 681-685. | 1.6 | 758 |