

Cecile BÄ©nÄ©zsch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3646980/publications.pdf>

Version: 2024-02-01

33
papers

1,908
citations

279798

23
h-index

434195

31
g-index

37
all docs

37
docs citations

37
times ranked

3294
citing authors

#	ARTICLE	IF	CITATIONS
1	Cell origin and niche availability dictate the capacity of peritoneal macrophages to colonize the cavity and omentum. <i>Immunology</i> , 2022, 166, 458-474.	4.4	9
2	Role of Tim4 in the regulation of ABCA1+ adipose tissue macrophages and post-prandial cholesterol levels. <i>Nature Communications</i> , 2021, 12, 4434.	12.8	27
3	Turning on ILC2s: diet control. <i>Immunology and Cell Biology</i> , 2021, 99, 344-347.	2.3	0
4	Kidney Single-Cell Atlas Reveals Myeloid Heterogeneity in Progression and Regression of Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 2833-2854.	6.1	113
5	Creeping Fat in Crohn's Disease: Innocuous or innocuum?. <i>Immunity</i> , 2020, 53, 905-907.	14.3	2
6	FALC stromal cells define a unique immunological niche for the surveillance of serous cavities. <i>Current Opinion in Immunology</i> , 2020, 64, 42-49.	5.5	10
7	Rate of replenishment and microenvironment contribute to the sexually dimorphic phenotype and function of peritoneal macrophages. <i>Science Immunology</i> , 2020, 5, .	11.9	60
8	Eosinophil Deficiency Promotes Aberrant Repair and Adverse Remodeling Following Acute Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2020, 5, 665-681.	4.1	46
9	Stromal Cells Covering Omental Fat-Associated Lymphoid Clusters Trigger Formation of Neutrophil Aggregates to Capture Peritoneal Contaminants. <i>Immunity</i> , 2020, 52, 700-715.e6.	14.3	53
10	Human Adenovirus Serotype 5 Is Sensitive to IgM-Independent Neutralization In Vitro and In Vivo. <i>Viruses</i> , 2019, 11, 616.	3.3	7
11	ILC2 Orchestration of Local Immune Function in Adipose Tissue. <i>Frontiers in Immunology</i> , 2019, 10, 171.	4.8	34
12	Control of innate-like B cell location for compartmentalised IgM production. <i>Current Opinion in Immunology</i> , 2018, 50, 9-13.	5.5	28
13	TCR-stimulated changes in cell surface CD46 expression generate type 1 regulatory T cells. <i>Science Signaling</i> , 2017, 10, .	3.6	25
14	Integrin-Alpha IIb Identifies Murine Lymph Node Lymphatic Endothelial Cells Responsive to RANKL. <i>PLoS ONE</i> , 2016, 11, e0151848.	2.5	46
15	Fat-associated lymphoid clusters control local IgM secretion during pleural infection and lung inflammation. <i>Nature Communications</i> , 2016, 7, 12651.	12.8	92
16	IL-33 delivery induces serous cavity macrophage proliferation independent of interleukin-4 receptor alpha. <i>European Journal of Immunology</i> , 2016, 46, 2311-2321.	2.9	31
17	The expression of mouse CLEC2 on leucocyte subsets varies according to their anatomical location and inflammatory state. <i>European Journal of Immunology</i> , 2015, 45, 2484-2493.	2.9	38
18	NIK promotes tissue destruction independently of the alternative NF- κ B pathway through TNFR1/RIP1-induced apoptosis. <i>Cell Death and Differentiation</i> , 2015, 22, 2020-2033.	11.2	37

#	ARTICLE	IF	CITATIONS
19	Inflammation-induced formation of fat-associated lymphoid clusters. <i>Nature Immunology</i> , 2015, 16, 819-828.	14.5	175
20	Stromal Cells in Chronic Inflammation and Tertiary Lymphoid Organ Formation. <i>Annual Review of Immunology</i> , 2015, 33, 715-745.	21.8	205
21	TNF α -dependent development of lymphoid tissue in the absence of ROR γ t+ lymphoid tissue inducer cells. <i>Mucosal Immunology</i> , 2014, 7, 602-614.	6.0	57
22	CLEC-2 is required for development and maintenance of lymph nodes. <i>Blood</i> , 2014, 123, 3200-3207.	1.4	75
23	Generation of Lymph Node-fat Pad Chimeras for the Study of Lymph Node Stromal Cell Origin. <i>Journal of Visualized Experiments</i> , 2013, , e50952.	0.3	0
24	CLEC-2 and Syk in the megakaryocytic/platelet lineage are essential for development. <i>Blood</i> , 2012, 119, 1747-1756.	1.4	132
25	Lymphotoxin- β Receptor Signaling through NF- κ B2-RelB Pathway Reprograms Adipocyte Precursors as Lymph Node Stromal Cells. <i>Immunity</i> , 2012, 37, 721-734.	14.3	127
26	Rank Signaling Links the Development of Invariant β T Cell Progenitors and Aire+ Medullary Epithelium. <i>Immunity</i> , 2012, 36, 427-437.	14.3	152
27	Inflammatory regulation of glucocorticoid metabolism in mesenchymal stromal cells. <i>Arthritis and Rheumatism</i> , 2012, 64, 2404-2413.	6.7	43
28	Helios Is Associated with CD4 T Cells Differentiating to T Helper 2 and Follicular Helper T Cells In Vivo Independently of Foxp3 Expression. <i>PLoS ONE</i> , 2011, 6, e20731.	2.5	67
29	Selective effects of NF- κ B1 deficiency in CD4 ⁺ T cells on Th2 and TFh induction by alum-precipitated protein vaccines. <i>European Journal of Immunology</i> , 2011, 41, 1573-1582.	2.9	24
30	Induction of the Alternative NF- κ B Pathway by Lymphotoxin β (LT β) Relies on Internalization of LT β Receptor. <i>Molecular and Cellular Biology</i> , 2011, 31, 4319-4334.	2.3	43
31	NF- κ B Signalling and Lymphoid Tissue Organogenesis. , 2011, , 25-38.		0
32	Ontogeny of Stromal Organizer Cells during Lymph Node Development. <i>Journal of Immunology</i> , 2010, 184, 4521-4530.	0.8	116
33	Complex Interplay of Activating and Inhibitory Signals Received by β 2 T Cells Revealed by Target Cell β 2-Microglobulin Knockdown. <i>Journal of Immunology</i> , 2006, 177, 6129-6136.	0.8	24