

# Shinya Ishii

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/364833/publications.pdf>

Version: 2024-02-01

39  
papers

1,113  
citations

567281

15  
h-index

395702

33  
g-index

39  
all docs

39  
docs citations

39  
times ranked

1791  
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a simple screening test for sarcopenia in older adults. <i>Geriatrics and Gerontology International</i> , 2014, 14, 93-101.	1.5	254
2	Screening Tool for Older Persons <sup>™</sup> Appropriate Prescriptions for Japanese: Report of the Japan Geriatrics Society Working Group on "Guidelines for medical treatment and its safety in the elderly". <i>Geriatrics and Gerontology International</i> , 2016, 16, 983-1001.	1.5	125
3	C-Reactive Protein, Bone Strength, and Nine-Year Fracture Risk: Data From the Study of Women's Health Across the Nation (SWAN). <i>Journal of Bone and Mineral Research</i> , 2013, 28, 1688-1698.	2.8	84
4	Gender, Obesity and Repeated Elevation of C-Reactive Protein: Data from the CARDIA Cohort. <i>PLoS ONE</i> , 2012, 7, e36062.	2.5	81
5	Metabolic Syndrome, Sarcopenia and Role of Sex and Age: Cross-Sectional Analysis of Kashiwa Cohort Study. <i>PLoS ONE</i> , 2014, 9, e112718.	2.5	72
6	Eating Alone as Social Disengagement is Strongly Associated With Depressive Symptoms in Japanese Community-Dwelling Older Adults. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 578-585.	2.5	66
7	Pleiotropic Effects of Obesity on Fracture Risk: The Study of Women's Health Across the Nation. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 2561-2570.	2.8	63
8	The Association between Sarcopenic Obesity and Depressive Symptoms in Older Japanese Adults. <i>PLoS ONE</i> , 2016, 11, e0162898.	2.5	58
9	Quantifying the Balance Between Total Bone Formation and Total Bone Resorption: An Index of Net Bone Formation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2802-2809.	3.6	39
10	Fracture Risk Assessment without Race/Ethnicity Information. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3593-3602.	3.6	32
11	Urinary N-telopeptide and Rate of Bone Loss Over the Menopause Transition and Early Postmenopause. <i>Journal of Bone and Mineral Research</i> , 2016, 31, 2057-2064.	2.8	26
12	The State of Health in Older Adults in Japan: Trends in Disability, Chronic Medical Conditions and Mortality. <i>PLoS ONE</i> , 2015, 10, e0139639.	2.5	22
13	Effects of golf training on cognition in older adults: a randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 944-950.	3.7	21
14	Parity, lactation, bone strength, and 16-year fracture risk in adult women: Findings from the Study of Women's Health Across the Nation (SWAN). <i>Bone</i> , 2015, 73, 160-166.	2.9	19
15	The association of change in medication regimen and use of inappropriate medication based on beers criteria with adverse outcomes in Japanese long-term care facilities. <i>Geriatrics and Gerontology International</i> , 2017, 17, 591-597.	1.5	19
16	Heterogeneity of odorant identification impairment in patients with Alzheimer's Disease. <i>Scientific Reports</i> , 2017, 7, 4798.	3.3	19
17	Steady-state relationship between average glucose, HbA1c and RBC lifespan. <i>Journal of Theoretical Biology</i> , 2018, 447, 111-117.	1.7	16
18	Cognitive function has a stronger correlation with perceived age than with chronological age. <i>Geriatrics and Gerontology International</i> , 2020, 20, 779-784.	1.5	12

#	ARTICLE	IF	CITATIONS
19	Identifying drug substances of screening tool for older personsâ€™ appropriate prescriptions for Japanese. BMC Geriatrics, 2018, 18, 154.	2.7	11
20	Drug costs in long-term care facilities under a per diem bundled payment scheme in Japan. Geriatrics and Gerontology International, 2019, 19, 667-672.	1.5	10
21	Person-centered dementia care during COVID-19: a qualitative case study of impact on and collaborations between caregivers. BMC Geriatrics, 2022, 22, 107.	2.7	8
22	Preparedness guide for people with dementia and caregivers in COVID-19 pandemic. Geriatrics and Gerontology International, 2021, 21, 593-595.	1.5	7
23	Prevalence of cytochrome P450-mediated potential drug-drug interactions in residents of intermediate care facilities for older adults in Japan. Geriatrics and Gerontology International, 2019, 19, 513-517.	1.5	6
24	Guidance statement on appropriate medical services for the elderly. Geriatrics and Gerontology International, 2014, 14, 518-525.	1.5	5
25	Effects of the 2018 Japan Floods on long-term care insurance costs in Japan: retrospective cohort study. BMC Public Health, 2022, 22, 341.	2.9	5
26	Medication prescription in older people receiving home medical care services. Geriatrics and Gerontology International, 2019, 19, 1292-1293.	1.5	4
27	Utilization of drugs for the management of cardiovascular diseases at intermediate care facilities for older adults in Japan. Archives of Gerontology and Geriatrics, 2020, 88, 104016.	3.0	4
28	Use of psychotropic drugs and drugs with anticholinergic properties among residents with dementia in intermediate care facilities for older adults in Japan: a cohort study. BMJ Open, 2021, 11, e045787.	1.9	4
29	The 2018 Japan Floods Increased Prescriptions of Antidementia Drugs Among Disaster Victims. Journal of the American Medical Directors Association, 2022, 23, 1045-1051.	2.5	4
30	Factors Associated with Caregiver Burden and Depressive States among Family Caregivers of Patients Admitted due to Behavioral and Psychological Symptoms of Dementia. Dementia and Geriatric Cognitive Disorders, 2022, 51, 262-270.	1.5	4
31	Experts' perception of support for people with dementia and their families during the COVID-19 pandemic. Geriatrics and Gerontology International, 2021, , .	1.5	3
32	Experiences with COVID-19 cluster infections in geriatric care facilities. Geriatrics and Gerontology International, 2022, 22, 537-539.	1.5	3
33	Brain Health: A Japanese Viewpoint. Journal of the American Medical Directors Association, 2016, 17, 455.	2.5	2
34	Discontinuation of long-term care among persons affected by the 2018 Japan Floods: a longitudinal study using the Long-term Care Insurance Comprehensive Database. BMC Geriatrics, 2022, 22, 168.	2.7	2
35	Re: Growing research on sarcopenia in Asia. Geriatrics and Gerontology International, 2015, 15, 238-239.	1.5	1
36	Impact of the 2018 Japan Floods on benzodiazepine use: a longitudinal analysis based on the National Database of Health Insurance Claims. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2411-2421.	3.1	1

#	ARTICLE	IF	CITATIONS
37	The impact of the COVID-19 pandemic on services for community-dwelling adults and people with dementia, and their families' intentions to use those services. <i>Geriatrics and Gerontology International</i> , 2022, 22, 686-688.	1.5	1
38	Development of conversion formulae between 4m, 5m and 6m gait speed. <i>Geriatrics and Gerontology International</i> , 2015, 15, 233-234.	1.5	0
39	Effect of testosterone replacement therapy on sarcopenia: Case report of an older man with late-onset hypogonadism. <i>Geriatrics and Gerontology International</i> , 2020, 20, 85-86.	1.5	0