Setor K Kunutsor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3652631/publications.pdf

Version: 2024-02-01

281 papers

11,331 citations

52 h-index 93 g-index

285 all docs 285 docs citations

times ranked

285

15230 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Association of Dietary, Circulating, and Supplement Fatty Acids With Coronary Risk. Annals of Internal Medicine, 2014, 160, 398. | 2.0 | 997 |
| 2 | Association of Age at Onset of Menopause and Time Since Onset of Menopause With Cardiovascular Outcomes, Intermediate Vascular Traits, and All-Cause Mortality. JAMA Cardiology, 2016, 1, 767. | 3.0 | 520 |
| 3 | Vitamin D and risk of cause specific death: systematic review and meta-analysis of observational cohort and randomised intervention studies. BMJ, The, 2014, 348, g1903-g1903. | 3.0 | 507 |
| 4 | Patient-Related Risk Factors for Periprosthetic Joint Infection after Total Joint Arthroplasty: A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0150866. | 1.1 | 312 |
| 5 | Environmental toxic metal contaminants and risk of cardiovascular disease: systematic review and meta-analysis. BMJ: British Medical Journal, 2018, 362, k3310. | 2.4 | 272 |
| 6 | Re-Infection Outcomes Following One- And Two-Stage Surgical Revision of Infected Knee Prosthesis: A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0151537. | 1.1 | 216 |
| 7 | Vitamin D and risk of future hypertension: meta-analysis of 283,537 participants. European Journal of Epidemiology, 2013, 28, 205-221. | 2.5 | 200 |
| 8 | Use of Plant-Based Therapies and Menopausal Symptoms. JAMA - Journal of the American Medical Association, 2016, 315, 2554. | 3.8 | 197 |
| 9 | Liver enzymes and risk of cardiovascular disease in the general population: A meta-analysis of prospective cohort studies. Atherosclerosis, 2014, 236, 7-17. | 0.4 | 191 |
| 10 | The Alpha-Defensin Immunoassay and Leukocyte Esterase Colorimetric Strip Test for the Diagnosis of Periprosthetic Infection. Journal of Bone and Joint Surgery - Series A, 2016, 98, 992-1000. | 1.4 | 171 |
| 11 | Vitamin D, type 2 diabetes and other metabolic outcomes: a systematic review and meta-analysis of prospective studies. Proceedings of the Nutrition Society, 2013, 72, 89-97. | 0.4 | 152 |
| 12 | Risk factors associated with revision for prosthetic joint infection after hip replacement: a prospective observational cohort study. Lancet Infectious Diseases, The, 2018, 18, 1004-1014. | 4.6 | 144 |
| 13 | Association Between Adherence to Pharmacotherapy and Outcomes in Type 2 Diabetes: A Meta-analysis. Diabetes Care, 2017, 40, 1588-1596. | 4.3 | 143 |
| 14 | Risk factors associated with revision for prosthetic joint infection following knee replacement: an observational cohort study from England and Wales. Lancet Infectious Diseases, The, 2019, 19, 589-600. | 4.6 | 141 |
| 15 | Renal complications in COVID-19: a systematic review and meta-analysis. Annals of Medicine, 2020, 52, 345-353. | 1.5 | 140 |
| 16 | Liver enzymes and risk of all-cause mortality in general populations: a systematic review and meta-analysis. International Journal of Epidemiology, 2014, 43, 187-201. | 0.9 | 134 |
| 17 | Clinical Effectiveness and Safety of Aspirin for Venous Thromboembolism Prophylaxis After Total Hip and Knee Replacement. JAMA Internal Medicine, 2020, 180, 376. | 2.6 | 126 |
| 18 | Re-Infection Outcomes following One- and Two-Stage Surgical Revision of Infected Hip Prosthesis: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0139166. | 1.1 | 124 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Vitamin D and high blood pressure: causal association or epiphenomenon?. European Journal of Epidemiology, 2014, 29, 1-14. | 2.5 | 117 |
| 20 | Gammaâ€glutamyltransferase—friend or foe within?. Liver International, 2016, 36, 1723-1734. | 1.9 | 113 |
| 21 | Ferritin levels and risk of type 2 diabetes mellitus: an updated systematic review and metaâ€analysis of prospective evidence. Diabetes/Metabolism Research and Reviews, 2013, 29, 308-318. | 1.7 | 111 |
| 22 | Liver Aminotransferases and Risk of Incident Type 2 Diabetes: A Systematic Review and Meta-Analysis. American Journal of Epidemiology, 2013, 178, 159-171. | 1.6 | 109 |
| 23 | Association of Vasomotor and Other Menopausal Symptoms with Risk of Cardiovascular Disease: A Systematic Review and Meta-Analysis. PLoS ONE, 2016, 11, e0157417. | 1.1 | 107 |
| 24 | Cardiorespiratory fitness and risk of heart failure: a populationâ€based followâ€up study. European Journal of Heart Failure, 2014, 16, 180-188. | 2.9 | 101 |
| 25 | Debridement, antibiotics and implant retention for periprosthetic joint infections: A systematic review and meta-analysis of treatment outcomes. Journal of Infection, 2018, 77, 479-488. | 1.7 | 97 |
| 26 | Cardiovascular and Other Health Benefits of Sauna Bathing: A Review of the Evidence. Mayo Clinic Proceedings, 2018, 93, 1111-1121. | 1.4 | 97 |
| 27 | Circulating Total Bilirubin and Risk of Incident Cardiovascular Disease in the General Population. Arteriosclerosis, Thrombosis, and Vascular Biology, 2015, 35, 716-724. | 1.1 | 96 |
| 28 | Using Mobile Phones to Improve Clinic Attendance Amongst an Antiretroviral Treatment Cohort in Rural Uganda: A Cross-sectional and Prospective Study. AIDS and Behavior, 2010, 14, 1347-1352. | 1.4 | 95 |
| 29 | Statins and primary prevention of venous thromboembolism: a systematic review and meta-analysis. Lancet Haematology,the, 2017, 4, e83-e93. | 2.2 | 91 |
| 30 | Association of serum total osteocalcin with type 2 diabetes and intermediate metabolic phenotypes: systematic review and meta-analysis of observational evidence. European Journal of Epidemiology, 2015, 30, 599-614. | 2.5 | 88 |
| 31 | The impact of obesity on severe disease and mortality in people with SARSâ€CoVâ€2: A systematic review and metaâ€analysis. Endocrinology, Diabetes and Metabolism, 2021, 4, e00176. | 1.0 | 87 |
| 32 | Sauna bathing is inversely associated with dementia and Alzheimer's disease in middle-aged Finnish men. Age and Ageing, 2017, 46, 245-249. | 0.7 | 81 |
| 33 | Risk factors for dislocation after primary total hip replacement: a systematic review and meta-analysis of 125 studies involving approximately five million hip replacements. Lancet Rheumatology, The, 2019, 1, e111-e121. | 2.2 | 81 |
| 34 | Gamma glutamyltransferase, alanine aminotransferase and risk of cancer: Systematic review and metaâ€analysis. International Journal of Cancer, 2015, 136, 1162-1170. | 2.3 | 78 |
| 35 | Investigation of antihypertensive class, dementia, and cognitive decline. Neurology, 2020, 94, e267-e281. | 1.5 | 78 |
| 36 | Objectively Assessed Cardiorespiratory Fitness and All-Cause Mortality Risk. Mayo Clinic Proceedings, 2022, 97, 1054-1073. | 1.4 | 76 |

| # | Article | IF | Citations |
|----|---|-----|------------|
| 37 | Breastfeeding Is Associated With a Reduced Maternal Cardiovascular Risk: Systematic Review and Metaâ€Analysis Involving Data From 8 Studies and 1Â192Â700 Parous Women. Journal of the American Heart Association, 2022, 11, e022746. | 1.6 | 7 5 |
| 38 | Improving Clinic Attendance and Adherence to Antiretroviral Therapy Through a Treatment Supporter Intervention in Uganda: A Randomized Controlled Trial. AIDS and Behavior, 2011, 15, 1795-1802. | 1.4 | 74 |
| 39 | Serum paraoxonase-1 activity and risk of incident cardiovascular disease: The PREVEND study and meta-analysis of prospective population studies. Atherosclerosis, 2016, 245, 143-154. | 0.4 | 73 |
| 40 | Incidence of venous and arterial thromboembolic complications in COVID-19: A systematic review and meta-analysis. Thrombosis Research, 2020, 196, 27-30. | 0.8 | 71 |
| 41 | Vasomotor symptoms in women and cardiovascular risk markers: Systematic review and meta-analysis. Maturitas, 2015, 81, 353-361. | 1.0 | 70 |
| 42 | One- and two-stage surgical revision of peri-prosthetic joint infection of the hip: a pooled individual participant data analysis of 44 cohort studies. European Journal of Epidemiology, 2018, 33, 933-946. | 2.5 | 69 |
| 43 | Plasma adiponectin levels and type 2 diabetes risk: a nested case-control study in a Chinese population and an updated meta-analysis. Scientific Reports, 2018, 8, 406. | 1.6 | 68 |
| 44 | One-stage or two-stage revision surgery for prosthetic hip joint infection – the INFORM trial: a study protocol for a randomised controlled trial. Trials, 2016, 17, 90. | 0.7 | 66 |
| 45 | Is High Serum LDL/HDL Cholesterol Ratio an Emerging Risk Factor for Sudden Cardiac Death? Findings from the KIHD Study. Journal of Atherosclerosis and Thrombosis, 2017, 24, 600-608. | 0.9 | 66 |
| 46 | Low serum magnesium levels are associated with increased risk of fractures: a long-term prospective cohort study. European Journal of Epidemiology, 2017, 32, 593-603. | 2.5 | 63 |
| 47 | SGLT2 inhibitors and renal outcomes in type 2 diabetes with or without renal impairment: A systematic review and meta-analysis. Primary Care Diabetes, 2018, 12, 265-283. | 0.9 | 62 |
| 48 | Gamma-glutamyl transferase and risk of type II diabetes: an updated systematic review and dose-response meta-analysis. Annals of Epidemiology, 2014, 24, 809-816. | 0.9 | 60 |
| 49 | Sauna Bathing and Incident Hypertension: A Prospective Cohort Study. American Journal of Hypertension, 2017, 30, 1120-1125. | 1.0 | 59 |
| 50 | Serum C-reactive protein increases the risk of venous thromboembolism: a prospective study and meta-analysis of published prospective evidence. European Journal of Epidemiology, 2017, 32, 657-667. | 2.5 | 59 |
| 51 | Common elective orthopaedic procedures and their clinical effectiveness: umbrella review of level 1 evidence. BMJ, The, 2021, 374, n1511. | 3.0 | 59 |
| 52 | Serum albumin concentration and incident type 2 diabetes risk: new findings from a population-based cohort study. Diabetologia, 2015, 58, 961-967. | 2.9 | 58 |
| 53 | Acute effects of sauna bathing on cardiovascular function. Journal of Human Hypertension, 2018, 32, 129-138. | 1.0 | 58 |
| 54 | Deintensification in older patients with type 2 diabetes: A systematic review of approaches, rates and outcomes. Diabetes, Obesity and Metabolism, 2019, 21, 1668-1679. | 2.2 | 56 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Physical activity and risk of venous thromboembolism: systematic review and meta-analysis of prospective cohort studies. European Journal of Epidemiology, 2020, 35, 431-442. | 2.5 | 56 |
| 56 | Sauna bathing reduces the risk of stroke in Finnish men and women. Neurology, 2018, 90, e1937-e1944. | 1.5 | 55 |
| 57 | Association of vitamin K with cardiovascular events and all-cause mortality: a systematic review and meta-analysis. European Journal of Nutrition, 2019, 58, 2191-2205. | 1.8 | 55 |
| 58 | Cardiovascular complications in COVID-19: A systematic review and meta-analysis. Journal of Infection, 2020, 81, e139-e141. | 1.7 | 53 |
| 59 | Statins and secondary prevention of venous thromboembolism: pooled analysis of published observational cohort studies. European Heart Journal, 2017, 38, 1608-1612. | 1.0 | 52 |
| 60 | Gamma glutamyltransferase and metabolic syndrome risk: a systematic review and dose-response meta-analysis. International Journal of Clinical Practice, 2015, 69, 136-144. | 0.8 | 51 |
| 61 | Resting Heart Rate and Risk of Incident Heart Failure: Three Prospective Cohort Studies and a Systematic Metaâ€Analysis. Journal of the American Heart Association, 2015, 4, e001364. | 1.6 | 51 |
| 62 | Sauna bathing reduces the risk of respiratory diseases: a long-term prospective cohort study. European Journal of Epidemiology, 2017, 32, 1107-1111. | 2.5 | 50 |
| 63 | Baseline and long-term fibrinogen levels and risk of sudden cardiac death: A new prospective study and meta-analysis. Atherosclerosis, 2016, 245, 171-180. | 0.4 | 49 |
| 64 | Prognostic Relevance of Cardiorespiratory Fitness as Assessed by Submaximal Exercise Testing for All-Cause Mortality: A UK Biobank Prospective Study. Mayo Clinic Proceedings, 2020, 95, 867-878. | 1.4 | 49 |
| 65 | Gamma-glutamyltransferase and risk of hypertension. Journal of Hypertension, 2015, 33, 2373-2381. | 0.3 | 48 |
| 66 | Circulating gamma glutamyltransferase and prediction of cardiovascular disease. Atherosclerosis, 2015, 238, 356-364. | 0.4 | 48 |
| 67 | Sauna exposure leads to improved arterial compliance: Findings from a non-randomised experimental study. European Journal of Preventive Cardiology, 2018, 25, 130-138. | 0.8 | 46 |
| 68 | Aspirin has potential benefits for primary prevention of cardiovascular outcomes in diabetes: updated literature-based and individual participant data meta-analyses of randomized controlled trials. Cardiovascular Diabetology, 2019, 18, 70. | 2.7 | 46 |
| 69 | Serum Alkaline Phosphatase and Risk of Incident Cardiovascular Disease: Interrelationship with High Sensitivity C-Reactive Protein. PLoS ONE, 2015, 10, e0132822. | 1.1 | 45 |
| 70 | Serum zinc concentrations and incident hypertension. Journal of Hypertension, 2016, 34, 1055-1061. | 0.3 | 44 |
| 71 | Aspirin for primary prevention of cardiovascular and allâ€cause mortality events in diabetes: updated metaâ€analysis of randomized controlled trials. Diabetic Medicine, 2017, 34, 316-327. | 1.2 | 44 |
| 72 | Systematic review of the safety and efficacy of osseointegration prosthesis after limb amputation. British Journal of Surgery, 2018, 105, 1731-1741. | 0.1 | 44 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Health Care Needs and Support for Patients Undergoing Treatment for Prosthetic Joint Infection following Hip or Knee Arthroplasty: A Systematic Review. PLoS ONE, 2017, 12, e0169068. | 1.1 | 43 |
| 74 | Inverse linear associations between liver aminotransferases and incident cardiovascular disease risk: The PREVEND study. Atherosclerosis, 2015, 243, 138-147. | 0.4 | 42 |
| 75 | Joint associations of sauna bathing and cardiorespiratory fitness on cardiovascular and all-cause mortality risk: a long-term prospective cohort study. Annals of Medicine, 2018, 50, 139-146. | 1.5 | 40 |
| 76 | Relative peak exercise oxygen pulse is related to sudden cardiac death, cardiovascular and all-cause mortality in middle-aged men. European Journal of Preventive Cardiology, 2018, 25, 772-782. | 0.8 | 39 |
| 77 | Handgrip strength is inversely associated with fatal cardiovascular and all-cause mortality events. Annals of Medicine, 2020, 52, 109-119. | 1.5 | 39 |
| 78 | Renin-angiotensin system inhibitors and risk of fractures: a prospective cohort study and meta-analysis of published observational cohort studies. European Journal of Epidemiology, 2017, 32, 947-959. | 2.5 | 38 |
| 79 | General Assembly, Prevention, Antiseptic Irrigation Solution: Proceedings of International Consensus on Orthopedic Infections. Journal of Arthroplasty, 2019, 34, S131-S138. | 1.5 | 37 |
| 80 | Markers of liver injury and clinical outcomes in COVID-19 patients: A systematic review and meta-analysis. Journal of Infection, 2021, 82, 159-198. | 1.7 | 37 |
| 81 | Gamma glutamyltransferase and risk of future dementia in middleâ€aged to older Finnish men: A new prospective cohort study. Alzheimer's and Dementia, 2016, 12, 931-941. | 0.4 | 36 |
| 82 | Associations of cardiovascular and all-cause mortality events with oxygen uptake at ventilatory threshold. International Journal of Cardiology, 2017, 236, 444-450. | 0.8 | 36 |
| 83 | Baseline and long-term gamma-glutamyltransferase, heart failure and cardiac arrhythmias in middle-aged Finnish men: Prospective study and pooled analysis of published evidence. European Journal of Preventive Cardiology, 2016, 23, 1354-1362. | 0.8 | 35 |
| 84 | Handgrip strengthâ€"A risk indicator for type 2 diabetes: Systematic review and metaâ€analysis of observational cohort studies. Diabetes/Metabolism Research and Reviews, 2021, 37, e3365. | 1.7 | 35 |
| 85 | Clinic Attendance for Medication Refills and Medication Adherence amongst an Antiretroviral Treatment Cohort in Uganda: A Prospective Study. AIDS Research and Treatment, 2010, 2010, 1-8. | 0.3 | 33 |
| 86 | Hepatic manifestations and complications of COVID-19: A systematic review and meta-analysis. Journal of Infection, 2020, 81, e72-e74. | 1.7 | 33 |
| 87 | Frequent sauna bathing may reduce the risk of pneumonia in middle-aged Caucasian men: The KIHD prospective cohort study. Respiratory Medicine, 2017, 132, 161-163. | 1.3 | 32 |
| 88 | Improving adherence to antiretroviral therapy in sub-Saharan African HIV-positive populations: An enhanced adherence package. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2012, 24, 1308-1315. | 0.6 | 31 |
| 89 | Sauna bathing is associated with reduced cardiovascular mortality and improves risk prediction in men and women: a prospective cohort study. BMC Medicine, 2018, 16, 219. | 2.3 | 31 |
| 90 | Plasma calprotectin and risk of cardiovascular disease: Findings from the PREVEND prospective cohort study. Atherosclerosis, 2018, 275, 205-213. | 0.4 | 31 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Depression, antidepressant use, and risk of venous thromboembolism: systematic review and meta-analysis of published observational evidence. Annals of Medicine, 2018, 50, 529-537. | 1.5 | 31 |
| 92 | One- and two-stage surgical revision of infected shoulder prostheses following arthroplasty surgery: A systematic review and meta-analysis. Scientific Reports, 2019, 9, 232. | 1.6 | 31 |
| 93 | Associations of the fatty liver and hepatic steatosis indices with risk of cardiovascular disease: Interrelationship with age. Clinica Chimica Acta, 2017, 466, 54-60. | 0.5 | 30 |
| 94 | Hip and Knee Section, Prevention, Host Related: Proceedings of International Consensus on Orthopedic Infections. Journal of Arthroplasty, 2019, 34, S255-S270. | 1.5 | 30 |
| 95 | Lipoprotein(a) and risk of sudden cardiac death in middle-aged Finnish men: A new prospective cohort study. International Journal of Cardiology, 2016, 220, 718-725. | 0.8 | 28 |
| 96 | Serum magnesium and risk of new onset heart failure in men: the Kuopio Ischemic Heart Disease Study. European Journal of Epidemiology, 2016, 31, 1035-1043. | 2.5 | 28 |
| 97 | Systematic review of risk prediction scores for surgical site infection or periprosthetic joint infection following joint arthroplasty. Epidemiology and Infection, 2017, 145, 1738-1749. | 1.0 | 28 |
| 98 | Gamma-glutamyltransferase and risk of chronic kidney disease: A prospective cohort study. Clinica Chimica Acta, 2017, 473, 39-44. | 0.5 | 28 |
| 99 | Recovery from sauna bathing favorably modulates cardiac autonomic nervous system. Complementary Therapies in Medicine, 2019, 45, 190-197. | 1.3 | 28 |
| 100 | Cardiorespiratory Fitness and the Risk ofÂSerious Ventricular Arrhythmias: AÂProspective Cohort Study. Mayo Clinic Proceedings, 2019, 94, 833-841. | 1.4 | 28 |
| 101 | Alanine Aminotransferase and Risk of the Metabolic Syndrome: A Linear Dose-Response Relationship. PLoS ONE, 2014, 9, e96068. | 1.1 | 27 |
| 102 | Incidence, temporal trends and potential risk factors for prosthetic joint infection after primary total shoulder and elbow replacement: Systematic review and meta-analysis. Journal of Infection, 2020, 80, 426-436. | 1.7 | 27 |
| 103 | Indirect impact of the COVID-19 pandemic on hospitalisations for cardiometabolic conditions and their management: A systematic review. Primary Care Diabetes, 2021, 15, 653-681. | 0.9 | 27 |
| 104 | Circulating Serum Copper Is Associated with Atherosclerotic Cardiovascular Disease, but Not Venous Thromboembolism: A Prospective Cohort Study. Pulse, 2021, 9, 109-115. | 0.9 | 27 |
| 105 | Circulating Total Bilirubin and Future Risk of Hypertension in the General Population: The Prevention of Renal and Vascular Endâ€Stage Disease (PREVEND) Prospective Study and a Mendelian Randomization Approach. Journal of the American Heart Association, 2017, 6, . | 1.6 | 26 |
| 106 | Combined Effect of Sauna Bathing and Cardiorespiratory Fitness on the Risk of Sudden Cardiac Deaths in Caucasian Men: A Long-term Prospective Cohort Study. Progress in Cardiovascular Diseases, 2018, 60, 635-641. | 1.6 | 26 |
| 107 | Does vitamin E highly-crosslinked polyethylene convey an advantage in primary total hip replacement? A systematic review and meta-analysis. HIP International, 2020, 30, 598-608. | 0.9 | 26 |
| 108 | Circulating total bilirubin and risk of non-alcoholic fatty liver disease in the PREVEND study: observational findings and a Mendelian randomization study. European Journal of Epidemiology, 2020, 35, 123-137. | 2.5 | 26 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Serum albumin, cardiometabolic and other adverse outcomes: systematic review and meta-analyses of 48 published observational cohort studies involving 1,492,237 participants. Scandinavian Cardiovascular Journal, 2020, 54, 280-293. | 0.4 | 26 |
| 110 | The association between surgical fixation of hip fractures within 24 hours and mortality. Bone and Joint Journal, 2021, 103-B, 1176-1186. | 1.9 | 26 |
| 111 | The Bangladesh Risk of Acute Vascular Events (BRAVE) Study: objectives and design. European Journal of Epidemiology, 2015, 30, 577-587. | 2.5 | 25 |
| 112 | GlycA, a novel proâ€inflammatory glycoprotein biomarker is associated with mortality: results from the PREVEND study and metaâ€analysis. Journal of Internal Medicine, 2019, 286, 596-609. | 2.7 | 25 |
| 113 | Association between estimated pulse wave velocity and the risk of stroke in middle-aged men. International Journal of Stroke, 2021, 16, 551-555. | 2.9 | 25 |
| 114 | The Duke treadmill score with bicycle ergometer: Exercise capacity is the most important predictor of cardiovascular mortality. European Journal of Preventive Cardiology, 2019, 26, 199-207. | 0.8 | 24 |
| 115 | Inverse association between serum albumin and future risk of venous thromboembolism: interrelationship with high sensitivity C-reactive protein. Annals of Medicine, 2018, 50, 240-248. | 1.5 | 23 |
| 116 | Selfâ€Reported Smoking, Urine Cotinine, and Risk of Cardiovascular Disease: Findings From the PREVEND (Prevention of Renal and Vascular Endâ€Stage Disease) Prospective Cohort Study. Journal of the American Heart Association, 2018, 7, . | 1.6 | 23 |
| 117 | Longitudinal associations of sauna bathing with inflammation and oxidative stress: the KIHD prospective cohort study. Annals of Medicine, 2018, 50, 437-442. | 1.5 | 23 |
| 118 | Cardiorespiratory Fitness, Inflammation, and the Incident Risk of Pneumonia. Journal of Cardiopulmonary Rehabilitation and Prevention, 2021, 41, 199-201. | 1.2 | 23 |
| 119 | Does the type of surgical drape (disposable versus non-disposable) affect the risk of subsequent surgical site infection?. Journal of Orthopaedics, 2018, 15, 566-570. | 0.6 | 22 |
| 120 | Impact of cardiorespiratory fitness on survival in men with low socioeconomic status. European Journal of Preventive Cardiology, 2021, 28, 450-455. | 0.8 | 22 |
| 121 | Ascertaining Baseline Levels of Antiretroviral Therapy Adherence in Uganda: A Multimethod Approach. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 55, 221-224. | 0.9 | 21 |
| 122 | Soluble Vascular Cell Adhesion Molecules May be Protective of Future Cardiovascular Disease Risk: Findings from the PREVEND Prospective Cohort Study. Journal of Atherosclerosis and Thrombosis, 2017, 24, 804-818. | 0.9 | 21 |
| 123 | Is sauna bathing protective of sudden cardiac death? A review of the evidence. Progress in Cardiovascular Diseases, 2019, 62, 288-293. | 1.6 | 21 |
| 124 | Association between estimated pulse wave velocity and the risk of cardiovascular outcomes in men. European Journal of Preventive Cardiology, 2021, 28, e25-e27. | 0.8 | 21 |
| 125 | Association between ideal cardiovascular health and risk of sudden cardiac death and all-cause mortality among middle-aged men in Finland. European Journal of Preventive Cardiology, 2021, 28, 294-300. | 0.8 | 21 |
| 126 | Physical activity and risk of atrial fibrillation in the general population: meta-analysis of 23 cohort studies involving about 2 million participants. European Journal of Epidemiology, 2021, 36, 259-274. | 2.5 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | γâ€Glutamyltransferase and Risk of Sudden Cardiac Death in Middleâ€Aged Finnish Men: A New Prospective Cohort Study. Journal of the American Heart Association, 2016, 5, . | 1.6 | 20 |
| 128 | The inverse association of HDL-cholesterol with future risk of hypertension is not modified by its antioxidant constituent, paraoxonase-1: The PREVEND prospective cohort study. Atherosclerosis, 2017, 263, 219-226. | 0.4 | 20 |
| 129 | Oxygen uptake at aerobic threshold is inversely associated with fatal cardiovascular and all-cause mortality events. Annals of Medicine, 2017, 49, 698-709. | 1.5 | 20 |
| 130 | Long-Term Change in Cardiorespiratory Fitness in Relation to Atrial Fibrillation and Heart Failure (from the Kuopio Ischemic Heart Disease Risk Factor Study). American Journal of Cardiology, 2018, 121, 956-960. | 0.7 | 20 |
| 131 | General Assembly, Prevention, Host Related General: Proceedings of International Consensus on Orthopedic Infections. Journal of Arthroplasty, 2019, 34, S13-S35. | 1.5 | 20 |
| 132 | Circulating active serum calcium reduces the risk of hypertension. European Journal of Preventive Cardiology, 2017, 24, 239-243. | 0.8 | 19 |
| 133 | Incident type 2 diabetes is associated with HDL, but not with its anti-oxidant constituent - paraoxonase-1: The prospective cohort PREVEND study. Metabolism: Clinical and Experimental, 2017, 73, 43-51. | 1.5 | 19 |
| 134 | Sleep Duration and Risk of Fatal Coronary Heart Disease, Sudden Cardiac Death, Cancer Death, and All-Cause Mortality. American Journal of Medicine, 2018, 131, 1499-1505.e2. | 0.6 | 19 |
| 135 | Implant Fixation and Risk of Prosthetic Joint Infection Following Primary Total Hip Replacement: Meta-Analysis of Observational Cohort and Randomised Intervention Studies. Journal of Clinical Medicine, 2019, 8, 722. | 1.0 | 19 |
| 136 | Effectiveness and safety of cemented and uncemented hemiarthroplasty in the treatment of intracapsular hip fractures. Bone and Joint Journal, 2020, 102-B, 1113-1121. | 1.9 | 19 |
| 137 | Longitudinal association between CRP levels and risk of psychosis: a meta-analysis of population-based cohort studies. NPJ Schizophrenia, 2021, 7, 31. | 2.0 | 19 |
| 138 | How long do revised and multiply revised knee replacements last? A retrospective observational study of the National Joint Registry. Lancet Rheumatology, The, 2021, 3, e438-e446. | 2.2 | 19 |
| 139 | Performance of the new WHO diagnostic algorithm for smearâ€negative pulmonary tuberculosis in HIV prevalent settings: a multisite study in Uganda. Tropical Medicine and International Health, 2012, 17, 884-895. | 1.0 | 18 |
| 140 | Paying for Performance to Improve the Delivery and Uptake of Family Planning in Low and Middle Income Countries: A Systematic Review. Studies in Family Planning, 2016, 47, 309-324. | 1.0 | 18 |
| 141 | Sauna bathing reduces the risk of venous thromboembolism: a prospective cohort study. European Journal of Epidemiology, 2019, 34, 983-986. | 2.5 | 18 |
| 142 | Ideal cardiovascular health and risk of acute myocardial infarction among Finnish men. Atherosclerosis, 2019, 289, 126-131. | 0.4 | 18 |
| 143 | Physical activity reduces the risk of pneumonia: systematic review and meta-analysis of 10 prospective studies involving 1,044,492 participants. GeroScience, 2022, 44, 519-532. | 2.1 | 18 |
| 144 | Handgrip strength and risk of cognitive outcomes: new prospective study and meta-analysis of 16 observational cohort studies. GeroScience, 2022, 44, 2007-2024. | 2.1 | 18 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | Fasting Plasma Glucose and Incident Heart Failure Risk: A Population-Based Cohort Study and New Meta-analysis. Journal of Cardiac Failure, 2014, 20, 584-592. | 0.7 | 17 |
| 146 | Cardiorespiratory fitness is not associated with risk of venous thromboembolism: a cohort study. Scandinavian Cardiovascular Journal, 2019, 53, 255-258. | 0.4 | 17 |
| 147 | Handgrip strength improves prediction of type 2 diabetes: a prospective cohort study. Annals of Medicine, 2020, 52, 471-478. | 1.5 | 17 |
| 148 | Revascularization versus medical therapy for the treatment of stable coronary artery disease: A meta-analysis of contemporary randomized controlled trials. International Journal of Cardiology, 2021, 324, 13-21. | 0.8 | 17 |
| 149 | Handgrip strengthâ€"a risk indicator for future fractures in the general population: findings from a prospective study and meta-analysis of 19 prospective cohort studies. GeroScience, 2021, 43, 869-880. | 2.1 | 17 |
| 150 | Cardiorespiratory optimal point during exercise testing and sudden cardiac death: A prospective cohort study. Progress in Cardiovascular Diseases, 2021, 68, 12-18. | 1.6 | 16 |
| 151 | The effect of ambient temperature on blood pressure in a rural West African adult population: a cross-sectional study. Cardiovascular Journal of Africa, 2010, 21, 17-20. | 0.2 | 16 |
| 152 | Serum total bilirubin levels and coronary heart disease $\hat{a}\in$ " Causal association or epiphenomenon?. Experimental Gerontology, 2015, 72, 63-66. | 1.2 | 15 |
| 153 | Is lipoprotein (a) protective of dementia?. European Journal of Epidemiology, 2016, 31, 1149-1152. | 2.5 | 15 |
| 154 | Venous thromboembolism following 672,495 primary total shoulder and elbow replacements: Meta-analyses of incidence, temporal trends and potential risk factors. Thrombosis Research, 2020, 189, 13-23. | 0.8 | 15 |
| 155 | Descriptive epidemiology of blood pressure in a rural adult population in Northern Ghana. Rural and Remote Health, 0, , . | 0.4 | 15 |
| 156 | How long do revised and multiply revised hip replacements last? A retrospective observational study of the National Joint Registry. Lancet Rheumatology, The, 2022, 4, e468-e479. | 2.2 | 15 |
| 157 | Validation in Uganda of the New WHO Diagnostic Algorithm for Smear-Negative Pulmonary Tuberculosis in HIV Prevalent Settings. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, e93-e100. | 0.9 | 14 |
| 158 | Aspartate Aminotransferase ââ,¬â€œ Risk Marker for Type-2 Diabetes Mellitus or Red Herring?. Frontiers in Endocrinology, 2014, 5, 189. | 1.5 | 14 |
| 159 | Gammaâ€glutamyltransferase and risk of prostate cancer: Findings from the KIHD prospective cohort study. International Journal of Cancer, 2017, 140, 818-824. | 2.3 | 14 |
| 160 | All-cause mortality and major cardiovascular outcomes comparing percutaneous coronary angioplasty versus coronary artery bypass grafting in the treatment of unprotected left main stenosis: a meta-analysis of short-term and long-term randomised trials. Open Heart, 2017, 4, e000638. | 0.9 | 14 |
| 161 | Adherence to a Mediterranean-style diet and incident fractures: pooled analysis of observational evidence. European Journal of Nutrition, 2018, 57, 1687-1700. | 1.8 | 14 |
| 162 | Influence of Fixation Methods on Prosthetic Joint Infection Following Primary Total Knee Replacement: Meta-Analysis of Observational Cohort and Randomised Intervention Studies. Journal of Clinical Medicine, 2019, 8, 828. | 1.0 | 14 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | The effects of interactive training of healthcare providers on the management of life-threatening emergencies in hospital. The Cochrane Library, 2019, 9, CD012177. | 1.5 | 14 |
| 164 | High fitness levels, frequent sauna bathing and risk of pneumonia in a cohort study: Are there potential implications for COVIDâ€19?. European Journal of Clinical Investigation, 2021, 51, e13490. | 1.7 | 14 |
| 165 | Cardiorespiratory Fitness is Associated with Reduced Risk of Respiratory Diseases in Middle-Aged Caucasian Men: A Long-Term Prospective Cohort Study. Lung, 2017, 195, 607-611. | 1.4 | 13 |
| 166 | Is the lower risk of venous thromboembolism with statins related to low-density-lipoprotein reduction? A network meta-analysis and meta-regression of randomised controlled trials. Atherosclerosis, 2018, 271, 223-231. | 0.4 | 13 |
| 167 | One- and two-stage surgical revision of infected elbow prostheses following total joint replacement: a systematic review. BMC Musculoskeletal Disorders, 2019, 20, 467. | 0.8 | 13 |
| 168 | Physical activity may not be associated with longâ€term risk of dementia and Alzheimer's disease. European Journal of Clinical Investigation, 2021, 51, e13415. | 1.7 | 13 |
| 169 | High fitness levels attenuate the increased risk of heart failure due to low socioeconomic status: A cohort study. European Journal of Clinical Investigation, 2022, 52, e13744. | 1.7 | 13 |
| 170 | Re-infection outcomes following one- and two-stage surgical revision of infected hip prosthesis in unselected patients: protocol for a systematic review and an individual participant data meta-analysis. Systematic Reviews, 2015, 4, 58. | 2.5 | 12 |
| 171 | Cardiorespiratory fitness and future risk of pneumonia: a long-term prospective cohort study. Annals of Epidemiology, 2017, 27, 603-605. | 0.9 | 12 |
| 172 | Systematic review of risk prediction scores for venous thromboembolism following joint replacement. Thrombosis Research, 2018, 168, 148-155. | 0.8 | 12 |
| 173 | Association of circulating osteocalcin with cardiovascular disease and intermediate cardiovascular phenotypes: systematic review and meta-analysis. Scandinavian Cardiovascular Journal, 2019, 53, 286-295. | 0.4 | 12 |
| 174 | Cross-country skiing and running's association with cardiovascular events and all-cause mortality: A review of the evidence. Progress in Cardiovascular Diseases, 2019, 62, 505-514. | 1.6 | 12 |
| 175 | Outcomes following primary total hip arthroplasty with pre-existing spinal fusion surgery. Bone and Joint Journal, 2020, 102-B, 664-670. | 1.9 | 12 |
| 176 | Clinical Effectiveness of Treatment Strategies for Prosthetic Joint Infection Following Total Ankle Replacement: A Systematic Review and Meta-analysis. Journal of Foot and Ankle Surgery, 2020, 59, 367-372. | 0.5 | 12 |
| 177 | Handgrip Strength Is Inversely Associated With Sudden Cardiac Death. Mayo Clinic Proceedings, 2020, 95, 825-828. | 1.4 | 12 |
| 178 | Benefits and harms of sodiumâ€glucose coâ€transporterâ€2 inhibitors (SGLT2â€I) and renin–angiotensin–aldosterone system inhibitors (RAASâ€I) versus SGLT2â€Is alone in patients with type 2 diabetes: A systematic review and metaâ€analysis of randomized controlled trials. Endocrinology, Diabetes and Metabolism, 2022, 5, e00303. | 1.0 | 12 |
| 179 | American heart association's cardiovascular health metrics and risk of cardiovascular disease mortality among a middle-aged male Scandinavian population. Annals of Medicine, 2019, 51, 306-313. | 1.5 | 11 |
| 180 | Marriage Dissatisfaction and the Risk of Sudden Cardiac Death Among Men. American Journal of Cardiology, 2019, 123, 7-11. | 0.7 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Tranexamic acid use to decrease blood loss in primary shoulder and elbow replacement: A systematic review and meta-analysis. Journal of Orthopaedics, 2021, 24, 239-247. | 0.6 | 11 |
| 182 | Crossâ€country skiing is associated with lower allâ€cause mortality: A populationâ€based followâ€up study. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 1064-1072. | 1.3 | 10 |
| 183 | Sauna Bathing and Risk of Psychotic Disorders: A Prospective Cohort Study. Medical Principles and Practice, 2018, 27, 562-569. | 1.1 | 10 |
| 184 | Short-term effects of Finnish sauna bathing on blood-based markers of cardiovascular function in non-naive sauna users. Heart and Vessels, 2018, 33, 1515-1524. | 0.5 | 10 |
| 185 | Handgrip strength is not associated with risk of venous thromboembolism: a prospective cohort study. Scandinavian Cardiovascular Journal, 2020, 54, 253-257. | 0.4 | 10 |
| 186 | Patients Receiving a Primary Unicompartmental Knee Replacement Have a Higher Risk of Revision but a Lower Risk of Mortality Than Predicted Had They Received a Total Knee Replacement: Data From the National Joint Registry for England, Wales, Northern Ireland, and the Isle of Man. Journal of Arthroplasty, 2021, 36, 471-477.e6. | 1.5 | 10 |
| 187 | Attenuated Risk of Pneumonia Due to Inflammation by Frequent Sauna Baths. Journal of Cardiopulmonary Rehabilitation and Prevention, 2022, 42, 59-63. | 1.2 | 10 |
| 188 | Impact of Sauna Bathing on Risk of Pneumonia in Men With Low Socioeconomic Status: A Cohort Study. Journal of Cardiopulmonary Rehabilitation and Prevention, 2021, 41, 289-291. | 1.2 | 10 |
| 189 | Inverse Association of Handgrip Strength With Risk of Heart Failure. Mayo Clinic Proceedings, 2021, 96, 1490-1499. | 1.4 | 10 |
| 190 | Effects of regular sauna bathing in conjunction with exercise on cardiovascular function: a multi-arm, randomized controlled trial. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2022, 323, R289-R299. | 0.9 | 10 |
| 191 | Serum Albumin and Future Risk of Hip, Humeral, and Wrist Fractures in Caucasian Men: New Findings from a Prospective Cohort Study. Medical Principles and Practice, 2019, 28, 401-409. | 1.1 | 9 |
| 192 | Relation of maximal systolic blood pressure during exercise testing to the risk of sudden cardiac death in men with and without cardiovascular disease. European Journal of Preventive Cardiology, 2020, 27, 2220-2222. | 0.8 | 9 |
| 193 | Host-related factors for venous thromboembolism following total joint replacement: A meta-analysis of 89 observational studies involving over 14 million hip and knee replacements. Journal of Orthopaedic Science, 2020, 25, 267-275. | 0.5 | 9 |
| 194 | Cardiorespiratory optimal point during exercise testing is related to cardiovascular and all ause mortality. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 1949-1961. | 1.3 | 9 |
| 195 | High fitness levels offset the increased risk of chronic obstructive pulmonary disease due to low socioeconomic status: A cohort study. Respiratory Medicine, 2021, 189, 106647. | 1.3 | 9 |
| 196 | Serum copper-to-zinc ratio is associated with heart failure and improves risk prediction in middle-aged and older Caucasian men: A prospective study. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 1924-1935. | 1.1 | 9 |
| 197 | Cardiorespiratory fitness is associated with reduced risk of future psychosis: A long-term prospective cohort study. Schizophrenia Research, 2018, 192, 473-474. | 1.1 | 8 |
| 198 | Plasma neutrophil gelatinase-associated lipocalin and risk of cardiovascular disease: Findings from the PREVEND prospective cohort study. Clinica Chimica Acta, 2018, 486, 66-75. | 0.5 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Starting dose and dose adjustment of non-vitamin K antagonist oral anticoagulation agents in a nationwide cohort of patients with atrial fibrillation. Scientific Reports, 2021, 11, 20689. | 1.6 | 8 |
| 200 | Are remote clinical assessments a feasible and acceptable method of assessment? A systematic review. Medical Teacher, 2022, 44, 300-308. | 1.0 | 8 |
| 201 | Life's Simple 7 and the risk of stroke in Finnish men: A prospective cohort study. Preventive Medicine, 2021, 153, 106858. | 1.6 | 8 |
| 202 | Cardiorespiratory Fitness, Inflammation, and Risk of Chronic Obstructive Pulmonary Disease in Middle-Aged Men. Journal of Cardiopulmonary Rehabilitation and Prevention, 2022, 42, 347-351. | 1.2 | 8 |
| 203 | Serum copper-to-zinc ratio and risk of incident pneumonia in caucasian men: a prospective cohort study. BioMetals, 2022, 35, 921-933. | 1.8 | 8 |
| 204 | Statins and venous thromboembolism: do they represent a viable therapeutic agent?. Expert Review of Cardiovascular Therapy, 2017, 15, 629-637. | 0.6 | 7 |
| 205 | Statins and risk of thromboembolism: A meta-regression to disentangle the efficacy-to-effectiveness gap using observational and trial evidence. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 1023-1029. | 1.1 | 7 |
| 206 | Fitness Equals Longer Life Expectancy Regardless of Adiposity Levels. Mayo Clinic Proceedings, 2019, 94, 942-945. | 1.4 | 7 |
| 207 | Lipoprotein(a) is not associated with venous thromboembolism risk. Scandinavian Cardiovascular Journal, 2019, 53, 125-132. | 0.4 | 7 |
| 208 | General Assembly, Prevention, Operating Room - Surgical Attire: Proceedings of International Consensus on Orthopedic Infections. Journal of Arthroplasty, 2019, 34, S117-S125. | 1.5 | 7 |
| 209 | Is â€re-calibration' of standard cardiovascular disease (CVD) risk algorithms the panacea to improved CVD risk prediction and prevention?. European Heart Journal, 2019, 40, 632-634. | 1.0 | 7 |
| 210 | Does the presence of diabetes mellitus confer an increased risk of stroke in patients with atrial fibrillation on direct oral anticoagulants? A systematic review and meta-analysis. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2020, 14, 1725-1733. | 1.8 | 7 |
| 211 | Normalized handgrip strength and future risk of hypertension: findings from a prospective cohort study. Scandinavian Cardiovascular Journal, 2021, 55, 336-339. | 0.4 | 7 |
| 212 | Finnish sauna bathing does not increase or decrease the risk of cancer in men: A prospective cohort study. European Journal of Cancer, 2019, 121, 184-191. | 1.3 | 6 |
| 213 | Should inflammatory pathways be targeted for the prevention and treatment of hypertension?. Heart, 2019, 105, 665-667. | 1.2 | 6 |
| 214 | Acute effects of exercise and sauna as a single intervention on arterial compliance. European Journal of Preventive Cardiology, 2020, 27, 1104-1107. | 0.8 | 6 |
| 215 | Heart Failure Risk Reduction: Hydrophilic or Lipophilic Statins?. Cardiology, 2020, 145, 384-386. | 0.6 | 6 |
| 216 | Association Between Estimated Pulse Wave Velocity and the Risk of Heart Failure in the Kuopio Ischemic Heart Disease Risk Factor Study. Journal of Cardiac Failure, 2021, 27, 494-496. | 0.7 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Percentage of age-predicted cardiorespiratory fitness and risk of sudden cardiac death: A prospective cohort study. Heart Rhythm, 2021, 18, 1171-1177. | 0.3 | 6 |
| 218 | Obesity paradox in joint replacement for osteoarthritis â€" truth or paradox?. GeroScience, 2022, 44, 651-659. | 2.1 | 6 |
| 219 | Incidence, temporal trends and potential risk factors for aseptic loosening following primary unicompartmental knee arthroplasty: A meta-analysis of 96,294 knees. Knee, 2021, 31, 28-38. | 0.8 | 6 |
| 220 | Plasma neutrophil gelatinase-associated lipocalin and kidney graft outcome. CKJ: Clinical Kidney Journal, 2022, 15, 235-243. | 1.4 | 6 |
| 221 | High Fitness Levels Attenuate the Increased Risk of Hypertension Due to Low Socioeconomic Status in Middle-Aged Men: A Cohort Study. Journal of Cardiopulmonary Rehabilitation and Prevention, 2022, 42, 134-136. | 1.2 | 6 |
| 222 | Impact of estimated pulse wave velocity and socioeconomic status on the risk of stroke in men: a prospective cohort study. Journal of Hypertension, 2022, 40, 1165-1169. | 0.3 | 6 |
| 223 | Serum C-reactive protein-to-albumin ratio is a potential risk indicator for pneumonia: Findings from a prospective cohort study. Respiratory Medicine, 2022, 199, 106894. | 1.3 | 6 |
| 224 | High Fitness Levels Offset the Increased Risk of Chronic Kidney Disease due to Low Socioeconomic Status: A Prospective Study. American Journal of Medicine, 2022, 135, 1247-1254.e2. | 0.6 | 6 |
| 225 | Cardiovascular risk in a rural adult West African population: is resting heart rate also relevant?. European Journal of Preventive Cardiology, 2014, 21, 584-591. | 0.8 | 5 |
| 226 | Association of oxygen uptake at ventilatory threshold with risk of incident hypertension: a long-term prospective cohort study. Journal of Human Hypertension, 2017, 31, 654-656. | 1.0 | 5 |
| 227 | Effect of Cardiorespiratory Fitness on Risk of Sudden Cardiac Death in Overweight/Obese Men Aged 42 to 60 Years. American Journal of Cardiology, 2018, 122, 775-779. | 0.7 | 5 |
| 228 | Heart failure risk reduction: is fit and overweight or obese better than unfit and normal weight?. European Journal of Heart Failure, 2019, 21, 445-448. | 2.9 | 5 |
| 229 | Leisure-time cross-country skiing is associated with lower incidence of hypertension. Journal of Hypertension, 2019, 37, 1624-1632. | 0.3 | 5 |
| 230 | Relation of Exercise Heart Rate Recovery to Predict Cardiometabolic Syndrome in Men. American Journal of Cardiology, 2019, 123, 582-587. | 0.7 | 5 |
| 231 | Percentage of Age-Predicted Cardiorespiratory Fitness Is Inversely Associated with Cardiovascular Disease Mortality: A Prospective Cohort Study. Cardiology, 2021, 146, 616-623. | 0.6 | 5 |
| 232 | Chronotropic Response to Exercise Testing and the Risk of Stroke. American Journal of Cardiology, 2021, 143, 46-50. | 0.7 | 5 |
| 233 | Circulating Serum Magnesium and the Risk of Venous Thromboembolism in Men: A Long-Term Prospective Cohort Study. Pulse, 2020, 8, 108-113. | 0.9 | 5 |
| 234 | Cardiorespiratory Fitness Attenuates the Increased Risk of Sudden Cardiac Death Associated With Low Socioeconomic Status. American Journal of Cardiology, 2021, 145, 164-165. | 0.7 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Standalone sauna vs exercise followed by sauna on cardiovascular function in nonâ€naÃ⁻ve sauna users: A comparison of acute effects. Health Science Reports, 2021, 4, e393. | 0.6 | 5 |
| 236 | Serum gamma-glutamyltransferase is associated with future risk of psychosis - A prospective cohort study. Schizophrenia Research, 2017, 181, 72-74. | 1.1 | 4 |
| 237 | Is There an "Asymptote of Gain―Beyond Which Further Increases in Cardiorespiratory Fitness Convey No Additional Benefits on Mortality and Atrial Fibrillation?. Mayo Clinic Proceedings, 2019, 94, 545-547. | 1.4 | 4 |
| 238 | Percentage of Age-Predicted Cardiorespiratory Fitness and Risk of Incident Hypertension. Journal of Cardiopulmonary Rehabilitation and Prevention, 2022, 42, 272-277. | 1.2 | 4 |
| 239 | Cardiorespiratory Fitness, Inflammation, and Risk of Sudden Cardiac Death in Middle-Aged Men. American Journal of Cardiology, 2022, , . | 0.7 | 4 |
| 240 | Are Metabolically Healthy Overweight/Obese Men at Increased Risk of Sudden Cardiac Death?. Mayo Clinic Proceedings, 2018, 93, 1266-1270. | 1.4 | 3 |
| 241 | In reply—Sauna Bathing and Healthy Sweating. Mayo Clinic Proceedings, 2019, 94, 727-728. | 1.4 | 3 |
| 242 | Is maintaining or improving fitness key for dementia prevention?. Lancet Public Health, The, 2019, 4, e541-e542. | 4.7 | 3 |
| 243 | Cross-country skiing and the risk of acute myocardial infarction: A prospective cohort study. European Journal of Preventive Cardiology, 2020, 27, 1108-1111. | 0.8 | 3 |
| 244 | Leisureâ€time crossâ€country skiing is associated with lower incidence of type 2 diabetes: A prospective cohort study. Diabetes/Metabolism Research and Reviews, 2020, 36, e3216. | 1.7 | 3 |
| 245 | A potential case for the routine assessment of cardiorespiratory fitness level in clinical practice. International Journal of Cardiology, 2020, 310, 145-146. | 0.8 | 3 |
| 246 | Cardiorespiratory fitness is not associated with reduced risk of prostate cancer: A cohort study and review of the literature. European Journal of Clinical Investigation, 2021, 51, e13545. | 1.7 | 3 |
| 247 | Fitness and reduced risk of hypertension—approaching causality. Journal of Human Hypertension, 2021, 35, 943-945. | 1.0 | 3 |
| 248 | Can a healthy dietary pattern alone prevent venous thromboembolism in the general population?. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2839-2841. | 1.1 | 3 |
| 249 | TV viewing and venous thromboembolism: Risk or red herring?. Journal of Thrombosis and Haemostasis, 2021, 19, 2635-2637. | 1.9 | 3 |
| 250 | Television viewing and venous thrombo-embolism: a systematic review and meta-analysis. European Journal of Preventive Cardiology, 2022, , . | 0.8 | 3 |
| 251 | Egg and cholesterol intake, apoE4 phenotype and risk of venous thromboembolism: findings from a prospective cohort study. British Journal of Nutrition, 2023, 129, 292-300. | 1.2 | 3 |
| 252 | Genetically elevated gamma-glutamyltransferase and Alzheimer's disease. Experimental Gerontology, 2018, 106, 61-66. | 1.2 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Response to commentary by Rhew and colleagues on: Depression, antidepressant use, and risk of venous thromboembolism: systematic review and meta-analysis of published observational evidence. Annals of Medicine, 2019, 51, 99-100. | 1.5 | 2 |
| 254 | Does cardiorespiratory fitness really influence venous thromboembolism risk?. Journal of Thrombosis and Haemostasis, 2019, 17, 2220-2222. | 1.9 | 2 |
| 255 | Response to letter by Peng-Wu and Ma on: the relationship of cardiorespiratory fitness and venous thromboembolism: yes or no?. Scandinavian Cardiovascular Journal, 2020, 54, 67-68. | 0.4 | 2 |
| 256 | Handgrip Strength and Risk of Atrial Fibrillation. American Journal of Cardiology, 2020, 137, 135-138. | 0.7 | 2 |
| 257 | Leisure-time cross-country skiing and risk of atrial fibrillation and stroke: A prospective cohort study. European Journal of Preventive Cardiology, 2020, 27, 2354-2357. | 0.8 | 2 |
| 258 | Leisure-time cross-country skiing and the risk of venous thromboembolism: A prospective cohort study. European Journal of Preventive Cardiology, 2020, , 2047487320908978. | 0.8 | 2 |
| 259 | Cardiac rehabilitation improves prognosis among patients with co-existing cancer and cardiovascular diseases. International Journal of Cardiology, 2021, 345, 109-110. | 0.8 | 2 |
| 260 | The Incidence and Temporal Trends of Dislocation After the Use of Constrained Acetabular Components and Dual Mobility Implants in Primary Total Hip Replacements: A Systematic Review and Meta-Analysis of Longitudinal Observational Studies. Journal of Arthroplasty, 2022, 37, 993-1001.e8. | 1.5 | 2 |
| 261 | Cardiorespiratory fitness does not offset the increased risk of chronic obstructive pulmonary disease attributed to smoking: a cohort study. European Journal of Epidemiology, 2022, 37, 423-428. | 2.5 | 2 |
| 262 | Ambient temperature or seasonal variations in blood pressure: how important is this in sub-Saharan Africa?. Ethnicity and Disease, 2010, 20, 1. | 1.0 | 2 |
| 263 | Separate and Joint Associations of Cardiorespiratory Fitness and Healthy Vascular Aging With Subclinical Atherosclerosis in Men. Hypertension, 2022, 79, 1445-1454. | 1.3 | 2 |
| 264 | Randomized Controlled Trial Designs for Operations Research in Low-Income Countries: Reality or Delusion?. Frontiers in Public Health, 2013, 1, 14. | 1.3 | 1 |
| 265 | Further case for cohort studies of non-communicable diseases in sub-Saharan Africa. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 1048-1049. | 1.1 | 1 |
| 266 | Association Between Pulse Pressure and the Risk of Sudden Cardiac Death in Middle-Aged Men: A 26-Year Follow-up Population-Based Study. Mayo Clinic Proceedings, 2020, 95, 2044-2046. | 1.4 | 1 |
| 267 | Metabolic Syndrome, Cardiorespiratory Fitness and the Risk of All-cause and Cardiovascular Mortality in Men: A Long-Term Prospective Cohort Study. Cardiometabolic Syndrome Journal, 2021, 1, 157. | 1.0 | 1 |
| 268 | Serum Copper and Risk of Cardiovascular Disease Mortality among Men without Diabetes: A 26-year Prospective Cohort Study. Metabolism: Clinical and Experimental, 2021, 116, 154656. | 1.5 | 1 |
| 269 | Self-reported alcohol consumption, carbohydrate deficient transferrin and risk of cardiovascular disease: The PREVEND prospective cohort study. Clinica Chimica Acta, 2021, 520, 1-7. | 0.5 | 1 |
| 270 | Revascularization Versus Medical Therapy for the Treatment of Stable Coronary Artery Disease: Meta-Analysis of Contemporary Randomised Controlled Trials. SSRN Electronic Journal, 0, , . | 0.4 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | O Paradoxo da Obesidade na Insuficiência CardÃaca Depende da Aptidão Cardiorrespiratória?. Arquivos Brasileiros De Cardiologia, 2020, 115, 646-648. | 0.3 | 1 |
| 272 | Authors' reply to Grant and Garland and to Bolland and colleagues. BMJ, The, 2014, 348, g2931-g2931. | 3.0 | 0 |
| 273 | Gamma-Glutamyltransferase and Future Risk of Pneumonia: A Long-Term Prospective Cohort Study. Lung, 2017, 195, 799-803. | 1.4 | O |
| 274 | Author response: Sauna bathing reduces the risk of stroke in Finnish men and women: A prospective cohort study. Neurology, 2019, 92, 205-206. | 1.5 | 0 |
| 275 | 6074Cardiorespiratory fitness, socioeconomic status and mortality in middle-aged men: a population-based prospective cohort study. European Heart Journal, 2019, 40, . | 1.0 | O |
| 276 | Cardiorespiratory fitness is not associated with fracture risk in middleâ€aged men. European Journal of Clinical Investigation, 2020, 50, e13360. | 1.7 | 0 |
| 277 | Finnish sauna and COVID-19. Infezioni in Medicina, 2021, 29, 160-162. | 0.7 | O |
| 278 | Comparison of the acute effects of ankle bathing versus moderate-intensity aerobic exercise on vascular function in young adults. Applied Physiology, Nutrition and Metabolism, 2022, , 1-13. | 0.9 | 0 |
| 279 | Cardiovascular and renal outcomes of initial combination therapy with glucoseâ€lowering agents versus a stepwise approach in newly diagnosed or treatmentâ€naà ve type 2 diabetes: A systematic review and metaâ€analysis. Diabetes, Obesity and Metabolism, 2022, 24, 1469-1482. | 2.2 | 0 |
| 280 | No evidence of a prospective relationship between serum zinc and venous thromboembolism in Caucasian men: a cohort study. BioMetals, 0 , , . | 1.8 | 0 |
| 281 | Circulating albumin-to-fibrinogen ratio may be a risk indicator for venous thromboembolism: findings from a population-based prospective cohort study. , 2022, 1, . | | O |