

Olga I Nedashkovskaya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3658524/publications.pdf>

Version: 2024-02-01

106
papers

4,017
citations

87888

38
h-index

144013

57
g-index

130
all docs

130
docs citations

130
times ranked

2266
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Aureibaculum algae</i> sp. nov. isolated from the Pacific red alga <i>Ahnfeltia tobuchiensis</i> . <i>Archives of Microbiology</i> , 2022, 204, 153.	2.2	9
2	<i>Algicella marina</i> gen. nov., sp. nov., a novel marine bacterium isolated from a Pacific red alga. <i>Archives of Microbiology</i> , 2022, 204, .	2.2	2
3	Are the Closely Related <i>Cobetia</i> Strains of Different Species?. <i>Molecules</i> , 2021, 26, 690.	3.8	6
4	Genome-Wide Analysis of PL7 Alginate Lyases in the Genus <i>Zobellia</i> . <i>Molecules</i> , 2021, 26, 2387.	3.8	8
5	<i>Zobellia barbeyronii</i> sp. nov., a New Member of the Family Flavobacteriaceae, Isolated from Seaweed, and Emended Description of the Species <i>Z. amurskyensis</i> , <i>Z. laminariae</i> , <i>Z. russellii</i> and <i>Z. uliginosa</i> . <i>Diversity</i> , 2021, 13, 520.	1.7	28
6	Genomic Features of a Food-Derived <i>Pseudomonas aeruginosa</i> Strain PAEM and Biofilm-Associated Gene Expression under a Marine Bacterial β -Galactosidase. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7666.	4.1	12
7	Hydrolytic Enzymes from Marine Organisms as Inhibitors of Biofilm Formation. <i>Russian Journal of Marine Biology</i> , 2020, 46, 302-305.	0.6	0
8	Activity Dependence of a Novel Lectin Family on Structure and Carbohydrate-Binding Properties. <i>Molecules</i> , 2020, 25, 150.	3.8	7
9	Activities of O-Glycoside Hydrolases and Other Polysaccharide-Degrading Enzymes of Cultivable Bacterial Isolates of the Pacific Red Alga <i>Ahnfeltia tobuchiensis</i> (Kanno et Matsubara, 1932) Makienko, 1970. <i>Russian Journal of Marine Biology</i> , 2020, 46, 387-389.	0.6	1
10	Comparative Genomics and CAZyme Genome Repertoires of Marine <i>Zobellia amurskyensis</i> KMM 3526T and <i>Zobellia laminariae</i> KMM 3676T. <i>Marine Drugs</i> , 2019, 17, 661.	4.6	27
11	Carrageenanolytic enzymes from marine bacteria associated with the red alga <i>Tichocarpus crinitus</i> . <i>Journal of Applied Phycology</i> , 2018, 30, 2071-2081.	2.8	12
12	<i>Polaribacter staley</i> sp. nov., a polysaccharide-degrading marine bacterium isolated from the red alga <i>Ahnfeltia tobuchiensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 623-629.	1.7	21
13	<i>Aquimarina algiphila</i> sp. nov., a chitin degrading bacterium isolated from the red alga <i>Tichocarpus crinitus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 892-898.	1.7	13
14	Nucleolytic enzymes from the marine bacterium <i>Cobetia amphilecti</i> KMM 296 with antibiofilm activity and biopreservative effect on meat products. <i>Food Control</i> , 2017, 78, 270-278.	5.5	25
15	Structure of the O-specific polysaccharide from a marine bacterium <i>Cellulophaga algicola</i> . <i>Carbohydrate Research</i> , 2017, 443-444, 68-72.	2.3	3
16	<i>Olleya algicola</i> sp. nov., a marine bacterium isolated from the green alga <i>Ulva fenestrata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2205-2210.	1.7	11
17	Data supporting functional diversity of the marine bacterium <i>Cobetia amphilecti</i> KMM 296. <i>Data in Brief</i> , 2016, 8, 726-732.	1.0	9
18	<i>Amylibacter ulvae</i> sp. nov., a new alphaproteobacterium isolated from the Pacific green alga <i>Ulva fenestrata</i> . <i>Archives of Microbiology</i> , 2016, 198, 251-256.	2.2	13

#	ARTICLE	IF	CITATIONS
19	Structure of the O-specific polysaccharide from a marine bacterium <i>Echinicola pacifica</i> DŠĐœĐœ 6172Đœ containing 2,3-diacetamido-2,3-dideoxy-D-glucuronic acid. <i>Carbohydrate Research</i> , 2016, 425, 22-27.	2.3	5
20	<i>Lacinutrix cladophorae</i> sp. nov., a flavobacterium isolated from the green alga <i>Cladophora stimpsonii</i> , transfer of <i>Flavirhabdus iliipiscaria</i> Shakeela et al. 2015 to the genus <i>Lacinutrix</i> as <i>Lacinutrix iliipiscaria</i> comb. nov. and emended description of the genus <i>Lacinutrix</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4339-4346.	1.7	23
21	Structure of the O-specific polysaccharide from a marine bacterium <i>Cellulophaga tyrosinoxydans</i> . <i>Carbohydrate Research</i> , 2015, 413, 1-4.	2.3	5
22	Structure of the O-specific polysaccharide from a marine bacterium <i>Echinicola vietnamensis</i> KĐœĐœ 6221Đœ. <i>Carbohydrate Research</i> , 2015, 402, 1-5.	2.3	4
23	<i>Winogradskyella litoriviva</i> sp. nov., isolated from coastal seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3652-3657.	1.7	21
24	<i>Lutibacter holmesii</i> sp. nov., a marine bacterium of the family Flavobacteriaceae isolated from the sea urchin <i>Strongylocentrotus intermedius</i> , and emended description of the genus <i>Lutibacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3991-3996.	1.7	14
25	Diterpenoids and Other Metabolites from the Vietnamese Gorgonians <i>Lophogorgia</i> sp. and <i>Junceella</i> sp.. <i>Chemistry of Natural Compounds</i> , 2014, 50, 1140-1142.	0.8	5
26	<i>Flavobacterium ahnfeltiae</i> sp. nov., a new marine polysaccharide-degrading bacterium isolated from a Pacific red alga. <i>Archives of Microbiology</i> , 2014, 196, 745-752.	2.2	42
27	<i>Flavimarina pacifica</i> gen. nov., sp. nov., a new marine bacterium of the family Flavobacteriaceae, and emended descriptions of the genus <i>Leeuwenhoekiella</i> , <i>Leeuwenhoekiella aequorea</i> and <i>Leeuwenhoekiella marinoflava</i> . <i>Antonie Van Leeuwenhoek</i> , 2014, 106, 421-429.	1.7	16
28	<i>Altererythrobacter troitsensis</i> sp. nov., isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 93-97.	1.7	38
29	<i>Polaribacter reichenbachii</i> sp. nov.: A New Marine Bacterium Associated with the Green Alga <i>Ulva fenestrata</i> . <i>Current Microbiology</i> , 2013, 66, 16-21.	2.2	35
30	The structure of the O-specific polysaccharide from marine bacterium <i>Litorimonas taeensis</i> G5T containing 2-acetamido-4-((3S,5S)-3,5-dihydroxyhexanamido)-2,4-dideoxy-d-quinovose and 2-acetamido-2,6-dideoxy-l-xylo-hexos-4-ulose. <i>Carbohydrate Research</i> , 2013, 375, 105-111.	2.3	5
31	<i>Litorimonas cladophorae</i> sp. nov., a new alphaproteobacterium isolated from the Pacific green alga <i>Cladophora stimpsonii</i> , and emended descriptions of the genus <i>Litorimonas</i> and <i>Litorimonas taeensis</i> . <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 1263-1269.	1.7	29
32	<i>Echinimonas agarilytica</i> gen. nov., sp. nov., a new gammaproteobacterium isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 69-77.	1.7	15
33	Structure of the O-specific polysaccharide from a marine bacterium <i>Cellulophaga pacifica</i> containing rarely occurred sugars, Fuc4NAc and ManNAcA. <i>Carbohydrate Research</i> , 2013, 372, 69-72.	2.3	7
34	<i>Arenicella chitinivorans</i> sp. nov., a gammaproteobacterium isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4124-4129.	1.7	9
35	Comparative Analysis of Glycoside Hydrolases Activities from Phylogenetically Diverse Marine Bacteria of the Genus <i>Arenibacter</i> . <i>Marine Drugs</i> , 2013, 11, 1977-1998.	4.6	26
36	<i>Corallibacter vietnamensis</i> gen. nov., sp. nov., a marine bacterium of the family Flavobacteriaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 569-574.	1.7	9

#	ARTICLE	IF	CITATIONS
37	Diversity of glycosidase activities in the bacteria of the phylum Bacteroidetes isolated from marine algae. <i>Microbiology</i> , 2012, 81, 688-695.	1.2	17
38	<i>Winogradskyella ulvae</i> sp. nov., an epiphyte of a Pacific seaweed, and emended descriptions of the genus <i>Winogradskyella</i> and <i>Winogradskyella thalassocola</i> , <i>Winogradskyella echinorum</i> , <i>Winogradskyella exilis</i> and <i>Winogradskyella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1450-1456.	1.7	47
39	Distribution of β -N-acetylgalactosaminidases among marine bacteria of the phylum Bacteroidetes, epiphytes of marine algae of the Seas of Okhotsk and Japan. <i>Microbiology</i> , 2012, 81, 373-378.	1.2	9
40	<i>Bacillus berkeleyi</i> sp. nov., isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>Archives of Microbiology</i> , 2012, 194, 215-221.	2.2	13
41	Structure of carbohydrate antigens from <i>Microbulbifer</i> sp. KMM 6242. <i>Chemistry of Natural Compounds</i> , 2011, 46, 837-840.	0.8	2
42	<i>Gramella gaetbulicola</i> sp. nov., a member of the family Flavobacteriaceae isolated from foreshore soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2654-2658.	1.7	22
43	Molecular Characterization and Therapeutic Potential of a Marine Bacterium <i>Pseudoalteromonas</i> sp. KMM 701 β -Galactosidase. <i>Marine Biotechnology</i> , 2010, 12, 111-120.	2.4	28
44	<i>Maribacter stanieri</i> sp. nov., a marine bacterium of the family Flavobacteriaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 214-218.	1.7	39
45	<i>Bizionia echini</i> sp. nov., isolated from a sea urchin. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 928-931.	1.7	26
46	<i>Gramella marina</i> sp. nov., isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2799-2802.	1.7	24
47	Reclassification of <i>Flexibacter tractuosus</i> (Lewin 1969) Leadbetter 1974 and <i>Microscilla sericea</i> Lewin 1969 in the genus <i>Marivirga</i> gen. nov. as <i>Marivirga tractuosa</i> comb. nov. and <i>Marivirga sericea</i> nom. rev., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1858-1863.	1.7	36
48	<i>Salinimicrobium marinum</i> sp. nov., a halophilic bacterium of the family Flavobacteriaceae, and emended descriptions of the genus <i>Salinimicrobium</i> and <i>Salinimicrobium catena</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2303-2306.	1.7	28
49	<i>Winogradskyella pacifica</i> sp. nov., a marine bacterium of the family Flavobacteriaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1948-1951.	1.7	25
50	<i>Pseudozobellia thermophila</i> gen. nov., sp. nov., a bacterium of the family Flavobacteriaceae, isolated from the green alga <i>Ulva fenestrata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 806-810.	1.7	40
51	<i>Winogradskyella echinorum</i> sp. nov., a marine bacterium of the family Flavobacteriaceae isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1465-1468.	1.7	41
52	<i>Leeuwenhoekella palythoae</i> sp. nov., a new member of the family Flavobacteriaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3074-3077.	1.7	17
53	Reclassification of <i>Donghaeana dokdonensis</i> Yoon et al. 2006 as <i>Persicivirga dokdonensis</i> comb. nov. and emended descriptions of the genus <i>Persicivirga</i> and of <i>Persicivirga xylanidelens</i> O'Sullivan et al. 2006. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 824-827.	1.7	15
54	<i>Winogradskyella rapida</i> sp. nov., isolated from protein-enriched seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2180-2184.	1.7	33

#	ARTICLE	IF	CITATIONS
55	Genome analysis of the proteorhodopsin-containing marine bacterium <i>Polaribacter</i> sp. MED152 (Flavobacteria). Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 8724-8729.	7.1	231
56	<i>Kriegella aquimaris</i> gen. nov., sp. nov., isolated from marine environments. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2624-2628.	1.7	19
57	<i>Lacinutrix algicola</i> sp. nov. and <i>Lacinutrix mariniflava</i> sp. nov., two novel marine alga-associated bacteria and emended description of the genus <i>Lacinutrix</i> . International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2694-2698.	1.7	44
58	Reclassification of <i>Roseivirga seohaensis</i> (Yoon et al. 2005) Lau et al. 2006 as a later synonym of <i>Roseivirga ehrenbergii</i> Nedashkovskaya et al. 2005 and emendation of the species description. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1194-1197.	1.7	24
59	<i>Echinicola vietnamensis</i> sp. nov., a member of the phylum Bacteroidetes isolated from seawater. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 761-763.	1.7	47
60	Proposal of <i>Algoriphagus vanfongensis</i> sp. nov., transfer of members of the genera <i>Hongiella</i> Yi and Chun 2004 emend. Nedashkovskaya et al. 2004 and <i>Chimaericella</i> Tiago et al. 2006 to the genus <i>Algoriphagus</i> , and emended description of the genus <i>Algoriphagus</i> Bowman et al. 2003 emend. Nedashkovskaya et al. 2004. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1988-1994.	1.7	80
61	<i>Algibacter mikhailovii</i> sp. nov., a novel marine bacterium of the family Flavobacteriaceae, and emended description of the genus <i>Algibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2147-2150.	1.7	37
62	<i>Maribacter polysiphoniae</i> sp. nov., isolated from a red alga. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2840-2843.	1.7	45
63	<i>Arenibacter echinorum</i> sp. nov., isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2655-2659.	1.7	21
64	<i>Fulvivirga kasyanovii</i> gen. nov., sp. nov., a novel member of the phylum Bacteroidetes isolated from seawater in a mussel farm. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1046-1049.	1.7	39
65	<i>Aquimarina intermedia</i> sp. nov., reclassification of <i>Stanierella latercula</i> (Lewin 1969) as <i>Aquimarina latercula</i> comb. nov. and <i>Gaetbulimicrobium brevivitae</i> Yoon et al. 2006 as <i>Aquimarina brevivitae</i> comb. nov. and emended description of the genus <i>Aquimarina</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2037-2041.	1.7	69
66	<i>Salegentibacter agarivorans</i> sp. nov., a novel marine bacterium of the family Flavobacteriaceae isolated from the sponge <i>Artemisia</i> sp.. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 883-887.	1.7	38
67	<i>Mesonina mobilis</i> sp. nov., isolated from seawater, and emended description of the genus <i>Mesonina</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2433-2436.	1.7	36
68	<i>Larkinella insperata</i> gen. nov., sp. nov., a bacterium of the phylum 'Bacteroidetes' isolated from water of a steam generator. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 237-241.	1.7	40
69	<i>Formosa agariphila</i> sp. nov., a budding bacterium of the family Flavobacteriaceae isolated from marine environments, and emended description of the genus <i>Formosa</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 161-167.	1.7	73
70	<i>Mariniflexile gromovii</i> gen. nov., sp. nov., a gliding bacterium isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1635-1638.	1.7	28
71	<i>Leeuwenhoekella blandensis</i> sp. nov., a genome-sequenced marine member of the family Flavobacteriaceae. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1489-1493.	1.7	57
72	<i>Arenibacter palladensis</i> sp. nov., a novel marine bacterium isolated from the green alga <i>Ulva fenestrata</i> , and emended description of the genus <i>Arenibacter</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 155-160.	1.7	43

#	ARTICLE	IF	CITATIONS
73	<i>Echinicola pacifica</i> gen. nov., sp. nov., a novel flexibacterium isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 953-958.	1.7	59
74	Structural characterization of the carbohydrate backbone of the lipooligosaccharide of the marine bacterium <i>Arenibacter certesii</i> strain KMM 3941T. <i>Carbohydrate Research</i> , 2005, 340, 2540-2549.	2.3	19
75	<i>Polaribacter butkevichii</i> sp. nov., a Novel Marine Mesophilic Bacterium of the Family Flavobacteriaceae. <i>Current Microbiology</i> , 2005, 51, 408-412.	2.2	42
76	<i>Bizionia paragorgiae</i> gen. nov., sp. nov., a novel member of the family Flavobacteriaceae isolated from the soft coral <i>Paragorgia arborea</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 375-378.	1.7	62
77	<i>Roseivirga echinicomitans</i> sp. nov., a novel marine bacterium isolated from the sea urchin <i>Strongylocentrotus intermedius</i> , and emended description of the genus <i>Roseivirga</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1797-1800.	1.7	48
78	<i>Winogradskyella thalassocola</i> gen. nov., sp. nov., <i>Winogradskyella epiphytica</i> sp. nov. and <i>Winogradskyella eximia</i> sp. nov., marine bacteria of the family Flavobacteriaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 49-55.	1.7	93
79	Reclassification of [<i>Cytophaga</i>] <i>marinoflava</i> Reichenbach 1989 as <i>Leeuwenhoekiella marinoflava</i> gen. nov., comb. nov. and description of <i>Leeuwenhoekiella aequorea</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1033-1038.	1.7	48
80	<i>Pibocella ponti</i> gen. nov., sp. nov., a novel marine bacterium of the family Flavobacteriaceae isolated from the green alga <i>Acrosiphonia sonderi</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 177-181.	1.7	27
81	<i>Salegentibacter mishustinae</i> sp. nov., isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 235-238.	1.7	38
82	<i>Roseivirga ehrenbergii</i> gen. nov., sp. nov., a novel marine bacterium of the phylum "Bacteroidetes", isolated from the green alga <i>Ulva fenestrata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 231-234.	1.7	47
83	<i>Pontibacter actiniarum</i> gen. nov., sp. nov., a novel member of the phylum "Bacteroidetes", and proposal of <i>Reichenbachia</i> gen. nov. as a replacement for the illegitimate prokaryotic generic name <i>Reichenbachia</i> Nedashkovskaya et al. 2003. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2583-2588.	1.7	124
84	<i>Gillisia mitskevichiae</i> sp. nov., a novel bacterium of the family Flavobacteriaceae, isolated from sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 321-323.	1.7	38
85	Description of <i>Aquimarina muelleri</i> gen. nov., sp. nov., and proposal of the reclassification of [<i>Cytophaga</i>] <i>latercula</i> Lewin 1969 as <i>Stanierella latercula</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 225-229.	1.7	82
86	<i>Gramella echinicola</i> gen. nov., sp. nov., a novel halophilic bacterium of the family Flavobacteriaceae isolated from the sea urchin <i>Strongylocentrotus intermedius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 391-394.	1.7	51
87	<i>Cyclobacterium amurskyense</i> sp. nov., a novel marine bacterium isolated from sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 2391-2394.	1.7	40
88	<i>Maribacter</i> gen. nov., a new member of the family Flavobacteriaceae, isolated from marine habitats, containing the species <i>Maribacter sedimenticola</i> sp. nov., <i>Maribacter aquivivus</i> sp. nov., <i>Maribacter orientalis</i> sp. nov. and <i>Maribacter ulvicola</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1017-1023.	1.7	126
89	<i>Cellulophaga pacifica</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 609-613.	1.7	27
90	<i>Zobellia amurskyensis</i> sp. nov., <i>Zobellia laminariae</i> sp. nov. and <i>Zobellia russellii</i> sp. nov., novel marine bacteria of the family Flavobacteriaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1643-1648.	1.7	53

#	ARTICLE	IF	CITATIONS
91	<i>Salegentibacter holothuriorum</i> sp. nov., isolated from the edible holothurian <i>Apostichopus japonicus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1107-1110.	1.7	38
92	<i>Ulvibacter litoralis</i> gen. nov., sp. nov., a novel member of the family Flavobacteriaceae isolated from the green alga <i>Ulva fenestrata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 119-123.	1.7	88
93	<i>Arenibacter certesii</i> sp. nov., a novel marine bacterium isolated from the green alga <i>Ulva fenestrata</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1173-1176.	1.7	37
94	<i>Shewanella affinis</i> sp. nov., isolated from marine invertebrates. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1089-1093.	1.7	38
95	<i>Algibacter lectus</i> gen. nov., sp. nov., a novel member of the family Flavobacteriaceae isolated from green algae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1257-1261.	1.7	75
96	Description of <i>Algoriphagus aquimarinus</i> sp. nov., <i>Algoriphagus chordae</i> sp. nov. and <i>Algoriphagus winogradskyi</i> sp. nov., from sea water and algae, transfer of <i>Hongiella halophila</i> Yi and Chun 2004 to the genus <i>Algoriphagus</i> as <i>Algoriphagus halophilus</i> comb. nov. and emended descriptions of the genera <i>Algoriphagus</i> Bowman et al. 2003 and <i>Hongiella</i> Yi and Chun 2004. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1757-1764.	1.7	90
97	<i>Kocuria marina</i> sp. nov., a novel actinobacterium isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1617-1620.	1.7	107
98	Ecophysiological Variabilities in Ectohydrolytic Enzyme Activities of Some Pseudoalteromonas Species, <i>P. citrea</i> , <i>P. issachenkonii</i> , and <i>P. nigrifaciens</i> . <i>Current Microbiology</i> , 2003, 46, 6-10.	2.2	39
99	Occurrence and Diversity of Mesophilic <i>Shewanella</i> Strains Isolated from the North-West Pacific Ocean. <i>Systematic and Applied Microbiology</i> , 2003, 26, 293-301.	2.8	30
100	<i>Salinibacterium amurskyense</i> gen. nov., sp. nov., a novel genus of the family Microbacteriaceae from the marine environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2061-2066.	1.7	116
101	<i>Vitellibacter vladivostokensis</i> gen. nov., sp. nov., a new member of the phylum Cytophaga "Flavobacterium" Bacteroides. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1281-1286.	1.7	68
102	<i>Reichenbachia agariperforans</i> gen. nov., sp. nov., a novel marine bacterium in the phylum Cytophaga "Flavobacterium" Bacteroides. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 81-85.	1.7	85
103	<i>Shewanella fidelis</i> sp. nov., isolated from sediments and sea water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 577-582.	1.7	51
104	<i>Arenibacter troitsensis</i> sp. nov., isolated from marine bottom sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1287-1290.	1.7	42
105	<i>Mesonina algae</i> gen. nov., sp. nov., a novel marine bacterium of the family Flavobacteriaceae isolated from the green alga <i>Acrosiphonia sonderi</i> (Kütz) Kornm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1967-1971.	1.7	85
106	<i>Shewanella waksmanii</i> sp. nov., isolated from a sipuncula (<i>Phascolosoma japonicum</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1471-1477.	1.7	45