

Bin Wei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/36615/publications.pdf>

Version: 2024-02-01

39
papers

2,024
citations

361413
20
h-index

315739
38
g-index

40
all docs

40
docs citations

40
times ranked

2851
citing authors

#	ARTICLE	IF	CITATIONS
1	Growth of 2D MoP single crystals on liquid metals by chemical vapor deposition. <i>Science China Materials</i> , 2021, 64, 1182-1188.	6.3	15
2	Atomic-Step Enriched Ruthenium-Iridium Nanocrystals Anchored Homogeneously on MOF-Derived Support for Efficient and Stable Oxygen Evolution in Acidic and Neutral Media. <i>ACS Catalysis</i> , 2021, 11, 3402-3413.	11.2	87
3	Isolated Single-Atom Ni ₅ Catalytic Site in Hollow Porous Carbon Capsules for Efficient Lithium-Sulfur Batteries. <i>Nano Letters</i> , 2021, 21, 9691-9698.	9.1	167
4	Realizing Few-Layer Iodine for High-Rate Sodium-Ion Batteries. <i>Advanced Materials</i> , 2020, 32, e2004835.	21.0	41
5	Ultrafine oxygen-defective iridium oxide nanoclusters for efficient and durable water oxidation at high current densities in acidic media. <i>Journal of Materials Chemistry A</i> , 2020, 8, 24743-24751.	10.3	45
6	Universal growth of ultra-thin III-V semiconductor single crystals. <i>Nature Communications</i> , 2020, 11, 3979.	12.8	34
7	Bifunctional Porous Cobalt Phosphide Foam for High-Current-Density Alkaline Water Electrolysis with 4000-h Long Stability. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 10193-10200.	6.7	57
8	Hierarchically structured diamond composite with exceptional toughness. <i>Nature</i> , 2020, 582, 370-374.	27.8	141
9	Tunable Mechanical Property and Structural Transition of Silicon Nitride Nanowires Induced by Focused Ion Beam Irradiation. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 32175-32181.	8.0	1
10	Strong Electronic Coupling between Ultrafine Iridium-Ruthenium Nanoclusters and Conductive, Acid-Stable Tellurium Nanoparticle Support for Efficient and Durable Oxygen Evolution in Acidic and Neutral Media. <i>ACS Catalysis</i> , 2020, 10, 3571-3579.	11.2	122
11	Milleanite-like Metal Phosphide Nanocrystals/Carbon Nanotube Film Composites as High-Capacitance Negative Electrodes in Asymmetric Supercapacitors. <i>ACS Applied Energy Materials</i> , 2020, 3, 4580-4588.	5.1	19
12	Grain Boundary Induced Ultralow Threshold Random Laser in a Single GaTe Flake. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 23323-23329.	8.0	10
13	Inverted Pyramid Textured p-Silicon Covered with Co ₂ P as an Efficient and Stable Solar Hydrogen Evolution Photocathode. <i>ACS Energy Letters</i> , 2019, 4, 1755-1762.	17.4	35
14	High-Performance Flexible Solid-State Asymmetric Supercapacitors Based on Bimetallic Transition Metal Phosphide Nanocrystals. <i>ACS Nano</i> , 2019, 13, 10612-10621.	14.6	214
15	Magnetism and Optical Anisotropy in van der Waals Antiferromagnetic Insulator CrOCl. <i>ACS Nano</i> , 2019, 13, 11353-11362.	14.6	97
16	A ternary Sn _{1.26} Se _{0.76} alloy for flexible broadband photodetectors. <i>RSC Advances</i> , 2019, 9, 14352-14359.	3.6	7
17	Large-Scale Fabrication of Hollow Pt ₃ Al Nanoboxes and Their Electrocatalytic Performance for Hydrogen Evolution Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 9842-9847.	6.7	14
18	Phase Identification and Strong Second Harmonic Generation in Pure μ -InSe and Its Alloys. <i>Nano Letters</i> , 2019, 19, 2634-2640.	9.1	86

#	ARTICLE	IF	CITATIONS
19	Synthesis of low-symmetry 2D Ge _(1-x) Sn _x Se ₂ alloy flakes with anisotropic optical response and birefringence. <i>Nanoscale</i> , 2019, 11, 23116-23125.	5.6	9
20	Structural Distortion-Induced Charge Gradient Distribution of Co Ions in Delithiated LiCoO ₂ Cathode. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 7537-7546.	4.6	39
21	Highly Sensitive Polarization Photodetection Using a Pseudo-One-Dimensional Nb _(1-x) Ti _x S ₃ Alloy. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 3342-3350.	8.0	35
22	Disassembly of 2D Vertical Heterostructures. <i>Advanced Materials</i> , 2019, 31, e1805976.	21.0	12
23	Few-Layer Bismuthene with Anisotropic Expansion for High-Areal-Capacity Sodium-Ion Batteries. <i>Advanced Materials</i> , 2019, 31, e1807874.	21.0	165
24	Ethylenediamine-Enabled Sustainable Synthesis of Mesoporous Nanostructured Li ₂ FeSiO ₄ Particles from Fe(III) Aqueous Solution for Li-Ion Battery Application. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 7458-7467.	6.7	14
25	Growth of 2D GaN Single Crystals on Liquid Metals. <i>Journal of the American Chemical Society</i> , 2018, 140, 16392-16395.	13.7	183
26	In-Plane Optical Anisotropy and Linear Dichroism in Low-Symmetry Layered TlSe. <i>ACS Nano</i> , 2018, 12, 8798-8807.	14.6	64
27	In Situ TEM Investigation of Electron Irradiation Induced Metastable States in Lithium-Ion Battery Cathodes: Li ₂ FeSiO ₄ versus LiFePO ₄ . <i>ACS Applied Energy Materials</i> , 2018, 1, 3180-3189.	5.1	20
28	Strain Gradient Modulated Exciton Evolution and Emission in ZnO Fibers. <i>Scientific Reports</i> , 2017, 7, 40658.	3.3	6
29	Luminescence Properties of GaAs Quantum Dot-in-Nanowire Structure for Quantum Photonics. , 2015, , .		0
30	Enhanced contrast separation in scanning electron microscopes via a suspended-thin sample approach. <i>Ultramicroscopy</i> , 2014, 146, 83-90.	1.9	1
31	Variation of exciton emissions of ZnO whiskers reversibly tuned by axial tensile strain. <i>Optics Express</i> , 2014, 22, 4000.	3.4	8
32	Self-Assembled Quantum Dot Structures in a Hexagonal Nanowire for Quantum Photonics. <i>Advanced Materials</i> , 2014, 26, 2710-2717.	21.0	31
33	Bandgap engineering and manipulating electronic and optical properties of ZnO nanowires by uniaxial strain. <i>Nanoscale</i> , 2014, 6, 4936-4941.	5.6	55
34	Self-assembly of single $\sqrt{3} \times \sqrt{3}$ quantum rings in gold-free GaAs nanowires. <i>Nanoscale</i> , 2014, 6, 3190.	5.6	6
35	Local thermal conductivity of polycrystalline AlN ceramics measured by scanning thermal microscopy and complementary scanning electron microscopy techniques. <i>Chinese Physics B</i> , 2012, 21, 016501.	1.4	1
36	Size-Dependent Bandgap Modulation of ZnO Nanowires by Tensile Strain. <i>Nano Letters</i> , 2012, 12, 4595-4599.	9.1	173

#	ARTICLE	IF	CITATIONS
37	Distinguishing crystallographic misorientations of lanthanum zirconate epilayers on nickel substrates by electron backscatter diffraction. <i>Ultramicroscopy</i> , 2011, 111, 314-319.	1.9	2
38	Charge compensation by in-situ heating for insulating ceramics in scanning electron microscope. <i>Ultramicroscopy</i> , 2009, 109, 1326-1332.	1.9	6
39	Charge Contrast Imaging of Nonconductive Samples in the High-Vacuum Field Emission Scanning Electron Microscope. <i>Scanning</i> , 2007, 29, 230-237.	1.5	2