

Jacek Jerzy JÃ³wiak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3662471/publications.pdf>

Version: 2024-02-01

71
papers

43,089
citations

126901

33
h-index

98792

67
g-index

72
all docs

72
docs citations

72
times ranked

60189
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum antinuclear autoantibodies are associated with measures of oxidative stress and lifestyle factors: analysis of LIPIDOGRAM2015 and LIPIDOGEN2015 studies. Archives of Medical Science, 2023, 19, 1214-1227.	0.9	2
2	Implications of ACC/AHA Versus ESC/EAS LDL-C Recommendations for Residual Risk Reduction in ASCVD: A Simulation Study From ADA VINCI. Cardiovascular Drugs and Therapy, 2023, 37, 941-953.	2.6	6
3	Analysis of the impact of sex and age on the variation in the prevalence of antinuclear autoantibodies in Polish population: a nationwide observational, cross-sectional study. Rheumatology International, 2022, 42, 261-271.	3.0	5
4	Relationship Between Anti-DFS70 Autoantibodies and Oxidative Stress. Biomarker Insights, 2022, 17, 117727192110667.	2.5	1
5	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990–2019: Findings from the Global Burden of Disease Study 2019. Lancet Regional Health - Europe, The, 2022, 16, 100341.	5.6	70
6	Oxidative Stress Markers in Hypertrophic Cardiomyopathy. Medicina (Lithuania), 2022, 58, 31.	2.0	9
7	The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. Archives of Public Health, 2022, 80, 142.	2.4	9
8	May Measurement Month 2019: an analysis of blood pressure screening results from Poland. European Heart Journal Supplements, 2021, 23, B124-B127.	0.1	2
9	Mapping inequalities in exclusive breastfeeding in low- and middle-income countries, 2000–2018. Nature Human Behaviour, 2021, 5, 1027-1045.	12.0	24
10	Predicting the environmental suitability for onchocerciasis in Africa as an aid to elimination planning. PLoS Neglected Tropical Diseases, 2021, 15, e0008824.	3.0	10
11	Secondary Stroke Prevention in Polish Adults: Results from the LIPIDOGRAM2015 Study. Journal of Clinical Medicine, 2021, 10, 4472.	2.4	2
12	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	10.2	2,308
13	Lipid-lowering therapy use in primary and secondary care in Central and Eastern Europe: DA VINCI observational study. Atherosclerosis, 2021, 334, 66-75.	0.8	29
14	EU-Wide Cross-Sectional Observational Study of Lipid-Modifying Therapy Use in Secondary and Primary Care: the DA VINCI study. European Journal of Preventive Cardiology, 2021, 28, 1279-1289.	1.8	369
15	The Differences in the Prevalence of Cardiovascular Disease, Its Risk Factors, and Achievement of Therapeutic Goals among Urban and Rural Primary Care Patients in Poland: Results from the LIPIDOGRAM 2015 Study. Journal of Clinical Medicine, 2021, 10, 5656.	2.4	9
16	2021 PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on the diagnosis and therapy of lipid disorders in Poland. Diagnostyka Laboratoryjna i Wiadomości PTDL, 2021, 57, 1-99.	0.1	0
17	PoLA/CFPiP/PCS/PSLD/PSD/PSH guidelines on diagnosis and therapy of lipid disorders in Poland 2021. Archives of Medical Science, 2021, 17, 1447-1547.	0.9	78
18	The Association between Coffee and Caffeine Consumption and Renal Function: Insight from Individual-Level Data, Mendelian Randomization, and Meta-Analysis. Archives of Medical Science, 2021, ,	0.9	1

#	ARTICLE	IF	CITATIONS
19	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020, 49, 173-192.	1.9	44
20	Mapping child growth failure across low- and middle-income countries. <i>Nature</i> , 2020, 577, 231-234.	27.8	128
21	Mapping disparities in education across low- and middle-income countries. <i>Nature</i> , 2020, 577, 235-238.	27.8	58
22	Lipid levels, atrial fibrillation and the impact of age: Results from the LIPIDOGAM2015 study. <i>Atherosclerosis</i> , 2020, 312, 16-22.	0.8	25
23	May Measurement Month 2018: an analysis of blood pressure screening campaign results from Poland. <i>European Heart Journal Supplements</i> , 2020, 22, H108-H111.	0.1	4
24	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i125-i153.	2.4	44
25	The global distribution of lymphatic filariasis, 2000-2018: a geospatial analysis. <i>The Lancet Global Health</i> , 2020, 8, e1186-e1194.	6.3	98
26	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i96-i114.	2.4	103
27	Global trends of hand and wrist trauma: a systematic analysis of fracture and digit amputation using the Global Burden of Disease 2017 Study. <i>Injury Prevention</i> , 2020, 26, i115-i124.	2.4	51
28	2020 Guidelines of the Polish Society of Laboratory Diagnostics (PSLD) and the Polish Lipid Association (PoLA) on laboratory diagnostics of lipid metabolism disorders. <i>Archives of Medical Science</i> , 2020, 16, 237-252.	0.9	37
29	Changes in disease burden in Poland between 1990-2017 in comparison with other Central European countries: A systematic analysis for the Global Burden of Disease Study 2017. <i>PLoS ONE</i> , 2020, 15, e0226766.	2.5	33
30	Statin therapy in athletes and patients performing regular intense exercise - Position paper from the International Lipid Expert Panel (ILEP). <i>Pharmacological Research</i> , 2020, 155, 104719.	7.1	17
31	Global, regional, and national burden of chronic kidney disease, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , 2020, 395, 709-733.	13.7	2,858
32	The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 245-266.	8.1	823
33	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i12-i26.	2.4	44
34	The prevalence of cardiovascular risk factors and cardiovascular disease among primary care patients in Poland: results from the LIPIDOGAM2015 study. <i>Atherosclerosis Supplements</i> , 2020, 42, e15-e24.	1.2	18
35	Design and rationale of a nationwide screening analysis from the LIPIDOGAM2015 and LIPIDOGAM2015 studies. <i>Archives of Medical Science</i> , 2020, 18, 604-616.	0.9	9
36	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019, 574, 353-358.	27.8	161

#	ARTICLE	IF	CITATIONS
37	Association of statin use and clinical outcomes in heart failure patients: a systematic review and meta-analysis. <i>Lipids in Health and Disease</i> , 2019, 18, 188.	3.0	31
38	Do we know more about hypertension in Poland after the May Measurement Month 2017? <i>Europe. European Heart Journal Supplements</i> , 2019, 21, D97-D100.	0.1	6
39	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019, 569, 260-264.	27.8	469
40	May Measurement Month 2018: a pragmatic global screening campaign to raise awareness of blood pressure by the International Society of Hypertension. <i>European Heart Journal</i> , 2019, 40, 2006-2017.	2.2	193
41	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 439-458.	10.2	2,005
42	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 459-480.	10.2	2,625
43	Diagnostic Accuracy of Glycated Haemoglobin and Average Glucose Values in Type 2 Diabetes Mellitus Treated with Premixed Insulin. <i>Diabetes Therapy</i> , 2019, 10, 587-596.	2.5	2
44	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 56-87.	10.2	1,064
45	Effect of using cardiovascular risk scoring in routine risk assessment in primary prevention of cardiovascular disease: an overview of systematic reviews. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 11.	1.7	36
46	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	1.9	65
47	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1684-1735.	13.7	716
48	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1736-1788.	13.7	4,989
49	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1923-1994.	13.7	3,269
50	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1995-2051.	13.7	294
51	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1789-1858.	13.7	8,569
52	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 2091-2138.	13.7	335
53	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1859-1922.	13.7	2,123
54	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , 2018, 379, 2429-2437.	27.0	959

#	ARTICLE	IF	CITATIONS
55	Association between phenotypic familial hypercholesterolaemia and telomere length in US adults: results from a multi-ethnic survey. <i>European Heart Journal</i> , 2018, 39, 3635-3640.	2.2	25
56	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 391, 2236-2271.	13.7	638
57	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.	13.7	2,005
58	Effect of using cardiovascular risk scoring in routine risk assessment in primary prevention of cardiovascular disease: protocol for an overview of systematic reviews. <i>BMJ Open</i> , 2017, 7, e014206.	1.9	8
59	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	13.7	5,010
60	Lipids profile and efficacy of treatment of dyslipidemia in primary care in Poland. Results of lipidogram 5 years study (2004–2010). <i>Atherosclerosis</i> , 2017, 263, e187.	0.8	1
61	Usefulness of atherogenic dyslipidemia index to assess the cardiovascular risk of primary care patients – Results from lipidogram 2004 and lipidogram 2006 studies. <i>Atherosclerosis</i> , 2017, 263, e265.	0.8	0
62	PoLA/CFPiP/PCS Guidelines for the Management of Dyslipidaemias for Family Physicians 2016. <i>Archives of Medical Science</i> , 2017, 1, 1-45.	0.9	70
63	Wytuczne PTL/KLRwP/PTK dotyczące postępowania w zaburzeniach lipidowych dla lekarzy rodzinnych 2016. <i>Kardiologia Polska</i> , 2017, 74, 127-168.	0.6	1
64	PROGENS-HbA 1c study: safety and effectiveness of premixed recombinant human insulin (Gensulin) Tj ETQq0 0 0 rgt /Overlock 10 Tf 0.9	0.9	4
65	Renal Mechanisms of Association between Fibroblast Growth Factor 1 and Blood Pressure. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 3151-3160.	6.1	20
66	The Relation of Rapid Changes in Obesity Measures to Lipid Profile - Insights from a Nationwide Metabolic Health Survey in 444 Polish Cities. <i>PLoS ONE</i> , 2014, 9, e86837.	2.5	15
67	Treatment targets in patients with type 2 diabetes set by primary care physicians from Central and Eastern Europe. <i>European Journal of General Practice</i> , 2014, 20, 253-259.	2.0	4
68	Treatment of hypertension in central and eastern European countries. <i>Journal of Hypertension</i> , 2012, 30, 1671-1678.	0.5	7
69	Prevention of coronary heart disease in primary medical care in Poland: results from the LIPIDOGRAM study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 287-296.	2.8	14
70	The prevalence rate of overweight and obesity among adult patient population in Poland, according to the LIPIDOGRAM2004 and LIPIDOGRAM2006 studies, in context of previous Polish national screening surveys. <i>Przegląd Lekarski</i> , 2011, 68, 316-9.	0.1	0
71	Association between anthropometric obesity measures and coronary artery disease: a cross-sectional survey of 16 657 subjects from 444 Polish cities. <i>Heart</i> , 2010, 96, 131-135.	2.9	28