

Jing Lu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/366700/publications.pdf>

Version: 2024-02-01

136
papers

5,212
citations

81900

39
h-index

110387

64
g-index

138
all docs

138
docs citations

138
times ranked

6261
citing authors

#	ARTICLE	IF	CITATIONS
1	The Neuropharmacological Effects of Magnolol and Honokiol: A Review of Signal Pathways and Molecular Mechanisms. <i>Current Molecular Pharmacology</i> , 2023, 16, 161-177.	1.5	7
2	Natural product 1,2,3,4,6-penta-O-galloyl- β -D-glucopyranose is a reversible inhibitor of glyceraldehyde 3-phosphate dehydrogenase. <i>Acta Pharmacologica Sinica</i> , 2022, 43, 470-482.	6.1	9
3	MicroRNA-34c-5p provokes isoprenaline-induced cardiac hypertrophy by modulating autophagy via targeting ATG4B. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 2374-2390.	12.0	16
4	The cross-talk between PARylation and SUMOylation in C/EBP β at K134 site participates in pathological cardiac hypertrophy. <i>International Journal of Biological Sciences</i> , 2022, 18, 783-799.	6.4	4
5	Ginsenosides in central nervous system diseases: Pharmacological actions, mechanisms, and therapeutics. <i>Phytotherapy Research</i> , 2022, 36, 1523-1544.	5.8	20
6	Targeting autophagy peptidase ATG4B with a novel natural product inhibitor Azalomycin F4a for advanced gastric cancer. <i>Cell Death and Disease</i> , 2022, 13, 161.	6.3	17
7	PKC- η Aggravates Doxorubicin-Induced Cardiotoxicity by Inhibiting Wnt/ β -Catenin Signaling. <i>Frontiers in Pharmacology</i> , 2022, 13, 798436.	3.5	1
8	Direct Electrodeposition of Bimetallic Nanostructures on Co-Based MOFs for Electrochemical Sensing of Hydrogen Peroxide. <i>Frontiers in Chemistry</i> , 2022, 10, 856003.	3.6	4
9	Inhalable cryptotanshinone spray-dried swellable microparticles for pulmonary fibrosis therapy by regulating TGF- β 1/Smad3, STAT3 and SIRT3 pathways. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2022, 172, 177-192.	4.3	10
10	Preparation of Oral Core-Shell Zein Nanoparticles to Improve the Bioavailability of Glycyrrhizic Acid for the Treatment of Ulcerative Colitis. <i>Biomacromolecules</i> , 2022, 23, 210-225.	5.4	15
11	A novel phosphodiesterase 9A inhibitor LW33 protects against ischemic stroke through the cGMP/PKG/CREB pathway. <i>European Journal of Pharmacology</i> , 2022, 925, 174987.	3.5	3
12	Epigenetic Reader Bromodomain Containing Protein 2 Facilitates Pathological Cardiac Hypertrophy via Regulating the Expression of Citrate Cycle Genes. <i>Frontiers in Pharmacology</i> , 2022, 13, .	3.5	3
13	9-Cyclopropylmethoxy-dihydrotetrabenazine and its stereoisomers as vesicular monoamine transporter-2 inhibitors. <i>Future Medicinal Chemistry</i> , 2022, 14, 991-1003.	2.3	0
14	MicroRNA-214 contributes to Ang II-induced cardiac hypertrophy by targeting SIRT3 to provoke mitochondrial malfunction. <i>Acta Pharmacologica Sinica</i> , 2021, 42, 1422-1436.	6.1	18
15	Isorhapontigenin protects against doxorubicin-induced cardiotoxicity via increasing YAP1 expression. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 680-693.	12.0	22
16	Discovery of a novel 53BP1 inhibitor through AlphaScreen-based high-throughput screening. <i>Bioorganic and Medicinal Chemistry</i> , 2021, 34, 116054.	3.0	7
17	Benzothiazole Amides as TRPC3/6 Inhibitors for Gastric Cancer Treatment. <i>ACS Omega</i> , 2021, 6, 9196-9203.	3.5	8
18	Sorting nexin 3 induces heart failure via promoting retromer-dependent nuclear trafficking of STAT3. <i>Cell Death and Differentiation</i> , 2021, 28, 2871-2887.	11.2	14

#	ARTICLE	IF	CITATIONS
19	The poly(ADP-ribosyl)ation of BRD4 mediated by PARP1 promoted pathological cardiac hypertrophy. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 1286-1299.	12.0	18
20	Endothelial Dysfunction in Atherosclerotic Cardiovascular Diseases and Beyond: From Mechanism to Pharmacotherapies. <i>Pharmacological Reviews</i> , 2021, 73, 924-967.	16.0	359
21	HO-1 nuclear accumulation and interaction with NPM1 protect against stress-induced endothelial senescence independent of its enzymatic activity. <i>Cell Death and Disease</i> , 2021, 12, 738.	6.3	5
22	Metal-organic frameworks for improving wound healing. <i>Coordination Chemistry Reviews</i> , 2021, 439, 213929.	18.8	76
23	Bergapten: A review of its pharmacology, pharmacokinetics, and toxicity. <i>Phytotherapy Research</i> , 2021, 35, 6131-6147.	5.8	39
24	Bilobalide: A review of its pharmacology, pharmacokinetics, toxicity, and safety. <i>Phytotherapy Research</i> , 2021, 35, 6114-6130.	5.8	22
25	PEX5 prevents cardiomyocyte hypertrophy via suppressing the redox-sensitive signaling pathways MAPKs and STAT3. <i>European Journal of Pharmacology</i> , 2021, 906, 174283.	3.5	3
26	The antihypertensive potential of flavonoids from Chinese Herbal Medicine: A review. <i>Pharmacological Research</i> , 2021, 174, 105919.	7.1	50
27	Effects of L-leucine on the properties of spray-dried swellable microparticles with wrinkled surfaces for inhalation therapy of pulmonary fibrosis. <i>International Journal of Pharmaceutics</i> , 2021, 610, 121223.	5.2	13
28	Histone Demethylase JMJD3 Mediated Doxorubicin-Induced Cardiomyopathy by Suppressing SESN2 Expression. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 548605.	3.7	16
29	Histone H4R3 symmetric di-methylation by Prmt5 protects against cardiac hypertrophy via regulation of Filip1L/Î²-catenin. <i>Pharmacological Research</i> , 2020, 161, 105104.	7.1	17
30	One-Step Electrodeposition of Silver Nanostructures on 2D/3D Metal-Organic Framework ZIF-67: Comparison and Application in Electrochemical Detection of Hydrogen Peroxide. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 41960-41968.	8.0	90
31	Pharmacological and cardiovascular perspectives on the treatment of COVID-19 with chloroquine derivatives. <i>Acta Pharmaceutica Sinica</i> , 2020, 41, 1377-1386.	6.1	25
32	PRMT5 Prevents Cardiomyocyte Hypertrophy via Symmetric Dimethylating HoxA9 and Repressing HoxA9 Expression. <i>Frontiers in Pharmacology</i> , 2020, 11, 600627.	3.5	7
33	Flavine adenine dinucleotide inhibits pathological cardiac hypertrophy and fibrosis through activating short chain acyl-CoA dehydrogenase. <i>Biochemical Pharmacology</i> , 2020, 178, 114100.	4.4	12
34	Targeting castration-resistant prostate cancer with a novel RORÎ³ antagonist elaiophyllin. <i>Acta Pharmaceutica Sinica B</i> , 2020, 10, 2313-2322.	12.0	20
35	Electrochemical biosensor based on gold nanoflowers-encapsulated magnetic metal-organic framework nanozymes for drug evaluation with in-situ monitoring of H2O2 released from H9C2 cardiac cells. <i>Sensors and Actuators B: Chemical</i> , 2020, 311, 127909.	7.8	61
36	Identifying potential active components of walnut leaf that action diabetes mellitus through integration of UHPLC-Q-Orbitrap HRMS and network pharmacology analysis. <i>Journal of Ethnopharmacology</i> , 2020, 253, 112659.	4.1	23

#	ARTICLE	IF	CITATIONS
37	sFRP1 protects H9c2 cardiac myoblasts from doxorubicin-induced apoptosis by inhibiting the Wnt/PCP-JNK pathway. <i>Acta Pharmacologica Sinica</i> , 2020, 41, 1150-1157.	6.1	13
38	Synthesis, antifungal activity and potential mechanism of fusidic acid derivatives possessing amino-terminal groups. <i>Future Medicinal Chemistry</i> , 2020, 12, 763-774.	2.3	8
39	Analysis of Four Types of Leukemia Using Gene Ontology Term and Kyoto Encyclopedia of Genes and Genomes Pathway Enrichment Scores. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2020, 23, 295-303.	1.1	2
40	Relating Substructures and Side Effects of Drugs with Chemical-chemical Interactions. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2020, 23, 285-294.	1.1	5
41	Sirtuin 1 represses PKC ϵ activity through regulating interplay of acetylation and phosphorylation in cardiac hypertrophy. <i>British Journal of Pharmacology</i> , 2019, 176, 416-435.	5.4	29
42	PARP1 interacts with HMGB1 and promotes its nuclear export in pathological myocardial hypertrophy. <i>Acta Pharmacologica Sinica</i> , 2019, 40, 589-598.	6.1	13
43	DNA nanotetrahedron-assisted electrochemical aptasensor for cardiac troponin I detection based on the co-catalysis of hybrid nanozyme, natural enzyme and artificial DNAzyme. <i>Biosensors and Bioelectronics</i> , 2019, 142, 111578.	10.1	83
44	Aptamer-based electrochemical cytosensors for tumor cell detection in cancer diagnosis: A review. <i>Analytica Chimica Acta</i> , 2019, 1082, 1-17.	5.4	77
45	Integration of multiscale molecular modeling approaches with the design and discovery of fusidic acid derivatives. <i>Future Medicinal Chemistry</i> , 2019, 11, 1427-1442.	2.3	10
46	Cryptotanshinone protects against pulmonary fibrosis through inhibiting Smad and STAT3 signaling pathways. <i>Pharmacological Research</i> , 2019, 147, 104307.	7.1	74
47	SESN2 protects against doxorubicin-induced cardiomyopathy via rescuing mitophagy and improving mitochondrial function. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 133, 125-137.	1.9	67
48	Vps4A mediates the localization and exosome release of β -catenin to inhibit epithelial-mesenchymal transition in hepatocellular carcinoma. <i>Cancer Letters</i> , 2019, 457, 47-59.	7.2	41
49	Dkk1 exacerbates doxorubicin-induced cardiotoxicity by inhibiting Wnt/ β -catenin signaling pathway. <i>Journal of Cell Science</i> , 2019, 132, .	2.0	22
50	Electrochemical dual-aptamer-based biosensor for nonenzymatic detection of cardiac troponin I by nanohybrid electrocatalysts labeling combined with DNA nanotetrahedron structure. <i>Biosensors and Bioelectronics</i> , 2019, 134, 49-56.	10.1	132
51	Chrysophanol attenuated isoproterenol-induced cardiac hypertrophy by inhibiting Janus kinase 2/signal transducer and activator of transcription 3 signaling pathway. <i>Cell Biology International</i> , 2019, 43, 695-705.	3.0	11
52	Asymmetric Construction of 4-H-Pyrano[3,2-b]indoles via Cinchonine-Catalyzed 1,4-Addition of 2-Ylideneoxindole with Malononitrile. <i>Journal of Organic Chemistry</i> , 2019, 84, 5450-5459.	3.2	16
53	Chrysophanol protects against doxorubicin-induced cardiotoxicity by suppressing cellular PARylation. <i>Acta Pharmaceutica Sinica B</i> , 2019, 9, 782-793.	12.0	40
54	sFRP1 has a biphasic effect on doxorubicin-induced cardiotoxicity in a cellular location-dependent manner in NRCMs and Rats. <i>Archives of Toxicology</i> , 2019, 93, 533-546.	4.2	15

#	ARTICLE	IF	CITATIONS
55	Design, synthesis, and discovery of ocotillol-type amide derivatives as orally available modulators of P-glycoprotein-mediated multidrug resistance. <i>European Journal of Medicinal Chemistry</i> , 2019, 161, 118-130.	5.5	27
56	Poly(ADP-ribose) polymerase 1 induces cardiac fibrosis by mediating mammalian target of rapamycin activity. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 4813-4826.	2.6	11
57	H6, a novel hederagenin derivative, reverses multidrug resistance in vitro and in vivo. <i>Toxicology and Applied Pharmacology</i> , 2018, 341, 98-105.	2.8	82
58	PARP1 interacts with STAT3 and retains active phosphorylated-STAT3 in nucleus during pathological myocardial hypertrophy. <i>Molecular and Cellular Endocrinology</i> , 2018, 474, 137-150.	3.2	20
59	Label-free electrochemical detection of HepG2 tumor cells with a self-assembled DNA nanostructure-based aptasensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 268, 359-367.	7.8	63
60	Machine Learning-Based Modeling of Drug Toxicity. <i>Methods in Molecular Biology</i> , 2018, 1754, 247-264.	0.9	14
61	G3BP2 is involved in isoproterenol-induced cardiac hypertrophy through activating the NF- κ B signaling pathway. <i>Acta Pharmacologica Sinica</i> , 2018, 39, 184-194.	6.1	33
62	Upregulation of α -enolase protects cardiomyocytes from phenylephrine-induced hypertrophy. <i>Canadian Journal of Physiology and Pharmacology</i> , 2018, 96, 352-358.	1.4	4
63	Heme oxygenase-1 ameliorates oxidative stress-induced endothelial senescence via regulating endothelial nitric oxide synthase activation and coupling. <i>Aging</i> , 2018, 10, 1722-1744.	3.1	48
64	A similarity-based method for prediction of drug side effects with heterogeneous information. <i>Mathematical Biosciences</i> , 2018, 306, 136-144.	1.9	199
65	Analysis and Prediction of Nitrated Tyrosine Sites with the mRMR Method and Support Vector Machine Algorithm. <i>Current Bioinformatics</i> , 2018, 13, 3-13.	1.5	51
66	JMJD3 inhibition protects against isoproterenol-induced cardiac hypertrophy by suppressing β -MHC expression. <i>Molecular and Cellular Endocrinology</i> , 2018, 477, 1-14.	3.2	29
67	Calcium Signal Pathway is Involved in Prostaglandin E2 Induced Cardiac Fibrosis in Cardiac Fibroblasts. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2018, 21, 326-339.	2.1	5
68	Protocatechuic aldehyde protects against isoproterenol-induced cardiac hypertrophy via inhibition of the JAK2/STAT3 signaling pathway. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 1373-1385.	3.0	23
69	Competitive electrochemical platform for ultrasensitive cytosensing of liver cancer cells by using nanotetrahedra structure with rolling circle amplification. <i>Biosensors and Bioelectronics</i> , 2018, 120, 8-14.	10.1	66
70	SIRT6 Suppresses NFATc4 Expression and Activation in Cardiomyocyte Hypertrophy. <i>Frontiers in Pharmacology</i> , 2018, 9, 1519.	3.5	23
71	Identifying Candidates for Breast Cancer using Interactions of Chemicals and Proteins. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2018, 20, 850-860.	1.1	0
72	Protein kinase CK2 α catalytic subunit ameliorates diabetic renal inflammatory fibrosis via NF- κ B signaling pathway. <i>Biochemical Pharmacology</i> , 2017, 132, 102-117.	4.4	32

#	ARTICLE	IF	CITATIONS
73	Design and synthesis of 28-hydroxy protopanaxadiol as a novel probe template. <i>Natural Product Research</i> , 2017, 31, 1523-1528.	1.8	8
74	Cryptotanshinone inhibits human glioma cell proliferation in vitro and in vivo through SHP-2-dependent inhibition of STAT3 activation. <i>Cell Death and Disease</i> , 2017, 8, e2767-e2767.	6.3	44
75	Therapeutic effect of Cryptotanshinone on experimental rheumatoid arthritis through downregulating p300 mediated-STAT3 acetylation. <i>Biochemical Pharmacology</i> , 2017, 138, 119-129.	4.4	36
76	Voltammetric aptamer based detection of HepG2 tumor cells by using an indium tin oxide electrode array and multifunctional nanoprobes. <i>Mikrochimica Acta</i> , 2017, 184, 3487-3496.	5.0	23
77	Receptor-interacting protein 140 overexpression impairs cardiac mitochondrial function and accelerates the transition to heart failure in chronically infarcted rats. <i>Translational Research</i> , 2017, 180, 91-102.e1.	5.0	3
78	Synthesis and Antibacterial Evaluation of Novel 3-Substituted Ocotillo-Type Derivatives as Leads. <i>Molecules</i> , 2017, 22, 590.	3.8	21
79	A computational method for the identification of candidate drugs for non-small cell lung cancer. <i>PLoS ONE</i> , 2017, 12, e0183411.	2.5	1
80	In Silico Prediction of Chemical Toxicity Profile Using Local Lazy Learning. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2017, 20, 346-353.	1.1	10
81	Analysis and Identification of Aptamer-Compound Interactions with a Maximum Relevance Minimum Redundancy and Nearest Neighbor Algorithm. <i>BioMed Research International</i> , 2016, 2016, 1-9.	1.9	15
82	The Use of Gene Ontology Term and KEGG Pathway Enrichment for Analysis of Drug Half-Life. <i>PLoS ONE</i> , 2016, 11, e0165496.	2.5	9
83	STAT3 Suppression Is Involved in the Protective Effect of SIRT6 Against Cardiomyocyte Hypertrophy. <i>Journal of Cardiovascular Pharmacology</i> , 2016, 68, 204-214.	1.9	30
84	SIRT6 suppresses isoproterenol-induced cardiac hypertrophy through activation of autophagy. <i>Translational Research</i> , 2016, 172, 96-112.e6.	5.0	67
85	Estimation of elimination half-lives of organic chemicals in humans using gradient boosting machine. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016, 1860, 2664-2671.	2.4	27
86	NMNAT3 is involved in the protective effect of SIRT3 in Ang II-induced cardiac hypertrophy. <i>Experimental Cell Research</i> , 2016, 347, 261-273.	2.6	44
87	The poly(ADP-ribosyl)ation of FoxO3 mediated by PARP1 participates in isoproterenol-induced cardiac hypertrophy. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 3027-3039.	4.1	22
88	PKC ζ interacts with STAT3 and promotes its activation in cardiomyocyte hypertrophy. <i>Journal of Pharmacological Sciences</i> , 2016, 132, 15-23.	2.5	12
89	SIRT6 suppresses phenylephrine-induced cardiomyocyte hypertrophy though inhibiting p300. <i>Journal of Pharmacological Sciences</i> , 2016, 132, 31-40.	2.5	34
90	Identification of new candidate drugs for lung cancer using chemical-chemical interactions, chemical-protein interactions and a K-means clustering algorithm. <i>Journal of Biomolecular Structure and Dynamics</i> , 2016, 34, 906-917.	3.5	30

#	ARTICLE	IF	CITATIONS
91	Autophagy activation attenuates angiotensin II-induced cardiac fibrosis. Archives of Biochemistry and Biophysics, 2016, 590, 37-47.	3.0	43
92	Sensitive electrochemical aptamer cytosensor for highly specific detection of cancer cells based on the hybrid nanoelectrocatalysts and enzyme for signal amplification. Biosensors and Bioelectronics, 2016, 75, 301-307.	10.1	117
93	Analysis of A Drug Target-based Classification System using Molecular Descriptors. Combinatorial Chemistry and High Throughput Screening, 2016, 19, 129-135.	1.1	4
94	TIEG1 Inhibits Angiotensin II-induced Cardiomyocyte Hypertrophy by Inhibiting Transcription Factor GATA4. Journal of Cardiovascular Pharmacology, 2015, 66, 196-203.	1.9	9
95	Gene Ontology and KEGG Pathway Enrichment Analysis of a Drug Target-Based Classification System. PLoS ONE, 2015, 10, e0126492.	2.5	50
96	A repeatable assembling and disassembling electrochemical aptamer cytosensor for ultrasensitive and highly selective detection of human liver cancer cells. Analytica Chimica Acta, 2015, 885, 166-173.	5.4	66
97	Changes in short-chain acyl-CoA dehydrogenase during rat cardiac development and stress. Journal of Cellular and Molecular Medicine, 2015, 19, 1672-1688.	3.6	12
98	Effects of ERK1/2/PPAR α /SCAD signal pathways on cardiomyocyte hypertrophy induced by insulin-like growth factor 1 and phenylephrine. Life Sciences, 2015, 124, 41-49.	4.3	15
99	Cryptotanshinone, an orally bioactive herbal compound from <i>Danshen</i> , attenuates atherosclerosis in apolipoprotein E-deficient mice: role of lectin-like oxidized LDL receptor-1 (LOX-1). British Journal of Pharmacology, 2015, 172, 5661-5675.	5.4	61
100	The orphan receptor NOR1 participates in isoprenaline-induced cardiac hypertrophy by regulating PARP-1. British Journal of Pharmacology, 2015, 172, 2852-2863.	5.4	31
101	Therapeutic effect of Cryptotanshinone on collagen-induced arthritis in rats via inhibiting nuclear factor kappa B signaling pathway. Translational Research, 2015, 165, 704-716.	5.0	29
102	Microfluidic contactless conductivity cytometer for electrical cell sensing and counting. RSC Advances, 2015, 5, 59306-59313.	3.6	14
103	Design, synthesis, nitric oxide release and antibacterial evaluation of novel nitrated ocotillol-type derivatives. European Journal of Medicinal Chemistry, 2015, 101, 71-80.	5.5	36
104	β -Enolase plays a catalytically independent role in doxorubicin-induced cardiomyocyte apoptosis and mitochondrial dysfunction. Journal of Molecular and Cellular Cardiology, 2015, 79, 92-103.	1.9	43
105	Prediction of Cancer Drugs by Chemical-Chemical Interactions. PLoS ONE, 2014, 9, e87791.	2.5	14
106	Novel Bayesian classification models for predicting compounds blocking hERG potassium channels. Acta Pharmacologica Sinica, 2014, 35, 1093-1102.	6.1	53
107	Poly(ADP-ribose) Polymerase 1 (PARP1) in Atherosclerosis: From Molecular Mechanisms to Therapeutic Implications. Medicinal Research Reviews, 2014, 34, 644-675.	10.5	77
108	Tanshinone IIA suppresses cholesterol accumulation in human macrophages: role of heme oxygenase-1. Journal of Lipid Research, 2014, 55, 201-213.	4.2	77

#	ARTICLE	IF	CITATIONS
109	Cryptotanshinone Attenuates Cardiac Fibrosis via Downregulation of COX-2, NOX-2, and NOX-4. <i>Journal of Cardiovascular Pharmacology</i> , 2014, 64, 28-37.	1.9	40
110	Effectiveness of combination therapy of atorvastatin and non lipid-modifying tanshinone IIA from Danshen in a mouse model of atherosclerosis. <i>International Journal of Cardiology</i> , 2014, 174, 878-880.	1.7	15
111	COX-2 is involved in ET-1-induced hypertrophy of neonatal rat cardiomyocytes: Role of NFATc3. <i>Molecular and Cellular Endocrinology</i> , 2014, 382, 998-1006.	3.2	25
112	Tumor suppressor gene ING3 induces cardiomyocyte hypertrophy via inhibition of AMPK and activation of p38 MAPK signaling. <i>Archives of Biochemistry and Biophysics</i> , 2014, 562, 22-30.	3.0	12
113	A novel three-dimensional microfluidic platform for on chip multicellular tumor spheroid formation and culture. <i>Microfluidics and Nanofluidics</i> , 2014, 17, 831-842.	2.2	23
114	Estimation of acute oral toxicity in rat using local lazy learning. <i>Journal of Cheminformatics</i> , 2014, 6, 26.	6.1	30
115	Mitochondrial binding of $\hat{\pm}$ -enolase stabilizes mitochondrial membrane: Its role in doxorubicin-induced cardiomyocyte apoptosis. <i>Archives of Biochemistry and Biophysics</i> , 2014, 542, 46-55.	3.0	33
116	Salvianolic acid B protects cardiomyocytes from angiotensin II-induced hypertrophy via inhibition of PARP-1. <i>Biochemical and Biophysical Research Communications</i> , 2014, 444, 346-353.	2.1	23
117	C/EBP $\hat{\pm}$ 2 knockdown protects cardiomyocytes from hypertrophy via inhibition of p65-NF $\hat{\pm}$ B. <i>Molecular and Cellular Endocrinology</i> , 2014, 390, 18-25.	3.2	33
118	TRPM7 is involved in angiotensin II induced cardiac fibrosis development by mediating calcium and magnesium influx. <i>Cell Calcium</i> , 2014, 55, 252-260.	2.4	55
119	Cyclovirobuxine D Induces Autophagy-Associated Cell Death via the Akt/mTOR Pathway in MCF-7 Human Breast Cancer Cells. <i>Journal of Pharmacological Sciences</i> , 2014, 125, 74-82.	2.5	51
120	Finding Candidate Drugs for Hepatitis C Based on Chemical-Chemical and Chemical-Protein Interactions. <i>PLoS ONE</i> , 2014, 9, e107767.	2.5	31
121	PARP-2 knockdown protects cardiomyocytes from hypertrophy via activation of SIRT1. <i>Biochemical and Biophysical Research Communications</i> , 2013, 430, 944-950.	2.1	23
122	Tanshinone II-A: new perspectives for old remedies. <i>Expert Opinion on Therapeutic Patents</i> , 2013, 23, 149-153.	5.0	122
123	Sirt1 resists advanced glycation end products-induced expressions of fibronectin and TGF- $\hat{\pm}$ 1 by activating the Nrf2/ARE pathway in glomerular mesangial cells. <i>Free Radical Biology and Medicine</i> , 2013, 65, 528-540.	2.9	223
124	A fusant of <i>Sphingomonas</i> sp. GY2B and <i>Pseudomonas</i> sp. GP3A with high capacity of degrading phenanthrene. <i>World Journal of Microbiology and Biotechnology</i> , 2013, 29, 1685-1694.	3.6	14
125	BIG1, a Brefeldin A $\hat{\pm}$ Inhibited Guanine Nucleotide-Exchange Protein Modulates ATP-Binding Cassette Transporter A-1 Trafficking and Function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, e31-8.	2.4	19
126	Cardiovascular actions and therapeutic potential of tanshinone IIA. <i>Atherosclerosis</i> , 2012, 220, 3-10.	0.8	295

#	ARTICLE	IF	CITATIONS
127	Tanshinone II-A inhibits oxidized LDL-induced LOX-1 expression in macrophages by reducing intracellular superoxide radical generation and NF- κ B activation. <i>Translational Research</i> , 2012, 160, 114-124.	5.0	78
128	PPAR α activation inhibits endothelin-1-induced cardiomyocyte hypertrophy by prevention of NFATc4 binding to GATA-4. <i>Archives of Biochemistry and Biophysics</i> , 2012, 518, 71-78.	3.0	28
129	Roles of transcriptional corepressor RIP140 and coactivator PGC-1 α in energy state of chronically infarcted rat hearts and mitochondrial function of cardiomyocytes. <i>Molecular and Cellular Endocrinology</i> , 2012, 362, 11-18.	3.2	48
130	Biodegradation Kinetics of Phenanthrene by a Fusant Strain. <i>Current Microbiology</i> , 2012, 65, 225-230.	2.2	3
131	Amelioration of atherosclerosis by tanshinone IIA in hyperlipidemic rabbits through attenuation of oxidative stress. <i>European Journal of Pharmacology</i> , 2012, 674, 359-364.	3.5	63
132	Tanshinone II-A attenuates and stabilizes atherosclerotic plaques in Apolipoprotein-E knockout mice fed a high cholesterol diet. <i>Archives of Biochemistry and Biophysics</i> , 2011, 515, 72-79.	3.0	76
133	Influence of ferric iron on the electrochemical behavior of pyrite. <i>Ionics</i> , 2011, 17, 169-176.	2.4	41
134	Activation of peroxisome proliferator-activated receptor- α prevents glycogen synthase 3 β phosphorylation and inhibits cardiac hypertrophy. <i>FEBS Letters</i> , 2007, 581, 3311-3316.	2.8	39
135	Tanshinone II A attenuates atherosclerotic calcification in rat model by inhibition of oxidative stress. <i>Vascular Pharmacology</i> , 2007, 46, 427-438.	2.1	98
136	An Optimized Protocol for Culture of Cardiomyocyte from Neonatal Rat. <i>Cytotechnology</i> , 2005, 49, 109-116.	1.6	61