Lex Bouter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3669046/publications.pdf

Version: 2024-02-01

542 papers 95,806 citations

143 h-index 294 g-index

566 all docs 566 docs citations

566 times ranked 69613 citing authors

#	Article	IF	Citations
1	Quality criteria were proposed for measurement properties of health status questionnaires. Journal of Clinical Epidemiology, 2007, 60, 34-42.	5.0	7,331
2	Development of AMSTAR: a measurement tool to assess the methodological quality of systematic reviews. BMC Medical Research Methodology, 2007, 7, 10.	3.1	3,253
3	The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. Journal of Clinical Epidemiology, 2010, 63, 737-745.	5.0	2,945
4	The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. Quality of Life Research, 2010, 19, 539-549.	3.1	2,751
5	The Delphi List. Journal of Clinical Epidemiology, 1998, 51, 1235-1241.	5.0	1,980
6	Elevated C-Reactive Protein Levels in Overweight and Obese Adults. JAMA - Journal of the American Medical Association, 1999, 282, 2131.	7.4	1,978
7	COSMIN guideline for systematic reviews of patient-reported outcome measures. Quality of Life Research, 2018, 27, 1147-1157.	3.1	1,600
8	Updated Method Guidelines for Systematic Reviews in the Cochrane Collaboration Back Review Group. Spine, 2003, 28, 1290-1299.	2.0	1,586
9	Ankle Brachial Index Combined With Framingham Risk Score to Predict Cardiovascular Events and Mortality. JAMA - Journal of the American Medical Association, 2008, 300, 197.	7.4	1,553
10	Interpreting Change Scores for Pain and Functional Status in Low Back Pain. Spine, 2008, 33, 90-94.	2.0	1,540
11	How to measure comorbiditya critical review of available methods. Journal of Clinical Epidemiology, 2003, 56, 221-229.	5. 0	1,506
12	Rating the methodological quality in systematic reviews of studies on measurement properties: a scoring system for the COSMIN checklist. Quality of Life Research, 2012, 21, 651-657.	3.1	1,463
13	AMSTAR is a reliable and valid measurement tool to assess the methodological quality of systematic reviews. Journal of Clinical Epidemiology, 2009, 62, 1013-1020.	5.0	1,427
14	When to use agreement versus reliability measures. Journal of Clinical Epidemiology, 2006, 59, 1033-1039.	5.0	1,356
15	COSMIN Risk of Bias checklist for systematic reviews of Patient-Reported Outcome Measures. Quality of Life Research, 2018, 27, 1171-1179.	3.1	1,264
16	The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: A clarification of its content. BMC Medical Research Methodology, 2010, 10, 22.	3.1	1,178
17	COSMIN methodology for evaluating the content validity of patient-reported outcome measures: a Delphi study. Quality of Life Research, 2018, 27, 1159-1170.	3.1	1,020
18	Conservative Treatment of Acute and Chronic Nonspecific Low Back Pain. Spine, 1997, 22, 2128-2156.	2.0	827

#	Article	IF	Citations
19	Conducting systematic reviews of diagnostic studies: didactic guidelines. BMC Medical Research Methodology, 2002, 2, 9.	3.1	807
20	Shoulder disorders in general practice: incidence, patient characteristics, and management Annals of the Rheumatic Diseases, 1995, 54, 959-964.	0.9	747
21	Systematic Review of Psychosocial Factors at Work and Private Life as Risk Factors for Back Pain. Spine, 2000, 25, 2114-2125.	2.0	699
22	Forced Use of the Upper Extremity in Chronic Stroke Patients. Stroke, 1999, 30, 2369-2375.	2.0	688
23	Falls in the Elderly: A Prospective Study of Risk Factors and Risk Profiles. American Journal of Epidemiology, 1996, 143, 1129-1136.	3.4	647
24	Corticosteroid injections, physiotherapy, or a wait-and-see policy for lateral epicondylitis: a randomised controlled trial. Lancet, The, 2002, 359, 657-662.	13.7	640
25	A cost-of-illness study of back pain in The Netherlands. Pain, 1995, 62, 233-240.	4.2	637
26	Method Guidelines for Systematic Reviews in the Cochrane Collaboration Back Review Group for Spinal Disorders. Spine, 1997, 22, 2323-2330.	2.0	601
27	Adiposity in Relation to Vitamin D Status and Parathyroid Hormone Levels: A Population-Based Study in Older Men and Women. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 4119-4123.	3.6	595
28	Minimal changes in health status questionnaires: distinction between minimally detectable change and minimally important change. Health and Quality of Life Outcomes, 2006, 4, 54.	2.4	587
29	Fall-risk screening test. Journal of Clinical Epidemiology, 2001, 54, 837-844.	5.0	578
30	Moderate Alcohol Consumption Lowers the Risk of Type 2 Diabetes. Diabetes Care, 2005, 28, 719-725.	8.6	574
31	Hyperglycaemia is associated with all-cause and cardiovascular mortality in the Hoorn population: the Hoorn Study. Diabetologia, 1999, 42, 926-931.	6.3	571
32	Vitamin D Supplementation and Fracture Incidence in Elderly Persons. Annals of Internal Medicine, 1996, 124, 400.	3.9	565
33	A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. Spine, 2008, 33, 95-103.	2.0	537
34	Metabolic Syndrome and 10-Year Cardiovascular Disease Risk in the Hoorn Study. Circulation, 2005, 112, 666-673.	1.6	517
35	Relation of Impaired Fasting and Postload Glucose With Incident Type 2 Diabetes in a Dutch Population. JAMA - Journal of the American Medical Association, 2001, 285, 2109.	7.4	516
36	Mild renal insufficiency is associated with increased cardiovascular mortality: The Hoorn Study. Kidney International, 2002, 62, 1402-1407.	5.2	475

#	Article	IF	Citations
37	Efficacy of spinal manipulation and mobilization for low back pain and neck pain: a systematic review and best evidence synthesis. Spine Journal, 2004, 4, 335-356.	1.3	473
38	The COnsensus-based Standards for the selection of health Measurement INstruments (COSMIN) and how to select an outcome measurement instrument. Brazilian Journal of Physical Therapy, 2016, 20, 105-113.	2 . 5	469
39	Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. Annals of the Rheumatic Diseases, 2004, 63, 335-341.	0.9	457
40	The Effect of a Proprioceptive Balance Board Training Program for the Prevention of Ankle Sprains. American Journal of Sports Medicine, 2004, 32, 1385-1393.	4.2	454
41	Physical load during work and leisure time as risk factors for back pain. Scandinavian Journal of Work, Environment and Health, 1999, 25, 387-403.	3.4	452
42	Occupational risk factors for shoulder pain: a systematic review. Occupational and Environmental Medicine, 2000, 57, 433-442.	2.8	445
43	External Validation of a Measurement Tool to Assess Systematic Reviews (AMSTAR). PLoS ONE, 2007, 2, e1350.	2.5	444
44	Title is missing!. Spine, 2003, 28, 1290-1299.	2.0	443
45	Flexion and Rotation of the Trunk and Lifting at Work Are Risk Factors for Low Back Pain. Spine, 2000, 25, 3087-3092.	2.0	419
46	Spinal Radiographic Findings and Nonspecific Low Back Pain. Spine, 1997, 22, 427-434.	2.0	418
47	Arterial Stiffness Increases With Deteriorating Glucose Tolerance Status. Circulation, 2003, 107, 2089-2095.	1.6	418
48	The clinical course and prognostic factors of non-specific neck pain: a systematic review. Pain, 1998, 77, 1-13.	4.2	413
49	Association Between Memory Complaints and Incident Alzheimer's Disease in Elderly People With Normal Baseline Cognition. American Journal of Psychiatry, 1999, 156, 531-537.	7.2	410
50	Physical risk factors for neck pain. Scandinavian Journal of Work, Environment and Health, 2000, 26, 7-19.	3.4	405
51	Impaired Autonomic Function Is Associated With Increased Mortality, Especially in Subjects With Diabetes, Hypertension, or a History of Cardiovascular Disease. Diabetes Care, 2001, 24, 1793-1798.	8.6	400
52	The intra- and interrater reliability of the action research arm test: A practical test of upper extremity function in patients with stroke. Archives of Physical Medicine and Rehabilitation, 2001, 82, 14-19.	0.9	396
53	Associations of hip and thigh circumferences independent of waist circumference with the incidence of type 2 diabetes: the Hoorn Study. American Journal of Clinical Nutrition, 2003, 77, 1192-1197.	4.7	393
54	Increased Central Artery Stiffness in Impaired Glucose Metabolism and Type 2 Diabetes. Hypertension, 2004, 43, 176-181.	2.7	390

#	Article	IF	Citations
55	Cost-of-illness of neck pain in The Netherlands in 1996. Pain, 1999, 80, 629-636.	4.2	383
56	Clinimetric Properties of the Motor Activity Log for the Assessment of Arm Use in Hemiparetic Patients. Stroke, 2004, 35, 1410-1414.	2.0	376
57	Alanine aminotransferase predicts coronary heart disease events: A 10-year follow-up of the Hoorn Study. Atherosclerosis, 2007, 191, 391-396.	0.8	371
58	Insulin and Risk of Cardiovascular Disease. Circulation, 1998, 97, 996-1001.	1.6	369
59	Blood Pressure, Lipids, and Obesity Are Associated With Retinopathy. Diabetes Care, 2002, 25, 1320-1325.	8.6	363
60	Trunk Fat and Leg Fat Have Independent and Opposite Associations With Fasting and Postload Glucose Levels. Diabetes Care, 2004, 27, 372-377.	8.6	363
61	Prevalence and Determinants of Glucose Intolerance in a Dutch Caucasian Population: The Hoorn Study. Diabetes Care, 1995, 18, 1270-1273.	8.6	348
62	Microalbuminuria and Peripheral Arterial Disease Are Independent Predictors of Cardiovascular and All-Cause Mortality, Especially Among Hypertensive Subjects. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 617-624.	2.4	338
63	Hyperhomocysteinemia Is Associated With an Increased Risk of Cardiovascular Disease, Especially in Non–Insulin-Dependent Diabetes Mellitus. Arteriosclerosis, Thrombosis, and Vascular Biology, 1998, 18, 133-138.	2.4	336
64	Are neck flexion, neck rotation, and sitting at work risk factors for neck pain? Results of a prospective cohort study. Occupational and Environmental Medicine, 2001, 58, 200-207.	2.8	333
65	Self-Monitoring of Blood Glucose in Patients With Type 2 Diabetes Who Are Not Using Insulin: A systematic review. Diabetes Care, 2005, 28, 1510-1517.	8.6	328
66	Intra-individual variation of glucose, specific insulin and proinsulin concentrations measured by two oral glucose tolerance tests in a general Caucasian population: the Hoorn Study. Diabetologia, 1996, 39, 298-305.	6.3	326
67	Efficacy of epidural steroid injections for low-back pain and sciatica: a systematic review of randomized clinical trials. Pain, 1995, 63, 279-288.	4.2	325
68	Low-Grade Systemic Inflammation in Overweight Children. Pediatrics, 2001, 107, e13-e13.	2.1	324
69	Rheumatoid arthritis versus diabetes as a risk factor for cardiovascular disease: a cross-sectional study, the CARRÉ Investigation. Annals of the Rheumatic Diseases, 2009, 68, 1395-1400.	0.9	319
70	Minimal Clinically Important Change of the Neck Disability Index and the Numerical Rating Scale for Patients With Neck Pain. Spine, 2007, 32, 3047-3051.	2.0	318
71	Splinting vs Surgery in the Treatment of Carpal Tunnel Syndrome. JAMA - Journal of the American Medical Association, 2002, 288, 1245.	7.4	316
72	Psychosocial risk factors for neck pain: A systematic review. American Journal of Industrial Medicine, 2001, 39, 180-193.	2.1	314

#	Article	IF	Citations
73	High physical work load and low job satisfaction increase the risk of sickness absence due to low back pain: results of a prospective cohort study. Occupational and Environmental Medicine, 2002, 59, 323-328.	2.8	305
74	A risk profile for identifying community-dwelling elderly with a high risk of recurrent falling: results of a 3-year prospective study. Osteoporosis International, 2006, 17, 417-425.	3.1	304
75	Depression and risk of cognitive decline and Alzheimer's disease. British Journal of Psychiatry, 2000, 176, 568-575.	2.8	303
76	Episodes of Low Back Pain. Spine, 2002, 27, 2409-2416.	2.0	301
77	THE RESPONSIVENESS OF THE ACTION RESEARCH ARM TEST AND THE FUGL-MEYER ASSESSMENT SCALE IN CHRONIC STROKE PATIENTS. Journal of Rehabilitation Medicine, 2001, 33, 110-113.	1.1	295
78	Ultrasound therapy for musculoskeletal disorders: a systematic review. Pain, 1999, 81, 257-271.	4.2	293
79	A one season prospective cohort study of volleyball injuries. British Journal of Sports Medicine, 2004, 38, 477-481.	6.7	289
80	Manual Therapy, Physical Therapy, or Continued Care by a General Practitioner for Patients with Neck Pain. Annals of Internal Medicine, 2002, 136, 713.	3.9	283
81	Corticosteroid injections for lateral epicondylitis: a systematic review. Pain, 2002, 96, 23-40.	4.2	282
82	Incidence and prevalence of complaints of the neck and upper extremity in general practice. Annals of the Rheumatic Diseases, 2005, 64, 118-123.	0.9	282
83	Shoulder disorders in general practice: prognostic indicators of outcome. British Journal of General Practice, 1996, 46, 519-23.	1.4	282
84	von Willebrand Factor, C-Reactive Protein, and 5-Year Mortality in Diabetic and Nondiabetic Subjects. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 3071-3078.	2.4	277
85	Minimally important change determined by a visual method integrating an anchor-based and a distribution-based approach. Quality of Life Research, 2007, 16, 131-142.	3.1	276
86	Predictors for Falls and Fractures in the Longitudinal Aging Study Amsterdam. Journal of Bone and Mineral Research, 1998, 13, 1932-1939.	2.8	270
87	Skeletal Muscle Mass and Muscle Strength in Relation to Lowerâ€Extremity Performance in Older Men and Women. Journal of the American Geriatrics Society, 2000, 48, 381-386.	2.6	270
88	Hyperhomocysteinemia Increases Risk of Death, Especially in Type 2 Diabetes. Circulation, 2000, 101, 1506-1511.	1.6	260
89	Systematic review of prognostic cohort studies on shoulder disorders. Pain, 2004, 109, 420-431.	4.2	254
90	Vitamin D status and sex hormone binding globulin: Determinants of bone turnover and bone mineral density in elderly women. Journal of Bone and Mineral Research, 1995, 10, 1177-1184.	2.8	253

#	Article	IF	CITATIONS
91	Peripheral arterial disease in relation to glycaemic level in an elderly Caucasian population: the Hoorn Study. Diabetologia, 1995, 38, 86-96.	6.3	250
92	Interobserver reproducibility of the assessment of severity of complaints, grip strength, and pressure pain threshold in patients with lateral epicondylitis. Archives of Physical Medicine and Rehabilitation, 2002, 83, 1145-1150.	0.9	248
93	Effectiveness of corticosteroid injections versus physiotherapy for treatment of painful stiff shoulder in primary care: randomised trial. BMJ: British Medical Journal, 1998, 317, 1292-1296.	2.3	245
94	Spinal manipulation and mobilisation for back and neck pain: a blinded review BMJ: British Medical Journal, 1991, 303, 1298-1303.	2.3	243
95	Effectiveness of exercise therapy: A best-evidence summary of systematic reviews. Australian Journal of Physiotherapy, 2005, 51, 71-85.	0.9	240
96	Spinal Manipulation for Low Back Pain. Spine, 1996, 21, 2860-2871.	2.0	239
97	Protocol of the COSMIN study: COnsensus-based Standards for the selection of health Measurement INstruments. BMC Medical Research Methodology, 2006, 6, 2.	3.1	238
98	Symptoms and Well-Being in Relation to Glycemic Control in Type II Diabetes. Diabetes Care, 1996, 19, 204-210.	8.6	235
99	Risk Factors for Incident Retinopathy in a Diabetic and Nondiabetic Population. JAMA Ophthalmology, 2003, 121, 245.	2.4	232
100	The quality of diagnostic accuracy studies since the STARD statement. Neurology, 2006, 67, 792-797.	1.1	229
101	The Effectiveness of Manual Therapy, Physiotherapy, and Treatment by the General Practitioner for Nonspecific Back and Neck Complaints. Spine, 1992, 17, 28-35.	2.0	227
102	Satisfactory cross cultural equivalence of the Dutch WOMAC in patients with hip osteoarthritis waiting for arthroplasty. Annals of the Rheumatic Diseases, 2004, 63, 36-42.	0.9	227
103	Randomised clinical trial of manipulative therapy and physiotherapy for persistent back and neck complaints: results of one year follow up BMJ: British Medical Journal, 1992, 304, 601-605.	2.3	225
104	Increased levels of soluble vascular cell adhesion molecule 1 are associated with risk of cardiovascular mortality in type 2 diabetes: the Hoorn study Diabetes, 2000, 49, 485-491.	0.6	223
105	Memory complaints and APOE-Îμ4 accelerate cognitive decline in cognitively normal elderly. Neurology, 2001, 57, 2217-2222.	1.1	220
106	Inter-rater agreement and reliability of the COSMIN (COnsensus-based Standards for the selection of) Tj ETQq0 (0 O ₃ rgBT /0	Overlgck 10 T
107	Endothelial Dysfunction Contributes to Renal Function–Associated Cardiovascular Mortality in a Population with Mild Renal Insufficiency. Journal of the American Society of Nephrology: JASN, 2006, 17, 537-545.	6.1	212
108	The Test of LasÃ"gue. Spine, 2000, 25, 1140-1147.	2.0	206

#	Article	IF	CITATIONS
109	Exercise therapy for arm function in stroke patients: a systematic review of randomized controlled trials. Clinical Rehabilitation, 2001, 15, 20-31.	2.2	206
110	COSMIN Risk of Bias tool to assess the quality of studies on reliability or measurement error of outcome measurement instruments: a Delphi study. BMC Medical Research Methodology, 2020, 20, 293.	3.1	205
111	Physiotherapy exercises and back pain: a blinded review BMJ: British Medical Journal, 1991, 302, 1572-1576.	2.3	204
112	The Efficacy of Traction for Back and Neck Pain: A Systematic, Blinded Review of Randomized Clinical Trial Methods. Physical Therapy, 1995, 75, 93-104.	2.4	203
113	Meta-analysis: Acupuncture for Osteoarthritis of the Knee. Annals of Internal Medicine, 2007, 146, 868.	3.9	201
114	The Hong Kong Principles for assessing researchers: Fostering research integrity. PLoS Biology, 2020, 18, e3000737.	5.6	200
115	Occupational Therapy for Stroke Patients. Stroke, 2003, 34, 676-687.	2.0	194
116	Cost effectiveness of physiotherapy, manual therapy, and general practitioner care for neck pain: economic evaluation alongside a randomised controlled trial * Commentary: Bootstrapping simplifies appreciation of statistical inferences. BMJ: British Medical Journal, 2003, 326, 911-911.	2.3	192
117	Current challenges in clinimetrics. Journal of Clinical Epidemiology, 2003, 56, 1137-1141.	5.0	189
118	Microvascular Complications at Time of Diagnosis of Type 2 Diabetes Are Similar Among Diabetic Patients Detected by Targeted Screening and Patients Newly Diagnosed in General Practice: The Hoorn Screening Study. Diabetes Care, 2003, 26, 2604-2608.	8.6	188
119	Inflammation and endothelial dysfunction are associated with retinopathy: the Hoorn Study. Diabetologia, 2005, 48, 1300-1306.	6.3	188
120	The Efficacy of Laser Therapy for Musculoskeletal and Skin Disorders: A Criteria-Based Meta-analysis of Randomized Clinical Trials. Physical Therapy, 1992, 72, 483-491.	2.4	187
121	Effectiveness of physiotherapy for lateral epicondylitis: a systematic review. Annals of Medicine, 2003, 35, 51-62.	3.8	187
122	Acupuncture for peripheral joint osteoarthritis. The Cochrane Library, 2010, 2010, CD001977.	2.8	187
123	Muscle Relaxants for Nonspecific Low Back Pain: A Systematic Review Within the Framework of the Cochrane Collaboration. Spine, 2003, 28, 1978-1992.	2.0	180
124	Effects of acupuncture on rates of pregnancy and live birth among women undergoing in vitro fertilisation: systematic review and meta-analysis. BMJ: British Medical Journal, 2008, 336, 545-549.	2.3	177
125	Complications of spinal manipulation: a comprehensive review of the literature. Journal of Family Practice, 1996, 42, 475-80.	0.2	177
126	A Critical Appraisal of Review Articles on the Effectiveness of Conservative Treatment for Neck Pain. Spine, 2001, 26, 196-205.	2.0	173

#	Article	IF	CITATIONS
127	Elder Abuse in the Community: Prevalence and Consequences. Journal of the American Geriatrics Society, 1998, 46, 885-888.	2.6	172
128	Microalbuminuria is associated with impaired brachial artery, flow-mediated vasodilation in elderly individuals without and with diabetes: Further evidence for a link between microalbuminuria and endothelial dysfunction—The Hoorn Study. Kidney International, 2004, 66, S42-S44.	5.2	170
129	Corticosteroid injections for lateral epicondylitis: a systematic overview. British Journal of General Practice, 1996, 46, 209-16.	1.4	167
130	Conservative treatment options for carpal tunnel syndrome: a systematic review of randomised controlled trials. Journal of Neurology, 2002, 249, 272-280.	3.6	165
131	Development of a Type 2 Diabetes Symptom Checklist: a Measure of Symptom Severity. Diabetic Medicine, 1994, 11, 253-261.	2.3	164
132	Predictors of Outcome in Neck and Shoulder Symptoms. Spine, 2005, 30, E459-E470.	2.0	162
133	Physical examination for lumbar radiculopathy due to disc herniation in patients with low-back pain. The Cochrane Library, 2010, , CD007431.	2.8	162
134	Efficacy of spinal manipulation for chronic headache: A systematic review. Journal of Manipulative and Physiological Therapeutics, 2001, 24, 457-466.	0.9	161
135	Type 2 diabetes is associated with impaired endothelium-dependent, flow-mediated dilation, but impaired glucose metabolism is not. Atherosclerosis, 2004, 174, 49-56.	0.8	161
136	A Classification Tree for Predicting Recurrent Falling in Communityâ€Dwelling Older Persons. Journal of the American Geriatrics Society, 2003, 51, 1356-1364.	2.6	160
137	An economic evaluation of a proprioceptive balance board training programme for the prevention of ankle sprains in volleyball. British Journal of Sports Medicine, 2005, 39, 111-115.	6.7	160
138	Diabetes, pulse pressure and cardiovascular mortality: the Hoorn Study. Journal of Hypertension, 2002, 20, 1743-1751.	0.5	156
139	Ultrasound Measurements for the Prediction of Osteoporotic Fractures in Elderly People. Osteoporosis International, 1999, 9, 550-556.	3.1	154
140	The Emerging Risk Factors Collaboration: analysis of individual data on lipid, inflammatory and other markers in over 1.1 million participants in 104 prospective studies of cardiovascular diseases. European Journal of Epidemiology, 2007 , 22 , 839 - 869 .	5.7	153
141	Prognostic Value of Adiponectin for Cardiovascular Disease and Mortality. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 1489-1496.	3.6	151
142	Larger Thigh and Hip Circumferences Are Associated with Better Glucose Tolerance: The Hoorn Study. Obesity, 2003, 11, 104-111.	4.0	149
143	Associations of Adiponectin Levels With Incident Impaired Glucose Metabolism and Type 2 Diabetes in Older Men and Women: The Hoorn Study. Diabetes Care, 2006, 29, 2498-2503.	8.6	149
144	Occupational therapy for community dwelling elderly people: a systematic review. Age and Ageing, 2004, 33, 453-460.	1.6	147

#	Article	IF	CITATIONS
145	Evaluation of the methodological quality of systematic reviews of health status measurement instruments. Quality of Life Research, 2009, 18, 313-333.	3.1	146
146	Publications on diagnostic test evaluation in family medicine journals. Journal of Clinical Epidemiology, 2000, 53, 65-69.	5.0	145
147	The efficacy of back schools: A review of randomized clinical trials. Journal of Clinical Epidemiology, 1994, 47, 851-862.	5.0	144
148	Second primary tumors in patients with retinoblastoma a review of the literature. Ophthalmic Genetics, 1997, 18, 27-34.	1.2	143
149	Prediction of return-to-work of low back pain patients sicklisted for 3–4 months. Pain, 2000, 87, 285-294.	4.2	143
150	Muscle relaxants for non-specific low-back pain. The Cochrane Library, 2003, , CD004252.	2.8	143
151	Surgical treatment options for carpal tunnel syndrome. The Cochrane Library, 2007, , CD003905.	2.8	143
152	Endothelial Dysfunction and Low-Grade Inflammation Explain Much of the Excess Cardiovascular Mortality in Individuals With Type 2 Diabetes. Arteriosclerosis, Thrombosis, and Vascular Biology, 2006, 26, 1086-1093.	2.4	142
153	Acceptance and Compliance with External Hip Protectors: A Systematic Review of the Literature. Osteoporosis International, 2002, 13, 917-924.	3.1	139
154	Cardiovascular events in type 2 diabetes: comparison with nondiabetic individuals without and with prior cardiovascular disease 10-year follow-up of the Hoorn Study. European Heart Journal, 2003, 24, 1406-1413.	2.2	139
155	Prevention of Hip Fractures by External Hip Protectors. JAMA - Journal of the American Medical Association, 2003, 289, 1957.	7.4	139
156	REPRODUCIBILITY AND RESPONSIVENESS OF EVALUATIVE OUTCOME MEASURES. International Journal of Technology Assessment in Health Care, 2001, 17, 479-487.	0.5	138
157	The responsiveness of the Shoulder Disability Questionnaire. Annals of the Rheumatic Diseases, 1998, 57, 82-87.	0.9	137
158	Performance of an NIDDM Screening Questionnaire Based on Symptoms and Risk Factors. Diabetes Care, 1997, 20, 491-496.	8.6	136
159	The Prognosis of Low Back Pain in General Practice. Spine, 1997, 22, 1515-1521.	2.0	135
160	Ranking major and minor research misbehaviors: results from a survey among participants of four World Conferences on Research Integrity. Research Integrity and Peer Review, 2016, 1, 17.	5.2	135
161	Incidence and survival of retinoblastoma in the Netherlands: a register based study 1862-1995. British Journal of Ophthalmology, 1997, 81, 559-562.	3.9	133
162	Shoulder disability questionnaire design and responsiveness of a functional status measure. Journal of Clinical Epidemiology, 2000, 53, 29-38.	5.0	133

#	Article	IF	CITATIONS
163	Measuring sick leave: a comparison of self-reported data on sick leave and data from company records. Occupational Medicine, 2002, 52, 485-490.	1.4	133
164	Methodological Quality of Randomized Clinical Trials on Treatment Efficaact in Low Back Pain. Spine, 1995, 20, 228-235.	2.0	132
165	Serum homocysteine level and protein intake are related to risk of microalbuminuria: The Hoorn Study. Kidney International, 1998, 54, 203-209.	5.2	131
166	The 1997 American Diabetes Association Criteria Versus the 1985 World Health Organization Criteria for the Diagnosis of Abnormal Glucose Tolerance: Poor agreement in the Hoorn Study. Diabetes Care, 1998, 21, 1686-1690.	8.6	131
167	On the Accuracy of History, Physical Examination, and Erythrocyte Sedimentation Rate in Diagnosing Low Back Pain in General Practice. Spine, 1995, 20, 318-326.	2.0	128
168	Is higher dairy consumption associated with lower body weight and fewer metabolic disturbances? The Hoorn Study. American Journal of Clinical Nutrition, 2007, 85, 989-995.	4.7	126
169	Scientific citations favor positive results: a systematic review and meta-analysis. Journal of Clinical Epidemiology, 2017, 88, 92-101.	5.0	126
170	Lumbar Supports and Education for the Prevention of Low Back Pain in Industry. JAMA - Journal of the American Medical Association, 1998, 279, 1789.	7.4	125
171	Non-invasive physical treatments for chronic/recurrent headache. , 2004, , CD001878.		125
172	Manual Therapy, Physical Therapy, or Continued Care by the General Practitioner for Patients With Neck Pain. Clinical Journal of Pain, 2006, 22, 370-377.	1.9	125
173	Quality of Reporting of Diagnostic Accuracy Studies. Radiology, 2005, 235, 347-353.	7.3	124
174	On the course of low back pain in general practice: a one year follow up study. Annals of the Rheumatic Diseases, 1998, 57, 13-19.	0.9	123
175	Should treatment of (sub)acute low back pain be aimed at psychosocial prognostic factors? Cluster randomised clinical trial in general practice. BMJ: British Medical Journal, 2005, 331, 84.	2.3	123
176	Clinical prediction rules for the prognosis of shoulder pain in general practice. Pain, 2006, 120, 276-285.	4.2	123
177	Psychosocial work characteristics and psychological strain in relation to low-back pain. Scandinavian Journal of Work, Environment and Health, 2001, 27, 258-267.	3.4	123
178	Diagnostic classification of shoulder disorders: interobserver agreement and determinants of disagreement. Annals of the Rheumatic Diseases, 1999, 58, 272-277.	0.9	122
179	Coffee consumption and incidence of impaired fasting glucose, impaired glucose tolerance, and type 2 diabetes: the Hoorn Study. Diabetologia, 2004, 47, 2152-2159.	6.3	121
180	Glucose tolerance and other determinants of cardiovascular autonomic function: the Hoorn Study. Diabetologia, 2000, 43, 561-570.	6.3	120

#	Article	IF	Citations
181	Lumbar Supports for Prevention and Treatment of Low Back Pain. Spine, 2001, 26, 377-386.	2.0	118
182	Regional body composition as a determinant of arterial stiffness in the elderly. Journal of Hypertension, 2004, 22, 2339-2347.	0.5	118
183	Systematic review of randomized clinical trials of surgical treatment for carpal tunnel syndrome. British Journal of Surgery, 2002, 88, 1285-1295.	0.3	117
184	Implementation of Clinical Guidelines on Physical Therapy for Patients With Low Back Pain: Randomized Trial Comparing Patient Outcomes After a Standard and Active Implementation Strategy. Physical Therapy, 2005, 85, 544-555.	2.4	116
185	Potentially modifiable determinants of vitamin D status in an older population in the Netherlands: the Hoorn Study. American Journal of Clinical Nutrition, 2007, 85, 755-761.	4.7	116
186	Leptin and variables of body adiposity, energy balance, and insulin resistance in a population-based study. The Hoorn Study. Diabetes Care, 1999, 22, 1097-1104.	8.6	115
187	Prognostic factors for neck pain in general practice. Pain, 2004, 110, 639-645.	4.2	114
188	A systematic review of controlled clinical trials on the prevention of back pain in industry Occupational and Environmental Medicine, 1997, 54, 841-847.	2.8	113
189	Three ways to quantify uncertainty in individually applied "minimally important change―values. Journal of Clinical Epidemiology, 2010, 63, 37-45.	5.0	113
190	C-Reactive Protein and Soluble Vascular Cell Adhesion Molecule-1 Are Associated With Elevated Urinary Albumin Excretion but Do Not Explain Its Link With Cardiovascular Risk. Arteriosclerosis, Thrombosis, and Vascular Biology, 2002, 22, 593-598.	2.4	112
191	The assessment of diabetic polyneuropathy in daily clinical practice: Reproducibility and validity of Semmes Weinstein monofilaments examination and clinical neurological examination. Muscle and Nerve, 1997, 20, 116-118.	2.2	111
192	Mechanisms of Action of Lumbar Supports. Spine, 2000, 25, 2103-2113.	2.0	111
193	Effect on the process of care of an active strategy to implement clinical guidelines on physiotherapy for low back pain: a cluster randomised controlled trial. Quality and Safety in Health Care, 2005, 14, 107-112.	2.5	110
194	Microalbuminuria is strongly associated with NIDDM and hypertension, but not with the insulin resistance syndrome: the Hoorn Study. Diabetologia, 1998, 41, 694-700.	6.3	109
195	Meta-analysis of the relationship between alcohol consumption and coronary heart disease and mortality in type 2 diabetic patients. Diabetologia, 2006, 49, 648-652.	6.3	109
196	Second primary tumors in patients with hereditary retinoblastoma: A register-based follow-up study, $1945 \hat{a} \in \mathbb{R}^n$ 1994. International Journal of Cancer, 1996, 67, 515-519.	5.1	107
197	Costs of shoulder pain in primary care consulters: a prospective cohort study in The Netherlands. BMC Musculoskeletal Disorders, 2006, 7, 83.	1.9	106
198	Methodologic Issues in Low Back Pain Research in Primary Care. Spine, 1998, 23, 2014-2020.	2.0	105

#	Article	IF	Citations
199	High Risk of Cardiovascular Mortality in Individuals With Impaired Fasting Glucose Is Explained by Conversion to Diabetes. Diabetes Care, 2007, 30, 332-336.	8.6	105
200	The incidence of hip fractures in independent and institutionalized elderly people. Osteoporosis International, 1994, 4, 6-10.	3.1	104
201	Responsiveness of general health status in chronic low back pain: a comparison of the COOP Charts and the SF-36. Pain, 1999, 83, 201-209.	4.2	99
202	Change of Serum Albumin and Risk of Cardiovascular Disease and All-Cause Mortality. American Journal of Epidemiology, 2006, 164, 969-977.	3.4	99
203	Empirical Evidence of an Association Between Internal Validity and Effect Size in Randomized Controlled Trials of Low-Back Pain. Spine, 2009, 34, 1685-1692.	2.0	99
204	Diabetic Patients Detected by Population-Based Stepwise Screening Already Have a Diabetic Cardiovascular Risk Profile. Diabetes Care, 2002, 25, 1784-1789.	8.6	98
205	Publication Bias in Laboratory Animal Research: A Survey on Magnitude, Drivers, Consequences and Potential Solutions. PLoS ONE, 2012, 7, e43404.	2.5	98
206	The efficacy of non-steroidal anti-inflammatory drugs (NSAIDS) for shoulder complaints. A systematic review. Journal of Clinical Epidemiology, 1995, 48, 691-704.	5.0	97
207	Fasting proinsulin and 2-h post-load glucose levels predict the conversion to NIDDM in subjects with impaired glucose tolerance: The Hoorn Study. Diabetologia, 1996, 39, 113-118.	6.3	97
208	Different risk profiles for hip fractures and distal forearm fractures: A prospective study. Osteoporosis International, 1996, 6, 427-431.	3.1	96
209	Serum Albumin and Muscle Strength: A Longitudinal Study in Older Men and Women. Journal of the American Geriatrics Society, 2005, 53, 1331-1338.	2.6	96
210	Research integrity: nine ways to move from talk to walk. Nature, 2020, 586, 358-360.	27.8	96
211	Efficacy of non-steroidal anti-inflammatory drugs for low back pain: a systematic review of randomised clinical trials. Annals of the Rheumatic Diseases, 1997, 56, 214-223.	0.9	95
212	Serum Homocysteine Levels Are Associated With the Development of (Micro)albuminuria. Arteriosclerosis, Thrombosis, and Vascular Biology, 2001, 21, 74-81.	2.4	94
213	The interexaminer reproducibility of physical examination of the cervical spine. Journal of Manipulative and Physiological Therapeutics, 2004, 27, 84-90.	0.9	93
214	Do psychological factors predict outcome in both low-back pain and shoulder pain?. Annals of the Rheumatic Diseases, 2007, 66, 313-319.	0.9	92
215	Indirect costs of back pain in the Netherlands: a comparison of the human capital method with the friction cost method. Pain, 1999, 80, 201-207.	4.2	91
216	Evidence of the efficacy of occupational therapy in different conditions: an overview of systematic reviews. Clinical Rehabilitation, 2005, 19, 247-254.	2.2	91

#	Article	IF	Citations
217	Prevalence of questionable research practices, research misconduct and their potential explanatory factors: A survey among academic researchers in The Netherlands. PLoS ONE, 2022, 17, e0263023.	2.5	90
218	Occupational therapy for rheumatoid arthritis. The Cochrane Library, 2004, , CD003114.	2.8	89
219	Course and prognosis of elbow complaints: a cohort study in general practice. Annals of the Rheumatic Diseases, 2005, 64, 1331-1336.	0.9	88
220	Daily physical activity and the use of a walking aid in relation to falls in elderly people in a residential care setting. Zeitschrift Fur Gerontologie Und Geriatrie, 2003, 36, 23-28.	1.8	87
221	Overestimation of complication rates in evaluations of Chlamydia trachomatis screening programmes-implications for cost-effectiveness analyses. International Journal of Epidemiology, 2004, 33, 416-425.	1.9	87
222	Traction for low-back pain with or without sciatica. The Cochrane Library, 2013, , CD003010.	2.8	84
223	The effects of acupuncture on rates of clinical pregnancy among women undergoing in vitro fertilization: a systematic review and meta-analysis. Human Reproduction Update, 2013, 19, 696-713.	10.8	82
224	A semiquantitative food frequency questionnaire for use in epidemiologic research among the elderly: Validation by comparison with dietary history. Journal of Clinical Epidemiology, 1995, 48, 859-868.	5.0	80
225	Improving the Action Research Arm test: a unidimensional hierarchical scale. Clinical Rehabilitation, 2002, 16, 646-653.	2.2	80
226	Lower levels of serum albumin and total cholesterol and future decline in functional performance in older persons: the Longitudinal Aging Study Amsterdam. Age and Ageing, 2004, 33, 266-272.	1.6	80
227	Multifactorial Intervention to Reduce Falls in Older People at High Risk of Recurrent Falls. Archives of Internal Medicine, 2010, 170, 1110-7.	3.8	80
228	Similar 9-year mortality risks and reproducibility for the World Health Organization and American Diabetes Association glucose tolerance categories: the Hoorn Study. Diabetes Care, 2000, 23, 40-44.	8.6	79
229	Inter-observer reproducibility of measurements of range of motion in patients with shoulder pain using a digital inclinometer. BMC Musculoskeletal Disorders, 2004, 5, 18.	1.9	79
230	The effect of a balance training programme on centre of pressure excursion in one-leg stance. Clinical Biomechanics, 2005, 20, 1094-1100.	1.2	79
231	Steroid injections for shoulder disorders: a systematic review of randomized clinical trials. British Journal of General Practice, 1996, 46, 309-16.	1.4	79
232	Occupational therapy for rheumatoid arthritis: A systematic review. Arthritis and Rheumatism, 2002, 47, 672-685.	6.7	77
233	Interobserver Reproducibility of the Visual Estimation of Range of Motion of the Shoulder. Archives of Physical Medicine and Rehabilitation, 2005, 86, 1356-1361.	0.9	77
234	Why is a treatment aimed at psychosocial factors not effective in patients with (sub)acute low back pain?. Pain, 2005, 118, 350-359.	4.2	76

#	Article	IF	CITATIONS
235	Commentary: Perverse Incentives or Rotten Apples?. Accountability in Research, 2015, 22, 148-161.	2.4	75
236	No effect of bipolar interferential electrotherapy and pulsed ultrasound for soft tissue shoulder disorders: a randomised controlled trial. Annals of the Rheumatic Diseases, 1999, 58, 530-540.	0.9	73
237	Measures of cardiovascular autonomic nervous function: agreement, reproducibility, and reference values in middle age and elderly subjects. Diabetologia, 2003, 46, 330-338.	6.3	73
238	Effect of Triamcinolone Acetonide Injections on Hemiplegic Shoulder Pain. Stroke, 2000, 31, 2396-2401.	2.0	72
239	The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. Quality of Life Research, 2005, 14, 1141-1155.	3.1	72
240	Reproducibility and responsiveness of evaluative outcome measures. Theoretical considerations illustrated by an empirical example. International Journal of Technology Assessment in Health Care, 2001, 17, 479-87.	0.5	72
241	Occupational therapy for children with cerebral palsy: a systematic review. Clinical Rehabilitation, 2004, 18, 1-14.	2.2	71
242	Fatty fish and supplements are the greatest modifiable contributors to the serum 25â€hydroxyvitaminÂD concentration in a multiethnic population. Clinical Endocrinology, 2008, 68, 466-472.	2.4	71
243	An intervention programme using the ASE-model aimed at enhancing adherence in adolescents with asthma. Patient Education and Counseling, 2001, 44, 193-203.	2.2	70
244	Effectiveness of an education programme by a general practice assistant for asthma and COPD patients: results from a randomised controlled trial. Patient Education and Counseling, 2004, 55, 121-128.	2.2	70
245	Prognostic Factors for Low Back Pain in Patients Referred for Physiotherapy. Spine, 2005, 30, 1881-1886.	2.0	70
246	Alanine aminotransferase and the 6-year risk of the metabolic syndrome in Caucasian men and women: the Hoorn Study. Diabetic Medicine, 2007, 24, 430-435.	2.3	70
247	A prediction rule for shoulder pain related sick leave: a prospective cohort study. BMC Musculoskeletal Disorders, 2006, 7, 97.	1.9	68
248	Personality Traits Are Associated with Research Misbehavior in Dutch Scientists: A Cross-Sectional Study. PLoS ONE, 2016, 11, e0163251.	2.5	67
249	Clinical scores for acute asthma in pre-school children. A review of the literature. Journal of Clinical Epidemiology, 1994, 47, 635-646.	5.0	66
250	Development of an implementation strategy for physiotherapy guidelines on low back pain. Australian Journal of Physiotherapy, 2003, 49, 208-214.	0.9	66
251	Carotid Arterial Remodeling. Stroke, 2004, 35, 671-676.	2.0	66
252	A randomized clinical trial of manual therapy and physiotherapy for persistent back and neck complaints: subgroup analysis and relationship between outcome measures. Journal of Manipulative and Physiological Therapeutics, 1993, 16, 211-9.	0.9	66

#	Article	IF	Citations
253	Hyperhomocysteinemia Is Associated With the Presence of Retinopathy in Type 2 Diabetes Mellitus. Archives of Internal Medicine, 2000, 160, 2984.	3.8	64
254	A combination of high concentrations of serum triglyceride and non-high-density-lipoprotein-cholesterol is a risk factor for cardiovascular disease in subjects with abnormal glucose metabolism—The Hoorn Study. Diabetologia, 2003, 46, 910-916.	6.3	64
255	Development and validation of an ankle brachial index risk model for the prediction of cardiovascular events. European Journal of Preventive Cardiology, 2014, 21, 310-320.	1.8	64
256	Should research misconduct be criminalized?. Research Ethics, 2020, 16, 1-12.	1.7	64
257	Are retinal microvascular abnormalities associated with large artery endothelial dysfunction and intima-media thickness? The Hoorn Study. Clinical Science, 2006, 110, 597-604.	4.3	63
258	A blinded randomized clinical trial of manual therapy and physiotherapy for chronic back and neck complaints: physical outcome measures. Journal of Manipulative and Physiological Therapeutics, 1992, 15, 16-23.	0.9	62
259	Sensation seeking and injury risk in downhill skiing. Personality and Individual Differences, 1988, 9, 667-673.	2.9	61
260	The ethics of sample size:. Journal of Clinical Epidemiology, 2001, 54, 109-110.	5.0	61
261	Predictors of Outcome in Patients With (Sub)Acute Low Back Pain Differ Across Treatment Groups. Spine, 2006, 31, 1699-1705.	2.0	61
262	The aetiology of burns in developed countries: review of the literature. Burns, 1989, 15, 217-221.	1.9	60
263	Depressive Symptoms and Risk of Alzheimer's Disease in More Highly Educated Older People. Journal of the American Geriatrics Society, 2000, 48, 1092-1097.	2.6	60
264	Economic Evaluations and Randomized Trials in Spinal Disorders: Principles and Methods. Spine, 2004, 29, 442-448.	2.0	60
265	Responsiveness of the Rehabilitation Activities Profile and the Barthel Index. Journal of Clinical Epidemiology, 1996, 49, 39-44.	5.0	59
266	Self-monitoring of blood glucose in patients with type 2 diabetes mellitus who are not using insulin., 2005, , CD005060.		59
267	Proinsulin Concentration Is an Independent Predictor of All-Cause and Cardiovascular Mortality: An 11-year follow-up of the Hoorn Study. Diabetes Care, 2005, 28, 860-865.	8.6	59
268	Non-invasive physical treatments for chronic/recurrent headache. The Cochrane Library, 2019, 2019, CD001878.	2.8	58
269	Moderate alcohol consumption is associated with lower risk for incident diabetes and mortality: the Hoorn Study. Diabetes Research and Clinical Practice, 2002, 57, 53-60.	2.8	57
270	Is a Behavioral Graded Activity Program More Effective Than Manual Therapy in Patients With Subacute Neck Pain?. Spine, 2010, 35, 1017-1024.	2.0	57

#	Article	IF	CITATIONS
271	Management of Chronic Nonspecific Low Back Pain in Primary Care: A Descriptive Study. Spine, 1997, 22, 76-82.	2.0	56
272	Conservative treatments for tennis elbow do subgroups of patients respond differently?. Rheumatology, 2007, 46, 1601-1605.	1.9	56
273	Practical aspects of conducting a pragmatic randomised trial in primary care: patient recruitment and outcome assessment. British Journal of General Practice, 2000, 50, 371-4.	1.4	56
274	Carotid artery stenosis is related to blood glucose level in an elderly Caucasian population: the Hoorn Study. Diabetologia, 1997, 40, 290-298.	6.3	55
275	Cost effectiveness analysis of a population based screening programme for asymptomatic Chlamydia trachomatis infections in women by means of home obtained urine specimens. Sexually Transmitted Infections, 2001, 77, 276-282.	1.9	55
276	Reproducibility of the STARD checklist: an instrument to assess the quality of reporting of diagnostic accuracy studies. BMC Medical Research Methodology, 2006, 6, 12.	3.1	55
277	Surgery is more cost-effective than splinting for carpal tunnel syndrome in the Netherlands: results of an economic evaluation alongside a randomized controlled trial. BMC Musculoskeletal Disorders, 2006, 7, 86.	1.9	55
278	Long term health complaints following the Amsterdam Air Disaster in police officers and fire-fighters. Occupational and Environmental Medicine, 2006, 63, 657-662.	2.8	55
279	Prediction of an unfavourable course of low back pain in general practice: comparison of four instruments. British Journal of General Practice, 2007, 57, 15-22.	1.4	55
280	Sensory thresholds in older adults: Reproducibility and reference values. Muscle and Nerve, 1994, 17, 454-461.	2.2	54
281	How do scientists perceive the current publication culture? A qualitative focus group interview study among Dutch biomedical researchers. BMJ Open, 2016, 6, e008681.	1.9	54
282	What Predicts Change in Pulmonary Function and Quality of Life in Asthma or COPD?. Journal of Asthma, 2006, 43, 513-519.	1.7	53
283	The usefulness of evaluative outcome measures in patients with multiple sclerosis. Brain, 2006, 129, 2648-2659.	7.6	53
284	Efficacy of physiotherapy for musculoskeletal disorders: what can we learn from research?. British Journal of General Practice, 1993, 43, 73-7.	1.4	53
285	Cost Effectiveness of Interventions for Lateral Epicondylitis. Pharmacoeconomics, 2004, 22, 185-195.	3.3	52
286	Cost effectiveness of brace, physiotherapy, or both for treatment of tennis elbow * Commentary. British Journal of Sports Medicine, 2006, 40, 637-643.	6.7	52
287	The methodological quality of 176,620 randomized controlled trials published between 1966 and 2018 reveals a positive trend but also an urgent need for improvement. PLoS Biology, 2021, 19, e3001162.	5.6	52
288	Left Ventricular Mass Increases With Deteriorating Glucose Tolerance, Especially in Women: Independence of Increased Arterial Stiffness or Decreased Flow-Mediated Dilation. Diabetes Care, 2004, 27, 522-529.	8.6	51

#	Article	IF	Citations
289	High parental age is associated with sporadic hereditary retinoblastoma: the Dutch retinoblastoma register 1862-1994. Human Genetics, 1996, 98, 109-112.	3.8	50
290	Development and validation of the diabetes fear of injecting and self-testing questionnaire (D-FISQ): first findings., 1997, 14, 871-876.		50
291	Functional limitations and poor physical performance as independent risk factors for self-reported fractures in older persons. Osteoporosis International, 2004, 15, 742-50.	3.1	50
292	Internal consistency and validity of a new physical workload questionnaire. Occupational and Environmental Medicine, 2004, 61, 980-986.	2.8	50
293	Measuring Activity Limitations in Walking: Development of a Hierarchical Scale for Patients With Lower-Extremity Disorders Who Live at Home. Archives of Physical Medicine and Rehabilitation, 2005, 86, 2277-2283.	0.9	50
294	Chronic low back pain in primary care: a prospective study on the management and course. Family Practice, 1998, 15, 126-132.	1.9	49
295	Hyperhomocysteinaemia is associated with coronary events in type 2 diabetes. Journal of Internal Medicine, 2003, 253, 293-300.	6.0	49
296	Reproducibility of cervical range of motion in patients with neck pain. BMC Musculoskeletal Disorders, 2005, 6, 59.	1.9	49
297	Sagittal abdominal diameter: no advantage compared with other anthropometric measures as a correlate of components of the metabolic syndrome in elderly from the Hoorn Study. American Journal of Clinical Nutrition, 2006, 84, 995-1002.	4.7	49
298	Traction for low-back pain with or without sciatica. , 2007, , CD003010.		49
299	Symptoms of depression in people with impaired glucose metabolism or TypeÂ2 diabetes mellitus: The Hoorn Study. Diabetic Medicine, 2008, 25, 843-849.	2.3	49
300	Cochrane Back Review Group. Spine, 2003, 28, 1215-1218.	2.0	48
301	Cost Effectiveness of a Pharmacy-Based Coaching Programme to Improve Adherence to Antidepressants. Pharmacoeconomics, 2007, 25, 25-37.	3.3	48
302	Treating Patients with Hemiplegic Shoulder Pain. American Journal of Physical Medicine and Rehabilitation, 2002, 81, 150-160.	1.4	47
303	Why is soluble intercellular adhesion moleculeâ€1 related to cardiovascular mortality?. European Journal of Clinical Investigation, 2002, 32, 1-8.	3.4	47
304	Physiotherapy or corticosteroid injection for shoulder pain?. Annals of the Rheumatic Diseases, 2003, 62, 385-387.	0.9	47
305	Two prospective studies found that elevated 2-hr glucose predicted male mortality independent of fasting glucose and HbA1c. Journal of Clinical Epidemiology, 2004, 57, 590-596.	5.0	47
306	Applicability and Clinical Relevance of Results in Randomized Controlled Trials. Spine, 2006, 31, 1405-1409.	2.0	47

#	Article	IF	CITATIONS
307	Citation bias and other determinants of citation in biomedical research: findings from six citation networks. Journal of Clinical Epidemiology, 2021, 132, 71-78.	5.0	47
308	Determinants of hip pain in adult patients with severe cerebral palsy. Journal of Pediatric Orthopaedics Part B, 2005, 14, 120-125.	0.6	46
309	Efficacy of Lumbar Traction: A Randomised Clinical Trial. Physiotherapy, 1995, 81, 29-35.	0.4	45
310	Measuring functional limitations in rising and sitting down: Development of a questionnaire. Archives of Physical Medicine and Rehabilitation, 1996, 77, 663-669.	0.9	45
311	Occupational therapy for multiple sclerosis. The Cochrane Library, 2003, , CD003608.	2.8	45
312	What Research Institutions Can Do to Foster Research Integrity. Science and Engineering Ethics, 2020, 26, 2363-2369.	2.9	45
313	Cognitive reserve and mortality in dementia: the role of cognition, functional ability and depression. Psychological Medicine, 1999, 29, 1219-1226.	4.5	44
314	Comparison of two different approaches for the analysis of data from a prospective cohort study: an application to work related risk factors for low back pain. Occupational and Environmental Medicine, 2002, 59, 459-465.	2.8	44
315	The Amsterdam Hip Protector Study: compliance and determinants of compliance. Osteoporosis International, 2003, 14, 353-359.	3.1	44
316	The value of bitewing radiographs in epidemiological caries research: a systematic review of the literature. Journal of Dentistry, 2004, 32, 255-264.	4.1	44
317	Measuring activity limitations in climbing stairs: development of a hierarchical scale for patients with lower-extremity disorders living at home11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit on the author(s) or on any organization with which the author(s) is/are associated Archives of Physical Medicine and	0.9	44
318	Mild renal insufficiency is associated with increased left ventricular mass in men, but not in women: An arterial stiffness-related phenomenonâ€"The Hoorn Study. Kidney International, 2005, 68, 673-679.	5 . 2	44
319	Does updating improve the methodological and reporting quality of systematic reviews?. BMC Medical Research Methodology, 2006, 6, 27.	3.1	44
320	The effectiveness of chiropractic for treatment of low back pain: an update and attempt at statistical pooling. Journal of Manipulative and Physiological Therapeutics, 1996, 19, 499-507.	0.9	44
321	Implementation of clinical guidelines on physical therapy for patients with low back pain: randomized trial comparing patient outcomes after a standard and active implementation strategy. Physical Therapy, 2005, 85, 544-55.	2.4	44
322	Aetiology of burn injuries among children aged 0–4 years: results of a case-control study. Burns, 1991, 17, 213-219.	1.9	43
323	Education and incident Alzheimer's disease: a biased association due to selective attrition and use of a two-step diagnostic procedure?. International Journal of Epidemiology, 1999, 28, 492-497.	1.9	43
324	Normohomocysteinaemia and vitamin-treated hyperhomocysteinaemia are associated with similar risks of cardiovascular events in patients with premature peripheral arterial occlusive disease. A prospective cohort study. Journal of Internal Medicine, 1999, 246, 87-96.	6.0	43

#	Article	IF	Citations
325	Low diagnostic accuracy of selective screening criteria for asymptomatic Chlamydia trachomatis infections in the general population. Sexually Transmitted Infections, 2000, 76, 375-380.	1.9	43
326	Two pragmatic trials of treatment for shoulder disorders in primary care: generalisability, course, and prognostic indicators. Annals of the Rheumatic Diseases, 2005, 64, 1056-1061.	0.9	43
327	The rehabilitation activities profile: A validation study of its use as a disability index with stroke patients. Archives of Physical Medicine and Rehabilitation, 1995, 76, 501-507.	0.9	42
328	Course and prognosis of knee complaints in general practice. Arthritis and Rheumatism, 2005, 53, 920-930.	6.7	42
329	Variance in Manual Treatment of Nonspecific Low Back Pain Between Orthomanual Physicians, Manual Therapists, and Chiropractors. Journal of Manipulative and Physiological Therapeutics, 2005, 28, 108-116.	0.9	42
330	Impact of diabetes duration and cardiovascular risk factors on mortality in type 2 diabetes: the Hoorn Study. European Journal of Clinical Investigation, 2002, 32, 924-930.	3.4	41
331	Perceived publication pressure in Amsterdam: Survey of all disciplinary fields and academic ranks. PLoS ONE, 2019, 14, e0217931.	2.5	41
332	Soft-tissue Disorders of the Shoulder. Physiotherapy, 1997, 83, 12-17.	0.4	40
333	Cardiovascular autonomic function is associated with (micro-)albuminuria in elderly Caucasian sujects with impaired glucose tolerance or type 2 diabetes: the Hoorn Study Diabetes Care, 2000, 23, 1369-1374.	8.6	40
334	Assessing the impact of health technology assessment in the Netherlands. International Journal of Technology Assessment in Health Care, 2008, 24, 259-269.	0.5	40
335	Perceptions of research integrity climate differ between academic ranks and disciplinary fields: Results from a survey among academic researchers in Amsterdam. PLoS ONE, 2019, 14, e0210599.	2.5	40
336	Methods for assessing diabetic polyneuropathy: validity and reproducibility of the measurement of sensory symptom severity and nerve function tests. Diabetes Research and Clinical Practice, 2000, 47, 87-95.	2.8	39
337	Predicting adherence to prophylactic medication in adolescents with asthma: an application of the ASE-model. Patient Education and Counseling, 2002, 47, 165-171.	2.2	39
338	Plasma homocysteine and S-adenosylmethionine in erythrocytes as determinants of carotid intima-media thickness: different effects in diabetic and non-diabetic individuals. Atherosclerosis, 2003, 169, 323-330.	0.8	39
339	Retinopathy Is Associated With Cardiovascular and All-Cause Mortality in Both Diabetic and Nondiabetic Subjects: The Hoorn Study. Diabetes Care, 2003, 26, 2958-2958.	8.6	39
340	A METHOD FOR RESEARCH PROGRAMMING IN THE FIELD OF EVIDENCE-BASED MEDICINE. International Journal of Technology Assessment in Health Care, 2001, 17, 433-441.	0.5	38
341	Assessing pain in patients with severe cerebral palsy: Development, reliability, and validity of a pain assessment instrument for cerebral palsy11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and	0.9	38
342	Prevalences of hyperhomocysteinemia, unfavorable cholesterol profile and hypertension in European populations. European Journal of Clinical Nutrition, 2005, 59, 480-488.	2.9	38

#	Article	IF	CITATIONS
343	Are psychological factors prognostic indicators of outcome in patients with sub-acute neck pain?. Manual Therapy, 2010, 15, 111-116.	1.6	38
344	Brachial artery pulse pressure and common carotid artery diameter: mutually independent associations with mortality in subjects with a recent history of impaired glucose tolerance. European Journal of Clinical Investigation, 2001, 31, 756-763.	3.4	37
345	S-adenosylhomocysteine and the ratio of S-adenosylmethionine to S-adenosylhomocysteine are not related to folate, cobalamin and vitamin B6 concentrations. European Journal of Clinical Investigation, 2003, 33, 17-25.	3.4	37
346	Splinting for carpal tunnel syndrome: prognostic indicators of success. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 1342-1344.	1.9	37
347	An Exploratory Analysis of Criteria for the Metabolic Syndrome and Its Prediction of Long-term Cardiovascular Outcomes. American Journal of Epidemiology, 2005, 162, 438-447.	3.4	37
348	Binding function in relation to injury risk in downhill skiing. American Journal of Sports Medicine, 1989, 17, 226-233.	4.2	36
349	Prospective Relation of C-Reactive Protein With Type 2 Diabetes: Response to Han et al Diabetes Care, 2003, 26, 1656-1657.	8.6	36
350	Prevalence of macrovascular disease amongst type 2 diabetic patients detected by targeted screening and patients newly diagnosed in general practice: the Hoorn Screening Study. Journal of Internal Medicine, 2004, 256, 429-436.	6.0	36
351	Cost-effectiveness of a disease management program for major depression in elderly primary care patients. Journal of General Internal Medicine, 2006, 21, 1020-1026.	2.6	36
352	Rating of Included Trials on the Efficacy–Effectiveness Spectrum: development of a new tool for systematic reviews. Journal of Clinical Epidemiology, 2017, 84, 95-104.	5.0	36
353	Inter- and intra-rater agreement of the rehabilitation activities profile. Journal of Clinical Epidemiology, 1995, 48, 407-416.	5.0	35
354	Baroreflex sensitivity in the elderly: influence of age, breathing and spectral methods. Clinical Science, 2000, 99, 371-381.	4.3	35
355	A study of the effects of acarbose on glucose metabolism in patients predisposed to developing diabetes: the Dutch acarbose intervention study in persons with impaired glucose tolerance (DAISI). Diabetes/Metabolism Research and Reviews, 2008, 24, 611-616.	4.0	35
356	Bibliometric and content analysis of the Cochrane Complementary Medicine Field specialized register of controlled trials. Systematic Reviews, 2013, 2, 51.	5. 3	35
357	Incidence of medically treated burns in The Netherlands. Burns, 1991, 17, 357-362.	1.9	34
358	Randomized Study of Two Different Target Levels of Glycemic Control Within the Acceptable Range in Type 2 Diabetes: Effects on well-being at 1 year. Diabetes Care, 1998, 21, 2085-2093.	8.6	34
359	The effectiveness of adding cognitive behavioural therapy aimed at changing lifestyle to managed diabetes care for patients with type 2 diabetes: design of a randomised controlled trial. BMC Public Health, 2007, 7, 74.	2.9	34
360	Peripheral arterial disease in relation to glycaemic level in an elderly Caucasian population: the Hoorn Study. Diabetologia, 1995, 38, 86-96.	6.3	34

#	Article	IF	CITATIONS
361	Peripheral Somatic Nerve Function in Relation to Glucose Tolerance in an Elderly Caucasian Population: the Hoorn Study. Diabetic Medicine, 1996, 13, 960-966.	2.3	33
362	Risk Indicators of Elder Mistreatment in the Community. Journal of Elder Abuse and Neglect, 1999, 9, 67-76.	1.1	33
363	Comparison of the effectiveness of a behavioural graded activity program and manual therapy in patients with sub-acute neck pain: Design of a randomized clinical trial. Manual Therapy, 2006, 11, 297-305.	1.6	33
364	Neuropeptide Y polymorphism significantly magnifies diabetes and cardiovascular disease risk in obesity: the Hoorn Study. European Journal of Clinical Nutrition, 2009, 63, 150-152.	2.9	33
365	Aetiology of handball injuries: a casecontrol study British Journal of Sports Medicine, 1992, 26, 121-124.	6.7	32
366	S-Adenosylmethionine and 5-Methyltetrahydrofolate Are Associated With Endothelial Function After Controlling for Confounding by Homocysteine. Arteriosclerosis, Thrombosis, and Vascular Biology, 2005, 25, 778-784.	2.4	32
367	The incidences of and consultation rate for lower extremity complaints in general practice. Annals of the Rheumatic Diseases, 2006, 65, 809-815.	0.9	32
368	Low back pain in general practice: cost-effectiveness of a minimal psychosocial intervention versus usual care. European Spine Journal, 2007, 16, 1812-1821.	2.2	32
369	Intra-individual variation of glucose, specific insulin and proinsulin concentrations measured by two oral glucose tolerance tests in a general Caucasian population: the Hoorn Study. Diabetologia, 1996, 39, 298-305.	6.3	32
370	Opposite Contributions of Trunk and Leg Fat Mass with Plasma Lipase Activities: The Hoorn Study. Obesity, 2005, 13, 1817-1823.	4.0	31
371	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. Quality of Life Research, 2005, 14, 795-803.	3.1	31
372	Therapeutic ultrasound for acute ankle sprains. , 2002, , CD001250.		30
373	Prevention of fall incidents in patients with a high risk of falling: design of a randomised controlled trial with an economic evaluation of the effect of multidisciplinary transmural care. BMC Geriatrics, 2007, 7, 15.	2.7	30
374	Work-related physical and psychosocial risk factors for sick leave in patients with neck or upper extremity complaints. International Archives of Occupational and Environmental Health, 2007, 80, 733-741.	2.3	30
375	Both Whistleblowers and the Scientists They Accuse Are Vulnerable and Deserve Protection. Accountability in Research, 2017, 24, 359-366.	2.4	29
376	Researchers' Perceptions of a Responsible Research Climate: A Multi Focus Group Study. Science and Engineering Ethics, 2020, 26, 3017-3036.	2.9	29
377	Serum homocysteine is weakly associated with von Willebrand factor and soluble vascular cell adhesion molecule 1, but not with C-reactive protein in type 2 diabetic and non-diabetic subjects - The Hoorn Study. European Journal of Clinical Investigation, 2000, 30, 763-770.	3.4	28
378	Personal and Environmental Factors in Relation to Injury Risk in Downhill Skiing. International Journal of Sports Medicine, 1989, 10, 298-301.	1.7	27

#	Article	IF	Citations
379	Risk taking tendency among construction workers. Journal of Occupational Accidents, 1990, 11, 183-196.	0.1	27
380	How to measure comorbidity: a critical review of available methods. Journal of Clinical Epidemiology, 2004, 57, 323.	5.0	27
381	Epidemiological study air disaster in Amsterdam (ESADA): study design. BMC Public Health, 2005, 5, 54.	2.9	27
382	Improvement of a Questionnaire Measuring Activity Limitations in Rising and Sitting Down in Patients With Lower-Extremity Disorders Living at Home. Archives of Physical Medicine and Rehabilitation, 2005, 86, 2204-2210.	0.9	27
383	Fostering responsible research practices is a shared responsibility of multiple stakeholders. Journal of Clinical Epidemiology, 2018, 96, 143-146.	5.0	27
384	Chiropractic in The Netherlands: a survey of Dutch chiropractors. Journal of Manipulative and Physiological Therapeutics, 1995, 18, 129-34.	0.9	27
385	Determinants of specific serum insulin concentrations in a general Caucasian population aged 50 to 74 years (the Hoorn study)., 1998, 15, 45-52.		26
386	Prognostic implications of retinopathy and a high plasma von Willebrand factor concentration in type 2 diabetic subjects with microalbuminuria. Nephrology Dialysis Transplantation, 2001, 16, 529-536.	0.7	26
387	Enabling meta-analysis in systematic reviews on carpal tunnel syndrome. Journal of Hand Surgery, 2002, 27, 828-832.	1.6	26
388	Priority setting for health technology assessment in The Netherlands: principles and practice. Health Policy, 2002, 62, 227-242.	3.0	26
389	Multifactorial evaluation and treatment of persons with a high risk of recurrent falling was not cost-effective. Osteoporosis International, 2011, 22, 2187-2196.	3.1	26
390	Data discrepancies and substandard reporting of interim data of Sputnik V phase 3 trial. Lancet, The, $2021, 397, 1881-1883$.	13.7	26
391	How to study the aetiology of burn injury: The epidemiological approach. Burns, 1989, 15, 162-166.	1.9	25
392	Alarmingly high prevalence of obesity in Curaçao: data from an interview survey stratified for socioeconomic status. International Journal of Obesity, 1997, 21, 1002-1009.	3.4	25
393	On the importance of planned health education. American Journal of Sports Medicine, 1990, 18, 600-605.	4.2	24
394	Variation in the treatment of carpal tunnel syndrome. , 1997, 20, 1334-1335.		24
395	Hyperproinsulinaemia in impaired glucose tolerance is associated with a delayed insulin response to glucose. Diabetologia, 1999, 42, 177-180.	6.3	24
396	Determinants of the clinical course of musculoskeletal complaints in general practice: design of a cohort study. BMC Musculoskeletal Disorders, 2003, 4, 3.	1.9	24

#	Article	IF	CITATIONS
397	Surgical treatment options for carpal tunnel syndrome. , 2004, , CD003905.		24
398	Homocysteine, <i>S</i> -adenosylmethionine and <i>S</i> -adenosylhomocysteine are associated with retinal microvascular abnormalities: the Hoorn Study. Clinical Science, 2008, 114, 479-487.	4.3	24
399	Journals' instructions to authors: A cross-sectional study across scientific disciplines. PLoS ONE, 2019, 14, e0222157.	2.5	24
400	Cost-effectiveness of hip protectors in frail institutionalized elderly. Osteoporosis International, 2004, 15, 964-969.	3.1	23
401	Vitality, perceived social support and disease activity determine the performance of social roles in recently diagnosed multiple sclerosis: A longitudinal analysis. Acta Dermato-Venereologica, 2008, 40, 151-157.	1.3	23
402	Therapeutic ultrasound for acute ankle sprains. The Cochrane Library, 2011, , CD001250.	2.8	23
403	The efficacy of chiropractic manipulation for back pain: blinded review of relevant randomized clinical trials. Journal of Manipulative and Physiological Therapeutics, 1992, 15, 487-94.	0.9	23
404	The Influence of Physical Activity and Fractures on Ultrasound Parameters in Elderly People. Osteoporosis International, 1998, 8, 449-454.	3.1	22
405	Baroreflex sensitivity in the elderly: influence of age, breathing and spectral methods. Clinical Science, 2000, 99, 371.	4.3	22
406	Value pluralism in research integrity. Research Integrity and Peer Review, 2019, 4, 18.	5.2	22
407	The possibility and desirability of replication in the humanities. Palgrave Communications, 2018, 4, .	4.7	22
408	Complaints of neuropathy related to the clinical and neurophysiological assessment of nerve function in patients with diabetes mellitus. Diabetes Research and Clinical Practice, 1994, 26, 29-34.	2.8	21
409	Construct validity of the DynaPort®KneeTest: a comparison with observations of physical therapists. Osteoarthritis and Cartilage, 2005, 13, 738-743.	1.3	21
410	The initial course of daily functioning in multiple sclerosis: a three-year follow-up study. Multiple Sclerosis Journal, 2005, 11, 713-718.	3.0	21
411	The Shoulder Disability Questionnaire differentiated well between high and low disability levels in patients in primary care, in a cross-sectional study. Journal of Clinical Epidemiology, 2007, 60, 1156-1163.	5.0	21
412	Validation of the LASA fall risk profile for recurrent falling in older recent fallers. Journal of Clinical Epidemiology, 2010, 63, 1242-1248.	5.0	21
413	The relationship between methodological quality and conclusions in reviews of spinal manipulation. JAMA - Journal of the American Medical Association, 1995, 274, 1942-8.	7.4	21
414	Hyperhomocysteinaemia is not associated with isolated crural arterial occlusive disease: The Hoorn Study. Journal of Internal Medicine, 2000, 247, 442-448.	6.0	20

#	Article	IF	Citations
415	Good generalizability of a prediction rule for prediction of persistent shoulder pain in the short term. Journal of Clinical Epidemiology, 2007, 60, 947-953.	5.0	20
416	Researchers' perceptions of research misbehaviours: a mixed methods study among academic researchers in Amsterdam. Research Integrity and Peer Review, 2019, 4, 25.	5.2	20
417	Non-Publication Is Common among Phase 1, Single-Center, Not Prospectively Registered, or Early Terminated Clinical Drug Trials. PLoS ONE, 2016, 11, e0167709.	2.5	20
418	Systematic review and meta-analyses of studies analysing instructions to authors from 1987 to 2017. Nature Communications, 2021, 12, 5840.	12.8	20
419	Cardiovascular risk factors prior to the development of non-insulin-dependent diabetes mellitus in persons with impaired glucose tolerance: The Hoorn study. Journal of Clinical Epidemiology, 1997, 50, 1003-1009.	5.0	19
420	The Use of Societal Criteria in Priority Setting for Health Technology Assessment in the Netherlands: <i>Initial Experiences and Future Challenges</i> Health Care, 1998, 14, 226-236.	0.5	19
421	Clinical heterogeneity was a common problem in Cochrane reviews of physiotherapy and occupational therapy. Journal of Clinical Epidemiology, 2006, 59, 914-919.e2.	5.0	19
422	Chronic non-specific abdominal complaints in general practice: a prospective study on management, patient health status and course of complaints. BMC Family Practice, 2006, 7, 12.	2.9	19
423	Cost-effectiveness of usual general practitioner care with or without antidepressant medication for patients with minor or mild-major depression. Journal of Affective Disorders, 2008, 111, 106-112.	4.1	19
424	Responsible Epidemiologic Research Practice: a guideline developed by a working group of the Netherlands Epidemiological Society. Journal of Clinical Epidemiology, 2018, 100, 111-119.	5.0	19
425	The applicability of the Tampa Scale of Kinesiophobia for patients with sub-acute neck pain: a qualitative study. Quality and Quantity, 2009, 43, 773-780.	3.7	18
426	Active and passive coping under different degrees of stress; Effects on urinary and plasma catecholamines and ECG T-wave. Biological Psychology, 1984, 18, 23-32.	2.2	17
427	Physical and Cognitive Functioning After 3 Years Can Be Predicted Using Information From the Diagnostic Process in Recently Diagnosed Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2009, 90, 1478-1488.	0.9	17
428	The strong focus on positive results in abstracts may cause bias in systematic reviews: a case study on abstract reporting bias. Systematic Reviews, 2019, 8, 174.	5.3	17
429	The inter-observer reproducibility of Lasà gue's sign in patients with low back pain in general practice. British Journal of General Practice, 1996, 46, 727-30.	1.4	17
430	Hyperhomocysteinaemia is not related to risk of distal somatic polyneuropathy: The Hoorn Study. Journal of Internal Medicine, 1999, 246, 561-566.	6.0	16
431	Splinting or surgery for carpal tunnel syndrome? Design of a randomized controlled trial [ISRCTN18853827]. BMC Neurology, 2001, $1,8$.	1.8	16
432	A comparison of two primary care trials on tennis elbow: issues of external validity. Annals of the Rheumatic Diseases, 2005, 64, 1406-1409.	0.9	16

#	Article	IF	CITATIONS
433	Elevated cholesteryl ester transfer protein concentration is associated with an increased risk for cardiovascular disease in women, but not in men, with TypeÂ2 diabetes: the Hoorn Study. Diabetic Medicine, 2007, 24, 117-123.	2.3	16
434	Determinants of selective reporting: A taxonomy based on content analysis of a random selection of the literature. PLoS ONE, 2018, 13, e0188247.	2.5	16
435	Barriers to Wearing Bicycle Safety Helmets in the Netherlands. JAMA Pediatrics, 1995, 149, 174.	3.0	15
436	The course and prognosis of hip complaints in general practice. Annals of Behavioral Medicine, 2006, 31, 297-308.	2.9	15
437	Important Topics for Fostering Research Integrity by Research Performing and Research Funding Organizations: A Delphi Consensus Study. Science and Engineering Ethics, 2021, 27, 47.	2.9	15
438	Importance of planned health education for burn injury prevention. Burns, 1990, 16, 198-202.	1.9	14
439	Comparison of three methods for the quantification of \hat{l}^2 -cell function and insulin sensitivity. Diabetes Research and Clinical Practice, 1994, 26, 189-195.	2.8	14
440	Reproducibility and validity of the DynaPort KneeTest. Arthritis and Rheumatism, 2005, 53, 357-363.	6.7	14
441	Impairment measures in rheumatic disorders for rehabilitation medicine and allied health care: a systematic review. Rheumatology International, 2005, 25, 501-512.	3.0	14
442	Change in serum albumin and subsequent decline in functional status in older persons. Aging Clinical and Experimental Research, 2005, 17, 297-305.	2.9	14
443	Absence of an Acute Insulin Response Predicts Onset of Type 2 Diabetes in a Caucasian Population with Impaired Glucose Tolerance. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 2633-2638.	3.6	14
444	Does age modify the relationship between morbidity severity and physical health in English and Dutch family practice populations?. Quality of Life Research, 2009, 18, 209-220.	3.1	14
445	Construct validity of instruments measuring impairments in body structures and function in rheumatic disorders: which constructs are selected for validation? A systematic review. Clinical and Experimental Rheumatology, 2006, 24, 93-102.	0.8	14
446	Development and implementation of the Rehabilitation Activities Pro―le for children: impact on the rehabilitation team. Clinical Rehabilitation, 2002, 16, 441-453.	2.2	13
447	Explaining variance in perceived research misbehavior: results from a survey among academic researchers in Amsterdam. Research Integrity and Peer Review, 2021, 6, 7.	5.2	13
448	Definition of clinical differences. Journal of Rheumatology, 2006, 33, 434; author reply 435.	2.0	13
449	Reliability of Lumbar Spine Radiograph Reading by Chiropractors. Spine, 1997, 22, 1235-1241.	2.0	12
450	Translation and adaptation of a questionnaire to assess the group processes of rehabilitation team conferences. Clinical Rehabilitation, 2001, 15, 148-155.	2.2	12

#	Article	IF	CITATIONS
451	Recruitment failure and futility were the most common reasons for discontinuation of clinical drug trials. Results of a nationwide inception cohort study in the Netherlands. Journal of Clinical Epidemiology, 2017, 88, 140-147.	5.0	12
452	Causes of reporting bias: a theoretical framework. F1000Research, 2019, 8, 280.	1.6	12
453	Follow-up, treatment, and reinfection rates among asymptomatic chlamydia trachomatis cases in general practice. British Journal of General Practice, 2002, 52, 623-7.	1.4	12
454	Identification and priority setting for health technology assessment in The Netherlands: actors and activities. Health Policy, 1999, 47, 241-253.	3.0	11
455	Reliability, validity and responsiveness of instruments to assess disabilities in personal care in patients with rheumatic disorders. A systematic review. Clinical and Experimental Rheumatology, 2005, 23, 71-9.	0.8	11
456	Determinants of behavioural risk factors for burn injuries. Burns, 1991, 17, 364-370.	1.9	10
457	Validity and comparability of studies on the effects of back schools. Physiotherapy Theory and Practice, 1991, 7, 177-184.	1.3	10
458	Epidemiological data and ranking home and leisure accidents for priority-setting. Accident Analysis and Prevention, 2002, 34, 695-702.	5.7	10
459	Levels of evidence. Journal of Clinical Epidemiology, 2003, 56, 917-918.	5.0	10
460	Homocysteine levels are not associated with cardiovascular autonomic function in elderly Caucasian subjects without or with type 2 diabetes mellitus: the Hoorn Study. Journal of Internal Medicine, 2005, 258, 536-543.	6.0	10
461	Lumbar supports for prevention and treatment of low-back pain. , 2006, , CD001823.		10
462	Radiographic hip disorders and associated complications in severe cerebral palsy. Journal of Pediatric Orthopaedics Part B, 2007, 16, 31-34.	0.6	10
463	Dietary polyunsaturated fat intake is associated with low-density lipoprotein size, but not with susceptibility to oxidation in subjects with impaired glucose metabolism and type II diabetes: the Hoorn study. European Journal of Clinical Nutrition, 2007, 61, 205-211.	2.9	10
464	Primary endpoint discrepancies were found in one in ten clinical drug trials. Results of an inception cohort study. Journal of Clinical Epidemiology, 2017, 89, 199-208.	5.0	10
465	Superb supervision: A pilot study on training supervisors to convey responsible research practices onto their PhD candidates. Accountability in Research, 2023, 30, 574-591.	2.4	10
466	Introducing an innovative method in team conferences. Disability and Rehabilitation, 1996, 18, 374-379.	1.8	9
467	Cardiovascular Morbidity and Mortality Among Hypertensive Patients in General Practice: The Evaluation of Long-Term Systematic Management. Journal of Clinical Epidemiology, 1997, 50, 779-786.	5.0	9
468	Simultaneous development and implementation of the Children's Rehabilitation Activities Profile: a communication instrument for pediatric rehabilitation. Disability and Rehabilitation, 2001, 23, 614-622.	1.8	9

#	Article	IF	Citations
469	Citation bias in the literature on dietary trans fatty acids and serum cholesterol. Journal of Clinical Epidemiology, 2019, 106, 88-97.	5.0	9
470	Standardized Protocol Items Recommendations for Observational Studies (SPIROS) for Observational Study Protocol Reporting Guidelines: Protocol for a Delphi Study. JMIR Research Protocols, 2020, 9, e17864.	1.0	9
471	Education and training policies for research integrity: Insights from a focus group study. Science and Public Policy, 2022, 49, 246-266.	2.4	9
472	Measuring Subluxation of the Hemiplegic Shoulder: Reliability of a Method. Neurorehabilitation and Neural Repair, 2001, 15, 249-254.	2.9	8
473	Title is missing!. Spine, 2003, 28, 1215-1218.	2.0	8
474	Morbidity severity classifying routine consultations from English and Dutch general practice indicated physical health status. Journal of Clinical Epidemiology, 2008, 61, 386.e1-386.e9.	5.0	8
475	Innovative and industrial performance in pharmaceutical R&D, a management control perspective. Omega, 1994, 22, 209-219.	5.9	7
476	The efficacy of low level laser therapy for chronic neck pain. Pain, 2006, 124, 5-6.	4.2	7
477	Review conclusions by Ernst and Canter regarding spinal manipulation refuted. Chiropractic & Manual Therapies, 2006, 14, 14.	1.6	7
478	The effects of industry funding and positive outcomes in the interpretation of clinical trial results: a randomized trial among Dutch psychiatrists. BMC Medical Ethics, 2019, 20, 64.	2.4	7
479	Reply to the concerns raised by McKenna and Heaney about COSMIN. Journal of Medical Economics, 2021, 24, 857-859.	2.1	7
480	Virtue-based ethics and integrity of research: train-the-trainer programme for upholding the principles and practices of the European Code of Conduct for Research Integrity (VIRT2UE). Research Ideas and Outcomes, 0, 7, .	1.0	7
481	Causes of reporting bias: a theoretical framework. F1000Research, 2019, 8, 280.	1.6	7
482	Maternal characteristics and expected birth weight. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1993, 50, 115-122.	1.1	6
483	Management control of biomedical research and pharmaceutical innovation. Technovation, 1997, 17, 167-221.	7.8	6
484	Upper respiratory tract infection, heterologous immunisation and meningococcal disease. Journal of Medical Microbiology, 1999, 48, 943-946.	1.8	6
485	Constraint-Induced Movement Therapy. Physical Therapy, 2000, 80, 711-713.	2.4	6
486	Maximum Potential Preventive Effect of Hip Protectors. Journal of the American Geriatrics Society, 2007, 55, 507-510.	2.6	6

#	Article	IF	Citations
487	Humanities need a replication drive too. Nature, 2018, 558, 372-372.	27.8	6
488	Selective citation in the literature on the hygiene hypothesis: a citation analysis on the association between infections and rhinitis. BMJ Open, 2019, 9, e026518.	1.9	6
489	Replication Research Series-Paper 2 : Empirical research must be replicated before its findings can be trusted. Journal of Clinical Epidemiology, 2021, 129, 188-190.	5.0	6
490	Generalizability of a prediction rule for sick leave due to shoulder pain. Scandinavian Journal of Work, Environment and Health, 2007, 33, 440-446.	3.4	6
491	The Quality of Data Collection by an Interview on the Prevalence of Elder Mistreatment. Journal of Elder Abuse and Neglect, 2000, 12, 57-72.	1.1	5
492	Comment on: Schmidt MI, Duncan BB, Vigo A et al (2006) Leptin and incident type 2 diabetes: risk or protection? Diabetologia 49:2086–2096. Diabetologia, 2006, 50, 234-236.	6.3	5
493	Occurrence and determinants of selective reporting of clinical drug trials: design of an inception cohort study. BMJ Open, 2015, 5, e007827.	1.9	5
494	Addressing scientific integrity scientifically. Science, 2017, 357, 1248-1249.	12.6	5
495	Selective citation in the literature on swimming in chlorinated water and childhood asthma: a network analysis. Research Integrity and Peer Review, 2017, 2, 17.	5.2	5
496	Partial lottery can make grant allocation more fair, more efficient, and more diverse. Science and Public Policy, 2022, 49, 580-582.	2.4	5
497	Pain and health status of primary care patients with low back pain. Journal of Family Practice, 1997, 44, 187-92.	0.2	5
498	The efficacy of the back school: A randomized trial. Arthritis and Rheumatism, 1990, 3, 204-209.	6.7	4
499	The impact of back school research on the beliefs of health care professionals: A randomised survey of general practitioners and physiotherapists. Physiotherapy Theory and Practice, 1992, 8, 79-83.	1.3	4
500	Prevalence of mental retardation in patients with hereditary retinoblastoma. Ophthalmic Genetics, 1997, 18, 217-220.	1.2	4
501	Woldag H, Hummelsheim H� Evidence-based physiotherapeutic con cepts for improving arm and hand function in stroke patients: a review. Journal of Neurology, 2003, 250, 119-119.	3.6	4
502	RISK FACTORS FOR INCIDENT RETINOPATHY IN A DIABETIC AND NONDIABETIC POPULATION. Evidence-Based Eye Care, 2003, 4, 160-161.	0.2	4
503	The Relationship of Lipoprotein Lipase Activity and LDL size Is Dependent on Glucose Metabolism in an Elderly Population: The Hoorn Study. Diabetes Care, 2004, 27, 796-798.	8.6	4
504	Open data are not enough to realize full transparency. Journal of Clinical Epidemiology, 2016, 70, 256-257.	5.0	4

#	Article	IF	CITATIONS
505	Mandatory disclosure of financial interests of journals and editors. BMJ, The, 2020, 370, m2872.	6.0	4
506	Knowledge as a common good. Higher Education Management and Policy, 2010, 22, 1-15.	0.4	4
507	Which are the best instruments for measuring disabilities in gait and gait-related activities in patients with rheumatic disorders. Clinical and Experimental Rheumatology, 2004, 22, 25-33.	0.8	4
508	Selective citation in scientific literature on the human health effects of bisphenol A. Research Integrity and Peer Review, 2019, 4, 6.	5.2	3
509	Incorporating equity, diversity, and inclusiveness into the Hong Kong Principles. PLoS Biology, 2021, 19, e3001140.	5.6	3
510	Why we habitually engage in null-hypothesis significance testing: A qualitative study. PLoS ONE, 2021, 16, e0258330.	2.5	3
511	Academia's Big Five: a normative taxonomy for the epistemic responsibilities of universities. F1000Research, 2019, 8, 862.	1.6	3
512	Letters to the editors. Muscle and Nerve, 1995, 18, 920-929.	2.2	2
513	Corticosteroid injections for tennis elbow. The Cochrane Library, 1999, , .	2.8	2
514	An infant with Down syndrome and retinoblastoma. A possible non-fortuitous association. Ophthalmic Genetics, 2002, 23, 135-136.	1.2	2
515	Risk Factors for Ski Injuries: A Crash Course of Epidemiologic Methods with Emphasis on Comparability in Experiments and Case-Control Studies. , 1989, , 9-17.		2
516	EnTIRE: Mapping Normative Frameworks for EThics and Integrity of REsearch. Research Ideas and Outcomes, 0, 7, .	1.0	2
517	Improving peer review of systematic reviews by involving librarians and information specialists: protocol for a randomized controlled trial. Trials, 2021, 22, 791.	1.6	2
518	Assessing the economic burden of injuries due to accidents: methodological problems illustrated with some examples from the literature. Health Policy, 1990, 14, 253-265.	3.0	1
519	EFFICACY OF LASER THERAPY IN ANKLE SPRAINS:. Laser Therapy, 1997, 9, 165-171.	0.3	1
520	Dissimilar association of conventional immuno-reactive versus specific insulin with cardiovascular risk factors: a consequence of proinsulinaemia? Diabetes Research and Clinical Practice, 1998, 40, 81-90.	2.8	1
521	Physiotherapy and physiotherapeutical modalities for lateral epicondylitis. The Cochrane Library, 1999,	2.8	1
522	Self-Monitoring of Blood Glucose in Patients With Type 2 Diabetes Who Are Not Using Insulin: Response to Kleefstra et al. and Davidson. Diabetes Care, 2005, 28, 2597a-2598a.	8.6	1

#	Article	IF	CITATIONS
523	Author reply: criteria for good measurement properties. Journal of Clinical Epidemiology, 2007, 60, 1315-1316.	5.0	1
524	Invited Commentary on "Investigating the Reliability and Factor Structure of Kalichman's â€~Survey 2: Research Misconduct' Questionnaire― Journal of Empirical Research on Human Research Ethics, 2017, 12, 206-207.	1.3	1
525	Principles of Cancer Epidemiology. , 2019, , 1-10.		1
526	Determinants of Citation in Epidemiological Studies on Phthalates: A Citation Analysis. Science and Engineering Ethics, 2020, 26, 3053-3067.	2.9	1
527	Steps toward preregistration of research on research integrity. Research Integrity and Peer Review, 2021, 6, 5.	5.2	1
528	Determinants of citation in the literature on diesel exhaust exposure and lung cancer: a citation analysis. BMJ Open, 2020, 10, e033967.	1.9	1
529	The Embassy of Good Science $\hat{a} \in \hat{a}$ a community driven initiative to promote ethics and integrity in research. Open Research Europe, 0, 2, 27.	2.0	1
530	The efficacy of the back school for patients with non-specific low back pain: An overview. Physiotherapy Theory and Practice, 1992, 8, 85-88.	1.3	0
531	Additional abstracts from the e_Musk meeting. Acta Orthopaedica, 2002, 73, 63-69.	1.4	0
532	Splinting vs Surgery for Carpal Tunnel Syndrome—Reply. JAMA - Journal of the American Medical Association, 2003, 289, 421.	7.4	0
533	Corrigendum to "Plasma homocysteine and S-adenosylmethionine in erythrocytes as determinants of carotid intima-media thickness: different effects in diabetic and non-diabetic individuals The Hoorn Study―[Atherosclerosis 169 (2003) 323-330]. Atherosclerosis, 2004, 173, 153.	0.8	0
534	Effecten van zelfcontrole bij patiënten met diabetes mellitus type 2 zonder gebruik van insuline nog onduidelijk. Huisarts En Wetenschap, 2005, 48, 400-401.	0.0	0
535	Principles of clinical epidemiology. , 2007, , 1-5.		0
536	Unsuccessful replication is not a sign of research misconduct. Journal of Clinical Epidemiology, 2018, 104, 140-141.	5.0	0
537	Re: Duplicate Publication. Sexually Transmitted Diseases, 2001, 28, 496.	1.7	0
538	Diagnostiek en prognostiek. Kernboek, 2016, , 189-224.	0.0	0
539	Diagnostic and Prognostic Research. , 2018, , 171-201.		0
540	Academia's Big Five: a normative taxonomy for the epistemic responsibilities of universities. F1000Research, 2019, 8, 862.	1.6	0

#	Article	IF	CITATIONS
541	Citation bias: questionable research practice or scientific misconduct?. Journal of the Royal Society of Medicine, 2022, 115, 124-124.	2.0	O
542	Prevalence of responsible research practices among academics in The Netherlands. F1000Research, 0, 11, 471.	1.6	0