

Lex Bouter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3669046/publications.pdf>

Version: 2024-02-01

542
papers

95,806
citations

246
143
h-index

286
294
g-index

566
all docs

566
docs citations

566
times ranked

69613
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Superb supervision: A pilot study on training supervisors to convey responsible research practices onto their PhD candidates. <i>Accountability in Research</i> , 2023, 30, 574-591. | 1.6 | 10 |
| 2 | Education and training policies for research integrity: Insights from a focus group study. <i>Science and Public Policy</i> , 2022, 49, 246-266. | 1.2 | 9 |
| 3 | Partial lottery can make grant allocation more fair, more efficient, and more diverse. <i>Science and Public Policy</i> , 2022, 49, 580-582. | 1.2 | 5 |
| 4 | Prevalence of questionable research practices, research misconduct and their potential explanatory factors: A survey among academic researchers in The Netherlands. <i>PLoS ONE</i> , 2022, 17, e0263023. | 1.1 | 90 |
| 5 | Citation bias: questionable research practice or scientific misconduct?. <i>Journal of the Royal Society of Medicine</i> , 2022, 115, 124-124. | 1.1 | 0 |
| 6 | Replication Research Series-Paper 2 : Empirical research must be replicated before its findings can be trusted. <i>Journal of Clinical Epidemiology</i> , 2021, 129, 188-190. | 2.4 | 6 |
| 7 | Citation bias and other determinants of citation in biomedical research: findings from six citation networks. <i>Journal of Clinical Epidemiology</i> , 2021, 132, 71-78. | 2.4 | 47 |
| 8 | Reply to the concerns raised by McKenna and Heaney about COSMIN. <i>Journal of Medical Economics</i> , 2021, 24, 857-859. | 1.0 | 7 |
| 9 | Steps toward preregistration of research on research integrity. <i>Research Integrity and Peer Review</i> , 2021, 6, 5. | 2.2 | 1 |
| 10 | The methodological quality of 176,620 randomized controlled trials published between 1966 and 2018 reveals a positive trend but also an urgent need for improvement. <i>PLoS Biology</i> , 2021, 19, e3001162. | 2.6 | 52 |
| 11 | Incorporating equity, diversity, and inclusiveness into the Hong Kong Principles. <i>PLoS Biology</i> , 2021, 19, e3001140. | 2.6 | 3 |
| 12 | Explaining variance in perceived research misbehavior: results from a survey among academic researchers in Amsterdam. <i>Research Integrity and Peer Review</i> , 2021, 6, 7. | 2.2 | 13 |
| 13 | Data discrepancies and substandard reporting of interim data of Sputnik V phase 3 trial. <i>Lancet, The</i> , 2021, 397, 1881-1883. | 6.3 | 26 |
| 14 | Important Topics for Fostering Research Integrity by Research Performing and Research Funding Organizations: A Delphi Consensus Study. <i>Science and Engineering Ethics</i> , 2021, 27, 47. | 1.7 | 15 |
| 15 | Systematic review and meta-analyses of studies analysing instructions to authors from 1987 to 2017. <i>Nature Communications</i> , 2021, 12, 5840. | 5.8 | 20 |
| 16 | Why we habitually engage in null-hypothesis significance testing: A qualitative study. <i>PLoS ONE</i> , 2021, 16, e0258330. | 1.1 | 3 |
| 17 | Improving peer review of systematic reviews by involving librarians and information specialists: protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 791. | 0.7 | 2 |
| 18 | The Hong Kong Principles for assessing researchers: Fostering research integrity. <i>PLoS Biology</i> , 2020, 18, e3000737. | 2.6 | 200 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Determinants of Citation in Epidemiological Studies on Phthalates: A Citation Analysis. Science and Engineering Ethics, 2020, 26, 3053-3067. | 1.7 | 1 |
| 20 | Mandatory disclosure of financial interests of journals and editors. BMJ, The, 2020, 370, m2872. | 3.0 | 4 |
| 21 | Researchersâ€™ Perceptions of a Responsible Research Climate: A Multi Focus Group Study. Science and Engineering Ethics, 2020, 26, 3017-3036. | 1.7 | 29 |
| 22 | COSMIN Risk of Bias tool to assess the quality of studies on reliability or measurement error of outcome measurement instruments: a Delphi study. BMC Medical Research Methodology, 2020, 20, 293. | 1.4 | 205 |
| 23 | What Research Institutions Can Do to Foster Research Integrity. Science and Engineering Ethics, 2020, 26, 2363-2369. | 1.7 | 45 |
| 24 | Should research misconduct be criminalized?. Research Ethics, 2020, 16, 1-12. | 0.8 | 64 |
| 25 | Research integrity: nine ways to move from talk to walk. Nature, 2020, 586, 358-360. | 13.7 | 96 |
| 26 | Determinants of citation in the literature on diesel exhaust exposure and lung cancer: a citation analysis. BMJ Open, 2020, 10, e033967. | 0.8 | 1 |
| 27 | Standardized Protocol Items Recommendations for Observational Studies (SPIROS) for Observational Study Protocol Reporting Guidelines: Protocol for a Delphi Study. JMIR Research Protocols, 2020, 9, e17864. | 0.5 | 9 |
| 28 | Non-invasive physical treatments for chronic/recurrent headache. The Cochrane Library, 2019, 2019, CD001878. | 1.5 | 58 |
| 29 | The strong focus on positive results in abstracts may cause bias in systematic reviews: a case study on abstract reporting bias. Systematic Reviews, 2019, 8, 174. | 2.5 | 17 |
| 30 | Value pluralism in research integrity. Research Integrity and Peer Review, 2019, 4, 18. | 2.2 | 22 |
| 31 | The effects of industry funding and positive outcomes in the interpretation of clinical trial results: a randomized trial among Dutch psychiatrists. BMC Medical Ethics, 2019, 20, 64. | 1.0 | 7 |
| 32 | Journalsâ€™ instructions to authors: A cross-sectional study across scientific disciplines. PLoS ONE, 2019, 14, e0222157. | 1.1 | 24 |
| 33 | Perceptions of research integrity climate differ between academic ranks and disciplinary fields: Results from a survey among academic researchers in Amsterdam. PLoS ONE, 2019, 14, e0210599. | 1.1 | 40 |
| 34 | Perceived publication pressure in Amsterdam: Survey of all disciplinary fields and academic ranks. PLoS ONE, 2019, 14, e0217931. | 1.1 | 41 |
| 35 | Selective citation in scientific literature on the human health effects of bisphenol A. Research Integrity and Peer Review, 2019, 4, 6. | 2.2 | 3 |
| 36 | Principles of Cancer Epidemiology. , 2019, , 1-10. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Selective citation in the literature on the hygiene hypothesis: a citation analysis on the association between infections and rhinitis. <i>BMJ Open</i> , 2019, 9, e026518. | 0.8 | 6 |
| 38 | Researchers's™ perceptions of research misbehaviours: a mixed methods study among academic researchers in Amsterdam. <i>Research Integrity and Peer Review</i> , 2019, 4, 25. | 2.2 | 20 |
| 39 | Citation bias in the literature on dietary trans fatty acids and serum cholesterol. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 88-97. | 2.4 | 9 |
| 40 | Causes of reporting bias: a theoretical framework. <i>F1000Research</i> , 2019, 8, 280. | 0.8 | 12 |
| 41 | Academia's™ Big Five: a normative taxonomy for the epistemic responsibilities of universities. <i>F1000Research</i> , 2019, 8, 862. | 0.8 | 0 |
| 42 | Causes of reporting bias: a theoretical framework. <i>F1000Research</i> , 2019, 8, 280. | 0.8 | 7 |
| 43 | Academia's™ Big Five: a normative taxonomy for the epistemic responsibilities of universities. <i>F1000Research</i> , 2019, 8, 862. | 0.8 | 3 |
| 44 | COSMIN guideline for systematic reviews of patient-reported outcome measures. <i>Quality of Life Research</i> , 2018, 27, 1147-1157. | 1.5 | 1,600 |
| 45 | Responsible Epidemiologic Research Practice: a guideline developed by a working group of the Netherlands Epidemiological Society. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 111-119. | 2.4 | 19 |
| 46 | COSMIN Risk of Bias checklist for systematic reviews of Patient-Reported Outcome Measures. <i>Quality of Life Research</i> , 2018, 27, 1171-1179. | 1.5 | 1,264 |
| 47 | Fostering responsible research practices is a shared responsibility of multiple stakeholders. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 143-146. | 2.4 | 27 |
| 48 | COSMIN methodology for evaluating the content validity of patient-reported outcome measures: a Delphi study. <i>Quality of Life Research</i> , 2018, 27, 1159-1170. | 1.5 | 1,020 |
| 49 | Unsuccessful replication is not a sign of research misconduct. <i>Journal of Clinical Epidemiology</i> , 2018, 104, 140-141. | 2.4 | 0 |
| 50 | Humanities need a replication drive too. <i>Nature</i> , 2018, 558, 372-372. | 13.7 | 6 |
| 51 | Determinants of selective reporting: A taxonomy based on content analysis of a random selection of the literature. <i>PLoS ONE</i> , 2018, 13, e0188247. | 1.1 | 16 |
| 52 | The possibility and desirability of replication in the humanities. <i>Palgrave Communications</i> , 2018, 4, . | 4.7 | 22 |
| 53 | Diagnostic and Prognostic Research. , 2018, , 171-201. | | 0 |
| 54 | Rating of Included Trials on the Efficacy's™ Effectiveness Spectrum: development of a new tool for systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2017, 84, 95-104. | 2.4 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Both Whistleblowers and the Scientists They Accuse Are Vulnerable and Deserve Protection. Accountability in Research, 2017, 24, 359-366. | 1.6 | 29 |
| 56 | Primary endpoint discrepancies were found in one in ten clinical drug trials. Results of an inception cohort study. Journal of Clinical Epidemiology, 2017, 89, 199-208. | 2.4 | 10 |
| 57 | Scientific citations favor positive results: a systematic review and meta-analysis. Journal of Clinical Epidemiology, 2017, 88, 92-101. | 2.4 | 126 |
| 58 | Addressing scientific integrity scientifically. Science, 2017, 357, 1248-1249. | 6.0 | 5 |
| 59 | Recruitment failure and futility were the most common reasons for discontinuation of clinical drug trials. Results of a nationwide inception cohort study in the Netherlands. Journal of Clinical Epidemiology, 2017, 88, 140-147. | 2.4 | 12 |
| 60 | Selective citation in the literature on swimming in chlorinated water and childhood asthma: a network analysis. Research Integrity and Peer Review, 2017, 2, 17. | 2.2 | 5 |
| 61 | Invited Commentary on "Investigating the Reliability and Factor Structure of Kalichman's Survey 2: Research Misconduct Questionnaire". Journal of Empirical Research on Human Research Ethics, 2017, 12, 206-207. | 0.6 | 1 |
| 62 | The COnsensus-based Standards for the selection of health Measurement INstruments (COSMIN) and how to select an outcome measurement instrument. Brazilian Journal of Physical Therapy, 2016, 20, 105-113. | 1.1 | 469 |
| 63 | Ranking major and minor research misbehaviors: results from a survey among participants of four World Conferences on Research Integrity. Research Integrity and Peer Review, 2016, 1, 17. | 2.2 | 135 |
| 64 | How do scientists perceive the current publication culture? A qualitative focus group interview study among Dutch biomedical researchers. BMJ Open, 2016, 6, e008681. | 0.8 | 54 |
| 65 | Open data are not enough to realize full transparency. Journal of Clinical Epidemiology, 2016, 70, 256-257. | 2.4 | 4 |
| 66 | Personality Traits Are Associated with Research Misbehavior in Dutch Scientists: A Cross-Sectional Study. PLoS ONE, 2016, 11, e0163251. | 1.1 | 67 |
| 67 | Non-Publication Is Common among Phase 1, Single-Center, Not Prospectively Registered, or Early Terminated Clinical Drug Trials. PLoS ONE, 2016, 11, e0167709. | 1.1 | 20 |
| 68 | Diagnostiek en prognostiek. Kernboek, 2016, , 189-224. | 0.0 | 0 |
| 69 | Occurrence and determinants of selective reporting of clinical drug trials: design of an inception cohort study. BMJ Open, 2015, 5, e007827. | 0.8 | 5 |
| 70 | Commentary: Perverse Incentives or Rotten Apples?. Accountability in Research, 2015, 22, 148-161. | 1.6 | 75 |
| 71 | Development and validation of an ankle brachial index risk model for the prediction of cardiovascular events. European Journal of Preventive Cardiology, 2014, 21, 310-320. | 0.8 | 64 |
| 72 | Traction for low-back pain with or without sciatica. The Cochrane Library, 2013, , CD003010. | 1.5 | 84 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The effects of acupuncture on rates of clinical pregnancy among women undergoing in vitro fertilization: a systematic review and meta-analysis. Human Reproduction Update, 2013, 19, 696-713. | 5.2 | 82 |
| 74 | Bibliometric and content analysis of the Cochrane Complementary Medicine Field specialized register of controlled trials. Systematic Reviews, 2013, 2, 51. | 2.5 | 35 |
| 75 | Rating the methodological quality in systematic reviews of studies on measurement properties: a scoring system for the COSMIN checklist. Quality of Life Research, 2012, 21, 651-657. | 1.5 | 1,463 |
| 76 | Publication Bias in Laboratory Animal Research: A Survey on Magnitude, Drivers, Consequences and Potential Solutions. PLoS ONE, 2012, 7, e43404. | 1.1 | 98 |
| 77 | Therapeutic ultrasound for acute ankle sprains. The Cochrane Library, 2011, , CD001250. | 1.5 | 23 |
| 78 | Multifactorial evaluation and treatment of persons with a high risk of recurrent falling was not cost-effective. Osteoporosis International, 2011, 22, 2187-2196. | 1.3 | 26 |
| 79 | Is a Behavioral Graded Activity Program More Effective Than Manual Therapy in Patients With Subacute Neck Pain?. Spine, 2010, 35, 1017-1024. | 1.0 | 57 |
| 80 | Acupuncture for peripheral joint osteoarthritis. The Cochrane Library, 2010, 2010, CD001977. | 1.5 | 187 |
| 81 | The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. Quality of Life Research, 2010, 19, 539-549. | 1.5 | 2,751 |
| 82 | Are psychological factors prognostic indicators of outcome in patients with sub-acute neck pain?. Manual Therapy, 2010, 15, 111-116. | 1.6 | 38 |
| 83 | The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: A clarification of its content. BMC Medical Research Methodology, 2010, 10, 22. | 1.4 | 1,178 |
| 84 | Inter-rater agreement and reliability of the COSMIN (COnsensus-based Standards for the selection of) Tj ETQq0 0 0,rgBT /Overlock 10 Tf | 1.4 | 213 |
| 85 | Multifactorial Intervention to Reduce Falls in Older People at High Risk of Recurrent Falls. Archives of Internal Medicine, 2010, 170, 1110-7. | 4.3 | 80 |
| 86 | Three ways to quantify uncertainty in individually applied "minimally important change" values. Journal of Clinical Epidemiology, 2010, 63, 37-45. | 2.4 | 113 |
| 87 | Validation of the LASA fall risk profile for recurrent falling in older recent fallers. Journal of Clinical Epidemiology, 2010, 63, 1242-1248. | 2.4 | 21 |
| 88 | The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. Journal of Clinical Epidemiology, 2010, 63, 737-745. | 2.4 | 2,945 |
| 89 | Physical examination for lumbar radiculopathy due to disc herniation in patients with low-back pain. The Cochrane Library, 2010, , CD007431. | 1.5 | 162 |
| 90 | Knowledge as a common good. Higher Education Management and Policy, 2010, 22, 1-15. | 0.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | The applicability of the Tampa Scale of Kinesiophobia for patients with sub-acute neck pain: a qualitative study. <i>Quality and Quantity</i> , 2009, 43, 773-780. | 2.0 | 18 |
| 92 | Does age modify the relationship between morbidity severity and physical health in English and Dutch family practice populations?. <i>Quality of Life Research</i> , 2009, 18, 209-220. | 1.5 | 14 |
| 93 | Evaluation of the methodological quality of systematic reviews of health status measurement instruments. <i>Quality of Life Research</i> , 2009, 18, 313-333. | 1.5 | 146 |
| 94 | Neuropeptide Y polymorphism significantly magnifies diabetes and cardiovascular disease risk in obesity: the Hoorn Study. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 150-152. | 1.3 | 33 |
| 95 | Rheumatoid arthritis versus diabetes as a risk factor for cardiovascular disease: a cross-sectional study, the CARRA% Investigation. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1395-1400. | 0.5 | 319 |
| 96 | AMSTAR is a reliable and valid measurement tool to assess the methodological quality of systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 1013-1020. | 2.4 | 1,427 |
| 97 | Physical and Cognitive Functioning After 3 Years Can Be Predicted Using Information From the Diagnostic Process in Recently Diagnosed Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1478-1488. | 0.5 | 17 |
| 98 | Empirical Evidence of an Association Between Internal Validity and Effect Size in Randomized Controlled Trials of Low-Back Pain. <i>Spine</i> , 2009, 34, 1685-1692. | 1.0 | 99 |
| 99 | A study of the effects of acarbose on glucose metabolism in patients predisposed to developing diabetes: the Dutch acarbose intervention study in persons with impaired glucose tolerance (DAISI). <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 611-616. | 1.7 | 35 |
| 100 | Symptoms of depression in people with impaired glucose metabolism or Type 2 diabetes mellitus: The Hoorn Study. <i>Diabetic Medicine</i> , 2008, 25, 843-849. | 1.2 | 49 |
| 101 | Fatty fish and supplements are the greatest modifiable contributors to the serum 25-hydroxyvitamin D concentration in a multiethnic population. <i>Clinical Endocrinology</i> , 2008, 68, 466-472. | 1.2 | 71 |
| 102 | Cost-effectiveness of usual general practitioner care with or without antidepressant medication for patients with minor or mild-major depression. <i>Journal of Affective Disorders</i> , 2008, 111, 106-112. | 2.0 | 19 |
| 103 | Morbidity severity classifying routine consultations from English and Dutch general practice indicated physical health status. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 386.e1-386.e9. | 2.4 | 8 |
| 104 | Absence of an Acute Insulin Response Predicts Onset of Type 2 Diabetes in a Caucasian Population with Impaired Glucose Tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2633-2638. | 1.8 | 14 |
| 105 | Effects of acupuncture on rates of pregnancy and live birth among women undergoing in vitro fertilisation: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2008, 336, 545-549. | 2.4 | 177 |
| 106 | Ankle Brachial Index Combined With Framingham Risk Score to Predict Cardiovascular Events and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 197. | 3.8 | 1,553 |
| 107 | Prognostic Value of Adiponectin for Cardiovascular Disease and Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1489-1496. | 1.8 | 151 |
| 108 | Assessing the impact of health technology assessment in the Netherlands. <i>International Journal of Technology Assessment in Health Care</i> , 2008, 24, 259-269. | 0.2 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Homocysteine, <i>S</i>-adenosylmethionine and <i>S</i>-adenosylhomocysteine are associated with retinal microvascular abnormalities: the Hoorn Study. Clinical Science, 2008, 114, 479-487. | 1.8 | 24 |
| 110 | A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. Spine, 2008, 33, 95-103. | 1.0 | 537 |
| 111 | Interpreting Change Scores for Pain and Functional Status in Low Back Pain. Spine, 2008, 33, 90-94. | 1.0 | 1,540 |
| 112 | Vitality, perceived social support and disease activity determine the performance of social roles in recently diagnosed multiple sclerosis: A longitudinal analysis. Acta Dermato-Venereologica, 2008, 40, 151-157. | 0.6 | 23 |
| 113 | High Risk of Cardiovascular Mortality in Individuals With Impaired Fasting Glucose Is Explained by Conversion to Diabetes: The Hoorn Study. Diabetes Care, 2007, 30, 332-336. | 4.3 | 105 |
| 114 | Surgical treatment options for carpal tunnel syndrome. The Cochrane Library, 2007, , CD003905. | 1.5 | 143 |
| 115 | Do psychological factors predict outcome in both low-back pain and shoulder pain?. Annals of the Rheumatic Diseases, 2007, 66, 313-319. | 0.5 | 92 |
| 116 | Conservative treatments for tennis elbow do subgroups of patients respond differently?. Rheumatology, 2007, 46, 1601-1605. | 0.9 | 56 |
| 117 | Radiographic hip disorders and associated complications in severe cerebral palsy. Journal of Pediatric Orthopaedics Part B, 2007, 16, 31-34. | 0.3 | 10 |
| 118 | Minimal Clinically Important Change of the Neck Disability Index and the Numerical Rating Scale for Patients With Neck Pain. Spine, 2007, 32, 3047-3051. | 1.0 | 318 |
| 119 | Quality criteria were proposed for measurement properties of health status questionnaires. Journal of Clinical Epidemiology, 2007, 60, 34-42. | 2.4 | 7,331 |
| 120 | Good generalizability of a prediction rule for prediction of persistent shoulder pain in the short term. Journal of Clinical Epidemiology, 2007, 60, 947-953. | 2.4 | 20 |
| 121 | The Shoulder Disability Questionnaire differentiated well between high and low disability levels in patients in primary care, in a cross-sectional study. Journal of Clinical Epidemiology, 2007, 60, 1156-1163. | 2.4 | 21 |
| 122 | Author reply: criteria for good measurement properties. Journal of Clinical Epidemiology, 2007, 60, 1315-1316. | 2.4 | 1 |
| 123 | Alanine aminotransferase predicts coronary heart disease events: A 10-year follow-up of the Hoorn Study. Atherosclerosis, 2007, 191, 391-396. | 0.4 | 371 |
| 124 | Meta-analysis: Acupuncture for Osteoarthritis of the Knee. Annals of Internal Medicine, 2007, 146, 868. | 2.0 | 201 |
| 125 | Cost Effectiveness of a Pharmacy-Based Coaching Programme to Improve Adherence to Antidepressants. Pharmacoeconomics, 2007, 25, 25-37. | 1.7 | 48 |
| 126 | Traction for low-back pain with or without sciatica. , 2007, , CD003010. | | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Is higher dairy consumption associated with lower body weight and fewer metabolic disturbances? The Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 989-995. | 2.2 | 126 |
| 128 | Principles of clinical epidemiology. , 2007, , 1-5. | | 0 |
| 129 | Potentially modifiable determinants of vitamin D status in an older population in the Netherlands: the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 755-761. | 2.2 | 116 |
| 130 | Prevention of fall incidents in patients with a high risk of falling: design of a randomised controlled trial with an economic evaluation of the effect of multidisciplinary transmurial care. <i>BMC Geriatrics</i> , 2007, 7, 15. | 1.1 | 30 |
| 131 | Dietary polyunsaturated fat intake is associated with low-density lipoprotein size, but not with susceptibility to oxidation in subjects with impaired glucose metabolism and type II diabetes: the Hoorn study. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 205-211. | 1.3 | 10 |
| 132 | Elevated cholesteryl ester transfer protein concentration is associated with an increased risk for cardiovascular disease in women, but not in men, with Type 2 diabetes: the Hoorn Study. <i>Diabetic Medicine</i> , 2007, 24, 117-123. | 1.2 | 16 |
| 133 | Alanine aminotransferase and the 6-year risk of the metabolic syndrome in Caucasian men and women: the Hoorn Study. <i>Diabetic Medicine</i> , 2007, 24, 430-435. | 1.2 | 70 |
| 134 | Maximum Potential Preventive Effect of Hip Protectors. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 507-510. | 1.3 | 6 |
| 135 | Development of AMSTAR: a measurement tool to assess the methodological quality of systematic reviews. <i>BMC Medical Research Methodology</i> , 2007, 7, 10. | 1.4 | 3,253 |
| 136 | The effectiveness of adding cognitive behavioural therapy aimed at changing lifestyle to managed diabetes care for patients with type 2 diabetes: design of a randomised controlled trial. <i>BMC Public Health</i> , 2007, 7, 74. | 1.2 | 34 |
| 137 | Minimally important change determined by a visual method integrating an anchor-based and a distribution-based approach. <i>Quality of Life Research</i> , 2007, 16, 131-142. | 1.5 | 276 |
| 138 | The Emerging Risk Factors Collaboration: analysis of individual data on lipid, inflammatory and other markers in over 1.1 million participants in 104 prospective studies of cardiovascular diseases. <i>European Journal of Epidemiology</i> , 2007, 22, 839-869. | 2.5 | 153 |
| 139 | Low back pain in general practice: cost-effectiveness of a minimal psychosocial intervention versus usual care. <i>European Spine Journal</i> , 2007, 16, 1812-1821. | 1.0 | 32 |
| 140 | Work-related physical and psychosocial risk factors for sick leave in patients with neck or upper extremity complaints. <i>International Archives of Occupational and Environmental Health</i> , 2007, 80, 733-741. | 1.1 | 30 |
| 141 | External Validation of a Measurement Tool to Assess Systematic Reviews (AMSTAR). <i>PLoS ONE</i> , 2007, 2, e1350. | 1.1 | 444 |
| 142 | Generalizability of a prediction rule for sick leave due to shoulder pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 440-446. | 1.7 | 6 |
| 143 | Prediction of an unfavourable course of low back pain in general practice: comparison of four instruments. <i>British Journal of General Practice</i> , 2007, 57, 15-22. | 0.7 | 55 |
| 144 | What Predicts Change in Pulmonary Function and Quality of Life in Asthma or COPD?. <i>Journal of Asthma</i> , 2006, 43, 513-519. | 0.9 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Minimal changes in health status questionnaires: distinction between minimally detectable change and minimally important change. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 54. | 1.0 | 587 |
| 146 | Cost effectiveness of brace, physiotherapy, or both for treatment of tennis elbow * Commentary. <i>British Journal of Sports Medicine</i> , 2006, 40, 637-643. | 3.1 | 52 |
| 147 | When to use agreement versus reliability measures. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1033-1039. | 2.4 | 1,356 |
| 148 | Clinical heterogeneity was a common problem in Cochrane reviews of physiotherapy and occupational therapy. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 914-919.e2. | 2.4 | 19 |
| 149 | Clinical prediction rules for the prognosis of shoulder pain in general practice. <i>Pain</i> , 2006, 120, 276-285. | 2.0 | 123 |
| 150 | The efficacy of low level laser therapy for chronic neck pain. <i>Pain</i> , 2006, 124, 5-6. | 2.0 | 7 |
| 151 | Sagittal abdominal diameter: no advantage compared with other anthropometric measures as a correlate of components of the metabolic syndrome in elderly from the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 995-1002. | 2.2 | 49 |
| 152 | Are retinal microvascular abnormalities associated with large artery endothelial dysfunction and intima-media thickness? The Hoorn Study. <i>Clinical Science</i> , 2006, 110, 597-604. | 1.8 | 63 |
| 153 | Predictors of Outcome in Patients With (Sub)Acute Low Back Pain Differ Across Treatment Groups. <i>Spine</i> , 2006, 31, 1699-1705. | 1.0 | 61 |
| 154 | Manual Therapy, Physical Therapy, or Continued Care by the General Practitioner for Patients With Neck Pain. <i>Clinical Journal of Pain</i> , 2006, 22, 370-377. | 0.8 | 125 |
| 155 | Applicability and Clinical Relevance of Results in Randomized Controlled Trials. <i>Spine</i> , 2006, 31, 1405-1409. | 1.0 | 47 |
| 156 | Lumbar supports for prevention and treatment of low-back pain. , 2006, , CD001823. | | 10 |
| 157 | Chronic non-specific abdominal complaints in general practice: a prospective study on management, patient health status and course of complaints. <i>BMC Family Practice</i> , 2006, 7, 12. | 2.9 | 19 |
| 158 | Review conclusions by Ernst and Canter regarding spinal manipulation refuted. <i>Chiropractic & Manual Therapies</i> , 2006, 14, 14. | 1.6 | 7 |
| 159 | Cost-effectiveness of a disease management program for major depression in elderly primary care patients. <i>Journal of General Internal Medicine</i> , 2006, 21, 1020-1026. | 1.3 | 36 |
| 160 | The course and prognosis of hip complaints in general practice. <i>Annals of Behavioral Medicine</i> , 2006, 31, 297-308. | 1.7 | 15 |
| 161 | A risk profile for identifying community-dwelling elderly with a high risk of recurrent falling: results of a 3-year prospective study. <i>Osteoporosis International</i> , 2006, 17, 417-425. | 1.3 | 304 |
| 162 | Meta-analysis of the relationship between alcohol consumption and coronary heart disease and mortality in type 2 diabetic patients. <i>Diabetologia</i> , 2006, 49, 648-652. | 2.9 | 109 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Comment on: Schmidt MI, Duncan BB, Vigo A et al (2006) Leptin and incident type 2 diabetes: risk or protection? <i>Diabetologia</i> 49:2086â€“2096. <i>Diabetologia</i> , 2006, 50, 234-236. | 2.9 | 5 |
| 164 | Comparison of the effectiveness of a behavioural graded activity program and manual therapy in patients with sub-acute neck pain: Design of a randomized clinical trial. <i>Manual Therapy</i> , 2006, 11, 297-305. | 1.6 | 33 |
| 165 | Reproducibility of the STARD checklist: an instrument to assess the quality of reporting of diagnostic accuracy studies. <i>BMC Medical Research Methodology</i> , 2006, 6, 12. | 1.4 | 55 |
| 166 | Protocol of the COSMIN study: CONsensus-based Standards for the selection of health Measurement INstruments. <i>BMC Medical Research Methodology</i> , 2006, 6, 2. | 1.4 | 238 |
| 167 | Does updating improve the methodological and reporting quality of systematic reviews?. <i>BMC Medical Research Methodology</i> , 2006, 6, 27. | 1.4 | 44 |
| 168 | Costs of shoulder pain in primary care consulters: a prospective cohort study in The Netherlands. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 83. | 0.8 | 106 |
| 169 | Surgery is more cost-effective than splinting for carpal tunnel syndrome in the Netherlands: results of an economic evaluation alongside a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 86. | 0.8 | 55 |
| 170 | A prediction rule for shoulder pain related sick leave: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 97. | 0.8 | 68 |
| 171 | The usefulness of evaluative outcome measures in patients with multiple sclerosis. <i>Brain</i> , 2006, 129, 2648-2659. | 3.7 | 53 |
| 172 | The quality of diagnostic accuracy studies since the STARD statement: Has it improved?. <i>Neurology</i> , 2006, 67, 792-797. | 1.5 | 229 |
| 173 | Change of Serum Albumin and Risk of Cardiovascular Disease and All-Cause Mortality. <i>American Journal of Epidemiology</i> , 2006, 164, 969-977. | 1.6 | 99 |
| 174 | Endothelial Dysfunction and Low-Grade Inflammation Explain Much of the Excess Cardiovascular Mortality in Individuals With Type 2 Diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 1086-1093. | 1.1 | 142 |
| 175 | Endothelial Dysfunction Contributes to Renal Functionâ€™Associated Cardiovascular Mortality in a Population with Mild Renal Insufficiency: The Hoorn Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 537-545. | 3.0 | 212 |
| 176 | The incidences of and consultation rate for lower extremity complaints in general practice. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 809-815. | 0.5 | 32 |
| 177 | Long term health complaints following the Amsterdam Air Disaster in police officers and fire-fighters. <i>Occupational and Environmental Medicine</i> , 2006, 63, 657-662. | 1.3 | 55 |
| 178 | Associations of Adiponectin Levels With Incident Impaired Glucose Metabolism and Type 2 Diabetes in Older Men and Women: The Hoorn Study. <i>Diabetes Care</i> , 2006, 29, 2498-2503. | 4.3 | 149 |
| 179 | Definition of clinical differences. <i>Journal of Rheumatology</i> , 2006, 33, 434; author reply 435. | 1.0 | 13 |
| 180 | Construct validity of instruments measuring impairments in body structures and function in rheumatic disorders: which constructs are selected for validation? A systematic review. <i>Clinical and Experimental Rheumatology</i> , 2006, 24, 93-102. | 0.4 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Predictors of Outcome in Neck and Shoulder Symptoms. Spine, 2005, 30, E459-E470. | 1.0 | 162 |
| 182 | Prognostic Factors for Low Back Pain in Patients Referred for Physiotherapy. Spine, 2005, 30, 1881-1886. | 1.0 | 70 |
| 183 | Self-monitoring of blood glucose in patients with type 2 diabetes mellitus who are not using insulin. , 2005, , CD005060. | | 59 |
| 184 | Implementation of Clinical Guidelines on Physical Therapy for Patients With Low Back Pain: Randomized Trial Comparing Patient Outcomes After a Standard and Active Implementation Strategy. Physical Therapy, 2005, 85, 544-555. | 1.1 | 116 |
| 185 | Determinants of hip pain in adult patients with severe cerebral palsy. Journal of Pediatric Orthopaedics Part B, 2005, 14, 120-125. | 0.3 | 46 |
| 186 | Serum Albumin and Muscle Strength: A Longitudinal Study in Older Men and Women. Journal of the American Geriatrics Society, 2005, 53, 1331-1338. | 1.3 | 96 |
| 187 | Mild renal insufficiency is associated with increased left ventricular mass in men, but not in women: An arterial stiffness-related phenomenonâ€”The Hoorn Study. Kidney International, 2005, 68, 673-679. | 2.6 | 44 |
| 188 | Homocysteine levels are not associated with cardiovascular autonomic function in elderly Caucasian subjects without or with type 2 diabetes mellitus: the Hoorn Study. Journal of Internal Medicine, 2005, 258, 536-543. | 2.7 | 10 |
| 189 | Opposite Contributions of Trunk and Leg Fat Mass with Plasma Lipase Activities: The Hoorn Study. Obesity, 2005, 13, 1817-1823. | 4.0 | 31 |
| 190 | Prevalences of hyperhomocysteinemia, unfavorable cholesterol profile and hypertension in European populations. European Journal of Clinical Nutrition, 2005, 59, 480-488. | 1.3 | 38 |
| 191 | Construct validity of the DynaPort®KneeTest: a comparison with observations of physical therapists. Osteoarthritis and Cartilage, 2005, 13, 738-743. | 0.6 | 21 |
| 192 | Epidemiological study air disaster in Amsterdam (ESADA): study design. BMC Public Health, 2005, 5, 54. | 1.2 | 27 |
| 193 | Reproducibility of cervical range of motion in patients with neck pain. BMC Musculoskeletal Disorders, 2005, 6, 59. | 0.8 | 49 |
| 194 | Reproducibility and validity of the DynaPort KneeTest. Arthritis and Rheumatism, 2005, 53, 357-363. | 6.7 | 14 |
| 195 | Course and prognosis of knee complaints in general practice. Arthritis and Rheumatism, 2005, 53, 920-930. | 6.7 | 42 |
| 196 | Impairment measures in rheumatic disorders for rehabilitation medicine and allied health care: a systematic review. Rheumatology International, 2005, 25, 501-512. | 1.5 | 14 |
| 197 | Inflammation and endothelial dysfunction are associated with retinopathy: the Hoorn Study. Diabetologia, 2005, 48, 1300-1306. | 2.9 | 188 |
| 198 | Effecten van zelfcontrole bij patiënten met diabetes mellitus type 2 zonder gebruik van insuline nog onduidelijk. Huisarts En Wetenschap, 2005, 48, 400-401. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. <i>Quality of Life Research</i> , 2005, 14, 795-803. | 1.5 | 31 |
| 200 | The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. <i>Quality of Life Research</i> , 2005, 14, 1141-1155. | 1.5 | 72 |
| 201 | Quality of Reporting of Diagnostic Accuracy Studies. <i>Radiology</i> , 2005, 235, 347-353. | 3.6 | 124 |
| 202 | Should treatment of (sub)acute low back pain be aimed at psychosocial prognostic factors? Cluster randomised clinical trial in general practice. <i>BMJ: British Medical Journal</i> , 2005, 331, 84. | 2.4 | 123 |
| 203 | A comparison of two primary care trials on tennis elbow: issues of external validity. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1406-1409. | 0.5 | 16 |
| 204 | The initial course of daily functioning in multiple sclerosis: a three-year follow-up study. <i>Multiple Sclerosis Journal</i> , 2005, 11, 713-718. | 1.4 | 21 |
| 205 | Incidence and prevalence of complaints of the neck and upper extremity in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 118-123. | 0.5 | 282 |
| 206 | An Exploratory Analysis of Criteria for the Metabolic Syndrome and Its Prediction of Long-term Cardiovascular Outcomes. <i>American Journal of Epidemiology</i> , 2005, 162, 438-447. | 1.6 | 37 |
| 207 | Self-Monitoring of Blood Glucose in Patients With Type 2 Diabetes Who Are Not Using Insulin: Response to Kleefstra et al. and Davidson. <i>Diabetes Care</i> , 2005, 28, 2597a-2598a. | 4.3 | 1 |
| 208 | Metabolic Syndrome and 10-Year Cardiovascular Disease Risk in the Hoorn Study. <i>Circulation</i> , 2005, 112, 666-673. | 1.6 | 517 |
| 209 | Self-Monitoring of Blood Glucose in Patients With Type 2 Diabetes Who Are Not Using Insulin: A systematic review. <i>Diabetes Care</i> , 2005, 28, 1510-1517. | 4.3 | 328 |
| 210 | Course and prognosis of elbow complaints: a cohort study in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1331-1336. | 0.5 | 88 |
| 211 | S-Adenosylmethionine and 5-Methyltetrahydrofolate Are Associated With Endothelial Function After Controlling for Confounding by Homocysteine. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 778-784. | 1.1 | 32 |
| 212 | Effect on the process of care of an active strategy to implement clinical guidelines on physiotherapy for low back pain: a cluster randomised controlled trial. <i>Quality and Safety in Health Care</i> , 2005, 14, 107-112. | 2.5 | 110 |
| 213 | Proinsulin Concentration Is an Independent Predictor of All-Cause and Cardiovascular Mortality: An 11-year follow-up of the Hoorn Study. <i>Diabetes Care</i> , 2005, 28, 860-865. | 4.3 | 59 |
| 214 | Evidence of the efficacy of occupational therapy in different conditions: an overview of systematic reviews. <i>Clinical Rehabilitation</i> , 2005, 19, 247-254. | 1.0 | 91 |
| 215 | Moderate Alcohol Consumption Lowers the Risk of Type 2 Diabetes: A meta-analysis of prospective observational studies. <i>Diabetes Care</i> , 2005, 28, 719-725. | 4.3 | 574 |
| 216 | Effectiveness of exercise therapy: A best-evidence summary of systematic reviews. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 71-85. | 0.9 | 240 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Change in serum albumin and subsequent decline in functional status in older persons. <i>Aging Clinical and Experimental Research</i> , 2005, 17, 297-305. | 1.4 | 14 |
| 218 | An economic evaluation of a proprioceptive balance board training programme for the prevention of ankle sprains in volleyball. <i>British Journal of Sports Medicine</i> , 2005, 39, 111-115. | 3.1 | 160 |
| 219 | Variance in Manual Treatment of Nonspecific Low Back Pain Between Orthomaneal Physicians, Manual Therapists, and Chiropractors. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2005, 28, 108-116. | 0.4 | 42 |
| 220 | The effect of a balance training programme on centre of pressure excursion in one-leg stance. <i>Clinical Biomechanics</i> , 2005, 20, 1094-1100. | 0.5 | 79 |
| 221 | Why is a treatment aimed at psychosocial factors not effective in patients with (sub)acute low back pain?. <i>Pain</i> , 2005, 118, 350-359. | 2.0 | 76 |
| 222 | Interobserver Reproducibility of the Visual Estimation of Range of Motion of the Shoulder. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1356-1361. | 0.5 | 77 |
| 223 | Improvement of a Questionnaire Measuring Activity Limitations in Rising and Sitting Down in Patients With Lower-Extremity Disorders Living at Home. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 2204-2210. | 0.5 | 27 |
| 224 | Measuring Activity Limitations in Walking: Development of a Hierarchical Scale for Patients With Lower-Extremity Disorders Who Live at Home. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 2277-2283. | 0.5 | 50 |
| 225 | Two pragmatic trials of treatment for shoulder disorders in primary care: generalisability, course, and prognostic indicators. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1056-1061. | 0.5 | 43 |
| 226 | Adiposity in Relation to Vitamin D Status and Parathyroid Hormone Levels: A Population-Based Study in Older Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 4119-4123. | 1.8 | 595 |
| 227 | Reliability, validity and responsiveness of instruments to assess disabilities in personal care in patients with rheumatic disorders. A systematic review. <i>Clinical and Experimental Rheumatology</i> , 2005, 23, 71-9. | 0.4 | 11 |
| 228 | Implementation of clinical guidelines on physical therapy for patients with low back pain: randomized trial comparing patient outcomes after a standard and active implementation strategy. <i>Physical Therapy</i> , 2005, 85, 544-55. | 1.1 | 44 |
| 229 | Clinimetric Properties of the Motor Activity Log for the Assessment of Arm Use in Hemiparetic Patients. <i>Stroke</i> , 2004, 35, 1410-1414. | 1.0 | 376 |
| 230 | Occupational therapy for community dwelling elderly people: a systematic review. <i>Age and Ageing</i> , 2004, 33, 453-460. | 0.7 | 147 |
| 231 | Left Ventricular Mass Increases With Deteriorating Glucose Tolerance, Especially in Women: Independence of Increased Arterial Stiffness or Decreased Flow-Mediated Dilation: The Hoorn Study. <i>Diabetes Care</i> , 2004, 27, 522-529. | 4.3 | 51 |
| 232 | Satisfactory cross cultural equivalence of the Dutch WOMAC in patients with hip osteoarthritis waiting for arthroplasty. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 36-42. | 0.5 | 227 |
| 233 | Overestimation of complication rates in evaluations of Chlamydia trachomatis screening programmes-implications for cost-effectiveness analyses. <i>International Journal of Epidemiology</i> , 2004, 33, 416-425. | 0.9 | 87 |
| 234 | Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 335-341. | 0.5 | 457 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Carotid Arterial Remodeling. Stroke, 2004, 35, 671-676. | 1.0 | 66 |
| 236 | The Relationship of Lipoprotein Lipase Activity and LDL size Is Dependent on Glucose Metabolism in an Elderly Population: The Hoorn Study. Diabetes Care, 2004, 27, 796-798. | 4.3 | 4 |
| 237 | Trunk Fat and Leg Fat Have Independent and Opposite Associations With Fasting and Postload Glucose Levels: The Hoorn Study. Diabetes Care, 2004, 27, 372-377. | 4.3 | 363 |
| 238 | Increased Central Artery Stiffness in Impaired Glucose Metabolism and Type 2 Diabetes. Hypertension, 2004, 43, 176-181. | 1.3 | 390 |
| 239 | A one season prospective cohort study of volleyball injuries. British Journal of Sports Medicine, 2004, 38, 477-481. | 3.1 | 289 |
| 240 | Lower levels of serum albumin and total cholesterol and future decline in functional performance in older persons: the Longitudinal Aging Study Amsterdam. Age and Ageing, 2004, 33, 266-272. | 0.7 | 80 |
| 241 | Prevalence of macrovascular disease amongst type 2 diabetic patients detected by targeted screening and patients newly diagnosed in general practice: the Hoorn Screening Study. Journal of Internal Medicine, 2004, 256, 429-436. | 2.7 | 36 |
| 242 | Microalbuminuria is associated with impaired brachial artery, flow-mediated vasodilation in elderly individuals without and with diabetes: Further evidence for a link between microalbuminuria and endothelial dysfunctionâ€”The Hoorn Study. Kidney International, 2004, 66, S42-S44. | 2.6 | 170 |
| 243 | Inter-observer reproducibility of measurements of range of motion in patients with shoulder pain using a digital inclinometer. BMC Musculoskeletal Disorders, 2004, 5, 18. | 0.8 | 79 |
| 244 | Coffee consumption and incidence of impaired fasting glucose, impaired glucose tolerance, and type 2 diabetes: the Hoorn Study. Diabetologia, 2004, 47, 2152-2159. | 2.9 | 121 |
| 245 | Functional limitations and poor physical performance as independent risk factors for self-reported fractures in older persons. Osteoporosis International, 2004, 15, 742-50. | 1.3 | 50 |
| 246 | Cost-effectiveness of hip protectors in frail institutionalized elderly. Osteoporosis International, 2004, 15, 964-969. | 1.3 | 23 |
| 247 | Effectiveness of an education programme by a general practice assistant for asthma and COPD patients: results from a randomised controlled trial. Patient Education and Counseling, 2004, 55, 121-128. | 1.0 | 70 |
| 248 | Cost Effectiveness of Interventions for Lateral Epicondylitis. Pharmacoeconomics, 2004, 22, 185-195. | 1.7 | 52 |
| 249 | Internal consistency and validity of a new physical workload questionnaire. Occupational and Environmental Medicine, 2004, 61, 980-986. | 1.3 | 50 |
| 250 | Occupational therapy for rheumatoid arthritis. The Cochrane Library, 2004, , CD003114. | 1.5 | 89 |
| 251 | The Effect of a Proprioceptive Balance Board Training Program for the Prevention of Ankle Sprains. American Journal of Sports Medicine, 2004, 32, 1385-1393. | 1.9 | 454 |
| 252 | Occupational therapy for children with cerebral palsy: a systematic review. Clinical Rehabilitation, 2004, 18, 1-14. | 1.0 | 71 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Efficacy of spinal manipulation and mobilization for low back pain and neck pain: a systematic review and best evidence synthesis. Spine Journal, 2004, 4, 335-356. | 0.6 | 473 |
| 254 | Non-invasive physical treatments for chronic/recurrent headache. , 2004, , CD001878. | | 125 |
| 255 | Systematic review of prognostic cohort studies on shoulder disorders. Pain, 2004, 109, 420-431. | 2.0 | 254 |
| 256 | Prognostic factors for neck pain in general practice. Pain, 2004, 110, 639-645. | 2.0 | 114 |
| 257 | How to measure comorbidity: a critical review of available methods. Journal of Clinical Epidemiology, 2004, 57, 323. | 2.4 | 27 |
| 258 | Two prospective studies found that elevated 2-hr glucose predicted male mortality independent of fasting glucose and HbA1c. Journal of Clinical Epidemiology, 2004, 57, 590-596. | 2.4 | 47 |
| 259 | The value of bitewing radiographs in epidemiological caries research: a systematic review of the literature. Journal of Dentistry, 2004, 32, 255-264. | 1.7 | 44 |
| 260 | The interexaminer reproducibility of physical examination of the cervical spine. Journal of Manipulative and Physiological Therapeutics, 2004, 27, 84-90. | 0.4 | 93 |
| 261 | Assessing pain in patients with severe cerebral palsy: Development, reliability, and validity of a pain assessment instrument for cerebral palsy11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. Archives of Physical Medicine and Rehabilitation, 2004, 85, 967-971. | 0.5 | 38 |
| 262 | Measuring activity limitations in climbing stairs: development of a hierarchical scale for patients with lower-extremity disorders living at home11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit on the author(s) or on any organization with which the author(s) is/are associated.. Archives of Physical Medicine and Rehabilitation, 2004, 85, 967-971. | 0.5 | 44 |
| 263 | Corrigendum to "Plasma homocysteine and S-adenosylmethionine in erythrocytes as determinants of carotid intima-media thickness: different effects in diabetic and non-diabetic individuals The Hoorn Study" [Atherosclerosis 169 (2003) 323-330]. Atherosclerosis, 2004, 173, 153. | 0.4 | 0 |
| 264 | Type 2 diabetes is associated with impaired endothelium-dependent, flow-mediated dilation, but impaired glucose metabolism is not. Atherosclerosis, 2004, 174, 49-56. | 0.4 | 161 |
| 265 | Economic Evaluations and Randomized Trials in Spinal Disorders: Principles and Methods. Spine, 2004, 29, 442-448. | 1.0 | 60 |
| 266 | Regional body composition as a determinant of arterial stiffness in the elderly. Journal of Hypertension, 2004, 22, 2339-2347. | 0.3 | 118 |
| 267 | Surgical treatment options for carpal tunnel syndrome. , 2004, , CD003905. | | 24 |
| 268 | Which are the best instruments for measuring disabilities in gait and gait-related activities in patients with rheumatic disorders. Clinical and Experimental Rheumatology, 2004, 22, 25-33. | 0.4 | 4 |
| 269 | Measures of cardiovascular autonomic nervous function: agreement, reproducibility, and reference values in middle age and elderly subjects. Diabetologia, 2003, 46, 330-338. | 2.9 | 73 |
| 270 | A combination of high concentrations of serum triglyceride and non-high-density-lipoprotein-cholesterol is a risk factor for cardiovascular disease in subjects with abnormal glucose metabolism" The Hoorn Study. Diabetologia, 2003, 46, 910-916. | 2.9 | 64 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | The Amsterdam Hip Protector Study: compliance and determinants of compliance. Osteoporosis International, 2003, 14, 353-359. | 1.3 | 44 |
| 272 | Daily physical activity and the use of a walking aid in relation to falls in elderly people in a residential care setting. Zeitschrift Fur Gerontologie Und Geriatrie, 2003, 36, 23-28. | 0.8 | 87 |
| 273 | Woldag H, Hummelsheim H;½Evidence-based physiotherapeutic concepts for improving arm and hand function in stroke patients: a review. Journal of Neurology, 2003, 250, 119-119. | 1.8 | 4 |
| 274 | Determinants of the clinical course of musculoskeletal complaints in general practice: design of a cohort study. BMC Musculoskeletal Disorders, 2003, 4, 3. | 0.8 | 24 |
| 275 | Hyperhomocysteinaemia is associated with coronary events in type 2 diabetes. Journal of Internal Medicine, 2003, 253, 293-300. | 2.7 | 49 |
| 276 | A Classification Tree for Predicting Recurrent Falling in Community-Dwelling Older Persons. Journal of the American Geriatrics Society, 2003, 51, 1356-1364. | 1.3 | 160 |
| 277 | S-adenosylhomocysteine and the ratio of S-adenosylmethionine to S-adenosylhomocysteine are not related to folate, cobalamin and vitamin B6 concentrations. European Journal of Clinical Investigation, 2003, 33, 17-25. | 1.7 | 37 |
| 278 | Larger Thigh and Hip Circumferences Are Associated with Better Glucose Tolerance: The Hoorn Study. Obesity, 2003, 11, 104-111. | 4.0 | 149 |
| 279 | Development of an implementation strategy for physiotherapy guidelines on low back pain. Australian Journal of Physiotherapy, 2003, 49, 208-214. | 0.9 | 66 |
| 280 | Muscle relaxants for non-specific low-back pain. The Cochrane Library, 2003, , CD004252. | 1.5 | 143 |
| 281 | Plasma homocysteine and S-adenosylmethionine in erythrocytes as determinants of carotid intima-media thickness: different effects in diabetic and non-diabetic individuals. Atherosclerosis, 2003, 169, 323-330. | 0.4 | 39 |
| 282 | Occupational therapy for multiple sclerosis. The Cochrane Library, 2003, , CD003608. | 1.5 | 45 |
| 283 | Occupational Therapy for Stroke Patients. Stroke, 2003, 34, 676-687. | 1.0 | 194 |
| 284 | Current challenges in clinimetrics. Journal of Clinical Epidemiology, 2003, 56, 1137-1141. | 2.4 | 189 |
| 285 | Effectiveness of physiotherapy for lateral epicondylitis: a systematic review. Annals of Medicine, 2003, 35, 51-62. | 1.5 | 187 |
| 286 | How to measure comorbiditya critical review of available methods. Journal of Clinical Epidemiology, 2003, 56, 221-229. | 2.4 | 1,506 |
| 287 | Levels of evidence. Journal of Clinical Epidemiology, 2003, 56, 917-918. | 2.4 | 10 |
| 288 | Retinopathy Is Associated With Cardiovascular and All-Cause Mortality in Both Diabetic and Nondiabetic Subjects: The Hoorn Study. Diabetes Care, 2003, 26, 2958-2958. | 4.3 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Arterial Stiffness Increases With Deteriorating Glucose Tolerance Status. <i>Circulation</i> , 2003, 107, 2089-2095. | 1.6 | 418 |
| 290 | Splinting for carpal tunnel syndrome: prognostic indicators of success. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 1342-1344. | 0.9 | 37 |
| 291 | Physiotherapy or corticosteroid injection for shoulder pain?. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 385-387. | 0.5 | 47 |
| 292 | Cost effectiveness of physiotherapy, manual therapy, and general practitioner care for neck pain: economic evaluation alongside a randomised controlled trial * Commentary: Bootstrapping simplifies appreciation of statistical inferences. <i>BMJ: British Medical Journal</i> , 2003, 326, 911-911. | 2.4 | 192 |
| 293 | Microvascular Complications at Time of Diagnosis of Type 2 Diabetes Are Similar Among Diabetic Patients Detected by Targeted Screening and Patients Newly Diagnosed in General Practice: The Hoorn Screening Study. <i>Diabetes Care</i> , 2003, 26, 2604-2608. | 4.3 | 188 |
| 294 | Cardiovascular events in type 2 diabetes: comparison with nondiabetic individuals without and with prior cardiovascular disease 10-year follow-up of the Hoorn Study. <i>European Heart Journal</i> , 2003, 24, 1406-1413. | 1.0 | 139 |
| 295 | Prevention of Hip Fractures by External Hip Protectors. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 1957. | 3.8 | 139 |
| 296 | Updated Method Guidelines for Systematic Reviews in the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2003, 28, 1290-1299. | 1.0 | 1,586 |
| 297 | Title is missing!. <i>Spine</i> , 2003, 28, 1290-1299. | 1.0 | 443 |
| 298 | Title is missing!. <i>Spine</i> , 2003, 28, 1215-1218. | 1.0 | 8 |
| 299 | RISK FACTORS FOR INCIDENT RETINOPATHY IN A DIABETIC AND NONDIABETIC POPULATION. <i>Evidence-Based Eye Care</i> , 2003, 4, 160-161. | 0.2 | 4 |
| 300 | Muscle Relaxants for Nonspecific Low Back Pain: A Systematic Review Within the Framework of the Cochrane Collaboration. <i>Spine</i> , 2003, 28, 1978-1992. | 1.0 | 180 |
| 301 | Cochrane Back Review Group. <i>Spine</i> , 2003, 28, 1215-1218. | 1.0 | 48 |
| 302 | Risk Factors for Incident Retinopathy in a Diabetic and Nondiabetic Population. <i>JAMA Ophthalmology</i> , 2003, 121, 245. | 2.6 | 232 |
| 303 | Prospective Relation of C-Reactive Protein With Type 2 Diabetes: Response to Han et al.. <i>Diabetes Care</i> , 2003, 26, 1656-1657. | 4.3 | 36 |
| 304 | Splinting vs Surgery for Carpal Tunnel Syndrome—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 421. | 3.8 | 0 |
| 305 | Associations of hip and thigh circumferences independent of waist circumference with the incidence of type 2 diabetes: the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 1192-1197. | 2.2 | 393 |
| 306 | Development and implementation of the Rehabilitation Activities Programme for children: impact on the rehabilitation team. <i>Clinical Rehabilitation</i> , 2002, 16, 441-453. | 1.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Diabetic Patients Detected by Population-Based Stepwise Screening Already Have a Diabetic Cardiovascular Risk Profile. <i>Diabetes Care</i> , 2002, 25, 1784-1789. | 4.3 | 98 |
| 308 | High physical work load and low job satisfaction increase the risk of sickness absence due to low back pain: results of a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2002, 59, 323-328. | 1.3 | 305 |
| 309 | Comparison of two different approaches for the analysis of data from a prospective cohort study: an application to work related risk factors for low back pain. <i>Occupational and Environmental Medicine</i> , 2002, 59, 459-465. | 1.3 | 44 |
| 310 | Improving the Action Research Arm test: a unidimensional hierarchical scale. <i>Clinical Rehabilitation</i> , 2002, 16, 646-653. | 1.0 | 80 |
| 311 | Blood Pressure, Lipids, and Obesity Are Associated With Retinopathy: The Hoorn Study. <i>Diabetes Care</i> , 2002, 25, 1320-1325. | 4.3 | 363 |
| 312 | Episodes of Low Back Pain. <i>Spine</i> , 2002, 27, 2409-2416. | 1.0 | 301 |
| 313 | Measuring sick leave: a comparison of self-reported data on sick leave and data from company records. <i>Occupational Medicine</i> , 2002, 52, 485-490. | 0.8 | 133 |
| 314 | Manual Therapy, Physical Therapy, or Continued Care by a General Practitioner for Patients with Neck Pain. <i>Annals of Internal Medicine</i> , 2002, 136, 713. | 2.0 | 283 |
| 315 | C-Reactive Protein and Soluble Vascular Cell Adhesion Molecule-1 Are Associated With Elevated Urinary Albumin Excretion but Do Not Explain Its Link With Cardiovascular Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 593-598. | 1.1 | 112 |
| 316 | Diabetes, pulse pressure and cardiovascular mortality: the Hoorn Study. <i>Journal of Hypertension</i> , 2002, 20, 1743-1751. | 0.3 | 156 |
| 317 | Treating Patients with Hemiplegic Shoulder Pain. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2002, 81, 150-160. | 0.7 | 47 |
| 318 | Therapeutic ultrasound for acute ankle sprains. , 2002, , CD001250. | | 30 |
| 319 | An infant with Down syndrome and retinoblastoma. A possible non-fortuitous association. <i>Ophthalmic Genetics</i> , 2002, 23, 135-136. | 0.5 | 2 |
| 320 | Additional abstracts from the e_Musk meeting. <i>Acta Orthopaedica</i> , 2002, 73, 63-69. | 1.4 | 0 |
| 321 | Corticosteroid injections, physiotherapy, or a wait-and-see policy for lateral epicondylitis: a randomised controlled trial. <i>Lancet</i> , The, 2002, 359, 657-662. | 6.3 | 640 |
| 322 | Interobserver reproducibility of the assessment of severity of complaints, grip strength, and pressure pain threshold in patients with lateral epicondylitis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 1145-1150. | 0.5 | 248 |
| 323 | Enabling meta-analysis in systematic reviews on carpal tunnel syndrome. <i>Journal of Hand Surgery</i> , 2002, 27, 828-832. | 0.7 | 26 |
| 324 | Moderate alcohol consumption is associated with lower risk for incident diabetes and mortality: the Hoorn Study. <i>Diabetes Research and Clinical Practice</i> , 2002, 57, 53-60. | 1.1 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Priority setting for health technology assessment in The Netherlands: principles and practice. Health Policy, 2002, 62, 227-242. | 1.4 | 26 |
| 326 | Corticosteroid injections for lateral epicondylitis: a systematic review. Pain, 2002, 96, 23-40. | 2.0 | 282 |
| 327 | Splinting vs Surgery in the Treatment of Carpal Tunnel Syndrome. JAMA - Journal of the American Medical Association, 2002, 288, 1245. | 3.8 | 316 |
| 328 | Conducting systematic reviews of diagnostic studies: didactic guidelines. BMC Medical Research Methodology, 2002, 2, 9. | 1.4 | 807 |
| 329 | Occupational therapy for rheumatoid arthritis: A systematic review. Arthritis and Rheumatism, 2002, 47, 672-685. | 6.7 | 77 |
| 330 | Acceptance and Compliance with External Hip Protectors: A Systematic Review of the Literature. Osteoporosis International, 2002, 13, 917-924. | 1.3 | 139 |
| 331 | Conservative treatment options for carpal tunnel syndrome: a systematic review of randomised controlled trials. Journal of Neurology, 2002, 249, 272-280. | 1.8 | 165 |
| 332 | Systematic review of randomized clinical trials of surgical treatment for carpal tunnel syndrome. British Journal of Surgery, 2002, 88, 1285-1295. | 0.1 | 117 |
| 333 | Why is soluble intercellular adhesion molecule-1 related to cardiovascular mortality?. European Journal of Clinical Investigation, 2002, 32, 1-8. | 1.7 | 47 |
| 334 | Impact of diabetes duration and cardiovascular risk factors on mortality in type 2 diabetes: the Hoorn Study. European Journal of Clinical Investigation, 2002, 32, 924-930. | 1.7 | 41 |
| 335 | Predicting adherence to prophylactic medication in adolescents with asthma: an application of the ASE-model. Patient Education and Counseling, 2002, 47, 165-171. | 1.0 | 39 |
| 336 | Epidemiological data and ranking home and leisure accidents for priority-setting. Accident Analysis and Prevention, 2002, 34, 695-702. | 3.0 | 10 |
| 337 | Mild renal insufficiency is associated with increased cardiovascular mortality: The Hoorn Study. Kidney International, 2002, 62, 1402-1407. | 2.6 | 475 |
| 338 | Follow-up, treatment, and reinfection rates among asymptomatic chlamydia trachomatis cases in general practice. British Journal of General Practice, 2002, 52, 623-7. | 0.7 | 12 |
| 339 | The intra- and interrater reliability of the action research arm test: A practical test of upper extremity function in patients with stroke. Archives of Physical Medicine and Rehabilitation, 2001, 82, 14-19. | 0.5 | 396 |
| 340 | Efficacy of spinal manipulation for chronic headache: A systematic review. Journal of Manipulative and Physiological Therapeutics, 2001, 24, 457-466. | 0.4 | 161 |
| 341 | The ethics of sample size:. Journal of Clinical Epidemiology, 2001, 54, 109-110. | 2.4 | 61 |
| 342 | Fall-risk screening test. Journal of Clinical Epidemiology, 2001, 54, 837-844. | 2.4 | 578 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Simultaneous development and implementation of the Children's Rehabilitation Activities Profile: a communication instrument for pediatric rehabilitation. <i>Disability and Rehabilitation</i> , 2001, 23, 614-622. | 0.9 | 9 |
| 344 | REPRODUCIBILITY AND RESPONSIVENESS OF EVALUATIVE OUTCOME MEASURES. <i>International Journal of Technology Assessment in Health Care</i> , 2001, 17, 479-487. | 0.2 | 138 |
| 345 | Translation and adaptation of a questionnaire to assess the group processes of rehabilitation team conferences. <i>Clinical Rehabilitation</i> , 2001, 15, 148-155. | 1.0 | 12 |
| 346 | A METHOD FOR RESEARCH PROGRAMMING IN THE FIELD OF EVIDENCE-BASED MEDICINE. <i>International Journal of Technology Assessment in Health Care</i> , 2001, 17, 433-441. | 0.2 | 38 |
| 347 | A Critical Appraisal of Review Articles on the Effectiveness of Conservative Treatment for Neck Pain. <i>Spine</i> , 2001, 26, 196-205. | 1.0 | 173 |
| 348 | Lumbar Supports for Prevention and Treatment of Low Back Pain. <i>Spine</i> , 2001, 26, 377-386. | 1.0 | 118 |
| 349 | Relation of Impaired Fasting and Postload Glucose With Incident Type 2 Diabetes in a Dutch Population. <i>JAMA - Journal of the American Medical Association</i> , 2001, 285, 2109. | 3.8 | 516 |
| 350 | An intervention programme using the ASE-model aimed at enhancing adherence in adolescents with asthma. <i>Patient Education and Counseling</i> , 2001, 44, 193-203. | 1.0 | 70 |
| 351 | Brachial artery pulse pressure and common carotid artery diameter: mutually independent associations with mortality in subjects with a recent history of impaired glucose tolerance. <i>European Journal of Clinical Investigation</i> , 2001, 31, 756-763. | 1.7 | 37 |
| 352 | Psychosocial risk factors for neck pain: A systematic review. <i>American Journal of Industrial Medicine</i> , 2001, 39, 180-193. | 1.0 | 314 |
| 353 | Splinting or surgery for carpal tunnel syndrome? Design of a randomized controlled trial [ISRCTN18853827]. <i>BMC Neurology</i> , 2001, 1, 8. | 0.8 | 16 |
| 354 | Measuring Subluxation of the Hemiplegic Shoulder: Reliability of a Method. <i>Neurorehabilitation and Neural Repair</i> , 2001, 15, 249-254. | 1.4 | 8 |
| 355 | Impaired Autonomic Function Is Associated With Increased Mortality, Especially in Subjects With Diabetes, Hypertension, or a History of Cardiovascular Disease: The Hoorn Study. <i>Diabetes Care</i> , 2001, 24, 1793-1798. | 4.3 | 400 |
| 356 | Serum Homocysteine Levels Are Associated With the Development of (Micro)albuminuria. Arteriosclerosis, Thrombosis, and Vascular Biology, 2001, 21, 74-81. | 1.1 | 94 |
| 357 | Prognostic implications of retinopathy and a high plasma von Willebrand factor concentration in type 2 diabetic subjects with microalbuminuria. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 529-536. | 0.4 | 26 |
| 358 | THE RESPONSIVENESS OF THE ACTION RESEARCH ARM TEST AND THE FUGL-MEYER ASSESSMENT SCALE IN CHRONIC STROKE PATIENTS. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 110-113. | 0.8 | 295 |
| 359 | Memory complaints and APOE-ε4 accelerate cognitive decline in cognitively normal elderly. <i>Neurology</i> , 2001, 57, 2217-2222. | 1.5 | 220 |
| 360 | Low-Grade Systemic Inflammation in Overweight Children. <i>Pediatrics</i> , 2001, 107, e13-e13. | 1.0 | 324 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Cost effectiveness analysis of a population based screening programme for asymptomatic Chlamydia trachomatis infections in women by means of home obtained urine specimens. Sexually Transmitted Infections, 2001, 77, 276-282. | 0.8 | 55 |
| 362 | Exercise therapy for arm function in stroke patients: a systematic review of randomized controlled trials. Clinical Rehabilitation, 2001, 15, 20-31. | 1.0 | 206 |
| 363 | Are neck flexion, neck rotation, and sitting at work risk factors for neck pain? Results of a prospective cohort study. Occupational and Environmental Medicine, 2001, 58, 200-207. | 1.3 | 333 |
| 364 | Psychosocial work characteristics and psychological strain in relation to low-back pain. Scandinavian Journal of Work, Environment and Health, 2001, 27, 258-267. | 1.7 | 123 |
| 365 | Re: Duplicate Publication. Sexually Transmitted Diseases, 2001, 28, 496. | 0.8 | 0 |
| 366 | Reproducibility and responsiveness of evaluative outcome measures. Theoretical considerations illustrated by an empirical example. International Journal of Technology Assessment in Health Care, 2001, 17, 479-87. | 0.2 | 72 |
| 367 | Constraint-Induced Movement Therapy. Physical Therapy, 2000, 80, 711-713. | 1.1 | 6 |
| 368 | Baroreflex sensitivity in the elderly: influence of age, breathing and spectral methods. Clinical Science, 2000, 99, 371-381. | 1.8 | 35 |
| 369 | Baroreflex sensitivity in the elderly: influence of age, breathing and spectral methods. Clinical Science, 2000, 99, 371. | 1.8 | 22 |
| 370 | Systematic Review of Psychosocial Factors at Work and Private Life as Risk Factors for Back Pain. Spine, 2000, 25, 2114-2125. | 1.0 | 699 |
| 371 | The Test of LasÃgue. Spine, 2000, 25, 1140-1147. | 1.0 | 206 |
| 372 | Flexion and Rotation of the Trunk and Lifting at Work Are Risk Factors for Low Back Pain. Spine, 2000, 25, 3087-3092. | 1.0 | 419 |
| 373 | Depressive Symptoms and Risk of Alzheimer's Disease in More Highly Educated Older People. Journal of the American Geriatrics Society, 2000, 48, 1092-1097. | 1.3 | 60 |
| 374 | Mechanisms of Action of Lumbar Supports. Spine, 2000, 25, 2103-2113. | 1.0 | 111 |
| 375 | Skeletal Muscle Mass and Muscle Strength in Relation to LowerÃExtremity Performance in Older Men and Women. Journal of the American Geriatrics Society, 2000, 48, 381-386. | 1.3 | 270 |
| 376 | Serum homocysteine is weakly associated with von Willebrand factor and soluble vascular cell adhesion molecule 1, but not with C-reactive protein in type 2 diabetic and non-diabetic subjects - The Hoorn Study. European Journal of Clinical Investigation, 2000, 30, 763-770. | 1.7 | 28 |
| 377 | Hyperhomocysteinaemia is not associated with isolated crural arterial occlusive disease: The Hoorn Study. Journal of Internal Medicine, 2000, 247, 442-448. | 2.7 | 20 |
| 378 | Glucose tolerance and other determinants of cardiovascular autonomic function: the Hoorn Study. Diabetologia, 2000, 43, 561-570. | 2.9 | 120 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Hyperhomocysteinemia Increases Risk of Death, Especially in Type 2 Diabetes. <i>Circulation</i> , 2000, 101, 1506-1511. | 1.6 | 260 |
| 380 | Increased levels of soluble vascular cell adhesion molecule 1 are associated with risk of cardiovascular mortality in type 2 diabetes: the Hoorn study. <i>Diabetes</i> , 2000, 49, 485-491. | 0.3 | 223 |
| 381 | Similar 9-year mortality risks and reproducibility for the World Health Organization and American Diabetes Association glucose tolerance categories: the Hoorn Study. <i>Diabetes Care</i> , 2000, 23, 40-44. | 4.3 | 79 |
| 382 | Cardiovascular autonomic function is associated with (micro-)albuminuria in elderly Caucasian subjects with impaired glucose tolerance or type 2 diabetes: the Hoorn Study. <i>Diabetes Care</i> , 2000, 23, 1369-1374. | 4.3 | 40 |
| 383 | Depression and risk of cognitive decline and Alzheimer's disease. <i>British Journal of Psychiatry</i> , 2000, 176, 568-575. | 1.7 | 303 |
| 384 | Hyperhomocysteinemia Is Associated With the Presence of Retinopathy in Type 2 Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2000, 160, 2984. | 4.3 | 64 |
| 385 | Low diagnostic accuracy of selective screening criteria for asymptomatic Chlamydia trachomatis infections in the general population. <i>Sexually Transmitted Infections</i> , 2000, 76, 375-380. | 0.8 | 43 |
| 386 | Effect of Triamcinolone Acetonide Injections on Hemiplegic Shoulder Pain. <i>Stroke</i> , 2000, 31, 2396-2401. | 1.0 | 72 |
| 387 | Prediction of return-to-work of low back pain patients sicklisted for 3-4 months. <i>Pain</i> , 2000, 87, 285-294. | 2.0 | 143 |
| 388 | Methods for assessing diabetic polyneuropathy: validity and reproducibility of the measurement of sensory symptom severity and nerve function tests. <i>Diabetes Research and Clinical Practice</i> , 2000, 47, 87-95. | 1.1 | 39 |
| 389 | Shoulder disability questionnaire design and responsiveness of a functional status measure. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 29-38. | 2.4 | 133 |
| 390 | Publications on diagnostic test evaluation in family medicine journals. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 65-69. | 2.4 | 145 |
| 391 | Occupational risk factors for shoulder pain: a systematic review. <i>Occupational and Environmental Medicine</i> , 2000, 57, 433-442. | 1.3 | 445 |
| 392 | The Quality of Data Collection by an Interview on the Prevalence of Elder Mistreatment. <i>Journal of Elder Abuse and Neglect</i> , 2000, 12, 57-72. | 0.5 | 5 |
| 393 | Physical risk factors for neck pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 7-19. | 1.7 | 405 |
| 394 | Practical aspects of conducting a pragmatic randomised trial in primary care: patient recruitment and outcome assessment. <i>British Journal of General Practice</i> , 2000, 50, 371-4. | 0.7 | 56 |
| 395 | Forced Use of the Upper Extremity in Chronic Stroke Patients. <i>Stroke</i> , 1999, 30, 2369-2375. | 1.0 | 688 |
| 396 | Education and incident Alzheimer's disease: a biased association due to selective attrition and use of a two-step diagnostic procedure?. <i>International Journal of Epidemiology</i> , 1999, 28, 492-497. | 0.9 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | Upper respiratory tract infection, heterologous immunisation and meningococcal disease. Journal of Medical Microbiology, 1999, 48, 943-946. | 0.7 | 6 |
| 398 | Diagnostic classification of shoulder disorders: interobserver agreement and determinants of disagreement. Annals of the Rheumatic Diseases, 1999, 58, 272-277. | 0.5 | 122 |
| 399 | Leptin and variables of body adiposity, energy balance, and insulin resistance in a population-based study. The Hoorn Study. Diabetes Care, 1999, 22, 1097-1104. | 4.3 | 115 |
| 400 | Elevated C-Reactive Protein Levels in Overweight and Obese Adults. JAMA - Journal of the American Medical Association, 1999, 282, 2131. | 3.8 | 1,978 |
| 401 | von Willebrand Factor, C-Reactive Protein, and 5-Year Mortality in Diabetic and Nondiabetic Subjects. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 3071-3078. | 1.1 | 277 |
| 402 | Microalbuminuria and Peripheral Arterial Disease Are Independent Predictors of Cardiovascular and All-Cause Mortality, Especially Among Hypertensive Subjects. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 617-624. | 1.1 | 338 |
| 403 | Normohomocysteinaemia and vitamin-treated hyperhomocysteinaemia are associated with similar risks of cardiovascular events in patients with premature peripheral arterial occlusive disease. A prospective cohort study. Journal of Internal Medicine, 1999, 246, 87-96. | 2.7 | 43 |
| 404 | Hyperhomocysteinaemia is not related to risk of distal somatic polyneuropathy: The Hoorn Study. Journal of Internal Medicine, 1999, 246, 561-566. | 2.7 | 16 |
| 405 | Hyperglycaemia is associated with all-cause and cardiovascular mortality in the Hoorn population: the Hoorn Study. Diabetologia, 1999, 42, 926-931. | 2.9 | 571 |
| 406 | Ultrasound Measurements for the Prediction of Osteoporotic Fractures in Elderly People. Osteoporosis International, 1999, 9, 550-556. | 1.3 | 154 |
| 407 | Hyperproinsulinaemia in impaired glucose tolerance is associated with a delayed insulin response to glucose. Diabetologia, 1999, 42, 177-180. | 2.9 | 24 |
| 408 | Risk Indicators of Elder Mistreatment in the Community. Journal of Elder Abuse and Neglect, 1999, 9, 67-76. | 0.5 | 33 |
| 409 | No effect of bipolar interferential electrotherapy and pulsed ultrasound for soft tissue shoulder disorders: a randomised controlled trial. Annals of the Rheumatic Diseases, 1999, 58, 530-540. | 0.5 | 73 |
| 410 | Indirect costs of back pain in the Netherlands: a comparison of the human capital method with the friction cost method. Pain, 1999, 80, 201-207. | 2.0 | 91 |
| 411 | Cost-of-illness of neck pain in The Netherlands in 1996. Pain, 1999, 80, 629-636. | 2.0 | 383 |
| 412 | Ultrasound therapy for musculoskeletal disorders: a systematic review. Pain, 1999, 81, 257-271. | 2.0 | 293 |
| 413 | Responsiveness of general health status in chronic low back pain: a comparison of the COOP Charts and the SF-36. Pain, 1999, 83, 201-209. | 2.0 | 99 |
| 414 | Identification and priority setting for health technology assessment in The Netherlands: actors and activities. Health Policy, 1999, 47, 241-253. | 1.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 415 | Corticosteroid injections for tennis elbow. The Cochrane Library, 1999, , . | 1.5 | 2 |
| 416 | Physiotherapy and physiotherapeutical modalities for lateral epicondylitis. The Cochrane Library, 1999, , . | 1.5 | 1 |
| 417 | Cognitive reserve and mortality in dementia: the role of cognition, functional ability and depression. Psychological Medicine, 1999, 29, 1219-1226. | 2.7 | 44 |
| 418 | Association Between Memory Complaints and Incident Alzheimer's Disease in Elderly People With Normal Baseline Cognition. American Journal of Psychiatry, 1999, 156, 531-537. | 4.0 | 410 |
| 419 | Physical load during work and leisure time as risk factors for back pain. Scandinavian Journal of Work, Environment and Health, 1999, 25, 387-403. | 1.7 | 452 |
| 420 | Predictors for Falls and Fractures in the Longitudinal Aging Study Amsterdam. Journal of Bone and Mineral Research, 1998, 13, 1932-1939. | 3.1 | 270 |
| 421 | Serum homocysteine level and protein intake are related to risk of microalbuminuria: The Hoorn Study. Kidney International, 1998, 54, 203-209. | 2.6 | 131 |
| 422 | Determinants of specific serum insulin concentrations in a general Caucasian population aged 50 to 74 years (the Hoorn study). , 1998, 15, 45-52. | | 26 |
| 423 | Microalbuminuria is strongly associated with NIDDM and hypertension, but not with the insulin resistance syndrome: the Hoorn Study. Diabetologia, 1998, 41, 694-700. | 2.9 | 109 |
| 424 | The Influence of Physical Activity and Fractures on Ultrasound Parameters in Elderly People. Osteoporosis International, 1998, 8, 449-454. | 1.3 | 22 |
| 425 | Dissimilar association of conventional immuno-reactive versus specific insulin with cardiovascular risk factors: a consequence of proinsulinaemia?. Diabetes Research and Clinical Practice, 1998, 40, 81-90. | 1.1 | 1 |
| 426 | The clinical course and prognostic factors of non-specific neck pain: a systematic review. Pain, 1998, 77, 1-13. | 2.0 | 413 |
| 427 | The Delphi List. Journal of Clinical Epidemiology, 1998, 51, 1235-1241. | 2.4 | 1,980 |
| 428 | Hyperhomocysteinemia Is Associated With an Increased Risk of Cardiovascular Disease, Especially in Non-Insulin-Dependent Diabetes Mellitus. Arteriosclerosis, Thrombosis, and Vascular Biology, 1998, 18, 133-138. | 1.1 | 336 |
| 429 | Randomized Study of Two Different Target Levels of Glycemic Control Within the Acceptable Range in Type 2 Diabetes: Effects on well-being at 1 year. Diabetes Care, 1998, 21, 2085-2093. | 4.3 | 34 |
| 430 | The 1997 American Diabetes Association Criteria Versus the 1985 World Health Organization Criteria for the Diagnosis of Abnormal Glucose Tolerance: Poor agreement in the Hoorn Study. Diabetes Care, 1998, 21, 1686-1690. | 4.3 | 131 |
| 431 | On the course of low back pain in general practice: a one year follow up study. Annals of the Rheumatic Diseases, 1998, 57, 13-19. | 0.5 | 123 |
| 432 | Effectiveness of corticosteroid injections versus physiotherapy for treatment of painful stiff shoulder in primary care: randomised trial. BMJ: British Medical Journal, 1998, 317, 1292-1296. | 2.4 | 245 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 433 | Insulin and Risk of Cardiovascular Disease. <i>Circulation</i> , 1998, 97, 996-1001. | 1.6 | 369 |
| 434 | The responsiveness of the Shoulder Disability Questionnaire. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 82-87. | 0.5 | 137 |
| 435 | Chronic low back pain in primary care: a prospective study on the management and course. <i>Family Practice</i> , 1998, 15, 126-132. | 0.8 | 49 |
| 436 | Lumbar Supports and Education for the Prevention of Low Back Pain in Industry. <i>JAMA - Journal of the American Medical Association</i> , 1998, 279, 1789. | 3.8 | 125 |
| 437 | Elder Abuse in the Community: Prevalence and Consequences. <i>Journal of the American Geriatrics Society</i> , 1998, 46, 885-888. | 1.3 | 172 |
| 438 | Methodologic Issues in Low Back Pain Research in Primary Care. <i>Spine</i> , 1998, 23, 2014-2020. | 1.0 | 105 |
| 439 | The Use of Societal Criteria in Priority Setting for Health Technology Assessment in the Netherlands: Initial Experiences and Future Challenges. <i>International Journal of Technology Assessment in Health Care</i> , 1998, 14, 226-236. | 0.2 | 19 |
| 440 | Prevalence of mental retardation in patients with hereditary retinoblastoma. <i>Ophthalmic Genetics</i> , 1997, 18, 217-220. | 0.5 | 4 |
| 441 | Incidence and survival of retinoblastoma in the Netherlands: a register based study 1862-1995. <i>British Journal of Ophthalmology</i> , 1997, 81, 559-562. | 2.1 | 133 |
| 442 | A systematic review of controlled clinical trials on the prevention of back pain in industry.. <i>Occupational and Environmental Medicine</i> , 1997, 54, 841-847. | 1.3 | 113 |
| 443 | Efficacy of non-steroidal anti-inflammatory drugs for low back pain: a systematic review of randomised clinical trials. <i>Annals of the Rheumatic Diseases</i> , 1997, 56, 214-223. | 0.5 | 95 |
| 444 | Performance of an NIDDM Screening Questionnaire Based on Symptoms and Risk Factors. <i>Diabetes Care</i> , 1997, 20, 491-496. | 4.3 | 136 |
| 445 | The Prognosis of Low Back Pain in General Practice. <i>Spine</i> , 1997, 22, 1515-1521. | 1.0 | 135 |
| 446 | Spinal Radiographic Findings and Nonspecific Low Back Pain. <i>Spine</i> , 1997, 22, 427-434. | 1.0 | 418 |
| 447 | Management of Chronic Nonspecific Low Back Pain in Primary Care: A Descriptive Study. <i>Spine</i> , 1997, 22, 76-82. | 1.0 | 56 |
| 448 | Reliability of Lumbar Spine Radiograph Reading by Chiropractors. <i>Spine</i> , 1997, 22, 1235-1241. | 1.0 | 12 |
| 449 | Method Guidelines for Systematic Reviews in the Cochrane Collaboration Back Review Group for Spinal Disorders. <i>Spine</i> , 1997, 22, 2323-2330. | 1.0 | 601 |
| 450 | Conservative Treatment of Acute and Chronic Nonspecific Low Back Pain. <i>Spine</i> , 1997, 22, 2128-2156. | 1.0 | 827 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 451 | Second primary tumors in patients with retinoblastoma a review of the literature. Ophthalmic Genetics, 1997, 18, 27-34. | 0.5 | 143 |
| 452 | Cardiovascular Morbidity and Mortality Among Hypertensive Patients in General Practice: The Evaluation of Long-Term Systematic Management. Journal of Clinical Epidemiology, 1997, 50, 779-786. | 2.4 | 9 |
| 453 | Cardiovascular risk factors prior to the development of non-insulin-dependent diabetes mellitus in persons with impaired glucose tolerance: The Hoorn study. Journal of Clinical Epidemiology, 1997, 50, 1003-1009. | 2.4 | 19 |
| 454 | Management control of biomedical research and pharmaceutical innovation. Technovation, 1997, 17, 167-221. | 4.2 | 6 |
| 455 | EFFICACY OF LASER THERAPY IN ANKLE SPRAINS:. Laser Therapy, 1997, 9, 165-171. | 0.8 | 1 |
| 456 | Alarming high prevalence of obesity in Curaçao: data from an interview survey stratified for socioeconomic status. International Journal of Obesity, 1997, 21, 1002-1009. | 1.6 | 25 |
| 457 | Soft-tissue Disorders of the Shoulder. Physiotherapy, 1997, 83, 12-17. | 0.2 | 40 |
| 458 | Carotid artery stenosis is related to blood glucose level in an elderly Caucasian population: the Hoorn Study. Diabetologia, 1997, 40, 290-298. | 2.9 | 55 |
| 459 | Development and validation of the diabetes fear of injecting and self-testing questionnaire (D-FISQ): first findings. , 1997, 14, 871-876. | | 50 |
| 460 | The assessment of diabetic polyneuropathy in daily clinical practice: Reproducibility and validity of Semmes Weinstein monofilaments examination and clinical neurological examination. Muscle and Nerve, 1997, 20, 116-118. | 1.0 | 111 |
| 461 | Variation in the treatment of carpal tunnel syndrome. , 1997, 20, 1334-1335. | | 24 |
| 462 | Pain and health status of primary care patients with low back pain. Journal of Family Practice, 1997, 44, 187-92. | 0.2 | 5 |
| 463 | Responsiveness of the Rehabilitation Activities Profile and the Barthel Index. Journal of Clinical Epidemiology, 1996, 49, 39-44. | 2.4 | 59 |
| 464 | Peripheral Somatic Nerve Function in Relation to Glucose Tolerance in an Elderly Caucasian Population: the Hoorn Study. Diabetic Medicine, 1996, 13, 960-966. | 1.2 | 33 |
| 465 | Measuring functional limitations in rising and sitting down: Development of a questionnaire. Archives of Physical Medicine and Rehabilitation, 1996, 77, 663-669. | 0.5 | 45 |
| 466 | Spinal Manipulation for Low Back Pain. Spine, 1996, 21, 2860-2871. | 1.0 | 239 |
| 467 | Vitamin D Supplementation and Fracture Incidence in Elderly Persons. Annals of Internal Medicine, 1996, 124, 400. | 2.0 | 565 |
| 468 | High parental age is associated with sporadic hereditary retinoblastoma: the Dutch retinoblastoma register 1862-1994. Human Genetics, 1996, 98, 109-112. | 1.8 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 469 | Different risk profiles for hip fractures and distal forearm fractures: A prospective study. Osteoporosis International, 1996, 6, 427-431. | 1.3 | 96 |
| 470 | Second primary tumors in patients with hereditary retinoblastoma: A register-based follow-up study, 1945-1994. International Journal of Cancer, 1996, 67, 515-519. | 2.3 | 107 |
| 471 | Intra-individual variation of glucose, specific insulin and proinsulin concentrations measured by two oral glucose tolerance tests in a general Caucasian population: the Hoorn Study. Diabetologia, 1996, 39, 298-305. | 2.9 | 326 |
| 472 | Symptoms and Well-Being in Relation to Glycemic Control in Type II Diabetes. Diabetes Care, 1996, 19, 204-210. | 4.3 | 235 |
| 473 | Introducing an innovative method in team conferences. Disability and Rehabilitation, 1996, 18, 374-379. | 0.9 | 9 |
| 474 | Falls in the Elderly: A Prospective Study of Risk Factors and Risk Profiles. American Journal of Epidemiology, 1996, 143, 1129-1136. | 1.6 | 647 |
| 475 | Fasting proinsulin and 2-h post-load glucose levels predict the conversion to NIDDM in subjects with impaired glucose tolerance: The Hoorn Study. Diabetologia, 1996, 39, 113-118. | 2.9 | 97 |
| 476 | Intra-individual variation of glucose, specific insulin and proinsulin concentrations measured by two oral glucose tolerance tests in a general Caucasian population: the Hoorn Study. Diabetologia, 1996, 39, 298-305. | 2.9 | 32 |
| 477 | Corticosteroid injections for lateral epicondylitis: a systematic overview. British Journal of General Practice, 1996, 46, 209-16. | 0.7 | 167 |
| 478 | Steroid injections for shoulder disorders: a systematic review of randomized clinical trials. British Journal of General Practice, 1996, 46, 309-16. | 0.7 | 79 |
| 479 | Shoulder disorders in general practice: prognostic indicators of outcome. British Journal of General Practice, 1996, 46, 519-23. | 0.7 | 282 |
| 480 | The inter-observer reproducibility of Lasègue's sign in patients with low back pain in general practice. British Journal of General Practice, 1996, 46, 727-30. | 0.7 | 17 |
| 481 | Complications of spinal manipulation: a comprehensive review of the literature. Journal of Family Practice, 1996, 42, 475-80. | 0.2 | 177 |
| 482 | The effectiveness of chiropractic for treatment of low back pain: an update and attempt at statistical pooling. Journal of Manipulative and Physiological Therapeutics, 1996, 19, 499-507. | 0.4 | 44 |
| 483 | On the Accuracy of History, Physical Examination, and Erythrocyte Sedimentation Rate in Diagnosing Low Back Pain in General Practice. Spine, 1995, 20, 318-326. | 1.0 | 128 |
| 484 | The Efficacy of Traction for Back and Neck Pain: A Systematic, Blinded Review of Randomized Clinical Trial Methods. Physical Therapy, 1995, 75, 93-104. | 1.1 | 203 |
| 485 | Methodological Quality of Randomized Clinical Trials on Treatment Efficacy in Low Back Pain. Spine, 1995, 20, 228-235. | 1.0 | 132 |
| 486 | Efficacy of Lumbar Traction: A Randomised Clinical Trial. Physiotherapy, 1995, 81, 29-35. | 0.2 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 487 | Letters to the editors. Muscle and Nerve, 1995, 18, 920-929. | 1.0 | 2 |
| 488 | Peripheral arterial disease in relation to glycaemic level in an elderly Caucasian population: the Hoorn Study. Diabetologia, 1995, 38, 86-96. | 2.9 | 250 |
| 489 | Prevalence and Determinants of Glucose Intolerance in a Dutch Caucasian Population: The Hoorn Study. Diabetes Care, 1995, 18, 1270-1273. | 4.3 | 348 |
| 490 | Barriers to Wearing Bicycle Safety Helmets in the Netherlands. JAMA Pediatrics, 1995, 149, 174. | 3.6 | 15 |
| 491 | Shoulder disorders in general practice: incidence, patient characteristics, and management.. Annals of the Rheumatic Diseases, 1995, 54, 959-964. | 0.5 | 747 |
| 492 | A cost-of-illness study of back pain in The Netherlands. Pain, 1995, 62, 233-240. | 2.0 | 637 |
| 493 | Efficacy of epidural steroid injections for low-back pain and sciatica: a systematic review of randomized clinical trials. Pain, 1995, 63, 279-288. | 2.0 | 325 |
| 494 | Inter- and intra-rater agreement of the rehabilitation activities profile. Journal of Clinical Epidemiology, 1995, 48, 407-416. | 2.4 | 35 |
| 495 | The efficacy of non-steroidal anti-inflammatory drugs (NSAIDS) for shoulder complaints. A systematic review. Journal of Clinical Epidemiology, 1995, 48, 691-704. | 2.4 | 97 |
| 496 | A semiquantitative food frequency questionnaire for use in epidemiologic research among the elderly: Validation by comparison with dietary history. Journal of Clinical Epidemiology, 1995, 48, 859-868. | 2.4 | 80 |
| 497 | The rehabilitation activities profile: A validation study of its use as a disability index with stroke patients. Archives of Physical Medicine and Rehabilitation, 1995, 76, 501-507. | 0.5 | 42 |
| 498 | Vitamin D status and sex hormone binding globulin: Determinants of bone turnover and bone mineral density in elderly women. Journal of Bone and Mineral Research, 1995, 10, 1177-1184. | 3.1 | 253 |
| 499 | Peripheral arterial disease in relation to glycaemic level in an elderly Caucasian population: the Hoorn Study. Diabetologia, 1995, 38, 86-96. | 2.9 | 34 |
| 500 | Chiropractic in The Netherlands: a survey of Dutch chiropractors. Journal of Manipulative and Physiological Therapeutics, 1995, 18, 129-34. | 0.4 | 27 |
| 501 | The relationship between methodological quality and conclusions in reviews of spinal manipulation. JAMA - Journal of the American Medical Association, 1995, 274, 1942-8. | 3.8 | 21 |
| 502 | The incidence of hip fractures in independent and institutionalized elderly people. Osteoporosis International, 1994, 4, 6-10. | 1.3 | 104 |
| 503 | Sensory thresholds in older adults: Reproducibility and reference values. Muscle and Nerve, 1994, 17, 454-461. | 1.0 | 54 |
| 504 | Innovative and industrial performance in pharmaceutical R&D, a management control perspective. Omega, 1994, 22, 209-219. | 3.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 505 | Comparison of three methods for the quantification of β -cell function and insulin sensitivity. Diabetes Research and Clinical Practice, 1994, 26, 189-195. | 1.1 | 14 |
| 506 | Complaints of neuropathy related to the clinical and neurophysiological assessment of nerve function in patients with diabetes mellitus. Diabetes Research and Clinical Practice, 1994, 26, 29-34. | 1.1 | 21 |
| 507 | The efficacy of back schools: A review of randomized clinical trials. Journal of Clinical Epidemiology, 1994, 47, 851-862. | 2.4 | 144 |
| 508 | Clinical scores for acute asthma in pre-school children. A review of the literature. Journal of Clinical Epidemiology, 1994, 47, 635-646. | 2.4 | 66 |
| 509 | Development of a Type 2 Diabetes Symptom Checklist: a Measure of Symptom Severity. Diabetic Medicine, 1994, 11, 253-261. | 1.2 | 164 |
| 510 | Maternal characteristics and expected birth weight. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1993, 50, 115-122. | 0.5 | 6 |
| 511 | Efficacy of physiotherapy for musculoskeletal disorders: what can we learn from research?. British Journal of General Practice, 1993, 43, 73-7. | 0.7 | 53 |
| 512 | A randomized clinical trial of manual therapy and physiotherapy for persistent back and neck complaints: subgroup analysis and relationship between outcome measures. Journal of Manipulative and Physiological Therapeutics, 1993, 16, 211-9. | 0.4 | 66 |
| 513 | Aetiology of handball injuries: a case-control study.. British Journal of Sports Medicine, 1992, 26, 121-124. | 3.1 | 32 |
| 514 | The efficacy of the back school for patients with non-specific low back pain: An overview. Physiotherapy Theory and Practice, 1992, 8, 85-88. | 0.6 | 0 |
| 515 | The impact of back school research on the beliefs of health care professionals: A randomised survey of general practitioners and physiotherapists. Physiotherapy Theory and Practice, 1992, 8, 79-83. | 0.6 | 4 |
| 516 | The Efficacy of Laser Therapy for Musculoskeletal and Skin Disorders: A Criteria-Based Meta-analysis of Randomized Clinical Trials. Physical Therapy, 1992, 72, 483-491. | 1.1 | 187 |
| 517 | The Effectiveness of Manual Therapy, Physiotherapy, and Treatment by the General Practitioner for Nonspecific Back and Neck Complaints. Spine, 1992, 17, 28-35. | 1.0 | 227 |
| 518 | Randomised clinical trial of manipulative therapy and physiotherapy for persistent back and neck complaints: results of one year follow up.. BMJ: British Medical Journal, 1992, 304, 601-605. | 2.4 | 225 |
| 519 | The efficacy of chiropractic manipulation for back pain: blinded review of relevant randomized clinical trials. Journal of Manipulative and Physiological Therapeutics, 1992, 15, 487-94. | 0.4 | 23 |
| 520 | A blinded randomized clinical trial of manual therapy and physiotherapy for chronic back and neck complaints: physical outcome measures. Journal of Manipulative and Physiological Therapeutics, 1992, 15, 16-23. | 0.4 | 62 |
| 521 | Determinants of behavioural risk factors for burn injuries. Burns, 1991, 17, 364-370. | 1.1 | 10 |
| 522 | Incidence of medically treated burns in The Netherlands. Burns, 1991, 17, 357-362. | 1.1 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 523 | Aetiology of burn injuries among children aged 0-4 years: results of a case-control study. Burns, 1991, 17, 213-219. | 1.1 | 43 |
| 524 | Validity and comparability of studies on the effects of back schools. Physiotherapy Theory and Practice, 1991, 7, 177-184. | 0.6 | 10 |
| 525 | Spinal manipulation and mobilisation for back and neck pain: a blinded review.. BMJ: British Medical Journal, 1991, 303, 1298-1303. | 2.4 | 243 |
| 526 | Physiotherapy exercises and back pain: a blinded review.. BMJ: British Medical Journal, 1991, 302, 1572-1576. | 2.4 | 204 |
| 527 | The efficacy of the back school: A randomized trial. Arthritis and Rheumatism, 1990, 3, 204-209. | 6.7 | 4 |
| 528 | Risk taking tendency among construction workers. Journal of Occupational Accidents, 1990, 11, 183-196. | 0.2 | 27 |
| 529 | On the importance of planned health education. American Journal of Sports Medicine, 1990, 18, 600-605. | 1.9 | 24 |
| 530 | Assessing the economic burden of injuries due to accidents: methodological problems illustrated with some examples from the literature. Health Policy, 1990, 14, 253-265. | 1.4 | 1 |
| 531 | Importance of planned health education for burn injury prevention. Burns, 1990, 16, 198-202. | 1.1 | 14 |
| 532 | Personal and Environmental Factors in Relation to Injury Risk in Downhill Skiing. International Journal of Sports Medicine, 1989, 10, 298-301. | 0.8 | 27 |
| 533 | The aetiology of burns in developed countries: review of the literature. Burns, 1989, 15, 217-221. | 1.1 | 60 |
| 534 | How to study the aetiology of burn injury: The epidemiological approach. Burns, 1989, 15, 162-166. | 1.1 | 25 |
| 535 | Binding function in relation to injury risk in downhill skiing. American Journal of Sports Medicine, 1989, 17, 226-233. | 1.9 | 36 |
| 536 | Risk Factors for Ski Injuries: A Crash Course of Epidemiologic Methods with Emphasis on Comparability in Experiments and Case-Control Studies. , 1989, , 9-17. | | 2 |
| 537 | Sensation seeking and injury risk in downhill skiing. Personality and Individual Differences, 1988, 9, 667-673. | 1.6 | 61 |
| 538 | Active and passive coping under different degrees of stress; Effects on urinary and plasma catecholamines and ECG T-wave. Biological Psychology, 1984, 18, 23-32. | 1.1 | 17 |
| 539 | Virtue-based ethics and integrity of research: train-the-trainer programme for upholding the principles and practices of the European Code of Conduct for Research Integrity (VIRT2UE). Research Ideas and Outcomes, 0, 7, . | 1.0 | 7 |
| 540 | EnTIRE: Mapping Normative Frameworks for ETHics and Integrity of REsearch. Research Ideas and Outcomes, 0, 7, . | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 541 | The Embassy of Good Science – a community driven initiative to promote ethics and integrity in research. Open Research Europe, 0, 2, 27. | 2.0 | 1 |
| 542 | Prevalence of responsible research practices among academics in The Netherlands. F1000Research, 0, 11, 471. | 0.8 | 0 |