

# Lex Bouter

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3669046/publications.pdf>

Version: 2024-02-01

542  
papers

95,806  
citations

300

143  
h-index

333

294  
g-index

566  
all docs

566  
docs citations

566  
times ranked

74052  
citing authors

#	ARTICLE	IF	CITATIONS
1	Superb supervision: A pilot study on training supervisors to convey responsible research practices onto their PhD candidates. <i>Accountability in Research</i> , 2023, 30, 574-591.	1.6	10
2	Education and training policies for research integrity: Insights from a focus group study. <i>Science and Public Policy</i> , 2022, 49, 246-266.	1.2	9
3	Partial lottery can make grant allocation more fair, more efficient, and more diverse. <i>Science and Public Policy</i> , 2022, 49, 580-582.	1.2	5
4	Prevalence of questionable research practices, research misconduct and their potential explanatory factors: A survey among academic researchers in The Netherlands. <i>PLoS ONE</i> , 2022, 17, e0263023.	1.1	90
5	Citation bias: questionable research practice or scientific misconduct?. <i>Journal of the Royal Society of Medicine</i> , 2022, 115, 124-124.	1.1	0
6	Replication Research Series-Paper 2 : Empirical research must be replicated before its findings can be trusted. <i>Journal of Clinical Epidemiology</i> , 2021, 129, 188-190.	2.4	6
7	Citation bias and other determinants of citation in biomedical research: findings from six citation networks. <i>Journal of Clinical Epidemiology</i> , 2021, 132, 71-78.	2.4	47
8	Reply to the concerns raised by McKenna and Heaney about COSMIN. <i>Journal of Medical Economics</i> , 2021, 24, 857-859.	1.0	7
9	Steps toward preregistration of research on research integrity. <i>Research Integrity and Peer Review</i> , 2021, 6, 5.	2.2	1
10	The methodological quality of 176,620 randomized controlled trials published between 1966 and 2018 reveals a positive trend but also an urgent need for improvement. <i>PLoS Biology</i> , 2021, 19, e3001162.	2.6	52
11	Incorporating equity, diversity, and inclusiveness into the Hong Kong Principles. <i>PLoS Biology</i> , 2021, 19, e3001140.	2.6	3
12	Explaining variance in perceived research misbehavior: results from a survey among academic researchers in Amsterdam. <i>Research Integrity and Peer Review</i> , 2021, 6, 7.	2.2	13
13	Data discrepancies and substandard reporting of interim data of Sputnik V phase 3 trial. <i>Lancet, The</i> , 2021, 397, 1881-1883.	6.3	26
14	Important Topics for Fostering Research Integrity by Research Performing and Research Funding Organizations: A Delphi Consensus Study. <i>Science and Engineering Ethics</i> , 2021, 27, 47.	1.7	15
15	Systematic review and meta-analyses of studies analysing instructions to authors from 1987 to 2017. <i>Nature Communications</i> , 2021, 12, 5840.	5.8	20
16	Why we habitually engage in null-hypothesis significance testing: A qualitative study. <i>PLoS ONE</i> , 2021, 16, e0258330.	1.1	3
17	Improving peer review of systematic reviews by involving librarians and information specialists: protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 791.	0.7	2
18	The Hong Kong Principles for assessing researchers: Fostering research integrity. <i>PLoS Biology</i> , 2020, 18, e3000737.	2.6	200

#	ARTICLE	IF	CITATIONS
19	Determinants of Citation in Epidemiological Studies on Phthalates: A Citation Analysis. <i>Science and Engineering Ethics</i> , 2020, 26, 3053-3067.	1.7	1
20	Mandatory disclosure of financial interests of journals and editors. <i>BMJ, The</i> , 2020, 370, m2872.	3.0	4
21	Researchers'™ Perceptions of a Responsible Research Climate: A Multi Focus Group Study. <i>Science and Engineering Ethics</i> , 2020, 26, 3017-3036.	1.7	29
22	COSMIN Risk of Bias tool to assess the quality of studies on reliability or measurement error of outcome measurement instruments: a Delphi study. <i>BMC Medical Research Methodology</i> , 2020, 20, 293.	1.4	205
23	What Research Institutions Can Do to Foster Research Integrity. <i>Science and Engineering Ethics</i> , 2020, 26, 2363-2369.	1.7	45
24	Should research misconduct be criminalized?. <i>Research Ethics</i> , 2020, 16, 1-12.	0.8	64
25	Research integrity: nine ways to move from talk to walk. <i>Nature</i> , 2020, 586, 358-360.	13.7	96
26	Determinants of citation in the literature on diesel exhaust exposure and lung cancer: a citation analysis. <i>BMJ Open</i> , 2020, 10, e033967.	0.8	1
27	Standardized Protocol Items Recommendations for Observational Studies (SPIROS) for Observational Study Protocol Reporting Guidelines: Protocol for a Delphi Study. <i>JMIR Research Protocols</i> , 2020, 9, e17864.	0.5	9
28	Non-invasive physical treatments for chronic/recurrent headache. <i>The Cochrane Library</i> , 2019, 2019, CD001878.	1.5	58
29	The strong focus on positive results in abstracts may cause bias in systematic reviews: a case study on abstract reporting bias. <i>Systematic Reviews</i> , 2019, 8, 174.	2.5	17
30	Value pluralism in research integrity. <i>Research Integrity and Peer Review</i> , 2019, 4, 18.	2.2	22
31	The effects of industry funding and positive outcomes in the interpretation of clinical trial results: a randomized trial among Dutch psychiatrists. <i>BMC Medical Ethics</i> , 2019, 20, 64.	1.0	7
32	Journals'™ instructions to authors: A cross-sectional study across scientific disciplines. <i>PLoS ONE</i> , 2019, 14, e0222157.	1.1	24
33	Perceptions of research integrity climate differ between academic ranks and disciplinary fields: Results from a survey among academic researchers in Amsterdam. <i>PLoS ONE</i> , 2019, 14, e0210599.	1.1	40
34	Perceived publication pressure in Amsterdam: Survey of all disciplinary fields and academic ranks. <i>PLoS ONE</i> , 2019, 14, e0217931.	1.1	41
35	Selective citation in scientific literature on the human health effects of bisphenol A. <i>Research Integrity and Peer Review</i> , 2019, 4, 6.	2.2	3
36	Principles of Cancer Epidemiology. , 2019, , 1-10.		1

#	ARTICLE	IF	CITATIONS
37	Selective citation in the literature on the hygiene hypothesis: a citation analysis on the association between infections and rhinitis. <i>BMJ Open</i> , 2019, 9, e026518.	0.8	6
38	Researchers'™ perceptions of research misbehaviours: a mixed methods study among academic researchers in Amsterdam. <i>Research Integrity and Peer Review</i> , 2019, 4, 25.	2.2	20
39	Citation bias in the literature on dietary trans fatty acids and serum cholesterol. <i>Journal of Clinical Epidemiology</i> , 2019, 106, 88-97.	2.4	9
40	Causes of reporting bias: a theoretical framework. <i>F1000Research</i> , 2019, 8, 280.	0.8	12
41	Academia's™ Big Five: a normative taxonomy for the epistemic responsibilities of universities. <i>F1000Research</i> , 2019, 8, 862.	0.8	0
42	Causes of reporting bias: a theoretical framework. <i>F1000Research</i> , 2019, 8, 280.	0.8	7
43	Academia's™ Big Five: a normative taxonomy for the epistemic responsibilities of universities. <i>F1000Research</i> , 2019, 8, 862.	0.8	3
44	COSMIN guideline for systematic reviews of patient-reported outcome measures. <i>Quality of Life Research</i> , 2018, 27, 1147-1157.	1.5	1,600
45	Responsible Epidemiologic Research Practice: a guideline developed by a working group of the Netherlands Epidemiological Society. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 111-119.	2.4	19
46	COSMIN Risk of Bias checklist for systematic reviews of Patient-Reported Outcome Measures. <i>Quality of Life Research</i> , 2018, 27, 1171-1179.	1.5	1,264
47	Fostering responsible research practices is a shared responsibility of multiple stakeholders. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 143-146.	2.4	27
48	COSMIN methodology for evaluating the content validity of patient-reported outcome measures: a Delphi study. <i>Quality of Life Research</i> , 2018, 27, 1159-1170.	1.5	1,020
49	Unsuccessful replication is not a sign of research misconduct. <i>Journal of Clinical Epidemiology</i> , 2018, 104, 140-141.	2.4	0
50	Humanities need a replication drive too. <i>Nature</i> , 2018, 558, 372-372.	13.7	6
51	Determinants of selective reporting: A taxonomy based on content analysis of a random selection of the literature. <i>PLoS ONE</i> , 2018, 13, e0188247.	1.1	16
52	The possibility and desirability of replication in the humanities. <i>Palgrave Communications</i> , 2018, 4, .	4.7	22
53	Diagnostic and Prognostic Research. , 2018, , 171-201.		0
54	Rating of Included Trials on the Efficacy™Effectiveness Spectrum: development of a new tool for systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2017, 84, 95-104.	2.4	36

#	ARTICLE	IF	CITATIONS
55	Both Whistleblowers and the Scientists They Accuse Are Vulnerable and Deserve Protection. Accountability in Research, 2017, 24, 359-366.	1.6	29
56	Primary endpoint discrepancies were found in one in ten clinical drug trials. Results of an inception cohort study. Journal of Clinical Epidemiology, 2017, 89, 199-208.	2.4	10
57	Scientific citations favor positive results: a systematic review and meta-analysis. Journal of Clinical Epidemiology, 2017, 88, 92-101.	2.4	126
58	Addressing scientific integrity scientifically. Science, 2017, 357, 1248-1249.	6.0	5
59	Recruitment failure and futility were the most common reasons for discontinuation of clinical drug trials. Results of a nationwide inception cohort study in the Netherlands. Journal of Clinical Epidemiology, 2017, 88, 140-147.	2.4	12
60	Selective citation in the literature on swimming in chlorinated water and childhood asthma: a network analysis. Research Integrity and Peer Review, 2017, 2, 17.	2.2	5
61	Invited Commentary on "Investigating the Reliability and Factor Structure of Kalichman's Survey 2: Research Misconduct Questionnaire". Journal of Empirical Research on Human Research Ethics, 2017, 12, 206-207.	0.6	1
62	The COnsensus-based Standards for the selection of health Measurement INstruments (COSMIN) and how to select an outcome measurement instrument. Brazilian Journal of Physical Therapy, 2016, 20, 105-113.	1.1	469
63	Ranking major and minor research misbehaviors: results from a survey among participants of four World Conferences on Research Integrity. Research Integrity and Peer Review, 2016, 1, 17.	2.2	135
64	How do scientists perceive the current publication culture? A qualitative focus group interview study among Dutch biomedical researchers. BMJ Open, 2016, 6, e008681.	0.8	54
65	Open data are not enough to realize full transparency. Journal of Clinical Epidemiology, 2016, 70, 256-257.	2.4	4
66	Personality Traits Are Associated with Research Misbehavior in Dutch Scientists: A Cross-Sectional Study. PLoS ONE, 2016, 11, e0163251.	1.1	67
67	Non-Publication Is Common among Phase 1, Single-Center, Not Prospectively Registered, or Early Terminated Clinical Drug Trials. PLoS ONE, 2016, 11, e0167709.	1.1	20
68	Diagnostiek en prognostiek. Kernboek, 2016, , 189-224.	0.0	0
69	Occurrence and determinants of selective reporting of clinical drug trials: design of an inception cohort study. BMJ Open, 2015, 5, e007827.	0.8	5
70	Commentary: Perverse Incentives or Rotten Apples?. Accountability in Research, 2015, 22, 148-161.	1.6	75
71	Development and validation of an ankle brachial index risk model for the prediction of cardiovascular events. European Journal of Preventive Cardiology, 2014, 21, 310-320.	0.8	64
72	Traction for low-back pain with or without sciatica. The Cochrane Library, 2013, , CD003010.	1.5	84

#	ARTICLE	IF	CITATIONS
73	The effects of acupuncture on rates of clinical pregnancy among women undergoing in vitro fertilization: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2013, 19, 696-713.	5.2	82
74	Bibliometric and content analysis of the Cochrane Complementary Medicine Field specialized register of controlled trials. <i>Systematic Reviews</i> , 2013, 2, 51.	2.5	35
75	Rating the methodological quality in systematic reviews of studies on measurement properties: a scoring system for the COSMIN checklist. <i>Quality of Life Research</i> , 2012, 21, 651-657.	1.5	1,463
76	Publication Bias in Laboratory Animal Research: A Survey on Magnitude, Drivers, Consequences and Potential Solutions. <i>PLoS ONE</i> , 2012, 7, e43404.	1.1	98
77	Therapeutic ultrasound for acute ankle sprains. <i>The Cochrane Library</i> , 2011, , CD001250.	1.5	23
78	Multifactorial evaluation and treatment of persons with a high risk of recurrent falling was not cost-effective. <i>Osteoporosis International</i> , 2011, 22, 2187-2196.	1.3	26
79	Is a Behavioral Graded Activity Program More Effective Than Manual Therapy in Patients With Subacute Neck Pain?. <i>Spine</i> , 2010, 35, 1017-1024.	1.0	57
80	Acupuncture for peripheral joint osteoarthritis. <i>The Cochrane Library</i> , 2010, 2010, CD001977.	1.5	187
81	The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. <i>Quality of Life Research</i> , 2010, 19, 539-549.	1.5	2,751
82	Are psychological factors prognostic indicators of outcome in patients with sub-acute neck pain?. <i>Manual Therapy</i> , 2010, 15, 111-116.	1.6	38
83	The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: A clarification of its content. <i>BMC Medical Research Methodology</i> , 2010, 10, 22.	1.4	1,178
84	Inter-rater agreement and reliability of the COSMIN (COnsensus-based Standards for the selection of) Tj ETQq0 0 0,rgBT /Overlock 10 TF	1.4	213
85	Multifactorial Intervention to Reduce Falls in Older People at High Risk of Recurrent Falls. <i>Archives of Internal Medicine</i> , 2010, 170, 1110-7.	4.3	80
86	Three ways to quantify uncertainty in individually applied "minimally important change" values. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 37-45.	2.4	113
87	Validation of the LASA fall risk profile for recurrent falling in older recent fallers. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1242-1248.	2.4	21
88	The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 737-745.	2.4	2,945
89	Physical examination for lumbar radiculopathy due to disc herniation in patients with low-back pain. <i>The Cochrane Library</i> , 2010, , CD007431.	1.5	162
90	Knowledge as a common good. <i>Higher Education Management and Policy</i> , 2010, 22, 1-15.	0.4	4

#	ARTICLE	IF	CITATIONS
91	The applicability of the Tampa Scale of Kinesiophobia for patients with sub-acute neck pain: a qualitative study. <i>Quality and Quantity</i> , 2009, 43, 773-780.	2.0	18
92	Does age modify the relationship between morbidity severity and physical health in English and Dutch family practice populations?. <i>Quality of Life Research</i> , 2009, 18, 209-220.	1.5	14
93	Evaluation of the methodological quality of systematic reviews of health status measurement instruments. <i>Quality of Life Research</i> , 2009, 18, 313-333.	1.5	146
94	Neuropeptide Y polymorphism significantly magnifies diabetes and cardiovascular disease risk in obesity: the Hoorn Study. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 150-152.	1.3	33
95	Rheumatoid arthritis versus diabetes as a risk factor for cardiovascular disease: a cross-sectional study, the CARRA% Investigation. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1395-1400.	0.5	319
96	AMSTAR is a reliable and valid measurement tool to assess the methodological quality of systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 1013-1020.	2.4	1,427
97	Physical and Cognitive Functioning After 3 Years Can Be Predicted Using Information From the Diagnostic Process in Recently Diagnosed Multiple Sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 1478-1488.	0.5	17
98	Empirical Evidence of an Association Between Internal Validity and Effect Size in Randomized Controlled Trials of Low-Back Pain. <i>Spine</i> , 2009, 34, 1685-1692.	1.0	99
99	A study of the effects of acarbose on glucose metabolism in patients predisposed to developing diabetes: the Dutch acarbose intervention study in persons with impaired glucose tolerance (DAISI). <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 611-616.	1.7	35
100	Symptoms of depression in people with impaired glucose metabolism or Type 2 diabetes mellitus: The Hoorn Study. <i>Diabetic Medicine</i> , 2008, 25, 843-849.	1.2	49
101	Fatty fish and supplements are the greatest modifiable contributors to the serum 25-hydroxyvitamin D concentration in a multiethnic population. <i>Clinical Endocrinology</i> , 2008, 68, 466-472.	1.2	71
102	Cost-effectiveness of usual general practitioner care with or without antidepressant medication for patients with minor or mild-major depression. <i>Journal of Affective Disorders</i> , 2008, 111, 106-112.	2.0	19
103	Morbidity severity classifying routine consultations from English and Dutch general practice indicated physical health status. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 386.e1-386.e9.	2.4	8
104	Absence of an Acute Insulin Response Predicts Onset of Type 2 Diabetes in a Caucasian Population with Impaired Glucose Tolerance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2633-2638.	1.8	14
105	Effects of acupuncture on rates of pregnancy and live birth among women undergoing in vitro fertilisation: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2008, 336, 545-549.	2.4	177
106	Ankle Brachial Index Combined With Framingham Risk Score to Predict Cardiovascular Events and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2008, 300, 197.	3.8	1,553
107	Prognostic Value of Adiponectin for Cardiovascular Disease and Mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 1489-1496.	1.8	151
108	Assessing the impact of health technology assessment in the Netherlands. <i>International Journal of Technology Assessment in Health Care</i> , 2008, 24, 259-269.	0.2	40

#	ARTICLE	IF	CITATIONS
109	Homocysteine, S-adenosylmethionine and S-adenosylhomocysteine are associated with retinal microvascular abnormalities: the Hoorn Study. <i>Clinical Science</i> , 2008, 114, 479-487.	1.8	24
110	A Consensus Approach Toward the Standardization of Back Pain Definitions for Use in Prevalence Studies. <i>Spine</i> , 2008, 33, 95-103.	1.0	537
111	Interpreting Change Scores for Pain and Functional Status in Low Back Pain. <i>Spine</i> , 2008, 33, 90-94.	1.0	1,540
112	Vitality, perceived social support and disease activity determine the performance of social roles in recently diagnosed multiple sclerosis: A longitudinal analysis. <i>Acta Dermato-Venereologica</i> , 2008, 40, 151-157.	0.6	23
113	High Risk of Cardiovascular Mortality in Individuals With Impaired Fasting Glucose Is Explained by Conversion to Diabetes: The Hoorn Study. <i>Diabetes Care</i> , 2007, 30, 332-336.	4.3	105
114	Surgical treatment options for carpal tunnel syndrome. <i>The Cochrane Library</i> , 2007, , CD003905.	1.5	143
115	Do psychological factors predict outcome in both low-back pain and shoulder pain?. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 313-319.	0.5	92
116	Conservative treatments for tennis elbow do subgroups of patients respond differently?. <i>Rheumatology</i> , 2007, 46, 1601-1605.	0.9	56
117	Radiographic hip disorders and associated complications in severe cerebral palsy. <i>Journal of Pediatric Orthopaedics Part B</i> , 2007, 16, 31-34.	0.3	10
118	Minimal Clinically Important Change of the Neck Disability Index and the Numerical Rating Scale for Patients With Neck Pain. <i>Spine</i> , 2007, 32, 3047-3051.	1.0	318
119	Quality criteria were proposed for measurement properties of health status questionnaires. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 34-42.	2.4	7,331
120	Good generalizability of a prediction rule for prediction of persistent shoulder pain in the short term. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 947-953.	2.4	20
121	The Shoulder Disability Questionnaire differentiated well between high and low disability levels in patients in primary care, in a cross-sectional study. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1156-1163.	2.4	21
122	Author reply: criteria for good measurement properties. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1315-1316.	2.4	1
123	Alanine aminotransferase predicts coronary heart disease events: A 10-year follow-up of the Hoorn Study. <i>Atherosclerosis</i> , 2007, 191, 391-396.	0.4	371
124	Meta-analysis: Acupuncture for Osteoarthritis of the Knee. <i>Annals of Internal Medicine</i> , 2007, 146, 868.	2.0	201
125	Cost Effectiveness of a Pharmacy-Based Coaching Programme to Improve Adherence to Antidepressants. <i>Pharmacoeconomics</i> , 2007, 25, 25-37.	1.7	48
126	Traction for low-back pain with or without sciatica. , 2007, , CD003010.		49



#	ARTICLE	IF	CITATIONS
127	Is higher dairy consumption associated with lower body weight and fewer metabolic disturbances? The Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 989-995.	2.2	126
128	Principles of clinical epidemiology. , 2007, , 1-5.		0
129	Potentially modifiable determinants of vitamin D status in an older population in the Netherlands: the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 755-761.	2.2	116
130	Prevention of fall incidents in patients with a high risk of falling: design of a randomised controlled trial with an economic evaluation of the effect of multidisciplinary transmural care. <i>BMC Geriatrics</i> , 2007, 7, 15.	1.1	30
131	Dietary polyunsaturated fat intake is associated with low-density lipoprotein size, but not with susceptibility to oxidation in subjects with impaired glucose metabolism and type II diabetes: the Hoorn study. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 205-211.	1.3	10
132	Elevated cholesteryl ester transfer protein concentration is associated with an increased risk for cardiovascular disease in women, but not in men, with Type 2 diabetes: the Hoorn Study. <i>Diabetic Medicine</i> , 2007, 24, 117-123.	1.2	16
133	Alanine aminotransferase and the 6-year risk of the metabolic syndrome in Caucasian men and women: the Hoorn Study. <i>Diabetic Medicine</i> , 2007, 24, 430-435.	1.2	70
134	Maximum Potential Preventive Effect of Hip Protectors. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 507-510.	1.3	6
135	Development of AMSTAR: a measurement tool to assess the methodological quality of systematic reviews. <i>BMC Medical Research Methodology</i> , 2007, 7, 10.	1.4	3,253
136	The effectiveness of adding cognitive behavioural therapy aimed at changing lifestyle to managed diabetes care for patients with type 2 diabetes: design of a randomised controlled trial. <i>BMC Public Health</i> , 2007, 7, 74.	1.2	34
137	Minimally important change determined by a visual method integrating an anchor-based and a distribution-based approach. <i>Quality of Life Research</i> , 2007, 16, 131-142.	1.5	276
138	The Emerging Risk Factors Collaboration: analysis of individual data on lipid, inflammatory and other markers in over 1.1 million participants in 104 prospective studies of cardiovascular diseases. <i>European Journal of Epidemiology</i> , 2007, 22, 839-869.	2.5	153
139	Low back pain in general practice: cost-effectiveness of a minimal psychosocial intervention versus usual care. <i>European Spine Journal</i> , 2007, 16, 1812-1821.	1.0	32
140	Work-related physical and psychosocial risk factors for sick leave in patients with neck or upper extremity complaints. <i>International Archives of Occupational and Environmental Health</i> , 2007, 80, 733-741.	1.1	30
141	External Validation of a Measurement Tool to Assess Systematic Reviews (AMSTAR). <i>PLoS ONE</i> , 2007, 2, e1350.	1.1	444
142	Generalizability of a prediction rule for sick leave due to shoulder pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 440-446.	1.7	6
143	Prediction of an unfavourable course of low back pain in general practice: comparison of four instruments. <i>British Journal of General Practice</i> , 2007, 57, 15-22.	0.7	55
144	What Predicts Change in Pulmonary Function and Quality of Life in Asthma or COPD?. <i>Journal of Asthma</i> , 2006, 43, 513-519.	0.9	53

#	ARTICLE	IF	CITATIONS
145	Minimal changes in health status questionnaires: distinction between minimally detectable change and minimally important change. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 54.	1.0	587
146	Cost effectiveness of brace, physiotherapy, or both for treatment of tennis elbow * Commentary. <i>British Journal of Sports Medicine</i> , 2006, 40, 637-643.	3.1	52
147	When to use agreement versus reliability measures. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1033-1039.	2.4	1,356
148	Clinical heterogeneity was a common problem in Cochrane reviews of physiotherapy and occupational therapy. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 914-919.e2.	2.4	19
149	Clinical prediction rules for the prognosis of shoulder pain in general practice. <i>Pain</i> , 2006, 120, 276-285.	2.0	123
150	The efficacy of low level laser therapy for chronic neck pain. <i>Pain</i> , 2006, 124, 5-6.	2.0	7
151	Sagittal abdominal diameter: no advantage compared with other anthropometric measures as a correlate of components of the metabolic syndrome in elderly from the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 995-1002.	2.2	49
152	Are retinal microvascular abnormalities associated with large artery endothelial dysfunction and intima-media thickness? The Hoorn Study. <i>Clinical Science</i> , 2006, 110, 597-604.	1.8	63
153	Predictors of Outcome in Patients With (Sub)Acute Low Back Pain Differ Across Treatment Groups. <i>Spine</i> , 2006, 31, 1699-1705.	1.0	61
154	Manual Therapy, Physical Therapy, or Continued Care by the General Practitioner for Patients With Neck Pain. <i>Clinical Journal of Pain</i> , 2006, 22, 370-377.	0.8	125
155	Applicability and Clinical Relevance of Results in Randomized Controlled Trials. <i>Spine</i> , 2006, 31, 1405-1409.	1.0	47
156	Lumbar supports for prevention and treatment of low-back pain. , 2006, , CD001823.		10
157	Chronic non-specific abdominal complaints in general practice: a prospective study on management, patient health status and course of complaints. <i>BMC Family Practice</i> , 2006, 7, 12.	2.9	19
158	Review conclusions by Ernst and Canter regarding spinal manipulation refuted. <i>Chiropractic &amp; Manual Therapies</i> , 2006, 14, 14.	1.6	7
159	Cost-effectiveness of a disease management program for major depression in elderly primary care patients. <i>Journal of General Internal Medicine</i> , 2006, 21, 1020-1026.	1.3	36
160	The course and prognosis of hip complaints in general practice. <i>Annals of Behavioral Medicine</i> , 2006, 31, 297-308.	1.7	15
161	A risk profile for identifying community-dwelling elderly with a high risk of recurrent falling: results of a 3-year prospective study. <i>Osteoporosis International</i> , 2006, 17, 417-425.	1.3	304
162	Meta-analysis of the relationship between alcohol consumption and coronary heart disease and mortality in type 2 diabetic patients. <i>Diabetologia</i> , 2006, 49, 648-652.	2.9	109

#	ARTICLE	IF	CITATIONS
163	Comment on: Schmidt MI, Duncan BB, Vigo A et al (2006) Leptin and incident type 2 diabetes: risk or protection? <i>Diabetologia</i> 49:2086-2096. <i>Diabetologia</i> , 2006, 50, 234-236.	2.9	5
164	Comparison of the effectiveness of a behavioural graded activity program and manual therapy in patients with sub-acute neck pain: Design of a randomized clinical trial. <i>Manual Therapy</i> , 2006, 11, 297-305.	1.6	33
165	Reproducibility of the STARD checklist: an instrument to assess the quality of reporting of diagnostic accuracy studies. <i>BMC Medical Research Methodology</i> , 2006, 6, 12.	1.4	55
166	Protocol of the COSMIN study: COnsensus-based Standards for the selection of health Measurement INstruments. <i>BMC Medical Research Methodology</i> , 2006, 6, 2.	1.4	238
167	Does updating improve the methodological and reporting quality of systematic reviews?. <i>BMC Medical Research Methodology</i> , 2006, 6, 27.	1.4	44
168	Costs of shoulder pain in primary care consulters: a prospective cohort study in The Netherlands. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 83.	0.8	106
169	Surgery is more cost-effective than splinting for carpal tunnel syndrome in the Netherlands: results of an economic evaluation alongside a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 86.	0.8	55
170	A prediction rule for shoulder pain related sick leave: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 97.	0.8	68
171	The usefulness of evaluative outcome measures in patients with multiple sclerosis. <i>Brain</i> , 2006, 129, 2648-2659.	3.7	53
172	The quality of diagnostic accuracy studies since the STARD statement: Has it improved?. <i>Neurology</i> , 2006, 67, 792-797.	1.5	229
173	Change of Serum Albumin and Risk of Cardiovascular Disease and All-Cause Mortality. <i>American Journal of Epidemiology</i> , 2006, 164, 969-977.	1.6	99
174	Endothelial Dysfunction and Low-Grade Inflammation Explain Much of the Excess Cardiovascular Mortality in Individuals With Type 2 Diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 1086-1093.	1.1	142
175	Endothelial Dysfunction Contributes to Renal Function-Associated Cardiovascular Mortality in a Population with Mild Renal Insufficiency: The Hoorn Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 537-545.	3.0	212
176	The incidences of and consultation rate for lower extremity complaints in general practice. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 809-815.	0.5	32
177	Long term health complaints following the Amsterdam Air Disaster in police officers and fire-fighters. <i>Occupational and Environmental Medicine</i> , 2006, 63, 657-662.	1.3	55
178	Associations of Adiponectin Levels With Incident Impaired Glucose Metabolism and Type 2 Diabetes in Older Men and Women: The Hoorn Study. <i>Diabetes Care</i> , 2006, 29, 2498-2503.	4.3	149
179	Definition of clinical differences. <i>Journal of Rheumatology</i> , 2006, 33, 434; author reply 435.	1.0	13
180	Construct validity of instruments measuring impairments in body structures and function in rheumatic disorders: which constructs are selected for validation? A systematic review. <i>Clinical and Experimental Rheumatology</i> , 2006, 24, 93-102.	0.4	14

#	ARTICLE	IF	CITATIONS
181	Predictors of Outcome in Neck and Shoulder Symptoms. <i>Spine</i> , 2005, 30, E459-E470.	1.0	162
182	Prognostic Factors for Low Back Pain in Patients Referred for Physiotherapy. <i>Spine</i> , 2005, 30, 1881-1886.	1.0	70
183	Self-monitoring of blood glucose in patients with type 2 diabetes mellitus who are not using insulin. , 2005, , CD005060.		59
184	Implementation of Clinical Guidelines on Physical Therapy for Patients With Low Back Pain: Randomized Trial Comparing Patient Outcomes After a Standard and Active Implementation Strategy. <i>Physical Therapy</i> , 2005, 85, 544-555.	1.1	116
185	Determinants of hip pain in adult patients with severe cerebral palsy. <i>Journal of Pediatric Orthopaedics Part B</i> , 2005, 14, 120-125.	0.3	46
186	Serum Albumin and Muscle Strength: A Longitudinal Study in Older Men and Women. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1331-1338.	1.3	96
187	Mild renal insufficiency is associated with increased left ventricular mass in men, but not in women: An arterial stiffness-related phenomenonâ€”The Hoorn Study. <i>Kidney International</i> , 2005, 68, 673-679.	2.6	44
188	Homocysteine levels are not associated with cardiovascular autonomic function in elderly Caucasian subjects without or with type 2 diabetes mellitus: the Hoorn Study. <i>Journal of Internal Medicine</i> , 2005, 258, 536-543.	2.7	10
189	Opposite Contributions of Trunk and Leg Fat Mass with Plasma Lipase Activities: The Hoorn Study. <i>Obesity</i> , 2005, 13, 1817-1823.	4.0	31
190	Prevalences of hyperhomocysteinemia, unfavorable cholesterol profile and hypertension in European populations. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 480-488.	1.3	38
191	Construct validity of the DynaPortÂ®KneeTest: a comparison with observations of physical therapists. <i>Osteoarthritis and Cartilage</i> , 2005, 13, 738-743.	0.6	21
192	Epidemiological study air disaster in Amsterdam (ESADA): study design. <i>BMC Public Health</i> , 2005, 5, 54.	1.2	27
193	Reproducibility of cervical range of motion in patients with neck pain. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 59.	0.8	49
194	Reproducibility and validity of the DynaPort KneeTest. <i>Arthritis and Rheumatism</i> , 2005, 53, 357-363.	6.7	14
195	Course and prognosis of knee complaints in general practice. <i>Arthritis and Rheumatism</i> , 2005, 53, 920-930.	6.7	42
196	Impairment measures in rheumatic disorders for rehabilitation medicine and allied health care: a systematic review. <i>Rheumatology International</i> , 2005, 25, 501-512.	1.5	14
197	Inflammation and endothelial dysfunction are associated with retinopathy: the Hoorn Study. <i>Diabetologia</i> , 2005, 48, 1300-1306.	2.9	188
198	Effecten van zelfcontrole bij patiënten met diabetes mellitus type 2 zonder gebruik van insuline nog onduidelijk. <i>Huisarts En Wetenschap</i> , 2005, 48, 400-401.	0.0	0

#	ARTICLE	IF	CITATIONS
199	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. <i>Quality of Life Research</i> , 2005, 14, 795-803.	1.5	31
200	The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. <i>Quality of Life Research</i> , 2005, 14, 1141-1155.	1.5	72
201	Quality of Reporting of Diagnostic Accuracy Studies. <i>Radiology</i> , 2005, 235, 347-353.	3.6	124
202	Should treatment of (sub)acute low back pain be aimed at psychosocial prognostic factors? Cluster randomised clinical trial in general practice. <i>BMJ: British Medical Journal</i> , 2005, 331, 84.	2.4	123
203	A comparison of two primary care trials on tennis elbow: issues of external validity. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1406-1409.	0.5	16
204	The initial course of daily functioning in multiple sclerosis: a three-year follow-up study. <i>Multiple Sclerosis Journal</i> , 2005, 11, 713-718.	1.4	21
205	Incidence and prevalence of complaints of the neck and upper extremity in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 118-123.	0.5	282
206	An Exploratory Analysis of Criteria for the Metabolic Syndrome and Its Prediction of Long-term Cardiovascular Outcomes. <i>American Journal of Epidemiology</i> , 2005, 162, 438-447.	1.6	37
207	Self-Monitoring of Blood Glucose in Patients With Type 2 Diabetes Who Are Not Using Insulin: Response to Kleefstra et al. and Davidson. <i>Diabetes Care</i> , 2005, 28, 2597a-2598a.	4.3	1
208	Metabolic Syndrome and 10-Year Cardiovascular Disease Risk in the Hoorn Study. <i>Circulation</i> , 2005, 112, 666-673.	1.6	517
209	Self-Monitoring of Blood Glucose in Patients With Type 2 Diabetes Who Are Not Using Insulin: A systematic review. <i>Diabetes Care</i> , 2005, 28, 1510-1517.	4.3	328
210	Course and prognosis of elbow complaints: a cohort study in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1331-1336.	0.5	88
211	S-Adenosylmethionine and 5-Methyltetrahydrofolate Are Associated With Endothelial Function After Controlling for Confounding by Homocysteine. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 778-784.	1.1	32
212	Effect on the process of care of an active strategy to implement clinical guidelines on physiotherapy for low back pain: a cluster randomised controlled trial. <i>Quality and Safety in Health Care</i> , 2005, 14, 107-112.	2.5	110
213	Proinsulin Concentration Is an Independent Predictor of All-Cause and Cardiovascular Mortality: An 11-year follow-up of the Hoorn Study. <i>Diabetes Care</i> , 2005, 28, 860-865.	4.3	59
214	Evidence of the efficacy of occupational therapy in different conditions: an overview of systematic reviews. <i>Clinical Rehabilitation</i> , 2005, 19, 247-254.	1.0	91
215	Moderate Alcohol Consumption Lowers the Risk of Type 2 Diabetes: A meta-analysis of prospective observational studies. <i>Diabetes Care</i> , 2005, 28, 719-725.	4.3	574
216	Effectiveness of exercise therapy: A best-evidence summary of systematic reviews. <i>Australian Journal of Physiotherapy</i> , 2005, 51, 71-85.	0.9	240

#	ARTICLE	IF	CITATIONS
217	Change in serum albumin and subsequent decline in functional status in older persons. <i>Aging Clinical and Experimental Research</i> , 2005, 17, 297-305.	1.4	14
218	An economic evaluation of a proprioceptive balance board training programme for the prevention of ankle sprains in volleyball. <i>British Journal of Sports Medicine</i> , 2005, 39, 111-115.	3.1	160
219	Variance in Manual Treatment of Nonspecific Low Back Pain Between Orthomanual Physicians, Manual Therapists, and Chiropractors. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2005, 28, 108-116.	0.4	42
220	The effect of a balance training programme on centre of pressure excursion in one-leg stance. <i>Clinical Biomechanics</i> , 2005, 20, 1094-1100.	0.5	79
221	Why is a treatment aimed at psychosocial factors not effective in patients with (sub)acute low back pain?. <i>Pain</i> , 2005, 118, 350-359.	2.0	76
222	Interobserver Reproducibility of the Visual Estimation of Range of Motion of the Shoulder. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1356-1361.	0.5	77
223	Improvement of a Questionnaire Measuring Activity Limitations in Rising and Sitting Down in Patients With Lower-Extremity Disorders Living at Home. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 2204-2210.	0.5	27
224	Measuring Activity Limitations in Walking: Development of a Hierarchical Scale for Patients With Lower-Extremity Disorders Who Live at Home. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 2277-2283.	0.5	50
225	Two pragmatic trials of treatment for shoulder disorders in primary care: generalisability, course, and prognostic indicators. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 1056-1061.	0.5	43
226	Adiposity in Relation to Vitamin D Status and Parathyroid Hormone Levels: A Population-Based Study in Older Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 4119-4123.	1.8	595
227	Reliability, validity and responsiveness of instruments to assess disabilities in personal care in patients with rheumatic disorders. A systematic review. <i>Clinical and Experimental Rheumatology</i> , 2005, 23, 71-9.	0.4	11
228	Implementation of clinical guidelines on physical therapy for patients with low back pain: randomized trial comparing patient outcomes after a standard and active implementation strategy. <i>Physical Therapy</i> , 2005, 85, 544-55.	1.1	44
229	Clinimetric Properties of the Motor Activity Log for the Assessment of Arm Use in Hemiparetic Patients. <i>Stroke</i> , 2004, 35, 1410-1414.	1.0	376
230	Occupational therapy for community dwelling elderly people: a systematic review. <i>Age and Ageing</i> , 2004, 33, 453-460.	0.7	147
231	Left Ventricular Mass Increases With Deteriorating Glucose Tolerance, Especially in Women: Independence of Increased Arterial Stiffness or Decreased Flow-Mediated Dilation: The Hoorn Study. <i>Diabetes Care</i> , 2004, 27, 522-529.	4.3	51
232	Satisfactory cross cultural equivalence of the Dutch WOMAC in patients with hip osteoarthritis waiting for arthroplasty. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 36-42.	0.5	227
233	Overestimation of complication rates in evaluations of Chlamydia trachomatis screening programmes—implications for cost-effectiveness analyses. <i>International Journal of Epidemiology</i> , 2004, 33, 416-425.	0.9	87
234	Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 335-341.	0.5	457



#	ARTICLE	IF	CITATIONS
235	Carotid Arterial Remodeling. <i>Stroke</i> , 2004, 35, 671-676.	1.0	66
236	The Relationship of Lipoprotein Lipase Activity and LDL size Is Dependent on Glucose Metabolism in an Elderly Population: The Hoorn Study. <i>Diabetes Care</i> , 2004, 27, 796-798.	4.3	4
237	Trunk Fat and Leg Fat Have Independent and Opposite Associations With Fasting and Postload Glucose Levels: The Hoorn Study. <i>Diabetes Care</i> , 2004, 27, 372-377.	4.3	363
238	Increased Central Artery Stiffness in Impaired Glucose Metabolism and Type 2 Diabetes. <i>Hypertension</i> , 2004, 43, 176-181.	1.3	390
239	A one season prospective cohort study of volleyball injuries. <i>British Journal of Sports Medicine</i> , 2004, 38, 477-481.	3.1	289
240	Lower levels of serum albumin and total cholesterol and future decline in functional performance in older persons: the Longitudinal Aging Study Amsterdam. <i>Age and Ageing</i> , 2004, 33, 266-272.	0.7	80
241	Prevalence of macrovascular disease amongst type 2 diabetic patients detected by targeted screening and patients newly diagnosed in general practice: the Hoorn Screening Study. <i>Journal of Internal Medicine</i> , 2004, 256, 429-436.	2.7	36
242	Microalbuminuria is associated with impaired brachial artery, flow-mediated vasodilation in elderly individuals without and with diabetes: Further evidence for a link between microalbuminuria and endothelial dysfunctionâ€”The Hoorn Study. <i>Kidney International</i> , 2004, 66, S42-S44.	2.6	170
243	Inter-observer reproducibility of measurements of range of motion in patients with shoulder pain using a digital inclinometer. <i>BMC Musculoskeletal Disorders</i> , 2004, 5, 18.	0.8	79
244	Coffee consumption and incidence of impaired fasting glucose, impaired glucose tolerance, and type 2 diabetes: the Hoorn Study. <i>Diabetologia</i> , 2004, 47, 2152-2159.	2.9	121
245	Functional limitations and poor physical performance as independent risk factors for self-reported fractures in older persons. <i>Osteoporosis International</i> , 2004, 15, 742-50.	1.3	50
246	Cost-effectiveness of hip protectors in frail institutionalized elderly. <i>Osteoporosis International</i> , 2004, 15, 964-969.	1.3	23
247	Effectiveness of an education programme by a general practice assistant for asthma and COPD patients: results from a randomised controlled trial. <i>Patient Education and Counseling</i> , 2004, 55, 121-128.	1.0	70
248	Cost Effectiveness of Interventions for Lateral Epicondylitis. <i>Pharmacoeconomics</i> , 2004, 22, 185-195.	1.7	52
249	Internal consistency and validity of a new physical workload questionnaire. <i>Occupational and Environmental Medicine</i> , 2004, 61, 980-986.	1.3	50
250	Occupational therapy for rheumatoid arthritis. <i>The Cochrane Library</i> , 2004, , CD003114.	1.5	89
251	The Effect of a Proprioceptive Balance Board Training Program for the Prevention of Ankle Sprains. <i>American Journal of Sports Medicine</i> , 2004, 32, 1385-1393.	1.9	454
252	Occupational therapy for children with cerebral palsy: a systematic review. <i>Clinical Rehabilitation</i> , 2004, 18, 1-14.	1.0	71

#	ARTICLE	IF	CITATIONS
253	Efficacy of spinal manipulation and mobilization for low back pain and neck pain: a systematic review and best evidence synthesis. <i>Spine Journal</i> , 2004, 4, 335-356.	0.6	473
254	Non-invasive physical treatments for chronic/recurrent headache. , 2004, , CD001878.		125
255	Systematic review of prognostic cohort studies on shoulder disorders. <i>Pain</i> , 2004, 109, 420-431.	2.0	254
256	Prognostic factors for neck pain in general practice. <i>Pain</i> , 2004, 110, 639-645.	2.0	114
257	How to measure comorbidity: a critical review of available methods. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 323.	2.4	27
258	Two prospective studies found that elevated 2-hr glucose predicted male mortality independent of fasting glucose and HbA1c. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 590-596.	2.4	47
259	The value of bitewing radiographs in epidemiological caries research: a systematic review of the literature. <i>Journal of Dentistry</i> , 2004, 32, 255-264.	1.7	44
260	The interexaminer reproducibility of physical examination of the cervical spine. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2004, 27, 84-90.	0.4	93
261	Assessing pain in patients with severe cerebral palsy: Development, reliability, and validity of a pain assessment instrument for cerebral palsy11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 967-971.	0.5	38
262	Measuring activity limitations in climbing stairs: development of a hierarchical scale for patients with lower-extremity disorders living at home11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit on the author(s) or on any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 967-971.	0.5	44
263	Corrigendum to "Plasma homocysteine and S-adenosylmethionine in erythrocytes as determinants of carotid intima-media thickness: different effects in diabetic and non-diabetic individuals The Hoorn Study" [Atherosclerosis 169 (2003) 323-330]. <i>Atherosclerosis</i> , 2004, 173, 153.	0.4	0
264	Type 2 diabetes is associated with impaired endothelium-dependent, flow-mediated dilation, but impaired glucose metabolism is not. <i>Atherosclerosis</i> , 2004, 174, 49-56.	0.4	161
265	Economic Evaluations and Randomized Trials in Spinal Disorders: Principles and Methods. <i>Spine</i> , 2004, 29, 442-448.	1.0	60
266	Regional body composition as a determinant of arterial stiffness in the elderly. <i>Journal of Hypertension</i> , 2004, 22, 2339-2347.	0.3	118
267	Surgical treatment options for carpal tunnel syndrome. , 2004, , CD003905.		24
268	Which are the best instruments for measuring disabilities in gait and gait-related activities in patients with rheumatic disorders. <i>Clinical and Experimental Rheumatology</i> , 2004, 22, 25-33.	0.4	4
269	Measures of cardiovascular autonomic nervous function: agreement, reproducibility, and reference values in middle age and elderly subjects. <i>Diabetologia</i> , 2003, 46, 330-338.	2.9	73
270	A combination of high concentrations of serum triglyceride and non-high-density-lipoprotein-cholesterol is a risk factor for cardiovascular disease in subjects with abnormal glucose metabolism" The Hoorn Study. <i>Diabetologia</i> , 2003, 46, 910-916.	2.9	64



#	ARTICLE	IF	CITATIONS
271	The Amsterdam Hip Protector Study: compliance and determinants of compliance. <i>Osteoporosis International</i> , 2003, 14, 353-359.	1.3	44
272	Daily physical activity and the use of a walking aid in relation to falls in elderly people in a residential care setting. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2003, 36, 23-28.	0.8	87
273	Woldag H, Hummelsheim H; Evidence-based physiotherapeutic concepts for improving arm and hand function in stroke patients: a review. <i>Journal of Neurology</i> , 2003, 250, 119-119.	1.8	4
274	Determinants of the clinical course of musculoskeletal complaints in general practice: design of a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2003, 4, 3.	0.8	24
275	Hyperhomocysteinaemia is associated with coronary events in type 2 diabetes. <i>Journal of Internal Medicine</i> , 2003, 253, 293-300.	2.7	49
276	A Classification Tree for Predicting Recurrent Falling in Community-Dwelling Older Persons. <i>Journal of the American Geriatrics Society</i> , 2003, 51, 1356-1364.	1.3	160
277	S-adenosylhomocysteine and the ratio of S-adenosylmethionine to S-adenosylhomocysteine are not related to folate, cobalamin and vitamin B6 concentrations. <i>European Journal of Clinical Investigation</i> , 2003, 33, 17-25.	1.7	37
278	Larger Thigh and Hip Circumferences Are Associated with Better Glucose Tolerance: The Hoorn Study. <i>Obesity</i> , 2003, 11, 104-111.	4.0	149
279	Development of an implementation strategy for physiotherapy guidelines on low back pain. <i>Australian Journal of Physiotherapy</i> , 2003, 49, 208-214.	0.9	66
280	Muscle relaxants for non-specific low-back pain. <i>The Cochrane Library</i> , 2003, , CD004252.	1.5	143
281	Plasma homocysteine and S-adenosylmethionine in erythrocytes as determinants of carotid intima-media thickness: different effects in diabetic and non-diabetic individuals. <i>Atherosclerosis</i> , 2003, 169, 323-330.	0.4	39
282	Occupational therapy for multiple sclerosis. <i>The Cochrane Library</i> , 2003, , CD003608.	1.5	45
283	Occupational Therapy for Stroke Patients. <i>Stroke</i> , 2003, 34, 676-687.	1.0	194
284	Current challenges in clinimetrics. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 1137-1141.	2.4	189
285	Effectiveness of physiotherapy for lateral epicondylitis: a systematic review. <i>Annals of Medicine</i> , 2003, 35, 51-62.	1.5	187
286	How to measure comorbidity: a critical review of available methods. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 221-229.	2.4	1,506
287	Levels of evidence. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 917-918.	2.4	10
288	Retinopathy Is Associated With Cardiovascular and All-Cause Mortality in Both Diabetic and Nondiabetic Subjects: The Hoorn Study. <i>Diabetes Care</i> , 2003, 26, 2958-2958.	4.3	39

#	ARTICLE	IF	CITATIONS
289	Arterial Stiffness Increases With Deteriorating Glucose Tolerance Status. <i>Circulation</i> , 2003, 107, 2089-2095.	1.6	418
290	Splinting for carpal tunnel syndrome: prognostic indicators of success. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 1342-1344.	0.9	37
291	Physiotherapy or corticosteroid injection for shoulder pain?. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 385-387.	0.5	47
292	Cost effectiveness of physiotherapy, manual therapy, and general practitioner care for neck pain: economic evaluation alongside a randomised controlled trial * Commentary: Bootstrapping simplifies appreciation of statistical inferences. <i>BMJ: British Medical Journal</i> , 2003, 326, 911-911.	2.4	192
293	Microvascular Complications at Time of Diagnosis of Type 2 Diabetes Are Similar Among Diabetic Patients Detected by Targeted Screening and Patients Newly Diagnosed in General Practice: The Hoorn Screening Study. <i>Diabetes Care</i> , 2003, 26, 2604-2608.	4.3	188
294	Cardiovascular events in type 2 diabetes: comparison with nondiabetic individuals without and with prior cardiovascular disease 10-year follow-up of the Hoorn Study. <i>European Heart Journal</i> , 2003, 24, 1406-1413.	1.0	139
295	Prevention of Hip Fractures by External Hip Protectors. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 1957.	3.8	139
296	Updated Method Guidelines for Systematic Reviews in the Cochrane Collaboration Back Review Group. <i>Spine</i> , 2003, 28, 1290-1299.	1.0	1,586
297	Title is missing!. <i>Spine</i> , 2003, 28, 1290-1299.	1.0	443
298	Title is missing!. <i>Spine</i> , 2003, 28, 1215-1218.	1.0	8
299	RISK FACTORS FOR INCIDENT RETINOPATHY IN A DIABETIC AND NONDIABETIC POPULATION. <i>Evidence-Based Eye Care</i> , 2003, 4, 160-161.	0.2	4
300	Muscle Relaxants for Nonspecific Low Back Pain: A Systematic Review Within the Framework of the Cochrane Collaboration. <i>Spine</i> , 2003, 28, 1978-1992.	1.0	180
301	Cochrane Back Review Group. <i>Spine</i> , 2003, 28, 1215-1218.	1.0	48
302	Risk Factors for Incident Retinopathy in a Diabetic and Nondiabetic Population. <i>JAMA Ophthalmology</i> , 2003, 121, 245.	2.6	232
303	Prospective Relation of C-Reactive Protein With Type 2 Diabetes: Response to Han et al.. <i>Diabetes Care</i> , 2003, 26, 1656-1657.	4.3	36
304	Splinting vs Surgery for Carpal Tunnel Syndrome—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2003, 289, 421.	3.8	0
305	Associations of hip and thigh circumferences independent of waist circumference with the incidence of type 2 diabetes: the Hoorn Study. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 1192-1197.	2.2	393
306	Development and implementation of the Rehabilitation Activities Profile for children: impact on the rehabilitation team. <i>Clinical Rehabilitation</i> , 2002, 16, 441-453.	1.0	13

#	ARTICLE	IF	CITATIONS
307	Diabetic Patients Detected by Population-Based Stepwise Screening Already Have a Diabetic Cardiovascular Risk Profile. <i>Diabetes Care</i> , 2002, 25, 1784-1789.	4.3	98
308	High physical work load and low job satisfaction increase the risk of sickness absence due to low back pain: results of a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2002, 59, 323-328.	1.3	305
309	Comparison of two different approaches for the analysis of data from a prospective cohort study: an application to work related risk factors for low back pain. <i>Occupational and Environmental Medicine</i> , 2002, 59, 459-465.	1.3	44
310	Improving the Action Research Arm test: a unidimensional hierarchical scale. <i>Clinical Rehabilitation</i> , 2002, 16, 646-653.	1.0	80
311	Blood Pressure, Lipids, and Obesity Are Associated With Retinopathy: The Hoorn Study. <i>Diabetes Care</i> , 2002, 25, 1320-1325.	4.3	363
312	Episodes of Low Back Pain. <i>Spine</i> , 2002, 27, 2409-2416.	1.0	301
313	Measuring sick leave: a comparison of self-reported data on sick leave and data from company records. <i>Occupational Medicine</i> , 2002, 52, 485-490.	0.8	133
314	Manual Therapy, Physical Therapy, or Continued Care by a General Practitioner for Patients with Neck Pain. <i>Annals of Internal Medicine</i> , 2002, 136, 713.	2.0	283
315	C-Reactive Protein and Soluble Vascular Cell Adhesion Molecule-1 Are Associated With Elevated Urinary Albumin Excretion but Do Not Explain Its Link With Cardiovascular Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 593-598.	1.1	112
316	Diabetes, pulse pressure and cardiovascular mortality: the Hoorn Study. <i>Journal of Hypertension</i> , 2002, 20, 1743-1751.	0.3	156
317	Treating Patients with Hemiplegic Shoulder Pain. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2002, 81, 150-160.	0.7	47
318	Therapeutic ultrasound for acute ankle sprains. , 2002, , CD001250.		30
319	An infant with Down syndrome and retinoblastoma. A possible non-fortuitous association. <i>Ophthalmic Genetics</i> , 2002, 23, 135-136.	0.5	2
320	Additional abstracts from the e_Musk meeting. <i>Acta Orthopaedica</i> , 2002, 73, 63-69.	1.4	0
321	Corticosteroid injections, physiotherapy, or a wait-and-see policy for lateral epicondylitis: a randomised controlled trial. <i>Lancet</i> , The, 2002, 359, 657-662.	6.3	640
322	Interobserver reproducibility of the assessment of severity of complaints, grip strength, and pressure pain threshold in patients with lateral epicondylitis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002, 83, 1145-1150.	0.5	248
323	Enabling meta-analysis in systematic reviews on carpal tunnel syndrome. <i>Journal of Hand Surgery</i> , 2002, 27, 828-832.	0.7	26
324	Moderate alcohol consumption is associated with lower risk for incident diabetes and mortality: the Hoorn Study. <i>Diabetes Research and Clinical Practice</i> , 2002, 57, 53-60.	1.1	57

#	ARTICLE	IF	CITATIONS
325	Priority setting for health technology assessment in The Netherlands: principles and practice. <i>Health Policy</i> , 2002, 62, 227-242.	1.4	26
326	Corticosteroid injections for lateral epicondylitis: a systematic review. <i>Pain</i> , 2002, 96, 23-40.	2.0	282
327	Splinting vs Surgery in the Treatment of Carpal Tunnel Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2002, 288, 1245.	3.8	316
328	Conducting systematic reviews of diagnostic studies: didactic guidelines. <i>BMC Medical Research Methodology</i> , 2002, 2, 9.	1.4	807
329	Occupational therapy for rheumatoid arthritis: A systematic review. <i>Arthritis and Rheumatism</i> , 2002, 47, 672-685.	6.7	77
330	Acceptance and Compliance with External Hip Protectors: A Systematic Review of the Literature. <i>Osteoporosis International</i> , 2002, 13, 917-924.	1.3	139
331	Conservative treatment options for carpal tunnel syndrome: a systematic review of randomised controlled trials. <i>Journal of Neurology</i> , 2002, 249, 272-280.	1.8	165
332	Systematic review of randomized clinical trials of surgical treatment for carpal tunnel syndrome. <i>British Journal of Surgery</i> , 2002, 88, 1285-1295.	0.1	117
333	Why is soluble intercellular adhesion molecule-1 related to cardiovascular mortality?. <i>European Journal of Clinical Investigation</i> , 2002, 32, 1-8.	1.7	47
334	Impact of diabetes duration and cardiovascular risk factors on mortality in type 2 diabetes: the Hoorn Study. <i>European Journal of Clinical Investigation</i> , 2002, 32, 924-930.	1.7	41
335	Predicting adherence to prophylactic medication in adolescents with asthma: an application of the ASE-model. <i>Patient Education and Counseling</i> , 2002, 47, 165-171.	1.0	39
336	Epidemiological data and ranking home and leisure accidents for priority-setting. <i>Accident Analysis and Prevention</i> , 2002, 34, 695-702.	3.0	10
337	Mild renal insufficiency is associated with increased cardiovascular mortality: The Hoorn Study. <i>Kidney International</i> , 2002, 62, 1402-1407.	2.6	475
338	Follow-up, treatment, and reinfection rates among asymptomatic chlamydia trachomatis cases in general practice. <i>British Journal of General Practice</i> , 2002, 52, 623-7.	0.7	12
339	The intra- and interrater reliability of the action research arm test: A practical test of upper extremity function in patients with stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 14-19.	0.5	396
340	Efficacy of spinal manipulation for chronic headache: A systematic review. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2001, 24, 457-466.	0.4	161
341	The ethics of sample size:. <i>Journal of Clinical Epidemiology</i> , 2001, 54, 109-110.	2.4	61
342	Fall-risk screening test. <i>Journal of Clinical Epidemiology</i> , 2001, 54, 837-844.	2.4	578

#	ARTICLE	IF	CITATIONS
343	Simultaneous development and implementation of the Children's Rehabilitation Activities Profile: a communication instrument for pediatric rehabilitation. <i>Disability and Rehabilitation</i> , 2001, 23, 614-622.	0.9	9
344	REPRODUCIBILITY AND RESPONSIVENESS OF EVALUATIVE OUTCOME MEASURES. <i>International Journal of Technology Assessment in Health Care</i> , 2001, 17, 479-487.	0.2	138
345	Translation and adaptation of a questionnaire to assess the group processes of rehabilitation team conferences. <i>Clinical Rehabilitation</i> , 2001, 15, 148-155.	1.0	12
346	A METHOD FOR RESEARCH PROGRAMMING IN THE FIELD OF EVIDENCE-BASED MEDICINE. <i>International Journal of Technology Assessment in Health Care</i> , 2001, 17, 433-441.	0.2	38
347	A Critical Appraisal of Review Articles on the Effectiveness of Conservative Treatment for Neck Pain. <i>Spine</i> , 2001, 26, 196-205.	1.0	173
348	Lumbar Supports for Prevention and Treatment of Low Back Pain. <i>Spine</i> , 2001, 26, 377-386.	1.0	118
349	Relation of Impaired Fasting and Postload Glucose With Incident Type 2 Diabetes in a Dutch Population. <i>JAMA - Journal of the American Medical Association</i> , 2001, 285, 2109.	3.8	516
350	An intervention programme using the ASE-model aimed at enhancing adherence in adolescents with asthma. <i>Patient Education and Counseling</i> , 2001, 44, 193-203.	1.0	70
351	Brachial artery pulse pressure and common carotid artery diameter: mutually independent associations with mortality in subjects with a recent history of impaired glucose tolerance. <i>European Journal of Clinical Investigation</i> , 2001, 31, 756-763.	1.7	37
352	Psychosocial risk factors for neck pain: A systematic review. <i>American Journal of Industrial Medicine</i> , 2001, 39, 180-193.	1.0	314
353	Splinting or surgery for carpal tunnel syndrome? Design of a randomized controlled trial [ISRCTN18853827]. <i>BMC Neurology</i> , 2001, 1, 8.	0.8	16
354	Measuring Subluxation of the Hemiplegic Shoulder: Reliability of a Method. <i>Neurorehabilitation and Neural Repair</i> , 2001, 15, 249-254.	1.4	8
355	Impaired Autonomic Function Is Associated With Increased Mortality, Especially in Subjects With Diabetes, Hypertension, or a History of Cardiovascular Disease: The Hoorn Study. <i>Diabetes Care</i> , 2001, 24, 1793-1798.	4.3	400
356	Serum Homocysteine Levels Are Associated With the Development of (Micro)albuminuria. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 74-81.	1.1	94
357	Prognostic implications of retinopathy and a high plasma von Willebrand factor concentration in type 2 diabetic subjects with microalbuminuria. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 529-536.	0.4	26
358	THE RESPONSIVENESS OF THE ACTION RESEARCH ARM TEST AND THE FUGL-MEYER ASSESSMENT SCALE IN CHRONIC STROKE PATIENTS. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 110-113.	0.8	295
359	Memory complaints and APOE- $\epsilon$ 4 accelerate cognitive decline in cognitively normal elderly. <i>Neurology</i> , 2001, 57, 2217-2222.	1.5	220
360	Low-Grade Systemic Inflammation in Overweight Children. <i>Pediatrics</i> , 2001, 107, e13-e13.	1.0	324

#	ARTICLE	IF	CITATIONS
361	Cost effectiveness analysis of a population based screening programme for asymptomatic Chlamydia trachomatis infections in women by means of home obtained urine specimens. Sexually Transmitted Infections, 2001, 77, 276-282.	0.8	55
362	Exercise therapy for arm function in stroke patients: a systematic review of randomized controlled trials. Clinical Rehabilitation, 2001, 15, 20-31.	1.0	206
363	Are neck flexion, neck rotation, and sitting at work risk factors for neck pain? Results of a prospective cohort study. Occupational and Environmental Medicine, 2001, 58, 200-207.	1.3	333
364	Psychosocial work characteristics and psychological strain in relation to low-back pain. Scandinavian Journal of Work, Environment and Health, 2001, 27, 258-267.	1.7	123
365	Re: Duplicate Publication. Sexually Transmitted Diseases, 2001, 28, 496.	0.8	0
366	Reproducibility and responsiveness of evaluative outcome measures. Theoretical considerations illustrated by an empirical example. International Journal of Technology Assessment in Health Care, 2001, 17, 479-87.	0.2	72
367	Constraint-Induced Movement Therapy. Physical Therapy, 2000, 80, 711-713.	1.1	6
368	Baroreflex sensitivity in the elderly: influence of age, breathing and spectral methods. Clinical Science, 2000, 99, 371-381.	1.8	35
369	Baroreflex sensitivity in the elderly: influence of age, breathing and spectral methods. Clinical Science, 2000, 99, 371.	1.8	22
370	Systematic Review of Psychosocial Factors at Work and Private Life as Risk Factors for Back Pain. Spine, 2000, 25, 2114-2125.	1.0	699
371	The Test of LasÅ“gue. Spine, 2000, 25, 1140-1147.	1.0	206
372	Flexion and Rotation of the Trunk and Lifting at Work Are Risk Factors for Low Back Pain. Spine, 2000, 25, 3087-3092.	1.0	419
373	Depressive Symptoms and Risk of Alzheimer's Disease in More Highly Educated Older People. Journal of the American Geriatrics Society, 2000, 48, 1092-1097.	1.3	60
374	Mechanisms of Action of Lumbar Supports. Spine, 2000, 25, 2103-2113.	1.0	111
375	Skeletal Muscle Mass and Muscle Strength in Relation to Lower-Extremity Performance in Older Men and Women. Journal of the American Geriatrics Society, 2000, 48, 381-386.	1.3	270
376	Serum homocysteine is weakly associated with von Willebrand factor and soluble vascular cell adhesion molecule 1, but not with C-reactive protein in type 2 diabetic and non-diabetic subjects - The Hoorn Study. European Journal of Clinical Investigation, 2000, 30, 763-770.	1.7	28
377	Hyperhomocysteinaemia is not associated with isolated crural arterial occlusive disease: The Hoorn Study. Journal of Internal Medicine, 2000, 247, 442-448.	2.7	20
378	Glucose tolerance and other determinants of cardiovascular autonomic function: the Hoorn Study. Diabetologia, 2000, 43, 561-570.	2.9	120

#	ARTICLE	IF	CITATIONS
379	Hyperhomocysteinemia Increases Risk of Death, Especially in Type 2 Diabetes. <i>Circulation</i> , 2000, 101, 1506-1511.	1.6	260
380	Increased levels of soluble vascular cell adhesion molecule 1 are associated with risk of cardiovascular mortality in type 2 diabetes: the Hoorn study. <i>Diabetes</i> , 2000, 49, 485-491.	0.3	223
381	Similar 9-year mortality risks and reproducibility for the World Health Organization and American Diabetes Association glucose tolerance categories: the Hoorn Study. <i>Diabetes Care</i> , 2000, 23, 40-44.	4.3	79
382	Cardiovascular autonomic function is associated with (micro-)albuminuria in elderly Caucasian subjects with impaired glucose tolerance or type 2 diabetes: the Hoorn Study. <i>Diabetes Care</i> , 2000, 23, 1369-1374.	4.3	40
383	Depression and risk of cognitive decline and Alzheimer's disease. <i>British Journal of Psychiatry</i> , 2000, 176, 568-575.	1.7	303
384	Hyperhomocysteinemia Is Associated With the Presence of Retinopathy in Type 2 Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2000, 160, 2984.	4.3	64
385	Low diagnostic accuracy of selective screening criteria for asymptomatic <i>Chlamydia trachomatis</i> infections in the general population. <i>Sexually Transmitted Infections</i> , 2000, 76, 375-380.	0.8	43
386	Effect of Triamcinolone Acetonide Injections on Hemiplegic Shoulder Pain. <i>Stroke</i> , 2000, 31, 2396-2401.	1.0	72
387	Prediction of return-to-work of low back pain patients sicklisted for 3-4 months. <i>Pain</i> , 2000, 87, 285-294.	2.0	143
388	Methods for assessing diabetic polyneuropathy: validity and reproducibility of the measurement of sensory symptom severity and nerve function tests. <i>Diabetes Research and Clinical Practice</i> , 2000, 47, 87-95.	1.1	39
389	Shoulder disability questionnaire design and responsiveness of a functional status measure. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 29-38.	2.4	133
390	Publications on diagnostic test evaluation in family medicine journals. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 65-69.	2.4	145
391	Occupational risk factors for shoulder pain: a systematic review. <i>Occupational and Environmental Medicine</i> , 2000, 57, 433-442.	1.3	445
392	The Quality of Data Collection by an Interview on the Prevalence of Elder Mistreatment. <i>Journal of Elder Abuse and Neglect</i> , 2000, 12, 57-72.	0.5	5
393	Physical risk factors for neck pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 7-19.	1.7	405
394	Practical aspects of conducting a pragmatic randomised trial in primary care: patient recruitment and outcome assessment. <i>British Journal of General Practice</i> , 2000, 50, 371-4.	0.7	56
395	Forced Use of the Upper Extremity in Chronic Stroke Patients. <i>Stroke</i> , 1999, 30, 2369-2375.	1.0	688
396	Education and incident Alzheimer's disease: a biased association due to selective attrition and use of a two-step diagnostic procedure?. <i>International Journal of Epidemiology</i> , 1999, 28, 492-497.	0.9	43



#	ARTICLE	IF	CITATIONS
397	Upper respiratory tract infection, heterologous immunisation and meningococcal disease. <i>Journal of Medical Microbiology</i> , 1999, 48, 943-946.	0.7	6
398	Diagnostic classification of shoulder disorders: interobserver agreement and determinants of disagreement. <i>Annals of the Rheumatic Diseases</i> , 1999, 58, 272-277.	0.5	122
399	Leptin and variables of body adiposity, energy balance, and insulin resistance in a population-based study. The Hoorn Study. <i>Diabetes Care</i> , 1999, 22, 1097-1104.	4.3	115
400	Elevated C-Reactive Protein Levels in Overweight and Obese Adults. <i>JAMA - Journal of the American Medical Association</i> , 1999, 282, 2131.	3.8	1,978
401	von Willebrand Factor, C-Reactive Protein, and 5-Year Mortality in Diabetic and Nondiabetic Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 3071-3078.	1.1	277
402	Microalbuminuria and Peripheral Arterial Disease Are Independent Predictors of Cardiovascular and All-Cause Mortality, Especially Among Hypertensive Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 617-624.	1.1	338
403	Normohomocysteinaemia and vitamin-treated hyperhomocysteinaemia are associated with similar risks of cardiovascular events in patients with premature peripheral arterial occlusive disease. A prospective cohort study. <i>Journal of Internal Medicine</i> , 1999, 246, 87-96.	2.7	43
404	Hyperhomocysteinaemia is not related to risk of distal somatic polyneuropathy: The Hoorn Study. <i>Journal of Internal Medicine</i> , 1999, 246, 561-566.	2.7	16
405	Hyperglycaemia is associated with all-cause and cardiovascular mortality in the Hoorn population: the Hoorn Study. <i>Diabetologia</i> , 1999, 42, 926-931.	2.9	571
406	Ultrasound Measurements for the Prediction of Osteoporotic Fractures in Elderly People. <i>Osteoporosis International</i> , 1999, 9, 550-556.	1.3	154
407	Hyperproinsulinaemia in impaired glucose tolerance is associated with a delayed insulin response to glucose. <i>Diabetologia</i> , 1999, 42, 177-180.	2.9	24
408	Risk Indicators of Elder Mistreatment in the Community. <i>Journal of Elder Abuse and Neglect</i> , 1999, 9, 67-76.	0.5	33
409	No effect of bipolar interferential electrotherapy and pulsed ultrasound for soft tissue shoulder disorders: a randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 1999, 58, 530-540.	0.5	73
410	Indirect costs of back pain in the Netherlands: a comparison of the human capital method with the friction cost method. <i>Pain</i> , 1999, 80, 201-207.	2.0	91
411	Cost-of-illness of neck pain in The Netherlands in 1996. <i>Pain</i> , 1999, 80, 629-636.	2.0	383
412	Ultrasound therapy for musculoskeletal disorders: a systematic review. <i>Pain</i> , 1999, 81, 257-271.	2.0	293
413	Responsiveness of general health status in chronic low back pain: a comparison of the COOP Charts and the SF-36. <i>Pain</i> , 1999, 83, 201-209.	2.0	99
414	Identification and priority setting for health technology assessment in The Netherlands: actors and activities. <i>Health Policy</i> , 1999, 47, 241-253.	1.4	11



#	ARTICLE	IF	CITATIONS
415	Corticosteroid injections for tennis elbow. The Cochrane Library, 1999, , .	1.5	2
416	Physiotherapy and physiotherapeutical modalities for lateral epicondylitis. The Cochrane Library, 1999, , .	1.5	1
417	Cognitive reserve and mortality in dementia: the role of cognition, functional ability and depression. Psychological Medicine, 1999, 29, 1219-1226.	2.7	44
418	Association Between Memory Complaints and Incident Alzheimer's Disease in Elderly People With Normal Baseline Cognition. American Journal of Psychiatry, 1999, 156, 531-537.	4.0	410
419	Physical load during work and leisure time as risk factors for back pain. Scandinavian Journal of Work, Environment and Health, 1999, 25, 387-403.	1.7	452
420	Predictors for Falls and Fractures in the Longitudinal Aging Study Amsterdam. Journal of Bone and Mineral Research, 1998, 13, 1932-1939.	3.1	270
421	Serum homocysteine level and protein intake are related to risk of microalbuminuria: The Hoorn Study. Kidney International, 1998, 54, 203-209.	2.6	131
422	Determinants of specific serum insulin concentrations in a general Caucasian population aged 50 to 74 years (the Hoorn study). , 1998, 15, 45-52.		26
423	Microalbuminuria is strongly associated with NIDDM and hypertension, but not with the insulin resistance syndrome: the Hoorn Study. Diabetologia, 1998, 41, 694-700.	2.9	109
424	The Influence of Physical Activity and Fractures on Ultrasound Parameters in Elderly People. Osteoporosis International, 1998, 8, 449-454.	1.3	22
425	Dissimilar association of conventional immuno-reactive versus specific insulin with cardiovascular risk factors: a consequence of proinsulinaemia?. Diabetes Research and Clinical Practice, 1998, 40, 81-90.	1.1	1
426	The clinical course and prognostic factors of non-specific neck pain: a systematic review. Pain, 1998, 77, 1-13.	2.0	413
427	The Delphi List. Journal of Clinical Epidemiology, 1998, 51, 1235-1241.	2.4	1,980
428	Hyperhomocysteinemia Is Associated With an Increased Risk of Cardiovascular Disease, Especially in Non-Insulin-Dependent Diabetes Mellitus. Arteriosclerosis, Thrombosis, and Vascular Biology, 1998, 18, 133-138.	1.1	336
429	Randomized Study of Two Different Target Levels of Glycemic Control Within the Acceptable Range in Type 2 Diabetes: Effects on well-being at 1 year. Diabetes Care, 1998, 21, 2085-2093.	4.3	34
430	The 1997 American Diabetes Association Criteria Versus the 1985 World Health Organization Criteria for the Diagnosis of Abnormal Glucose Tolerance: Poor agreement in the Hoorn Study. Diabetes Care, 1998, 21, 1686-1690.	4.3	131
431	On the course of low back pain in general practice: a one year follow up study. Annals of the Rheumatic Diseases, 1998, 57, 13-19.	0.5	123
432	Effectiveness of corticosteroid injections versus physiotherapy for treatment of painful stiff shoulder in primary care: randomised trial. BMJ: British Medical Journal, 1998, 317, 1292-1296.	2.4	245

#	ARTICLE	IF	CITATIONS
433	Insulin and Risk of Cardiovascular Disease. <i>Circulation</i> , 1998, 97, 996-1001.	1.6	369
434	The responsiveness of the Shoulder Disability Questionnaire. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 82-87.	0.5	137
435	Chronic low back pain in primary care: a prospective study on the management and course. <i>Family Practice</i> , 1998, 15, 126-132.	0.8	49
436	Lumbar Supports and Education for the Prevention of Low Back Pain in Industry. <i>JAMA - Journal of the American Medical Association</i> , 1998, 279, 1789.	3.8	125
437	Elder Abuse in the Community: Prevalence and Consequences. <i>Journal of the American Geriatrics Society</i> , 1998, 46, 885-888.	1.3	172
438	Methodologic Issues in Low Back Pain Research in Primary Care. <i>Spine</i> , 1998, 23, 2014-2020.	1.0	105
439	The Use of Societal Criteria in Priority Setting for Health Technology Assessment in the Netherlands: Initial Experiences and Future Challenges. <i>International Journal of Technology Assessment in Health Care</i> , 1998, 14, 226-236.	0.2	19
440	Prevalence of mental retardation in patients with hereditary retinoblastoma. <i>Ophthalmic Genetics</i> , 1997, 18, 217-220.	0.5	4
441	Incidence and survival of retinoblastoma in the Netherlands: a register based study 1862-1995. <i>British Journal of Ophthalmology</i> , 1997, 81, 559-562.	2.1	133
442	A systematic review of controlled clinical trials on the prevention of back pain in industry. <i>Occupational and Environmental Medicine</i> , 1997, 54, 841-847.	1.3	113
443	Efficacy of non-steroidal anti-inflammatory drugs for low back pain: a systematic review of randomised clinical trials. <i>Annals of the Rheumatic Diseases</i> , 1997, 56, 214-223.	0.5	95
444	Performance of an NIDDM Screening Questionnaire Based on Symptoms and Risk Factors. <i>Diabetes Care</i> , 1997, 20, 491-496.	4.3	136
445	The Prognosis of Low Back Pain in General Practice. <i>Spine</i> , 1997, 22, 1515-1521.	1.0	135
446	Spinal Radiographic Findings and Nonspecific Low Back Pain. <i>Spine</i> , 1997, 22, 427-434.	1.0	418
447	Management of Chronic Nonspecific Low Back Pain in Primary Care: A Descriptive Study. <i>Spine</i> , 1997, 22, 76-82.	1.0	56
448	Reliability of Lumbar Spine Radiograph Reading by Chiropractors. <i>Spine</i> , 1997, 22, 1235-1241.	1.0	12
449	Method Guidelines for Systematic Reviews in the Cochrane Collaboration Back Review Group for Spinal Disorders. <i>Spine</i> , 1997, 22, 2323-2330.	1.0	601
450	Conservative Treatment of Acute and Chronic Nonspecific Low Back Pain. <i>Spine</i> , 1997, 22, 2128-2156.	1.0	827

#	ARTICLE	IF	CITATIONS
451	Second primary tumors in patients with retinoblastoma a review of the literature. <i>Ophthalmic Genetics</i> , 1997, 18, 27-34.	0.5	143
452	Cardiovascular Morbidity and Mortality Among Hypertensive Patients in General Practice: The Evaluation of Long-Term Systematic Management. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 779-786.	2.4	9
453	Cardiovascular risk factors prior to the development of non-insulin-dependent diabetes mellitus in persons with impaired glucose tolerance: The Hoorn study. <i>Journal of Clinical Epidemiology</i> , 1997, 50, 1003-1009.	2.4	19
454	Management control of biomedical research and pharmaceutical innovation. <i>Technovation</i> , 1997, 17, 167-221.	4.2	6
455	EFFICACY OF LASER THERAPY IN ANKLE SPRAINS:. <i>Laser Therapy</i> , 1997, 9, 165-171.	0.8	1
456	Alarming high prevalence of obesity in Curaçao: data from an interview survey stratified for socioeconomic status. <i>International Journal of Obesity</i> , 1997, 21, 1002-1009.	1.6	25
457	Soft-tissue Disorders of the Shoulder. <i>Physiotherapy</i> , 1997, 83, 12-17.	0.2	40
458	Carotid artery stenosis is related to blood glucose level in an elderly Caucasian population: the Hoorn Study. <i>Diabetologia</i> , 1997, 40, 290-298.	2.9	55
459	Development and validation of the diabetes fear of injecting and self-testing questionnaire (D-FISQ): first findings. , 1997, 14, 871-876.		50
460	The assessment of diabetic polyneuropathy in daily clinical practice: Reproducibility and validity of Semmes Weinstein monofilaments examination and clinical neurological examination. <i>Muscle and Nerve</i> , 1997, 20, 116-118.	1.0	111
461	Variation in the treatment of carpal tunnel syndrome. , 1997, 20, 1334-1335.		24
462	Pain and health status of primary care patients with low back pain. <i>Journal of Family Practice</i> , 1997, 44, 187-92.	0.2	5
463	Responsiveness of the Rehabilitation Activities Profile and the Barthel Index. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 39-44.	2.4	59
464	Peripheral Somatic Nerve Function in Relation to Glucose Tolerance in an Elderly Caucasian Population: the Hoorn Study. <i>Diabetic Medicine</i> , 1996, 13, 960-966.	1.2	33
465	Measuring functional limitations in rising and sitting down: Development of a questionnaire. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996, 77, 663-669.	0.5	45
466	Spinal Manipulation for Low Back Pain. <i>Spine</i> , 1996, 21, 2860-2871.	1.0	239
467	Vitamin D Supplementation and Fracture Incidence in Elderly Persons. <i>Annals of Internal Medicine</i> , 1996, 124, 400.	2.0	565
468	High parental age is associated with sporadic hereditary retinoblastoma: the Dutch retinoblastoma register 1862-1994. <i>Human Genetics</i> , 1996, 98, 109-112.	1.8	50

#	ARTICLE	IF	CITATIONS
469	Different risk profiles for hip fractures and distal forearm fractures: A prospective study. <i>Osteoporosis International</i> , 1996, 6, 427-431.	1.3	96
470	Second primary tumors in patients with hereditary retinoblastoma: A register-based follow-up study, 1945-1994. <i>Ophthalmology</i> , 1996, 67, 515-519.		107
471	Intra-individual variation of glucose, specific insulin and proinsulin concentrations measured by two oral glucose tolerance tests in a general Caucasian population: the Hoorn Study. <i>Diabetologia</i> , 1996, 39, 298-305.	2.9	326
472	Symptoms and Well-Being in Relation to Glycemic Control in Type II Diabetes. <i>Diabetes Care</i> , 1996, 19, 204-210.	4.3	235
473	Introducing an innovative method in team conferences. <i>Disability and Rehabilitation</i> , 1996, 18, 374-379.	0.9	9
474	Falls in the Elderly: A Prospective Study of Risk Factors and Risk Profiles. <i>American Journal of Epidemiology</i> , 1996, 143, 1129-1136.	1.6	647
475	Fasting proinsulin and 2-h post-load glucose levels predict the conversion to NIDDM in subjects with impaired glucose tolerance: The Hoorn Study. <i>Diabetologia</i> , 1996, 39, 113-118.	2.9	97
476	Intra-individual variation of glucose, specific insulin and proinsulin concentrations measured by two oral glucose tolerance tests in a general Caucasian population: the Hoorn Study. <i>Diabetologia</i> , 1996, 39, 298-305.	2.9	32
477	Corticosteroid injections for lateral epicondylitis: a systematic overview. <i>British Journal of General Practice</i> , 1996, 46, 209-16.	0.7	167
478	Steroid injections for shoulder disorders: a systematic review of randomized clinical trials. <i>British Journal of General Practice</i> , 1996, 46, 309-16.	0.7	79
479	Shoulder disorders in general practice: prognostic indicators of outcome. <i>British Journal of General Practice</i> , 1996, 46, 519-23.	0.7	282
480	The inter-observer reproducibility of Lasfegue's sign in patients with low back pain in general practice. <i>British Journal of General Practice</i> , 1996, 46, 727-30.	0.7	17
481	Complications of spinal manipulation: a comprehensive review of the literature. <i>Journal of Family Practice</i> , 1996, 42, 475-80.	0.2	177
482	The effectiveness of chiropractic for treatment of low back pain: an update and attempt at statistical pooling. <i>Journal of Manipulative and Physiological Therapeutics</i> , 1996, 19, 499-507.	0.4	44
483	On the Accuracy of History, Physical Examination, and Erythrocyte Sedimentation Rate in Diagnosing Low Back Pain in General Practice. <i>Spine</i> , 1995, 20, 318-326.	1.0	128
484	The Efficacy of Traction for Back and Neck Pain: A Systematic, Blinded Review of Randomized Clinical Trial Methods. <i>Physical Therapy</i> , 1995, 75, 93-104.	1.1	203
485	Methodological Quality of Randomized Clinical Trials on Treatment Efficacy in Low Back Pain. <i>Spine</i> , 1995, 20, 228-235.	1.0	132
486	Efficacy of Lumbar Traction: A Randomised Clinical Trial. <i>Physiotherapy</i> , 1995, 81, 29-35.	0.2	45

#	ARTICLE	IF	CITATIONS
487	Letters to the editors. Muscle and Nerve, 1995, 18, 920-929.	1.0	2
488	Peripheral arterial disease in relation to glycaemic level in an elderly Caucasian population: the Hoorn Study. Diabetologia, 1995, 38, 86-96.	2.9	250
489	Prevalence and Determinants of Glucose Intolerance in a Dutch Caucasian Population: The Hoorn Study. Diabetes Care, 1995, 18, 1270-1273.	4.3	348
490	Barriers to Wearing Bicycle Safety Helmets in the Netherlands. JAMA Pediatrics, 1995, 149, 174.	3.6	15
491	Shoulder disorders in general practice: incidence, patient characteristics, and management.. Annals of the Rheumatic Diseases, 1995, 54, 959-964.	0.5	747
492	A cost-of-illness study of back pain in The Netherlands. Pain, 1995, 62, 233-240.	2.0	637
493	Efficacy of epidural steroid injections for low-back pain and sciatica: a systematic review of randomized clinical trials. Pain, 1995, 63, 279-288.	2.0	325
494	Inter- and intra-rater agreement of the rehabilitation activities profile. Journal of Clinical Epidemiology, 1995, 48, 407-416.	2.4	35
495	The efficacy of non-steroidal anti-inflammatory drugs (NSAIDS) for shoulder complaints. A systematic review. Journal of Clinical Epidemiology, 1995, 48, 691-704.	2.4	97
496	A semiquantitative food frequency questionnaire for use in epidemiologic research among the elderly: Validation by comparison with dietary history. Journal of Clinical Epidemiology, 1995, 48, 859-868.	2.4	80
497	The rehabilitation activities profile: A validation study of its use as a disability index with stroke patients. Archives of Physical Medicine and Rehabilitation, 1995, 76, 501-507.	0.5	42
498	Vitamin D status and sex hormone binding globulin: Determinants of bone turnover and bone mineral density in elderly women. Journal of Bone and Mineral Research, 1995, 10, 1177-1184.	3.1	253
499	Peripheral arterial disease in relation to glycaemic level in an elderly Caucasian population: the Hoorn Study. Diabetologia, 1995, 38, 86-96.	2.9	34
500	Chiropractic in The Netherlands: a survey of Dutch chiropractors. Journal of Manipulative and Physiological Therapeutics, 1995, 18, 129-34.	0.4	27
501	The relationship between methodological quality and conclusions in reviews of spinal manipulation. JAMA - Journal of the American Medical Association, 1995, 274, 1942-8.	3.8	21
502	The incidence of hip fractures in independent and institutionalized elderly people. Osteoporosis International, 1994, 4, 6-10.	1.3	104
503	Sensory thresholds in older adults: Reproducibility and reference values. Muscle and Nerve, 1994, 17, 454-461.	1.0	54
504	Innovative and industrial performance in pharmaceutical R&D, a management control perspective. Omega, 1994, 22, 209-219.	3.6	7

#	ARTICLE	IF	CITATIONS
505	Comparison of three methods for the quantification of $\beta$ -cell function and insulin sensitivity. <i>Diabetes Research and Clinical Practice</i> , 1994, 26, 189-195.	1.1	14
506	Complaints of neuropathy related to the clinical and neurophysiological assessment of nerve function in patients with diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 1994, 26, 29-34.	1.1	21
507	The efficacy of back schools: A review of randomized clinical trials. <i>Journal of Clinical Epidemiology</i> , 1994, 47, 851-862.	2.4	144
508	Clinical scores for acute asthma in pre-school children. A review of the literature. <i>Journal of Clinical Epidemiology</i> , 1994, 47, 635-646.	2.4	66
509	Development of a Type 2 Diabetes Symptom Checklist: a Measure of Symptom Severity. <i>Diabetic Medicine</i> , 1994, 11, 253-261.	1.2	164
510	Maternal characteristics and expected birth weight. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1993, 50, 115-122.	0.5	6
511	Efficacy of physiotherapy for musculoskeletal disorders: what can we learn from research?. <i>British Journal of General Practice</i> , 1993, 43, 73-7.	0.7	53
512	A randomized clinical trial of manual therapy and physiotherapy for persistent back and neck complaints: subgroup analysis and relationship between outcome measures. <i>Journal of Manipulative and Physiological Therapeutics</i> , 1993, 16, 211-9.	0.4	66
513	Aetiology of handball injuries: a case-control study.. <i>British Journal of Sports Medicine</i> , 1992, 26, 121-124.	3.1	32
514	The efficacy of the back school for patients with non-specific low back pain: An overview. <i>Physiotherapy Theory and Practice</i> , 1992, 8, 85-88.	0.6	0
515	The impact of back school research on the beliefs of health care professionals: A randomised survey of general practitioners and physiotherapists. <i>Physiotherapy Theory and Practice</i> , 1992, 8, 79-83.	0.6	4
516	The Efficacy of Laser Therapy for Musculoskeletal and Skin Disorders: A Criteria-Based Meta-analysis of Randomized Clinical Trials. <i>Physical Therapy</i> , 1992, 72, 483-491.	1.1	187
517	The Effectiveness of Manual Therapy, Physiotherapy, and Treatment by the General Practitioner for Nonspecific Back and Neck Complaints. <i>Spine</i> , 1992, 17, 28-35.	1.0	227
518	Randomised clinical trial of manipulative therapy and physiotherapy for persistent back and neck complaints: results of one year follow up.. <i>BMJ: British Medical Journal</i> , 1992, 304, 601-605.	2.4	225
519	The efficacy of chiropractic manipulation for back pain: blinded review of relevant randomized clinical trials. <i>Journal of Manipulative and Physiological Therapeutics</i> , 1992, 15, 487-94.	0.4	23
520	A blinded randomized clinical trial of manual therapy and physiotherapy for chronic back and neck complaints: physical outcome measures. <i>Journal of Manipulative and Physiological Therapeutics</i> , 1992, 15, 16-23.	0.4	62
521	Determinants of behavioural risk factors for burn injuries. <i>Burns</i> , 1991, 17, 364-370.	1.1	10
522	Incidence of medically treated burns in The Netherlands. <i>Burns</i> , 1991, 17, 357-362.	1.1	34

#	ARTICLE	IF	CITATIONS
523	Aetiology of burn injuries among children aged 0-4 years: results of a case-control study. <i>Burns</i> , 1991, 17, 213-219.	1.1	43
524	Validity and comparability of studies on the effects of back schools. <i>Physiotherapy Theory and Practice</i> , 1991, 7, 177-184.	0.6	10
525	Spinal manipulation and mobilisation for back and neck pain: a blinded review.. <i>BMJ: British Medical Journal</i> , 1991, 303, 1298-1303.	2.4	243
526	Physiotherapy exercises and back pain: a blinded review.. <i>BMJ: British Medical Journal</i> , 1991, 302, 1572-1576.	2.4	204
527	The efficacy of the back school: A randomized trial. <i>Arthritis and Rheumatism</i> , 1990, 3, 204-209.	6.7	4
528	Risk taking tendency among construction workers. <i>Journal of Occupational Accidents</i> , 1990, 11, 183-196.	0.2	27
529	On the importance of planned health education. <i>American Journal of Sports Medicine</i> , 1990, 18, 600-605.	1.9	24
530	Assessing the economic burden of injuries due to accidents: methodological problems illustrated with some examples from the literature. <i>Health Policy</i> , 1990, 14, 253-265.	1.4	1
531	Importance of planned health education for burn injury prevention. <i>Burns</i> , 1990, 16, 198-202.	1.1	14
532	Personal and Environmental Factors in Relation to Injury Risk in Downhill Skiing. <i>International Journal of Sports Medicine</i> , 1989, 10, 298-301.	0.8	27
533	The aetiology of burns in developed countries: review of the literature. <i>Burns</i> , 1989, 15, 217-221.	1.1	60
534	How to study the aetiology of burn injury: The epidemiological approach. <i>Burns</i> , 1989, 15, 162-166.	1.1	25
535	Binding function in relation to injury risk in downhill skiing. <i>American Journal of Sports Medicine</i> , 1989, 17, 226-233.	1.9	36
536	Risk Factors for Ski Injuries: A Crash Course of Epidemiologic Methods with Emphasis on Comparability in Experiments and Case-Control Studies. , 1989, , 9-17.		2
537	Sensation seeking and injury risk in downhill skiing. <i>Personality and Individual Differences</i> , 1988, 9, 667-673.	1.6	61
538	Active and passive coping under different degrees of stress; Effects on urinary and plasma catecholamines and ECG T-wave. <i>Biological Psychology</i> , 1984, 18, 23-32.	1.1	17
539	Virtue-based ethics and integrity of research: train-the-trainer programme for upholding the principles and practices of the European Code of Conduct for Research Integrity (VIRT2UE). <i>Research Ideas and Outcomes</i> , 0, 7, .	1.0	7
540	EnTIRE: Mapping Normative Frameworks for ETHics and Integrity of REsearch. <i>Research Ideas and Outcomes</i> , 0, 7, .	1.0	2

#	ARTICLE	IF	CITATIONS
541	The Embassy of Good Science – a community driven initiative to promote ethics and integrity in research. Open Research Europe, 0, 2, 27.	2.0	1
542	Prevalence of responsible research practices among academics in The Netherlands. F1000Research, 0, 11, 471.	0.8	0