

# Theresa H Page

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3671446/publications.pdf>

Version: 2024-02-01

19  
papers

1,125  
citations

516710

16  
h-index

752698

20  
g-index

20  
all docs

20  
docs citations

20  
times ranked

1947  
citing authors

#	ARTICLE	IF	CITATIONS
1	Danger-associated molecular pattern molecules and the receptor for advanced glycation end products enhance ANCA-induced responses. <i>Rheumatology</i> , 2021, , .	1.9	7
2	Excessive neutrophil extracellular trap formation in ANCA-associated vasculitis is independent of ANCA. <i>Kidney International</i> , 2018, 94, 139-149.	5.2	73
3	Bruton's tyrosine kinase regulates TLR7/8-induced TNF transcription via nuclear factor- $\kappa$ B recruitment. <i>Biochemical and Biophysical Research Communications</i> , 2018, 499, 260-266.	2.1	25
4	The role of monocytes in ANCA-associated vasculitides. <i>Autoimmunity Reviews</i> , 2016, 15, 1046-1053.	5.8	34
5	Correlation of disease activity in proliferative glomerulonephritis with glomerular spleen tyrosine kinase expression. <i>Kidney International</i> , 2015, 88, 52-60.	5.2	34
6	Role of Novel Rat-specific Fc Receptor in Macrophage Activation Associated with Crescentic Glomerulonephritis. <i>Journal of Biological Chemistry</i> , 2012, 287, 5710-5719.	3.4	11
7	Raised circulating tenascin-C in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R260.	3.5	51
8	Hck Tyrosine Kinase Regulates TLR4-Induced TNF and IL-6 Production via AP-1. <i>Journal of Immunology</i> , 2011, 187, 6043-6051.	0.8	79
9	Inhibitors of p38 suppress cytokine production in rheumatoid arthritis synovial membranes: Does variable inhibition of interleukin-6 production limit effectiveness in vivo?. <i>Arthritis and Rheumatism</i> , 2010, 62, 3221-3231.	6.7	35
10	Nonsteroidal Anti-Inflammatory Drugs Increase TNF Production in Rheumatoid Synovial Membrane Cultures and Whole Blood. <i>Journal of Immunology</i> , 2010, 185, 3694-3701.	0.8	57
11	Tyrosine Kinases and Inflammatory Signalling. <i>Current Molecular Medicine</i> , 2009, 9, 69-85.	1.3	94
12	Chemical inhibition of Src family kinases affects major LPS-activated pathways in primary human macrophages. <i>Molecular Immunology</i> , 2008, 45, 990-1000.	2.2	65
13	Bmx regulates LPS-induced IL-6 and VEGF production via mRNA stability in rheumatoid synovial fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 2008, 370, 599-602.	2.1	20
14	Bruton's Tyrosine Kinase Is Required for TLR2 and TLR4-Induced TNF, but Not IL-6, Production. <i>Journal of Immunology</i> , 2006, 176, 3635-3641.	0.8	180
15	T Cell Proliferation in Response to Interleukins 2 and 7 Requires p38MAP Kinase Activation. <i>Journal of Biological Chemistry</i> , 1997, 272, 15023-15027.	3.4	227
16	Interleukin-7 activates p56lck and p59fyn, two tyrosine kinases associated with the p90 interleukin-7 receptor in primary human T cells. <i>European Journal of Immunology</i> , 1995, 25, 2956-2960.	2.9	59
17	The murine T cell line CT6 provides a novel bioassay for interleukin-7. <i>European Journal of Immunology</i> , 1993, 23, 716-720.	2.9	10
18	Activation induced changes in expression and structure of the IL-7 receptor on human T cells. <i>International Immunology</i> , 1992, 4, 277-282.	4.0	40

#	ARTICLE	IF	CITATIONS
19	Molecular cloning of cDNAs for the rat interleukin 2 receptor $\hat{1}\alpha$ and $\hat{1}\beta$ chain genes: Differentially regulated gene activity in response to mitogenic stimulation. <i>European Journal of Immunology</i> , 1991, 21, 2133-2138.	2.9	22