

Sahori Takeda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3672750/publications.pdf>

Version: 2024-02-01

59
papers

1,238
citations

304743

22
h-index

395702

33
g-index

59
all docs

59
docs citations

59
times ranked

884
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of the Stretching Process of Polyethylene Separators on Rate Capability of Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2021, 125, 12496-12503.	3.1	3
2	Effect of Cross-Sectional Shape of Pathway on Ion Migration in Polyethylene Separators for Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2020, 124, 1827-1835.	3.1	6
3	Restricted Diffusion of Lithium Ions in Lithium Secondary Batteries. <i>Journal of Physical Chemistry C</i> , 2020, 124, 25712-25720.	3.1	4
4	Controlling Gel Morphology for Enhancing the Cation Mobility of Poly(vinylidene difluoride)-Based Gel Electrolytes for Lithium Secondary Batteries. <i>Journal of Physical Chemistry C</i> , 2020, 124, 14082-14088.	3.1	4
5	Factors Determining Ionic Mobility in Ion Migration Pathways of Polypropylene (PP) Separator for Lithium Secondary Batteries. <i>Journal of Physical Chemistry C</i> , 2019, 123, 21888-21895.	3.1	14
6	Effect of the Morphological Features of the Poly(vinylidene difluoride)-Based Gel Electrolytes on the Ionic Mobility for Lithium Secondary Batteries. <i>Macromolecules</i> , 2019, 52, 2112-2119.	4.8	14
7	Understanding the Improved High-Temperature Cycling Stability of a $\text{LiNi}_{0.5}\text{Mn}_{0.3}\text{Co}_{0.2}\text{O}_2$ /Graphite Cell with Vinylene Carbonate: A Comprehensive Analysis Approach Utilizing LC-MS and DART-MS. <i>Journal of Physical Chemistry C</i> , 2018, 122, 5864-5870.	3.1	13
8	Stress-Free Pathway for Ion Transport in the Separator Membrane of Lithium Secondary Batteries. <i>Journal of Physical Chemistry C</i> , 2018, 122, 18311-18315.	3.1	15
9	A Selective Interaction between Cation and Separator Membrane in Lithium Secondary Batteries. <i>Journal of Physical Chemistry C</i> , 2017, 121, 23926-23930.	3.1	9
10	Formation of thermally resistant films induced by vinylene carbonate additive on a hard carbon anode for lithium ion batteries at elevated temperature. <i>RSC Advances</i> , 2016, 6, 75777-75781.	3.6	6
11	Correction: Effects of p-substituents on electrochemical CO oxidation by Rh porphyrin-based catalysts. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 12375-12375.	2.8	0
12	Identification and formation mechanism of individual degradation products in lithium-ion batteries studied by liquid chromatography/electrospray ionization mass spectrometry and atmospheric solid analysis probe mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 1754-1762.	1.5	31
13	An approach of evaluating the effect of vinylene carbonate additive on graphite anode for lithium ion battery at elevated temperature. <i>Electrochemistry Communications</i> , 2015, 61, 70-73.	4.7	13
14	Production of 2-Pyrrolidone from Biobased Glutamate by Using <i>Escherichia coli</i> . <i>Journal of Polymers and the Environment</i> , 2013, 21, 528-533.	5.0	50
15	Synthesis of an azo macromolecular initiator composed of polyamide 4 and its initiation activity for the radical polymerization of vinyl monomers. <i>Journal of Applied Polymer Science</i> , 2012, 126, E425.	2.6	14
16	Rapid determination of 4-aminobutyric acid and L-glutamic acid in biological decarboxylation process by capillary electrophoresis-mass spectrometry. <i>Journal of Separation Science</i> , 2012, 35, 286-291.	2.5	6
17	CO Electro-oxidation by Rh Disulfo-deuteroporphyrin, and Its Mitigation Effect on CO Poisoning of PEMFC Anode. <i>Electrochemical and Solid-State Letters</i> , 2011, 14, B23.	2.2	19
18	Electrospray ionization mass spectrometric analyses of rhodium tetraphenylporphyrin complexes as electrocatalysts for CO oxidation by tandem mass spectrometry and hyphenated method with capillary electrophoresis. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 2341-2351.	1.5	4

#	ARTICLE	IF	CITATIONS
19	Effects of p-substituents on electrochemical CO ₂ oxidation by Rh porphyrin-based catalysts. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 8968-8976.	2.8	43
20	Electrochemical oxidation of sugars at moderate potentials catalyzed by Rh porphyrins. <i>Chemical Communications</i> , 2010, 46, 3607.	4.1	27
21	Determination of adrenal steroids by microfluidic chip using micellar electrokinetic chromatography. <i>Environmental Monitoring and Assessment</i> , 2009, 153, 201-208.	2.7	3
22	Fabrication of Electrophoretic PDMS/PDMS Lab-on-a-chip Integrated with Au Thin-Film Based Amperometric Detection for Phenolic Chemicals. , 2009, , 275-284.		1
23	Determination of phosphate in seawater by CZE with on-line transient ITP. <i>Electrophoresis</i> , 2007, 28, 3447-3452.	2.4	15
24	Determination of Ammonium Cations and Alkali and Alkaline Earth Metal Cations in Jellyfish by Capillary Zone Electrophoresis. <i>Analytical Sciences</i> , 2006, 22, 1129-1133.	1.6	4
25	Investigation of Ionic Components in the Solution of Treated Fuel Cell Membrane by Capillary Electrophoresis/Mass Spectrometry. <i>Bunseki Kagaku</i> , 2006, 55, 263-267.	0.2	2
26	Determination of Phosphate in Seawater by Transient Isotachopheresis/Capillary Zone Electrophoresis with Suppressed Electroosmotic Flow. <i>Bunseki Kagaku</i> , 2006, 55, 627-634.	0.2	7
27	High-throughput nitric oxide assay in biological fluids using microchip capillary electrophoresis. <i>Journal of Chromatography A</i> , 2006, 1109, 174-178.	3.7	27
28	On-chip micellar electrokinetic chromatographic separation of phenolic chemicals in waters. <i>Journal of Chromatography A</i> , 2006, 1109, 179-182.	3.7	28
29	Synthesis, thermal and mechanical properties and biodegradation of branched polyamide 4. <i>Polymer</i> , 2005, 46, 9987-9993.	3.8	98
30	Simultaneous separation and on-line concentration of amitrole and benzimidazole pesticides by capillary electrophoresis with a volatile migration buffer applicable to mass spectrometric detection. <i>Journal of Chromatography A</i> , 2004, 1051, 297-301.	3.7	40
31	Simultaneous determination of iodide and iodate in seawater by transient isotachopheresis capillary zone electrophoresis with artificial seawater as the background electrolyte. <i>Journal of Chromatography A</i> , 2004, 1035, 145-150.	3.7	56
32	Simultaneous determination of nitrate and nitrite in biological fluids by capillary electrophoresis and preliminary study on their determination by microchip capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004, 1051, 185-191.	3.7	67
33	Capillary zone electrophoretic determination of iodide in seawater using transient isotachopheresis with artificial seawater as the background electrolyte. <i>Electrophoresis</i> , 2003, 24, 2244-2251.	2.4	28
34	Development of a novel running buffer for the simultaneous determination of nitrate and nitrite in human serum by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 2003, 1014, 197-202.	3.7	37
35	Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with anionic surfactant. <i>Journal of Chromatography A</i> , 2003, 1014, 103-107.	3.7	23
36	Determination of nitrite and nitrate in a proposed certified reference material for nutrients in seawater by capillary zone electrophoresis with artificial seawater as the background electrolyte using transient isotachopheresis. <i>Electrophoresis</i> , 2002, 23, 1928.	2.4	40

#	ARTICLE	IF	CITATIONS
37	Optimum conditions for effective use of the terminating ion in transient isotachopheresis for capillary zone electrophoretic determination of nitrite and nitrate in seawater, with artificial seawater as background electrolyte. <i>Analytical and Bioanalytical Chemistry</i> , 2002, 374, 1165-1169.	3.7	22
38	Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with cationic surfactant. <i>Journal of Chromatography A</i> , 2002, 979, 425-429.	3.7	18
39	Analysis of hazardous chemicals by capillary electrophoresis.. <i>Bunseki Kagaku</i> , 2001, 50, 721-731.	0.2	3
40	High-throughput characterization for organic pollutants in environmental waters using a capillary electrophoresis chip. <i>Electrophoresis</i> , 2001, 22, 3505-3508.	2.4	23
41	Ionization of dichlorophenols for their analysis by capillary electrophoresisâ€“mass spectrometry. <i>Journal of Chromatography A</i> , 2001, 924, 415-420.	3.7	31
42	Analytical Chemistry for Environmental and Human Health. Separation of structural isomers of chlorinated phenols by capillary electrophoresis with a volatile running solution.. <i>Bunseki Kagaku</i> , 2000, 49, 471-474.	0.2	2
43	Simultaneous determination of bromide, nitrite and nitrate ions in seawater by capillary zone electrophoresis using artificial seawater as the carrier solution. <i>Electrophoresis</i> , 2000, 21, 388-395.	2.4	22
44	Improvement of capillary zone electrophoresis sensitivity with artificial seawater as the background electrolyte utilizing transient isotachopheresis for the determination of nitrite and nitrate ions in seawater. <i>Electrophoresis</i> , 2000, 21, 2866-2871.	2.4	39
45	Separation of bisphenol A and three alkylphenols by micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2000, 895, 213-218.	3.7	21
46	Simultaneous determination of nitrate and nitrite ions in seawater by capillary zone electrophoresis using artificial seawater as the carrier solution. <i>Journal of Chromatography A</i> , 1999, 838, 303-311.	3.7	35
47	Analysis of dyestuff degradation products by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1999, 853, 503-509.	3.7	17
48	Determination of bromide ions in seawater by capillary zone electrophoresis using diluted artificial seawater as the buffer solution. <i>Journal of Chromatography A</i> , 1998, 802, 211-217.	3.7	44
49	Use of several anionic surfactants for the separation of aniline derivatives in micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 1998, 817, 59-63.	3.7	11
50	New Developments in Capillary Electrophoresis. Application of Capillary Electrophoresis to Quantitative Analysis and Characterization. Capillary gel electrophoresis for characterization of dissolved organic substances in environmental waters.. <i>Bunseki Kagaku</i> , 1997, 46, 483-490.	0.2	5
51	Effect of the polar groups of anionic surfactant on migration behavior in micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 1997, 781, 11-16.	3.7	16
52	Effect of alkyl chain length of sodium N-acyl sarcosinates on migration behavior in micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 1996, 744, 135-139.	3.7	24
53	Decomposition of dye by wet oxidation with platinum catalysts.. <i>Journal of Environmental Conservation Engineering</i> , 1995, 24, 517-522.	0.1	1
54	Analysis of lower aliphatic aldehydes in water by micellar electrokinetic chromatography with derivatization to 2,4-dinitrophenylhydrazones. <i>Electrophoresis</i> , 1994, 15, 1332-1334.	2.4	26

#	ARTICLE	IF	CITATIONS
55	Separation of aniline derivatives by micellar electrokinetic chromatography. Journal of Chromatography A, 1993, 653, 109-114.	3.7	27
56	Migration behavior of phthalate esters in micellar electrokinetic chromatography with or without added methanol. Analytical Chemistry, 1993, 65, 2489-2492.	6.5	65
57	ANALYSIS OF ENVIRONMENTAL POLLUTANTS BY MICELLAR ELECTROKINETIC CHROMATOGRAPHY. Analytical Sciences, 1991, 7, 1109-1110.	1.6	7
58	ANALYSIS OF ENVIRONMENTAL POLLUTANTS BY MICELLAR ELECTROKINETIC CHROMATOGRAPHY. Analytical Sciences, 1991, 7, 1113-1114.	1.6	8
59	MATRIX MECHANISMS OF URUSHI MATRIX ISFETS. Analytical Sciences, 1991, 7, 807-808.	1.6	0