

Mahmoud Zarei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3673129/publications.pdf>

Version: 2024-02-01

68
papers

3,430
citations

147801

31
h-index

144013

57
g-index

68
all docs

68
docs citations

68
times ranked

2938
citing authors

#	ARTICLE	IF	CITATIONS
1	Introduction of maize cob and husk for wastewater treatment; evaluation of isotherms and artificial neural network modeling. Journal of the Iranian Chemical Society, 2022, 19, 231-246.	2.2	5
2	An effective natural mineral-catalyzed heterogeneous electro-Fenton method for degradation of an antineoplastic drug: Modeling by a neural network. Chemosphere, 2022, 291, 132810.	8.2	10
3	Synthesis and characterization of magnetic Fe ₃ O ₄ @SiO ₂ -MIL-53(Fe) metal-organic framework and its application for efficient removal of arsenate from surface and groundwater. Journal of Environmental Chemical Engineering, 2022, 10, 107144.	6.7	41
4	Electrochemical removal of fluoxetine via three mixed metal oxide anodes and carbonaceous cathodes from contaminated water. Environmental Research, 2022, 207, 112641.	7.5	15
5	Synthesis, characterization, and application of diethylenetriamine functionalized MIL-53(Fe) metal-organic framework for efficient As(V) removal from surface and groundwater. Journal of Solid State Chemistry, 2022, 311, 123132.	2.9	12
6	Efficient electrochemical removal of 5-fluorouracil pharmaceutical from wastewater by mixed metal oxides via anodic oxidation process. Chemosphere, 2022, 296, 134007.	8.2	14
7	Facile synthesis and preparation of graphite/chitosan/graphene quantum dots nanocomposite cathode for electrochemical removal of tetracycline from aqueous solution. Separation and Purification Technology, 2022, 299, 121663.	7.9	10
8	One-pot synthesis of graphene hydrogel/M (M: Cu, Co, Ni) nanocomposites as cathodes for electrochemical removal of rifampicin from polluted water. Environmental Research, 2022, 214, 113789.	7.5	15
9	Preparation of Fe@Fe ₂ O ₃ /3D graphene composite cathode for electrochemical removal of sulfasalazine. Chemosphere, 2021, 273, 128581.	8.2	19
10	Phenazopyridine degradation by electro-Fenton process with magnetite nanoparticles-activated carbon cathode, artificial neural networks modeling. Journal of Environmental Chemical Engineering, 2021, 9, 104999.	6.7	36
11	Introducing an effective iron-based catalyst for heterogeneous electro-Fenton removal of Gemcitabine using three-dimensional graphene as cathode. Journal of Industrial and Engineering Chemistry, 2021, 96, 254-268.	5.8	20
12	Synthesis and study of functionalized magnetic graphene oxide for Pb ²⁺ removal from wastewater. Environmental Technology and Innovation, 2021, 22, 101384.	6.1	27
13	Removal of Neutral Red Dye via Electro-Fenton Process: A Response Surface Methodology Modeling. Electroanalysis, 2021, 12, 579-594.	3.0	35
14	Synergy of production of value-added bioplastic, astaxanthin and phycobilin co-products and Direct Green 6 textile dye remediation in Spirulina platensis. Chemosphere, 2021, 280, 130920.	8.2	12
15	Synthesis of different morphologies of metal and metal oxide nanoparticles and investigation of their catalytic properties by optical methods. Journal of Molecular Structure, 2021, 1244, 130943.	3.6	4
16	Facile synthesis of iron(II) doped carbonaceous aerogel as a three-dimensional cathode and its excellent performance in electro-Fenton degradation of ceftazidime from water solution. Separation and Purification Technology, 2021, 278, 119559.	7.9	63
17	Fennel (Foeniculum vulgare Mill) Plants Responses to Salicylic Acid Foliar Application as Chemical Priming Agent under Salt Stress. Biology Bulletin, 2021, 48, S45-S53.	0.5	0
18	Removal of Phenazopyridine from wastewater by merging biological and electrochemical methods via Azolla filiculoides and electro-Fenton process. Journal of Environmental Management, 2020, 254, 109802.	7.8	33

#	ARTICLE	IF	CITATIONS
19	Simultaneous elimination of diethyl phthalate, butylated hydroxy toluene and butylated hydroxy anisole from aqueous medium by an adsorption process on pretreated waste material; investigation of isotherms and neural network modeling. <i>Journal of the Iranian Chemical Society</i> , 2020, 17, 1377-1386.	2.2	10
20	Comparison of NiCo ₂ O ₄ , CoNiAl-LDH, and CoNiAl-LDH@NiCo ₂ O ₄ performances as ORR catalysts in MFC cathode. <i>Renewable Energy</i> , 2020, 154, 1263-1271.	8.9	49
21	Eu-doped ZnO nanoparticles: Sonochemical synthesis, characterization, and sonocatalytic application. <i>Ultrasonics Sonochemistry</i> , 2020, 67, 102822.	8.2	41
22	Electrochemical advanced oxidation process of Phenazopyridine drug waste using different Ti-based IrO ₂ -Ta ₂ O ₅ anodes. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020, 117, 103-111.	5.3	19
23	Two-electron oxygen reduction on fullerene C ₆₀ -carbon nanotubes covalent hybrid as a metal-free electrocatalyst. <i>Scientific Reports</i> , 2019, 9, 13780.	3.3	41
24	Removal of nalidixic acid from aqueous solutions using a cathode containing three-dimensional graphene. <i>Journal of Water Process Engineering</i> , 2019, 32, 100978.	5.6	23
25	Photo-assisted electrochemical abatement of trifluralin using a cathode containing a C ₆₀ -carbon nanotubes composite. <i>Chemosphere</i> , 2018, 199, 510-523.	8.2	24
26	Synthesis of magnetic 3D graphene decorated with CaCO ₃ for anionic azo dye removal from aqueous solution: Kinetic and RSM modeling approach. <i>Chemical Engineering Research and Design</i> , 2018, 136, 795-805.	5.6	29
27	Removal of direct blue 129 from aqueous medium using surfactant-modified zeolite: a neural network modeling. <i>Environmental Health Engineering and Management</i> , 2018, 5, 101-113.	0.7	6
28	Mitoxantrone removal by electrochemical method: A comparison of homogenous and heterogenous catalytic reactions. <i>Environmental Health Engineering and Management</i> , 2017, 4, 185-193.	0.7	3
29	Removal of acid red 88 from wastewater by adsorption on agrobased waste material. A case study of Iranian golden Sesamum indicum hull. <i>Environmental Health Engineering and Management</i> , 2017, 4, 195-201.	0.7	8
30	Phosphomolybdic acid immobilized on graphite as an environmental photoelectrocatalyst. <i>Chemosphere</i> , 2016, 161, 422-428.	8.2	3
31	Comparison of two methods for selegiline determination: A flow-injection chemiluminescence method using cadmium sulfide quantum dots and corona discharge ion mobility spectrometry. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016, 153, 273-280.	3.9	9
32	As(III) adsorption and antimicrobial properties of Cu ²⁺ -chitosan/alumina nanocomposite. <i>Chemical Engineering Journal</i> , 2015, 273, 610-621.	12.7	37
33	Modeling and optimization of photocatalytic/photoassisted-electro-Fenton like degradation of phenol using a neural network coupled with genetic algorithm. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 1852-1860.	5.8	42
34	Optimization of the oxalate catalyzed photoelectro-Fenton process under visible light for removal of Reactive Red 195 using a carbon paper cathode. <i>Research on Chemical Intermediates</i> , 2013, 39, 3355-3369.	2.7	10
35	POTENTIAL OF THE AQUATIC FERNAZOLLA FILICULOIDESIN BIODEGRADATION OF AN AZO DYE: MODELING OF EXPERIMENTAL RESULTS BY ARTIFICIAL NEURAL NETWORKS. <i>International Journal of Phytoremediation</i> , 2013, 15, 729-742.	3.1	22
36	Combination of photocatalytic and photoelectro-Fenton/citrate processes for dye degradation using immobilized N-doped TiO ₂ nanoparticles and a cathode with carbon nanotubes: Central composite design optimization. <i>Chemical Engineering and Processing: Process Intensification</i> , 2013, 73, 103-110.	3.6	34

#	ARTICLE	IF	CITATIONS
37	Bioremoval of C.I. Basic Red 46 as an azo dye from contaminated water by <i>Lemna minor</i> L.: Modeling of key factor by neural network. <i>Environmental Progress and Sustainable Energy</i> , 2013, 32, 1082-1089.	2.3	27
38	Degradation of an azo dye using the green macroalga <i>Enteromorpha</i> sp.. <i>Chemistry and Ecology</i> , 2013, 29, 221-233.	1.6	27
39	Potential of <i>Hydrocotyle vulgaris</i> for phytoremediation of a textile dye: Inducing antioxidant response in roots and leaves. <i>Ecotoxicology and Environmental Safety</i> , 2013, 93, 128-134.	6.0	31
40	Nitrogen Doping of Commercial TiO ₂ Nanoparticles for Enhanced Photocatalytic Degradation of Dye Under Visible Light: Central Composite Design Approach. <i>Advanced Chemistry Letters</i> , 2013, 1, 24-31.	0.1	14
41	Treatment of an Azo Dye by Citrate Catalyzed Photoelectro-Fenton Process Under Visible Light using Carbon Nanotube-polytetrafluoroethylene Cathode. <i>Current Nanoscience</i> , 2013, 9, 387-393.	1.2	13
42	Chemometrics approach for determination and optimization of simultaneous photooxidative decolourization of a mixture of three textile dyes. <i>Environmental Technology (United Kingdom)</i> , 2012, 33, 2305-2317.	2.2	28
43	Phytoremediation potential of duckweed (<i>Lemna minor</i> L.) in degradation of C.I. Acid Blue 92: Artificial neural network modeling. <i>Ecotoxicology and Environmental Safety</i> , 2012, 80, 291-298.	6.0	126
44	Combination of nanophotocatalysis with electro-Fenton-like process in the removal of phenol from aqueous solution: GC analysis and response surface approach. <i>International Journal of Industrial Chemistry</i> , 2012, 3, 27.	3.1	15
45	Combined heterogeneous and homogeneous photodegradation of a dye using immobilized TiO ₂ nanophotocatalyst and modified graphite electrode with carbon nanotubes. <i>Journal of Molecular Catalysis A</i> , 2012, 363-364, 58-68.	4.8	96
46	Bioremoval of an azo dye by <i>Azolla filiculoides</i> : Study of growth, photosynthetic pigments and antioxidant enzymes status. <i>International Biodeterioration and Biodegradation</i> , 2012, 75, 194-200.	3.9	50
47	Photoelectro-Fenton/nanophotocatalysis decolorization of three textile dyes mixture: Response surface modeling and multivariate calibration procedure for simultaneous determination. <i>Journal of Electroanalytical Chemistry</i> , 2012, 672, 53-62.	3.8	58
48	Photoelectrocatalytic decolorization of diazo dye by zinc oxide nanophotocatalyst and carbon nanotube based cathode: Determination of the degradation products. <i>Desalination</i> , 2011, 278, 117-125.	8.2	35
49	Electrochemical Treatment of Dye Solution by Oxalate Catalyzed Photoelectro-Fenton Process Using a Carbon Nanotube-PTFE Cathode: Optimization by Central Composite Design. <i>Clean - Soil, Air, Water</i> , 2011, 39, 482-490.	1.1	38
50	Neural network modeling of biotreatment of triphenylmethane dye solution by a green macroalgae. <i>Chemical Engineering Research and Design</i> , 2011, 89, 172-178.	5.6	88
51	Photocatalytic degradation of an anthraquinone dye on immobilized TiO ₂ nanoparticles in a rectangular reactor: Destruction pathway and response surface approach. <i>Desalination</i> , 2011, 268, 126-133.	8.2	106
52	Photocatalysis of a dye solution using immobilized ZnO nanoparticles combined with photoelectrochemical process. <i>Desalination</i> , 2011, 273, 453-460.	8.2	79
53	Heterogeneous photocatalysis of a dye solution using supported TiO ₂ nanoparticles combined with homogeneous photoelectrochemical process: Molecular degradation products. <i>Journal of Molecular Catalysis A</i> , 2011, , .	4.8	9
54	Biotreatment of a triphenylmethane dye solution using a Xanthophyta alga: Modeling of key factors by neural network. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2011, 42, 380-386.	5.3	46

#	ARTICLE	IF	CITATIONS
55	Electrochemical generation of H ₂ O ₂ using immobilized carbon nanotubes on graphite electrode fed with air: Investigation of operational parameters. <i>Journal of Electroanalytical Chemistry</i> , 2011, 659, 63-68.	3.8	154
56	Decolorization of C.I. Basic Yellow 28 solution using supported ZnO nanoparticles coupled with photoelectro-Fenton process. <i>Journal of Electroanalytical Chemistry</i> , 2011, 659, 107-112.	3.8	53
57	Removal of four dyes from aqueous medium by the peroxi-coagulation method using carbon nanotube-PTFE cathode and neural network modeling. <i>Journal of Electroanalytical Chemistry</i> , 2010, 639, 167-174.	3.8	84
58	Photocatalytic treatment of a dye solution using immobilized TiO ₂ nanoparticles combined with photoelectro-Fenton process: Optimization of operational parameters. <i>Journal of Electroanalytical Chemistry</i> , 2010, 648, 143-150.	3.8	94
59	Optimization of photocatalytic treatment of dye solution on supported TiO ₂ nanoparticles by central composite design: Intermediates identification. <i>Journal of Hazardous Materials</i> , 2010, 181, 886-897.	12.4	254
60	Bioremediation of Malachite Green from Contaminated Water by Three Microalgae: Neural Network Modeling. <i>Clean - Soil, Air, Water</i> , 2010, 38, 96-103.	1.1	34
61	Application of response surface methodology for optimization of peroxi-coagulation of textile dye solution using carbon nanotube-PTFE cathode. <i>Journal of Hazardous Materials</i> , 2010, 173, 544-551.	12.4	187
62	Comparative photocatalytic degradation of two dyes on immobilized TiO ₂ nanoparticles: Effect of dye molecular structure and response surface approach. <i>Journal of Molecular Catalysis A</i> , 2010, 333, 73-84.	4.8	111
63	Biological treatment of a dye solution by Macroalgae <i>Chara</i> sp.: Effect of operational parameters, intermediates identification and artificial neural network modeling. <i>Bioresource Technology</i> , 2010, 101, 2252-2258.	9.6	163
64	Application of response surface methodology for optimization of azo dye removal by oxalate catalyzed photoelectro-Fenton process using carbon nanotube-PTFE cathode. <i>Desalination</i> , 2010, 258, 112-119.	8.2	173
65	Photoelectro-Fenton combined with photocatalytic process for degradation of an azo dye using supported TiO ₂ nanoparticles and carbon nanotube cathode: Neural network modeling. <i>Electrochimica Acta</i> , 2010, 55, 7259-7265.	5.2	137
66	Electrochemical treatment of dye solution containing C.I. Basic Yellow 2 by the peroxi-coagulation method and modeling of experimental results by artificial neural networks. <i>Journal of Electroanalytical Chemistry</i> , 2009, 629, 117-125.	3.8	133
67	Peroxi-coagulation degradation of C.I. Basic Yellow 2 based on carbon-PTFE and carbon nanotube-PTFE electrodes as cathode. <i>Electrochimica Acta</i> , 2009, 54, 6651-6660.	5.2	153
68	Application of microalga <i>Chlamydomonas</i> sp. for biosorptive removal of a textile dye from contaminated water: Modelling by a neural network. <i>Environmental Technology (United Kingdom)</i> , 2009, 30, 1615-1623.	2.2	33