

# Stephen M Twigg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3679704/publications.pdf>

Version: 2024-02-01

143  
papers

5,566  
citations

81900

39  
h-index

88630

70  
g-index

144  
all docs

144  
docs citations

144  
times ranked

7962  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Breaker of Advanced Glycation End Products Attenuates Diabetes-Induced Myocardial Structural Changes. <i>Circulation Research</i> , 2003, 92, 785-792.	4.5	401
2	Long-Term Complications and Mortality in Young-Onset Diabetes. <i>Diabetes Care</i> , 2013, 36, 3863-3869.	8.6	329
3	Increased Matrix Metalloproteinase-9 Predicts Poor Wound Healing in Diabetic Foot Ulcers. <i>Diabetes Care</i> , 2009, 32, 117-119.	8.6	299
4	Prevention of Accelerated Atherosclerosis by Angiotensin-Converting Enzyme Inhibition in Diabetic Apolipoprotein E-deficient Mice. <i>Circulation</i> , 2002, 106, 246-253.	1.6	266
5	Connective Tissue Growth Factor Plays an Important Role in Advanced Glycation End Product-induced Tubular Epithelial-to-Mesenchymal Transition. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2484-2494.	6.1	238
6	Diabetes and Nonalcoholic Fatty Liver Disease: A Pathogenic Duo. <i>Endocrine Reviews</i> , 2013, 34, 84-129.	20.1	197
7	An Inverse Relationship Between Age of Type 2 Diabetes Onset and Complication Risk and Mortality: The Impact of Youth-Onset Type 2 Diabetes. <i>Diabetes Care</i> , 2016, 39, 823-829.	8.6	174
8	Advanced Glycosylation End Products Up-Regulate Connective Tissue Growth Factor (Insulin-Like) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Expansion of Extracellular Matrix in Diabetes Mellitus*. <i>Endocrinology</i> , 2001, 142, 1760-1769.	2.8	147
9	Renal Connective Tissue Growth Factor Induction in Experimental Diabetes Is Prevented by Aminoguanidine. <i>Endocrinology</i> , 2002, 143, 4907-4915.	2.8	139
10	Screening for Celiac Disease in Type 1 Diabetes: A Systematic Review. <i>Pediatrics</i> , 2015, 136, e170-e176.	2.1	122
11	Timing Is Everything: Age of Onset Influences Long-Term Retinopathy Risk in Type 2 Diabetes, Independent of Traditional Risk Factors. <i>Diabetes Care</i> , 2008, 31, 1985-1990.	8.6	113
12	Prediabetes: a position statement from the Australian Diabetes Society and Australian Diabetes Educators Association. <i>Medical Journal of Australia</i> , 2007, 186, 461-465.	1.7	110
13	Connective Tissue Growth Factor Mediates High Glucose Effects on Matrix Degradation through Tissue Inhibitor of Matrix Metalloproteinase Type 1: Implications for Diabetic Nephropathy. <i>Endocrinology</i> , 2004, 145, 5646-5655.	2.8	98
14	Bacterial Load Predicts Healing Rate in Neuropathic Diabetic Foot Ulcers. <i>Diabetes Care</i> , 2007, 30, 378-380.	8.6	98
15	Connective Tissue Growth Factor/IGF-Binding Protein-Related Protein-2 Is a Mediator in the Induction of Fibronectin by Advanced Glycosylation End-Products in Human Dermal Fibroblasts. <i>Endocrinology</i> , 2002, 143, 1260-1269.	2.8	90
16	Quantitation of fibroblast activation protein (FAP)-specific protease activity in mouse, baboon and human fluids and organs. <i>FEBS Open Bio</i> , 2014, 4, 43-54.	2.3	89
17	Inhibition of adipocyte differentiation by insulin-like growth factor-binding protein-3. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 296, E654-E663.	3.5	86
18	Diabetes is a progression factor for hepatic fibrosis in a high fat fed mouse obesity model of non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2011, 55, 435-444.	3.7	83

#	ARTICLE	IF	CITATIONS
19	Connective tissue growth factor inhibits adipocyte differentiation. American Journal of Physiology - Cell Physiology, 2008, 295, C740-C751.	4.6	81
20	Evaluation of Retinoblastoma and Ki-67 Immunostaining as Diagnostic Markers of Benign and Malignant Parathyroid Disease. World Journal of Surgery, 1999, 23, 68-74.	1.6	80
21	The anti-inflammatory agent Propolis improves wound healing in a rodent model of experimental diabetes. Wound Repair and Regeneration, 2008, 16, 706-713.	3.0	72
22	Connective Tissue Growth Factor Is Up-Regulated in the Diabetic Retina: Amelioration by Angiotensin-Converting Enzyme Inhibition. Endocrinology, 2004, 145, 860-866.	2.8	69
23	The metabolic syndrome in type 1 diabetes: does it exist and does it matter?. Journal of Diabetes and Its Complications, 2008, 22, 18-23.	2.3	66
24	Topical application of the bee hive protectant propolis is well tolerated and improves human diabetic foot ulcer healing in a prospective feasibility study. Journal of Diabetes and Its Complications, 2014, 28, 850-857.	2.3	65
25	Diastolic dysfunction and abnormalities of the microcirculation in type 2 diabetes. Diabetes, Obesity and Metabolism, 2008, 10, 739-746.	4.4	62
26	Adverse effects of high glucose and free fatty acid on cardiomyocytes are mediated by connective tissue growth factor. American Journal of Physiology - Cell Physiology, 2009, 297, C1490-C1500.	4.6	62
27	Skeletal muscle adiponectin induction in obesity and exercise. Metabolism: Clinical and Experimental, 2020, 102, 154008.	3.4	61
28	Position statement of the Australian Diabetes Society: individualisation of glycated haemoglobin targets for adults with diabetes mellitus. Medical Journal of Australia, 2009, 191, 339-344.	1.7	58
29	Renal connective tissue growth factor correlates with glomerular basement membrane thickness and prospective albuminuria in a non-human primate model of diabetes: possible predictive marker for incipient diabetic nephropathy. Journal of Diabetes and Its Complications, 2008, 22, 284-294.	2.3	57
30	Regulation of pro-inflammatory and pro-fibrotic factors by CCN2/CTGF in H9c2 cardiomyocytes. Journal of Cell Communication and Signaling, 2010, 4, 15-23.	3.4	56
31	The time has come to target connective tissue growth factor in diabetic complications. Diabetologia, 2004, 47, 965-8.	6.3	50
32	Actions of IGF binding proteins and related proteins in adipose tissue. Trends in Endocrinology and Metabolism, 2009, 20, 499-505.	7.1	46
33	CCN2 plays a key role in extracellular matrix gene expression in severe hypertrophic cardiomyopathy and heart failure. Journal of Molecular and Cellular Cardiology, 2013, 62, 164-178.	1.9	46
34	Causes of death in young Australians with type 1 diabetes: a review of coronial postmortem examinations. Medical Journal of Australia, 2008, 188, 699-702.	1.7	45
35	Sudden death in type 1 diabetes: The mystery of the "dead in bed" syndrome. International Journal of Cardiology, 2010, 138, 91-93.	1.7	44
36	Circulating dipeptidyl peptidase-4 activity correlates with measures of hepatocyte apoptosis and fibrosis in non-alcoholic fatty liver disease in type 2 diabetes mellitus and obesity: A dual cohort cross-sectional study. Journal of Diabetes, 2015, 7, 809-819.	1.8	44

#	ARTICLE	IF	CITATIONS
37	The association of periodontal disease with the complications of diabetes mellitus. A systematic review. <i>Diabetes Research and Clinical Practice</i> , 2020, 165, 108244.	2.8	44
38	Topically Applied Connective Tissue Growth Factor/CCN2 Improves Diabetic Preclinical Cutaneous Wound Healing: Potential Role for CTGF in Human Diabetic Foot Ulcer Healing. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-10.	2.3	43
39	Identification of Novel Natural Substrates of Fibroblast Activation Protein-alpha by Differential Degradomics and Proteomics. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 65-85.	3.8	41
40	Advanced Glycosylation End Products Up-Regulate Connective Tissue Growth Factor (Insulin-Like) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Expansion of Extracellular Matrix in Diabetes Mellitus. <i>Endocrinology</i> , 2001, 142, 1760-1769.	2.8	39
41	The effect of low-volume high-intensity interval training on cardiovascular health outcomes in type 2 diabetes: A randomised controlled trial. <i>International Journal of Cardiology</i> , 2020, 320, 148-154.	1.7	38
42	The Effect of a Novel Low-Volume Aerobic Exercise Intervention on Liver Fat in Type 2 Diabetes: A Randomized Controlled Trial. <i>Diabetes Care</i> , 2020, 43, 2371-2378.	8.6	35
43	Loss of heterozygosity in sporadic parathyroid tumours: involvement of chromosome 1 and the MEN1 gene locus in 11q13.. <i>Clinical Endocrinology</i> , 2000, 53, 85-92.	2.4	34
44	Connective Tissue Growth Factor/IGF-Binding Protein-Related Protein-2 Is a Mediator in the Induction of Fibronectin by Advanced Glycosylation End-Products in Human Dermal Fibroblasts. <i>Endocrinology</i> , 2002, 143, 1260-1269.	2.8	34
45	Young-onset type 2 diabetes and younger current age: increased susceptibility to retinopathy in contrast to other complications. <i>Diabetic Medicine</i> , 2020, 37, 991-999.	2.3	33
46	A novel primate model of delayed wound healing in diabetes: dysregulation of connective tissue growth factor. <i>Diabetologia</i> , 2010, 53, 572-583.	6.3	32
47	Differential metabolic effects of constant moderate versus high intensity interval training in high-fat fed mice: possible role of muscle adiponectin. <i>Physiological Reports</i> , 2018, 6, e13599.	1.7	32
48	The emerging role of skeletal muscle extracellular matrix remodelling in obesity and exercise. <i>Obesity Reviews</i> , 2017, 18, 776-790.	6.5	31
49	An association of large-fibre peripheral nerve dysfunction with non-invasive measures of liver fibrosis secondary to non-alcoholic fatty liver disease in diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 1240-1247.	2.3	30
50	Post-mortem pathologic and genetic studies in "œdead in bed syndrome" cases in type 1 diabetes mellitus. <i>Human Pathology</i> , 2010, 41, 392-400.	2.0	26
51	Cardiac Effects of Sulfonylurea-Related Hypoglycemia. <i>Diabetes Care</i> , 2017, 40, 663-670.	8.6	26
52	Constant-Moderate and High-Intensity Interval Training Have Differential Benefits on Insulin Sensitive Tissues in High-Fat Fed Mice. <i>Frontiers in Physiology</i> , 2019, 10, 459.	2.8	26
53	Effect of exercise on hepatic steatosis: Are benefits seen without dietary intervention? A systematic review and meta-analysis. <i>Journal of Diabetes</i> , 2021, 13, 63-77.	1.8	25
54	The effects of high-fat feeding on physical function and skeletal muscle extracellular matrix. <i>Nutrition and Diabetes</i> , 2015, 5, e187-e187.	3.2	24

#	ARTICLE	IF	CITATIONS
55	Connective tissue growth factor/CCN-2 is upregulated in epididymal and subcutaneous fat depots in a dietary-induced obesity model. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 304, E1291-E1302.	3.5	23
56	Monocyte CD163 is altered in association with diabetic complications: possible protective role. <i>Journal of Leukocyte Biology</i> , 2016, 100, 1375-1383.	3.3	23
57	Insulin treatment prevents wounding associated changes in tissue and circulating neutrophil MMP-9 and NGAL in diabetic rats. <i>PLoS ONE</i> , 2017, 12, e0170951.	2.5	23
58	Suboptimal Performance of Blood Glucose Meters in an Antenatal Diabetes Clinic. <i>Diabetes Care</i> , 2011, 34, 335-337.	8.6	22
59	Congestive heart failure presence predicts delayed healing of foot ulcers in diabetes: An audit from a multidisciplinary high-risk foot clinic. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 556-562.	2.3	22
60	Alterations in liver sinusoidal endothelium in a baboon model of type 1 diabetes. <i>Diabetologia</i> , 2007, 50, 1969-1976.	6.3	21
61	Lower serum fibroblast activation protein shows promise in the exclusion of clinically significant liver fibrosis due to non-alcoholic fatty liver disease in diabetes and obesity. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 466-472.	2.8	21
62	Hypoglycaemia and QT interval prolongation: Detection by simultaneous Holter and continuous glucose monitoring. <i>Diabetes Research and Clinical Practice</i> , 2016, 113, 211-214.	2.8	20
63	Opposite associations between alanine aminotransferase and $\hat{\Gamma}^3$ -glutamyl transferase levels and all-cause mortality in type 2 diabetes: Analysis of the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) study. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 783-793.	3.4	20
64	Post-occlusive reactive hyperaemia of skin microvasculature and foot complications in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1305-1310.	2.3	20
65	Regulation and bioactivity of the CCN family of genes and proteins in obesity and diabetes. <i>Journal of Cell Communication and Signaling</i> , 2018, 12, 359-368.	3.4	20
66	The enigma of the dead-in-bed syndrome: Challenges in predicting and preventing this devastating complication of type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2014, 28, 585-587.	2.3	18
67	Reduction of ARNT in myeloid cells causes immune suppression and delayed wound healing. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 307, C349-C357.	4.6	17
68	Shorter telomeres in adults with Type 1 diabetes correlate with diabetes duration, but only weakly with vascular function and risk factors. <i>Diabetes Research and Clinical Practice</i> , 2016, 117, 4-11.	2.8	17
69	Utility and reliability of non-invasive muscle function tests in high-fat fed mice. <i>Experimental Physiology</i> , 2017, 102, 773-778.	2.0	17
70	The Effect of High-intensity Interval Training vs Moderate-intensity Continuous Training on Liver Fat: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 862-881.	3.6	17
71	Interaction Between IGF Binding Protein-3 and TGF $\hat{\Gamma}^2$ in the Regulation of Adipocyte Differentiation. <i>Endocrinology</i> , 2012, 153, 4799-4807.	2.8	16
72	Effect of High-Intensity Interval Training on Glycemic Control in Adults With Type 1 Diabetes and Overweight or Obesity: A Randomized Controlled Trial With Partial Crossover. <i>Diabetes Care</i> , 2020, 43, 2281-2288.	8.6	16

#	ARTICLE	IF	CITATIONS
73	Opioid-induced secondary adrenal insufficiency presenting as hypercalcaemia. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2015, 2015, 150035.	0.5	16
74	Insulin-like growth factor binding protein-3 links obesity and breast cancer progression. <i>Oncotarget</i> , 2016, 7, 55491-55505.	1.8	16
75	Medication Safety: an audit of medication discrepancies in transferring type 2 diabetes mellitus (T2DM) patients from Australian primary care to tertiary ambulatory care. <i>International Journal for Quality in Health Care</i> , 2014, 26, 397-403.	1.8	15
76	The metabolic syndrome in type 2 diabetes: When does it matter?. <i>Diabetes, Obesity and Metabolism</i> , 2006, 8, 690-697.	4.4	14
77	Chronic erythropoietin treatment improves diet-induced glucose intolerance in rats. <i>Journal of Endocrinology</i> , 2015, 225, 77-88.	2.6	14
78	Enhancement of mammary tumour growth by IGFBP-3 involves impaired T cell accumulation. <i>Endocrine-Related Cancer</i> , 2018, 25, 111-122.	3.1	14
79	Self-reported physical activity in community-dwelling adults with diabetes and its association with diabetes complications. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 33-38.	2.3	14
80	Metabolic syndrome in type 1 diabetes and its association with diabetes complications. <i>Diabetic Medicine</i> , 2021, 38, e14376.	2.3	14
81	Guidelines development protocol and findings: part of the 2021 Australian evidence-based guidelines for diabetes-related foot disease. <i>Journal of Foot and Ankle Research</i> , 2022, 15, 28.	1.9	14
82	Impact of adiposity on clinical outcomes in people living with a Fontan circulation. <i>International Journal of Cardiology</i> , 2021, 329, 82-88.	1.7	13
83	Apolipoprotein-AI mimetic peptides D-4F and L-5F decrease hepatic inflammation and increase insulin sensitivity in C57BL/6 mice. <i>PLoS ONE</i> , 2020, 15, e0226931.	2.5	12
84	The association between cardiorespiratory fitness, liver fat and insulin resistance in adults with or without type 2 diabetes: a cross-sectional analysis. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021, 13, 40.	1.7	12
85	CCN-2 is up-regulated by and mediates effects of matrix bound advanced glycated end-products in human renal mesangial cells. <i>Journal of Cell Communication and Signaling</i> , 2011, 5, 193-200.	3.4	11
86	CCN2 requires TGF- $\beta$ 2 signalling to regulate CCAAT/enhancer binding proteins and inhibit fat cell differentiation. <i>Journal of Cell Communication and Signaling</i> , 2015, 9, 27-36.	3.4	11
87	Prevalence and risk factors for low bone density in adults with a Fontan circulation. <i>Congenital Heart Disease</i> , 2019, 14, 987-995.	0.2	11
88	Monocyte phenotype as a predictive marker for wound healing in diabetes-related foot ulcers. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107889.	2.3	11
89	Age of diabetes diagnosis and diabetes duration associate with glycated haemoglobin. <i>Diabetes Research and Clinical Practice</i> , 2014, 104, e1-e4.	2.8	10
90	The imperative to prevent diabetes complications: a broadening spectrum and an increasing burden despite improved outcomes. <i>Medical Journal of Australia</i> , 2015, 202, 300-304.	1.7	10

#	ARTICLE	IF	CITATIONS
91	High-intensity interval exercise and hypoglycaemia minimisation in adults with type 1 diabetes: A randomised cross-over trial. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107514.	2.3	10
92	Estimating the diagnostic accuracy of the ankle-brachial pressure index for detecting peripheral arterial disease in people with diabetes: A systematic review and meta-analysis. <i>Diabetic Medicine</i> , 2021, 38, e14379.	2.3	10
93	Associations of plasma IGF1, IGFBP3 and estradiol with leucocyte telomere length, a marker of biological age, in men. <i>European Journal of Endocrinology</i> , 2020, 182, 23-33.	3.7	10
94	Monocyte Adhesion to Decidual Endothelial Cells Is Increased in Pregnancies Complicated by Type 1 Diabetes but not by Gestational Diabetes. <i>Diabetes Care</i> , 2004, 27, 2514-2515.	8.6	9
95	Skeletal muscle adiponectin induction depends on diet, muscle type/activity, and exercise modality in C57BL/6 mice. <i>Physiological Reports</i> , 2018, 6, e13848.	1.7	9
96	Cross-sectional associations of sex hormones with leucocyte telomere length, a marker of biological age, in a community-based cohort of older men. <i>Clinical Endocrinology</i> , 2019, 90, 562-569.	2.4	9
97	The effect of acute aerobic exercise on central arterial stiffness, wave reflections, and hemodynamics in adults with diabetes: A randomized cross-over design. <i>Journal of Sport and Health Science</i> , 2021, 10, 499-506.	6.5	9
98	Australian guideline on wound classification of diabetes-related foot ulcers: part of the 2021 Australian evidence-based guidelines for diabetes-related foot disease. <i>Journal of Foot and Ankle Research</i> , 2021, 14, 60.	1.9	9
99	Mastering a mediator: blockade of CCN-2 shows early promise in human diabetic kidney disease. <i>Journal of Cell Communication and Signaling</i> , 2010, 4, 189-196.	3.4	8
100	An Enhanced SMS Text Message-Based Support and Reminder Program for Young Adults With Type 2 Diabetes (TEXT2U): Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e27263.	4.3	8
101	Frequency of sharp wound debridement in the management of diabetes-related foot ulcers: exploring current practice. <i>Journal of Foot and Ankle Research</i> , 2021, 14, 52.	1.9	8
102	Targeting CCN2 protects against progressive non-alcoholic steatohepatitis in a preclinical model induced by high-fat feeding and type 2 diabetes. <i>Journal of Cell Communication and Signaling</i> , 2022, 16, 447-460.	3.4	8
103	The Effect of a Sustained High-Fat Diet on the Metabolism of White and Brown Adipose Tissue and Its Impact on Insulin Resistance: A Selected Time Point Cross-Sectional Study. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13639.	4.1	8
104	Young adult onset type 2 diabetes versus type 1 diabetes: Progression to and survival on renal replacement therapy. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 108023.	2.3	7
105	Sitagliptin Is More Effective Than Gliclazide in Preventing Pro-Fibrotic and Pro-Inflammatory Changes in a Rodent Model of Diet-Induced Non-Alcoholic Fatty Liver Disease. <i>Molecules</i> , 2022, 27, 727.	3.8	7
106	Low alanine aminotransferase levels and higher number of cardiovascular events in people with Type 2 diabetes: analysis of the Fenofibrate Intervention and Event Lowering in Diabetes (FIELD) study. <i>Diabetic Medicine</i> , 2016, 33, 356-364.	2.3	6
107	Differing clinical phenotype for higher alanine-aminotransferase (ALT) compared with high-risk NAFLD fibrosis score in type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 321-324.	2.3	6
108	Association of Patient Profile with Glycemic Control and Hypoglycemia with Insulin Glargine 300 U/mL in Type 2 Diabetes: A Post Hoc Patient-Level Meta-Analysis. <i>Diabetes Therapy</i> , 2018, 9, 2043-2053.	2.5	6



#	ARTICLE	IF	CITATIONS
109	U-Shaped Relationship of Leukocyte Telomere Length With All-Cause and Cancer-Related Mortality in Older Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 164-171.	3.6	6
110	Blockade of High-Fat Diet Proteomic Phenotypes Using Exercise as Prevention or Treatment. <i>Molecular and Cellular Proteomics</i> , 2021, 20, 100027.	3.8	6
111	Degree of adiposity and obesity severity is associated with cutaneous microvascular dysfunction in type 2 diabetes. <i>Microvascular Research</i> , 2021, 136, 104149.	2.5	6
112	Exercise induces favorable metabolic changes in white adipose tissue preventing high-fat diet obesity. <i>Physiological Reports</i> , 2021, 9, e14929.	1.7	6
113	The effect of TGF $\beta$ 1 on thermogenic markers is dependent on the degree of adipocyte differentiation. <i>Bioscience Reports</i> , 2020, 40, .	2.4	6
114	Differential Activation of the IGF Binding Protein-3 Promoter by Butyrate in Prostate Cancer Cells. <i>Endocrinology</i> , 2002, 143, 1778-1788.	2.8	6
115	Ethnic specific differences in survival of patients with type 2 diabetes: Analysis of data collected from an Australian multi-ethnic cohort over a 25 year period. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 130-138.	2.8	5
116	An on-line support tool to reduce exercise-related hypoglycaemia and improve confidence to exercise in type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 682-689.	2.3	5
117	Opioid-induced hypoadrenalism resulting in fasting hypoglycaemia. <i>BMJ Case Reports</i> , 2019, 12, e230551.	0.5	5
118	Contrasting effects of IGF binding protein-3 expression in mammary tumor cells and the tumor microenvironment. <i>Experimental Cell Research</i> , 2019, 374, 38-45.	2.6	5
119	Painful ovulation in a 46,XX SRY $\hat{a}$ ve adult male with SOX9 duplication. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2017, 2017, .	0.5	5
120	Secular Trends in Information Communications Technology: Access, Use, and Attitudes of Young and Older Patients With Diabetes. <i>Diabetes Spectrum</i> , 2020, 33, 66-73.	1.0	5
121	A purified bovine serum albumin preparation contains an insulin-like growth factor (IGF) binding protein-3 fragment that forms ternary complexes selectively with IGF-II and the acid-labile subunit. <i>Growth Hormone and IGF Research</i> , 2000, 10, 215-223.	1.1	4
122	Once-daily liraglutide (1.2 mg) compared with twice-daily exenatide (10 $\hat{1}$ / <sub>4</sub> g) in the treatment of type 2 diabetes patients: An indirect treatment comparison meta-analysis. <i>Journal of Diabetes</i> , 2016, 8, 866-876.	1.8	4
123	Prevalence, causes and associated mortality of hypercalcaemia in modern hospital care.. <i>Internal Medicine Journal</i> , 2021, , .	0.8	4
124	Alterations of CD163 expression in the complications of diabetes: A systematic review. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108150.	2.3	4
125	Data collection on retinopathy as a public health tool: The Hubble telescope equivalent of looking back in time. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 721-725.	2.3	3
126	Non-invasive lower limb small arterial measures co-segregate strongly with foot complications in people with diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 589-593.	2.3	3



#	ARTICLE	IF	CITATIONS
127	A Central Domain Binding Site in Insulin-Like Growth Factor Binding Protein-5 for the Acid-Labile Subunit. <i>Endocrinology</i> , 2000, 141, 454-457.	2.8	3
128	A Randomized Trial Comparing Weekly With Every Second Week Sharp Debridement in People With Diabetes-Related Foot Ulcers Shows Similar Healing Outcomes: Potential Benefit to Resource Utilization. <i>Diabetes Care</i> , 2021, 44, e203-e205.	8.6	3
129	Constant-moderate versus high-intensity interval training on heart adiponectin levels in high-fat fed mice: a preventive and treatment approach. <i>Archives of Physiology and Biochemistry</i> , 2023, 129, 41-45.	2.1	2
130	Improving wound-healing outcomes in diabetic foot ulcers. <i>Expert Review of Endocrinology and Metabolism</i> , 2007, 2, 205-213.	2.4	1
131	A mitotic cause of Whipple's triad: non-islet cell tumour hypoglycaemia in incurable low-grade malignancy. <i>BMJ Case Reports</i> , 2015, 2015, bcr2014209021-bcr2014209021.	0.5	1
132	Precipitated insulin: a potentially life-threatening problem. <i>Australian and New Zealand Journal of Medicine</i> , 1994, 24, 574-574.	0.5	0
133	Insulin levels in insulin resistance: phantom of the metabolic opera?. <i>Medical Journal of Australia</i> , 2007, 186, 271-272.	1.7	0
134	Report on the 6th international workshop of the CCN family of genes. <i>Journal of Cell Communication and Signaling</i> , 2011, 5, 1-3.	3.4	0
135	Method for Analysis of Matrix Degradation by CCN2 Through the MMP/TIMP System. <i>Methods in Molecular Biology</i> , 2017, 1489, 523-532.	0.9	0
136	Changing trends for diagnostic methods in Graves disease in Australia: an immunological diagnosis as the emerging preference. <i>Internal Medicine Journal</i> , 2017, 47, 1464-1465.	0.8	0
137	Managing arterial health in adults with metabolic diseases: Is high-intensity interval exercise the answer? Response to the commentary by Lopes et al.. <i>Journal of Sport and Health Science</i> , 2021, 10, 510-512.	6.5	0
138	OR18-2 Higher Plasma Estradiol Concentration Is Independently Associated with Lower Biological Age, Assessed as Leucocyte Telomere Length, in Older Men. <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.2	0
139	Improving beta-cell secretory function and glycaemia in young-onset type 2 diabetes: A pilot, 12-month, randomized trial of a novel, continuous glucose monitor-guided, rapid treatment intensification strategy incorporating empagliflozin and liraglutide. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 747-751.	4.4	0
140	Title is missing!. , 2020, 15, e0226931.		0
141	Title is missing!. , 2020, 15, e0226931.		0
142	Title is missing!. , 2020, 15, e0226931.		0
143	Title is missing!. , 2020, 15, e0226931.		0