

Kristoffer Grundtvig Skaarup

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3684043/publications.pdf>

Version: 2024-02-01

32
papers

663
citations

687363

13
h-index

610901

24
g-index

32
all docs

32
docs citations

32
times ranked

875
citing authors

#	ARTICLE	IF	CITATIONS
1	Age- and sex-based normal values of layer-specific longitudinal and circumferential strain by speckle tracking echocardiography: the Copenhagen City Heart Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 629-640.	1.2	19
2	Association between exposure to heavy occupational lifting and cardiac structure and function: a cross-sectional analysis from the Copenhagen City Heart Study. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 521-532.	1.5	1
3	Lung Ultrasound Findings Associated With COVID-19 ARDS, ICU Admission, and All-Cause Mortality. <i>Respiratory Care</i> , 2022, 67, 66-75.	1.6	7
4	Lung ultrasound findings following COVID-19 hospitalization: A prospective longitudinal cohort study. <i>Respiratory Medicine</i> , 2022, 197, 106826.	2.9	7
5	Left atrial contractile strain predicts recurrence of atrial tachyarrhythmia after catheter ablation. <i>International Journal of Cardiology</i> , 2022, 358, 51-57.	1.7	14
6	The Impact of Social Distancing in 2020 on Admission Rates for Exacerbations in Asthma: A Nationwide Cohort Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2022, 10, 2086-2092.e2.	3.8	5
7	Normal Values for Myocardial Work Indices Derived From Pressure-Strain Loop Analyses: From the CCHS. <i>Circulation: Cardiovascular Imaging</i> , 2022, 15, 101161CIRCIMAGING121013712.	2.6	16
8	Layer-specific global longitudinal strain obtained by speckle tracking echocardiography for predicting heart failure and cardiovascular death following STEMI treated with primary PCI. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2207-2215.	1.5	5
9	Change in global longitudinal strain following acute coronary syndrome and subsequent risk of heart failure. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 3193-3202.	1.5	0
10	Diastolic function assessed with speckle tracking over a decade and its prognostic value: The Copenhagen City Heart Study. <i>Echocardiography</i> , 2021, 38, 964-973.	0.9	1
11	Corticosteroid Resistance in Smokersâ€”A Substudy Analysis of the CORTICO-COP Randomised Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 2734.	2.4	0
12	Hydroxychloroquine as a primary prophylactic agent against SARS-CoV-2 infection: A cohort study. <i>International Journal of Infectious Diseases</i> , 2021, 108, 370-376.	3.3	5
13	Lung ultrasound findings in hospitalized COVID-19 patients in relation to venous thromboembolic events: the ECHOVID-19 study. <i>Journal of Ultrasound</i> , 2021, , 1.	1.3	1
14	Layer-specific global longitudinal strain and the risk of heart failure and cardiovascular mortality in the general population: the Copenhagen City Heart Study. <i>European Journal of Heart Failure</i> , 2021, 23, 1819-1827.	7.1	7
15	Recovery of cardiac function following COVID-19: a prospective longitudinal cohort study. <i>European Journal of Heart Failure</i> , 2021, 23, 1903-1912.	7.1	40
16	Changes in left atrial structure and function over a decade in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 23, 124-136.	1.2	10
17	Normal values and reference ranges for left atrial strain by speckle-tracking echocardiography: the Copenhagen City Heart Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 23, 42-51.	1.2	47
18	Left atrial strain predicts incident atrial fibrillation in the general population: the Copenhagen City Heart Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 23, 52-60.	1.2	42

#	ARTICLE	IF	CITATIONS
19	Longitudinal change in cardiac structure and function following acute coronary syndrome according to culprit coronary artery lesion. <i>International Journal of Cardiovascular Imaging</i> , 2021, , 1.	1.5	0
20	Acute COVID-19 and the Incidence of Ischemic Stroke and Acute Myocardial Infarction. <i>Circulation</i> , 2020, 142, 2080-2082.	1.6	168
21	The impact of cardiovascular risk factors on global longitudinal strain over a decade in the general population: the copenhagen city heart study. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1907-1916.	1.5	19
22	Echocardiographic abnormalities and predictors of mortality in hospitalized COVID-19 patients: the ECHOVID-19 study. <i>ESC Heart Failure</i> , 2020, 7, 4189-4197.	3.1	77
23	Usefulness of left atrial speckle tracking echocardiography in predicting recurrence of atrial fibrillation after radiofrequency ablation: a systematic review and meta-analysis. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1293-1309.	1.5	27
24	The clinical application of the ratio of transmitral early filling velocity to early diastolic strain rate: a systematic review and meta-analysis. <i>Journal of Echocardiography</i> , 2020, 18, 94-104.	0.8	5
25	A Validated Echocardiographic Risk Model for Predicting Outcome Following ST-segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2020, 125, 1461-1470.	1.6	1
26	Myocardial Impairment and Acute Respiratory Distress Syndrome in Hospitalized Patients With COVID-19. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 2474-2476.	5.3	10
27	Ratio of Transmitral Early Filling Velocity to Early Diastolic Strain Rate as a Predictor of Cardiovascular Morbidity and Mortality Following Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2019, 123, 1776-1782.	1.6	7
28	Post-systolic shortening predicts heart failure following acute coronary syndrome. <i>International Journal of Cardiology</i> , 2019, 276, 191-197.	1.7	14
29	Ratio of transmitral early filling velocity to early diastolic strain rate predicts long-term risk of cardiovascular morbidity and mortality in the general population. <i>European Heart Journal</i> , 2019, 40, 518-525.	2.2	32
30	Association between layer-specific global longitudinal strain and adverse outcomes following acute coronary syndrome. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 1334-1342.	1.2	43
31	Usefulness of left ventricular speckle tracking echocardiography and novel measures of left atrial structure and function in diagnosing paroxysmal atrial fibrillation in ischemic stroke and transient ischemic attack patients. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1921-1929.	1.5	14
32	Diagnosing Paroxysmal Atrial Fibrillation in Patients With Ischemic Strokes and Transient Ischemic Attacks Using Echocardiographic Measurements of Left Atrium Function. <i>American Journal of Cardiology</i> , 2016, 117, 91-99.	1.6	19