## Costanza Martino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3684173/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. Lancet Neurology, The, 2017, 16, 987-1048.	10.2	1,571
2	Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI). Neurosurgery, 2015, 76, 67-80.	1.1	386
3	Case-mix, care pathways, and outcomes in patients with traumatic brain injury in CENTER-TBI: a European prospective, multicentre, longitudinal, cohort study. Lancet Neurology, The, 2019, 18, 923-934.	10.2	304
4	Machine learning algorithms performed no better than regression models for prognostication in traumatic brain injury. Journal of Clinical Epidemiology, 2020, 122, 95-107.	5.0	117
5	Pathological Computed Tomography Features Associated With Adverse Outcomes After Mild Traumatic Brain Injury. JAMA Neurology, 2021, 78, 1137.	9.0	53
6	Fluid balance and outcome in critically ill patients with traumatic brain injury (CENTER-TBI and) Tj ETQq0 0 0 rgBT 20, 627-638.	/Overlock 10.2	10 Tf 50 54 40
7	Effect of frailty on 6-month outcome after traumatic brain injury: a multicentre cohort study with external validation. Lancet Neurology, The, 2022, 21, 153-162.	10.2	34
8	Incidence, Risk Factors, and Effects on Outcome of Ventilator-Associated Pneumonia in Patients With Traumatic Brain Injury. Chest, 2020, 158, 2292-2303.	0.8	30
9	Sluggish Small Bowel Motility Is Involved in Determining Increased Biliary Deoxycholic Acid in Cholesterol Gallstone Patients. American Journal of Gastroenterology, 1999, 94, 2453-2459.	0.4	25
10	Classification of a traumatic brain injury: the Glasgow Coma scale is not enough. Acta Anaesthesiologica Scandinavica, 2010, 54, 696-702.	1.6	25
11	Tracheal intubation in traumatic brain injury: a multicentre prospective observational study. British Journal of Anaesthesia, 2020, 125, 505-517.	3.4	19
12	HYPEREMIA BENEATH EVACUATED ACUTE SUBDURAL HEMATOMA IS FREQUENT AND PROLONGED IN PATIENTS WITH AN UNFAVORABLE OUTCOME. Neurosurgery, 2009, 64, 705-718.	1.1	18
13	How health service delivery guides the allocation of major trauma patients in the intensive care units of the inclusive (hub and spoke) trauma system of the Emilia Romagna Region (Italy). A cross-sectional study. BMJ Open, 2017, 7, e016415.	1.9	10
14	Informed consent procedures in patients with an acute inability to provide informed consent: Policy and practice in the CENTER-TBI study. Journal of Critical Care, 2020, 59, 6-15.	2.2	8
15	Aggressive medical management of acute traumatic subdural hematomas before emergency craniotomy in patients presenting with bilateral unreactive pupils. A cohort study. Acta Neurochirurgica, 2017, 159, 1553-1559.	1.7	7
16	Satisfaction of patients' next of kin in a â€~Hub & Spoke' ICU network. Anaesthesia, 2014, 69, 1117-	13.26.	6
17	Questionnaires vs Interviews for the Assessment of Global Functional Outcomes After Traumatic Brain Injury. JAMA Network Open, 2021, 4, e2134121.	5.9	5
18	Single shot erector spinae plane block for intra and postoperative pain control in open nephroureterectomy: a nice surprise. Minerva Anestesiologica, 2021, 87, 492-494.	1.0	2

#	Article	IF	CITATIONS
19	The value of trauma patients' centralization: an analysis of a regional Italian Trauma System performance with TMPM-ICD-9. Internal and Emergency Medicine, 2021, 16, 1951-1958.	2.0	1
20	Teen suicide: an underreported and emerging plague. Internal and Emergency Medicine, 2021, 16, 1405-1406.	2.0	0