

# Xinchun Zhou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3685302/publications.pdf>

Version: 2024-02-01

34  
papers

1,277  
citations

516710

16  
h-index

395702

33  
g-index

35  
all docs

35  
docs citations

35  
times ranked

2266  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Movember Global Action Plan 1 (GAP1): Unique Prostate Cancer Tissue Microarray Resource. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 715-727.	2.5	0
2	Correlation of cholesteryl ester metabolism to pathogenesis, progression and disparities in colorectal Cancer. <i>Lipids in Health and Disease</i> , 2022, 21, 22.	3.0	11
3	Proximal Tubule-Specific Deletion of Angiotensin II Type 1a Receptors in the Kidney Attenuates Circulating and Intratubular Angiotensin II-Induced Hypertension in PT- <i>Agtr1a</i> <sup>−/−</sup> Mice. <i>Hypertension</i> , 2021, 77, 1285-1298.	2.7	21
4	The association of prostatic lipids with progression, racial disparity and discovery of biomarkers in prostate cancer. <i>Translational Oncology</i> , 2021, 14, 101218.	3.7	1
5	Expression of trefoil factor 3 is decreased in colorectal cancer. <i>Oncology Reports</i> , 2021, 45, 254-264.	2.6	1
6	IGF2BP2 regulates DANCR by serving as an N6-methyladenosine reader. <i>Cell Death and Differentiation</i> , 2020, 27, 1782-1794.	11.2	223
7	Myeloid Sarcoma of the Testis in Children: Clinicopathologic and Immunohistochemical Characteristics With KMT2A (MLL) Gene Rearrangement Correlation. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020, 28, 501-507.	1.2	7
8	PIK3CG Is a Potential Therapeutic Target in Androgen Receptor-Indifferent Metastatic Prostate Cancer. <i>American Journal of Pathology</i> , 2020, 190, 2194-2202.	3.8	9
9	KDM5B Is Essential for the Hyperactivation of PI3K/AKT Signaling in Prostate Tumorigenesis. <i>Cancer Research</i> , 2020, 80, 4633-4643.	0.9	32
10	Evidence for a Physiological Mitochondrial Angiotensin II System in the Kidney Proximal Tubules. <i>Hypertension</i> , 2020, 76, 121-132.	2.7	17
11	Distribution and clinical relevance of phospholipids in hepatocellular carcinoma. <i>Hepatology International</i> , 2020, 14, 544-555.	4.2	7
12	Expression of trefoil factor 3 is decreased in colorectal cancer. <i>Oncology Reports</i> , 2020, 45, 254-264.	2.6	6
13	Proximal Tubule-Specific Deletion of the NHE3 (Na <sup>+</sup> /H <sup>+</sup> Exchanger 3) in the Kidney Attenuates Ang II (Angiotensin II)-Induced Hypertension in Mice. <i>Hypertension</i> , 2019, 74, 526-535.	2.7	39
14	Racial differences in distribution of fatty acids in prostate cancer and benign prostatic tissues. <i>Lipids in Health and Disease</i> , 2019, 18, 189.	3.0	20
15	Race-associated expression of MHC class I polypeptide-related sequence A (MICA) in prostate cancer. <i>Experimental and Molecular Pathology</i> , 2019, 108, 173-182.	2.1	13
16	MEF2B is a member of the BCL6 gene transcriptional complex and induces its expression in diffuse large B-cell lymphoma of the germinal center B-cell-like type. <i>Laboratory Investigation</i> , 2019, 99, 539-550.	3.7	9
17	Cardiomyocyte-specific deletion of Sirt1 gene sensitizes myocardium to ischaemia and reperfusion injury. <i>Cardiovascular Research</i> , 2018, 114, 805-821.	3.8	93
18	Sestrin2 prevents age-related intolerance to ischemia and reperfusion injury by modulating substrate metabolism. <i>FASEB Journal</i> , 2017, 31, 4153-4167.	0.5	103

#	ARTICLE	IF	CITATIONS
19	Synergistic Interaction of Hypertension and Diabetes in Promoting Kidney Injury and the Role of Endoplasmic Reticulum Stress. <i>Hypertension</i> , 2017, 69, 879-891.	2.7	52
20	Hypoxia on the Expression of Hepatoma Upregulated Protein in Prostate Cancer Cells. <i>Frontiers in Oncology</i> , 2016, 6, 144.	2.8	13
21	Regulation of PCGEM1 by p54/nrb in prostate cancer. <i>Scientific Reports</i> , 2016, 6, 34529.	3.3	40
22	Regulation of androgen receptor splice variant AR3 by PCGEM1. <i>Oncotarget</i> , 2016, 7, 15481-15491.	1.8	59
23	Effects of oxygen on the antigenic landscape of prostate cancer cells. <i>BMC Research Notes</i> , 2015, 8, 687.	1.4	7
24	Systemic distribution, subcellular localization and differential expression of sphingosine-1-phosphate receptors in benign and malignant human tissues. <i>Experimental and Molecular Pathology</i> , 2014, 97, 259-265.	2.1	61
25	Elevated Expression of Notch1 Is Associated With Metastasis of Human Malignancies. <i>International Journal of Surgical Pathology</i> , 2013, 21, 449-454.	0.8	9
26	The C-terminal common to group 3 POTES (CtG3P): a newly discovered nucleolar marker associated with malignant progression and metastasis. <i>American Journal of Cancer Research</i> , 2013, 3, 278-89.	1.4	6
27	Identification of Plasma Lipid Biomarkers for Prostate Cancer by Lipidomics and Bioinformatics. <i>PLoS ONE</i> , 2012, 7, e48889.	2.5	169
28	Age Disparities in Diagnosis of Prostate Cancer Between African Americans and Caucasians. <i>Ageing International</i> , 2012, 37, 186-194.	1.3	5
29	The expression level of lysophosphatidylcholine acyltransferase 1 (LPCAT1) correlates to the progression of prostate cancer. <i>Experimental and Molecular Pathology</i> , 2012, 92, 105-110.	2.1	73
30	Expression of allograft inflammatory factor-1 (AIF-1) in acute cellular rejection of cardiac allografts. <i>Cardiovascular Pathology</i> , 2011, 20, e177-e184.	1.6	16
31	Combined Analysis of Allograft Inflammatory Factor-1, Interleukin-18, and Toll-Like Receptor Expression and Association with Allograft Rejection and Coronary Vasculopathy. <i>American Surgeon</i> , 2010, 76, 872-878.	0.8	15
32	Lipidomics in identifying lipid biomarkers of prostate cancer. <i>FASEB Journal</i> , 2010, 24, .	0.5	2
33	Prostaglandin E2 Suppressed IL-15-Mediated Human NK Cell Function Through Down-Regulation of Common $\beta$ -Chain. <i>Journal of Immunology</i> , 2001, 166, 885-891.	0.8	87
34	PRODUCTION OF INTERLEUKIN-10 IN HUMAN FRACTURE SOFT-TISSUE HEMATOMAS. <i>Shock</i> , 1996, 6, 3-6.	2.1	51