

Heather Burroughs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3689354/publications.pdf>

Version: 2024-02-01

17
papers

5,768
citations

840776

11
h-index

888059

17
g-index

18
all docs

18
docs citations

18
times ranked

8031
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Can support workers from AgeUK deliver an intervention to support older people with anxiety and depression? A qualitative evaluation. BMC Family Practice, 2019, 20, 16. | 2.9 | 4 |
| 2 | Non-traditional support workers delivering a brief psychosocial intervention for older people with anxiety and depression: the NOTEPAD feasibility study. Health Services and Delivery Research, 2019, 7, 1-120. | 1.4 | 1 |
| 3 | A feasibility study for NON-Traditional providers to support the management of Elderly People with Anxiety and Depression: The NOTEPAD study Protocol. Trials, 2018, 19, 172. | 1.6 | 4 |
| 4 | Saturation in qualitative research: exploring its conceptualization and operationalization. Quality and Quantity, 2018, 52, 1893-1907. | 3.7 | 5,196 |
| 5 | The value of an embedded qualitative study in a trial of a second antidepressant for people who had not responded to one antidepressant: understanding the perspectives of patients and general practitioners. BMC Family Practice, 2018, 19, 197. | 2.9 | 3 |
| 6 | How older adults self-manage distress – does the internet have a role? A qualitative study. BMC Family Practice, 2018, 19, 185. | 2.9 | 22 |
| 7 | Medically unexplained symptoms: continuing challenges for primary care. British Journal of General Practice, 2017, 67, 106-107. | 1.4 | 48 |
| 8 | Developing a community-based psycho-social intervention with older people and third sector workers for anxiety and depression: a qualitative study. BMC Family Practice, 2017, 18, 77. | 2.9 | 20 |
| 9 | Evaluating a complex model designed to increase access to high quality primary mental health care for under-served groups: a multi-method study. BMC Health Services Research, 2016, 16, 58. | 2.2 | 13 |
| 10 | Community Engagement in a complex intervention to improve access to primary mental health care for hard-to-reach groups. Health Expectations, 2015, 18, 2865-2879. | 2.6 | 26 |
| 11 | Development and evaluation of culturally sensitive psychosocial interventions for under-served people in primary care. BMC Psychiatry, 2014, 14, 217. | 2.6 | 25 |
| 12 | Aiming to improve the quality of primary mental health care: developing an intervention for underserved communities. BMC Family Practice, 2014, 15, 68. | 2.9 | 14 |
| 13 | Improving access to psychosocial interventions for common mental health problems in the United Kingdom: narrative review and development of a conceptual model for complex interventions. BMC Health Services Research, 2012, 12, 249. | 2.2 | 39 |
| 14 | Why may older people with depression not present to primary care? Messages from secondary analysis of qualitative data. Health and Social Care in the Community, 2012, 20, 52-60. | 1.6 | 68 |
| 15 | Researching the mental health needs of hard-to-reach groups: managing multiple sources of evidence. BMC Health Services Research, 2009, 9, 226. | 2.2 | 41 |
| 16 | A randomised controlled trial to test the feasibility of a collaborative care model for the management of depression in older people. British Journal of General Practice, 2007, 57, 364-70. | 1.4 | 67 |
| 17 | 'Justifiable depression': how primary care professionals and patients view late-life depression? a qualitative study. Family Practice, 2006, 23, 369-377. | 1.9 | 177 |