Kylie D Hesketh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3689721/publications.pdf

Version: 2024-02-01

200 papers 11,012 citations

²⁶⁶³⁰
56
h-index

97 g-index

211 all docs

211 docs citations

times ranked

211

9795 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Health-Related Quality of Life of Overweight and Obese Children. JAMA - Journal of the American Medical Association, 2005, 293, 70. | 7.4 | 521 |
| 2 | Preschool Children and Physical Activity. American Journal of Preventive Medicine, 2008, 34, 435-441.e7. | 3.0 | 446 |
| 3 | Effect of classroom-based physical activity interventions on academic and physical activity outcomes: a systematic review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 114. | 4.6 | 378 |
| 4 | Interventions to Prevent Obesity in 0–5 Year Olds: An Updated Systematic Review of the Literature. Obesity, 2010, 18, S27-35. | 3.0 | 297 |
| 5 | Change in the prevalence of overweight and obesity among young Australians, 1969–1997. American Journal of Clinical Nutrition, 2003, 77, 29-36. | 4.7 | 262 |
| 6 | A collaborative approach to adopting/adapting guidelines - The Australian 24-Hour Movement Guidelines for the early years (Birth to 5 years): an integration of physical activity, sedentary behavior, and sleep. BMC Public Health, 2017, 17, 869. | 2.9 | 261 |
| 7 | Healthy eating, activity and obesity prevention: a qualitative study of parent and child perceptions in Australia. Health Promotion International, 2005, 20, 19-26. | 1.8 | 260 |
| 8 | Preschoolers' Physical Activity, Screen Time, and Compliance with Recommendations. Medicine and Science in Sports and Exercise, 2012, 44, 458-465. | 0.4 | 234 |
| 9 | Are children and adolescents less active if parents restrict their physical activity and active transport due to perceived risk?. Social Science and Medicine, 2010, 70, 1799-1805. | 3.8 | 231 |
| 10 | Objectively measured sedentary behaviour and health and development in children and adolescents: systematic review and metaâ€analysis. Obesity Reviews, 2016, 17, 330-344. | 6.5 | 227 |
| 11 | A Parent-Focused Intervention to Reduce Infant Obesity Risk Behaviors: A Randomized Trial. Pediatrics, 2013, 131, 652-660. | 2.1 | 225 |
| 12 | Strategies which aim to positively impact on weight, physical activity, diet and sedentary behaviours in children from zero to five years. A systematic review of the literature. Obesity Reviews, 2007, 8, 327-338. | 6.5 | 217 |
| 13 | A systematic review of the validity and reliability of sedentary behaviour measures used with children and adolescents. Obesity Reviews, 2011, 12, 781-799. | 6.5 | 213 |
| 14 | The Infant Feeding Activity and Nutrition Trial (INFANT) an early intervention to prevent childhood obesity: Cluster-randomised controlled trial. BMC Public Health, 2008, 8, 103. | 2.9 | 174 |
| 15 | The epidemiology of overweight and obesity among Australian children and adolescents, 1995â€97. Australian and New Zealand Journal of Public Health, 2001, 25, 162-169. | 1.8 | 163 |
| 16 | Standardizing Anthropometric Measures in Children and Adolescents with New Functions for Egen. The Stata Journal, 2004, 4, 50-55. | 2.2 | 158 |
| 17 | Parent-reported health status of overweight and obese Australian primary school children: a cross-sectional population survey. International Journal of Obesity, 2002, 26, 717-724. | 3.4 | 157 |
| 18 | Body mass index and parent-reported self-esteem in elementary school children: evidence for a causal relationship. International Journal of Obesity, 2004, 28, 1233-1237. | 3.4 | 156 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Electronic Media Use and Adolescent Health and Well-Being: Cross-Sectional Community Study. Academic Pediatrics, 2009, 9, 307-314. | 2.0 | 152 |
| 20 | Parental use of restrictive feeding practices and child BMI z-score. A 3-year prospective cohort study. Appetite, 2010, 55, 84-88. | 3.7 | 150 |
| 21 | Promoting Fundamental Movement Skill Development and Physical Activity in Early Childhood Settings: A Cluster Randomized Controlled Trial. Pediatric Exercise Science, 2011, 23, 600-615. | 1.0 | 147 |
| 22 | Television, computer use and body mass index in Australian primary school children. Journal of Paediatrics and Child Health, 2003, 39, 130-134. | 0.8 | 138 |
| 23 | A cluster-randomized controlled trial to reduce sedentary behavior and promote physical activity and health of 8-9 year olds: The Transform-Us! Study. BMC Public Health, 2011, 11, 759. | 2.9 | 136 |
| 24 | Systematic review of lifestyle interventions to limit postpartum weight retention: implications for future opportunities to prevent maternal overweight and obesity following childbirth. Obesity Reviews, 2013, 14, 792-805. | 6.5 | 133 |
| 25 | Maternal self-efficacy regarding children's eating and sedentary behaviours in the early years: Associations with children's food intake and sedentary behaviours. Pediatric Obesity, 2010, 5, 501-508. | 3.2 | 125 |
| 26 | Nutrition Knowledge: A Mediator between Socioeconomic Position and Diet Quality in Australian First-Time Mothers. Journal of the American Dietetic Association, 2011, 111, 696-704. | 1.1 | 117 |
| 27 | The Child Health Questionnaire in children with diabetes: cross-sectional survey of parent and adolescent-reported functional health status. Diabetic Medicine, 2000, 17, 700-707. | 2.3 | 113 |
| 28 | The Child Health Questionnaire in Australia: reliability, validity and population means. Australian and New Zealand Journal of Public Health, 2000, 24, 207-210. | 1.8 | 109 |
| 29 | Early childhood physical activity, sedentary behaviors and psychosocial well-being: A systematic review. Preventive Medicine, 2014, 62, 182-192. | 3.4 | 101 |
| 30 | Teething and Tooth Eruption in Infants: A Cohort Study. Pediatrics, 2000, 106, 1374-1379. | 2.1 | 100 |
| 31 | How Do School-Day Activity Patterns Differ with Age and Gender across Adolescence?. Journal of Adolescent Health, 2009, 44, 64-72. | 2.5 | 100 |
| 32 | A bi-directional relationship between obesity and health-related quality of life: evidence from the longitudinal AusDiab study. International Journal of Obesity, 2012, 36, 295-303. | 3.4 | 98 |
| 33 | The health and well-being of adolescents: a school-based population study of the self-report Child Health Questionnaire. Journal of Adolescent Health, 2001, 29, 140-149. | 2.5 | 92 |
| 34 | A Review of the Relationship Between Socioeconomic Position and the Early-Life Predictors of Obesity. Current Obesity Reports, 2015, 4, 350-362. | 8.4 | 91 |
| 35 | Children′s physical activity and screen time: qualitative comparison of views of parents of infants and preschool children. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 152. | 4.6 | 89 |
| 36 | Correlates of Preschool Children's Physical Activity. American Journal of Preventive Medicine, 2012, 43, 159-167. | 3.0 | 88 |

3

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Change in body mass index in Australian primary school children, 1985–1997. International Journal of Obesity, 2000, 24, 679-684. | 3.4 | 83 |
| 38 | Health-Related Quality of Life and Metabolic Control in Children With Type 1 Diabetes: A prospective cohort study. Diabetes Care, 2004, 27, 415-420. | 8.6 | 81 |
| 39 | Are Safety-Related Features of the Road Environment Associated with Smaller Declines in Physical Activity among Youth?. Journal of Urban Health, 2010, 87, 29-43. | 3.6 | 81 |
| 40 | What helps children to move more at school recess and lunchtime? Mid-intervention results from Transform-Us! cluster-randomised controlled trial. British Journal of Sports Medicine, 2014, 48, 271-277. | 6.7 | 81 |
| 41 | Examination of mid-intervention mediating effects on objectively assessed sedentary time among children in the Transform-Us! cluster-randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 62. | 4.6 | 80 |
| 42 | Assessing Volume of Accelerometry Data for Reliability in Preschool Children. Medicine and Science in Sports and Exercise, 2012, 44, 2436-2441. | 0.4 | 79 |
| 43 | Australian parents' views on their 5-6-year-old children's food choices. Health Promotion International, 2007, 22, 11-18. | 1.8 | 78 |
| 44 | Physical Activity Levels and Patterns of 19-Month-Old Children. Medicine and Science in Sports and Exercise, 2012, 44, 1715-1720. | 0.4 | 78 |
| 45 | More active pre-school children have better motor competence at school starting age: an observational cohort study. BMC Public Health, 2016, 16, 1068. | 2.9 | 69 |
| 46 | How is active transport associated with children's and adolescents' physical activity over time?. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 126. | 4.6 | 67 |
| 47 | The HAPPY Study: Development and reliability of a parent survey to assess correlates of preschool children's physical activity. Journal of Science and Medicine in Sport, 2012, 15, 407-417. | 1.3 | 67 |
| 48 | Children's television viewing and objectively measured physical activity: associations with family circumstance. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 36. | 4.6 | 64 |
| 49 | Comorbidities of overweight/obesity experienced in adolescence: longitudinal study. Archives of Disease in Childhood, 2010, 95, 162-168. | 1.9 | 63 |
| 50 | Parent beliefs about infant teething: A survey of Australian parents. Journal of Paediatrics and Child Health, 1999, 35, 446-449. | 0.8 | 61 |
| 51 | Associations between family circumstance and weight status of Australian children. Pediatric Obesity, 2007, 2, 86-96. | 3.2 | 61 |
| 52 | Use of Electronic Games by Young Children and Fundamental Movement Skills?. Perceptual and Motor Skills, 2012, 114, 1023-1034. | 1.3 | 60 |
| 53 | Lifestyle Patterns Begin in Early Childhood, Persist and Are Socioeconomically Patterned, Confirming the Importance of Early Life Interventions. Nutrients, 2020, 12, 724. | 4.1 | 60 |
| 54 | Stability of body mass index in Australian children: a prospective cohort study across the middle childhood years. Public Health Nutrition, 2004, 7, 303-309. | 2.2 | 59 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Stability of television viewing and electronic game/computer use in a prospective cohort study of Australian children: relationship with body mass index. International Journal of Behavioral Nutrition and Physical Activity, 2007, 4, 60. | 4.6 | 59 |
| 56 | Prevalence of sedentary behavior in children under 2years: A systematic review. Preventive Medicine, 2015, 78, 105-114. | 3.4 | 59 |
| 57 | Socioeconomic variation in diet and activityâ€related behaviours of <scp>A</scp> ustralian children and adolescents aged 2–16 years. Pediatric Obesity, 2012, 7, 329-342. | 2.8 | 58 |
| 58 | Do the correlates of screen time and sedentary time differ in preschool children?. BMC Public Health, 2017, 17, 285. | 2.9 | 57 |
| 59 | Interventions to increase physical activity in children 0–5Âyears old: a systematic review, metaâ€analysis and realist synthesis. Obesity Reviews, 2019, 20, 75-87. | 6.5 | 55 |
| 60 | Health-related quality of life of children with acute lymphoblastic leukaemia: Comparisons and correlations between parent and clinician reports. International Journal of Cancer, 2003, 103, 514-518. | 5.1 | 54 |
| 61 | Meeting new Canadian 24-Hour Movement Guidelines for the Early Years and associations with adiposity among toddlers living in Edmonton, Canada. BMC Public Health, 2017, 17, 840. | 2.9 | 54 |
| 62 | Interventions to reduce sedentary behaviour in $0\hat{a}\in$ "5-year-olds: a systematic review and meta-analysis of randomised controlled trials. British Journal of Sports Medicine, 2018, 52, 314-321. | 6.7 | 54 |
| 63 | Mediators of the Relationship Between Maternal Education and Children's TV Viewing. American Journal of Preventive Medicine, 2007, 33, 41-47. | 3.0 | 51 |
| 64 | The importance of long-term follow-up in child and adolescent obesity prevention interventions. Pediatric Obesity, 2011, 6, 178-181. | 3.2 | 50 |
| 65 | Interventions commenced by early infancy to prevent childhood obesity—The EPOCH Collaboration: An individual participant data prospective metaâ€analysis of four randomized controlled trials. Pediatric Obesity, 2020, 15, e12618. | 2.8 | 50 |
| 66 | Mediators of improved child diet quality following a health promotion intervention: the Melbourne InFANT Program. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 137. | 4.6 | 49 |
| 67 | Maternal dietary intake and physical activity habits during the postpartum period: associations with clinician advice in a sample of Australian first time mothers. BMC Pregnancy and Childbirth, 2016, 16, 27. | 2.4 | 48 |
| 68 | Physical activity and sedentary behavior across three time-points and associations with social skills in early childhood. BMC Public Health, 2019, 19, 27. | 2.9 | 47 |
| 69 | Role of parental and environmental characteristics in toddlers' physical activity and screen time: Bayesian analysis of structural equation models. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 17. | 4.6 | 45 |
| 70 | A systematic review of lifestyle patterns and their association with adiposity in children aged 5–12 years. Obesity Reviews, 2020, 21, e13029. | 6.5 | 45 |
| 71 | The Early Prevention of Obesity in CHildren (EPOCH) Collaboration - an Individual Patient Data Prospective Meta-Analysis. BMC Public Health, 2010, 10, 728. | 2.9 | 43 |
| 72 | The Melbourne Infant Feeding, Activity and Nutrition Trial (InFANT) Program follow-up. Contemporary Clinical Trials, 2013, 34, 145-151. | 1.8 | 43 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The extended Infant Feeding, Activity and Nutrition Trial (InFANT Extend) Program: a cluster-randomized controlled trial of an early intervention to prevent childhood obesity. BMC Public Health, 2016, 16, 166. | 2.9 | 43 |
| 74 | Urban–rural comparison of weight status among women and children living in socioeconomically disadvantaged neighbourhoods. Medical Journal of Australia, 2010, 192, 137-140. | 1.7 | 42 |
| 75 | Early childhood predictors of toddlers' physical activity: longitudinal findings from the Melbourne InFANT Program. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 123. | 4.6 | 42 |
| 76 | Variation in outcomes of the Melbourne Infant, Feeding, Activity and Nutrition Trial (InFANT) Program according to maternal education and age. Preventive Medicine, 2014, 58, 58-63. | 3.4 | 41 |
| 77 | Modifiable factors which predict children's gross motor competence: a prospective cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 129. | 4.6 | 40 |
| 78 | A parent focused child obesity prevention intervention improves some mother obesity risk behaviors: the Melbourne infant program. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 100. | 4.6 | 39 |
| 79 | The infant feeding practices of Chinese immigrant mothers in Australia: A qualitative exploration. Appetite, 2016, 105, 375-384. | 3.7 | 39 |
| 80 | Proportion of infants meeting the Australian 24-hour Movement Guidelines for the Early Years: data from the Melbourne InFANT Program. BMC Public Health, 2017, 17, 856. | 2.9 | 39 |
| 81 | Associations of Parental Rules and Socioeconomic Position With Preschool Children's Sedentary Behaviour and Screen Time. Journal of Physical Activity and Health, 2015, 12, 515-521. | 2.0 | 38 |
| 82 | Cross-sectional and Longitudinal Associations Between Parents' and Preschoolers' Physical Activity and Television Viewing: The HAPPY Study. Journal of Physical Activity and Health, 2016, 13, 269-274. | 2.0 | 38 |
| 83 | Prospective associations with physiological, psychosocial and educational outcomes of meeting Australian 24-Hour Movement Guidelines for the Early Years. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 36. | 4.6 | 37 |
| 84 | A Health Promotion Intervention Can Affect Diet Quality in Early Childhood. Journal of Nutrition, 2013, 143, 1672-1678. | 2.9 | 36 |
| 85 | Results from Australia's 2018 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2018, 15, S315-S317. | 2.0 | 36 |
| 86 | Prevalence and stability of active play, restricted movement and television viewing in infants. Early Child Development and Care, 2015, 185, 883-894. | 1.3 | 35 |
| 87 | Joint physical-activity/screen-time trajectories during early childhood: socio-demographic predictors and consequences on health-related quality-of-life and socio-emotional outcomes. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 55. | 4.6 | 35 |
| 88 | Fathers' perspectives on the diets and physical activity behaviours of their young children. PLoS ONE, 2017, 12, e0179210. | 2.5 | 35 |
| 89 | Teething symptoms: cross sectional survey of five groups of child health professionals. BMJ: British Medical Journal, 2002, 325, 814-814. | 2.3 | 34 |
| 90 | How should activity guidelines for young people be operationalised?. International Journal of Behavioral Nutrition and Physical Activity, 2007, 4, 43. | 4.6 | 34 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Results from Australia's 2014 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2014, 11, S21-S25. | 2.0 | 34 |
| 92 | Preschool and childcare center characteristics associated with children's physical activity during care hours: an observational study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 117. | 4.6 | 34 |
| 93 | Mothers' perceptions of the influences on their child feeding practices – A qualitative study. Appetite, 2016, 105, 596-603. | 3.7 | 33 |
| 94 | Associations between maternal concern about child's weight and related behaviours and maternal weight-related parenting practices: a cross-sectional study. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 104. | 4.6 | 33 |
| 95 | Changes in body mass index and health related quality of life from childhood to adolescence. Pediatric Obesity, 2011, 6, e442-e448. | 3.2 | 32 |
| 96 | A pilot primary school active break program (ACTI-BREAK): Effects on academic and physical activity outcomes for students in Years 3 and 4. Journal of Science and Medicine in Sport, 2019, 22, 438-443. | 1.3 | 32 |
| 97 | Differences Between Mothers and Fathers of Young Children in Their Use of the Internet to Support Healthy Family Lifestyle Behaviors: Cross-Sectional Study. Journal of Medical Internet Research, 2019, 21, e11454. | 4.3 | 32 |
| 98 | Association between maternal education and diet of children at 9 months is partially explained by mothers' diet. Maternal and Child Nutrition, 2015, 11, 936-947. | 3.0 | 31 |
| 99 | Does Preschool Physical Activity and Electronic Media Use Predict Later Social and Emotional Skills at 6 to 8 Years? A Cohort Study. Journal of Physical Activity and Health, 2017, 14, 308-316. | 2.0 | 31 |
| 100 | Influences on Preschool Children's Physical Activity. Family and Community Health, 2011, 34, 39-50. | 1.1 | 30 |
| 101 | Examining the Features of Parks That Children Visit During Three Stages of Childhood. International Journal of Environmental Research and Public Health, 2019, 16, 1658. | 2.6 | 30 |
| 102 | Feasibility and Efficacy ofÂa Parent-Focused, Text Message–Delivered Intervention toÂReduce Sedentary Behavior in 2- to 4-Year-Old Children (Mini Movers): Pilot Randomized Controlled Trial. JMIR MHealth and UHealth, 2018, 6, e39. | 3.7 | 30 |
| 103 | Regional and urban Victorian diabetic youth: Clinical and quality-of-life outcomes. Journal of Paediatrics and Child Health, 2002, 38, 593-596. | 0.8 | 28 |
| 104 | Describing objectively measured physical activity levels, patterns, and correlates in a cross sectional sample of infants and toddlers from South Africa. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 176. | 4.6 | 28 |
| 105 | Long-term outcomes (2 and 3.5 years post-intervention) of the INFANT early childhood intervention to improve health behaviors and reduce obesity: cluster randomised controlled trial follow-up. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 95. | 4.6 | 27 |
| 106 | Early detection of emotional and behavioural problems in children with diabetes: the validity of the Child Health Questionnaire as a screening instrument. Diabetic Medicine, 2003, 20, 646-650. | 2.3 | 26 |
| 107 | Parents' dietary patterns are significantly correlated: findings from the Melbourne Infant Feeding Activity and Nutrition Trial Program. British Journal of Nutrition, 2012, 108, 518-526. | 2.3 | 26 |
| 108 | Results From Australia's 2016 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2016, 13, S87-S94. | 2.0 | 26 |

7

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Predictors of body mass index change in Australian primary school children. Pediatric Obesity, 2009, 4, 45-53. | 3.2 | 25 |
| 110 | Associations between dietary intakes of first-time fathers and their 20-month-old children are moderated by fathers' BMI, education and age. British Journal of Nutrition, 2015, 114, 988-994. | 2.3 | 25 |
| 111 | Maternal-child co-participation in physical activity-related behaviours: prevalence and cross-sectional associations with mothers and children's objectively assessed physical activity levels. BMC Public Health, 2017, 17, 506. | 2.9 | 25 |
| 112 | Influence of Peers on Breastfeeding Discontinuation Among New Parents: The Melbourne InFANT Program. Pediatrics, 2010, 126, e601-e607. | 2.1 | 24 |
| 113 | Longitudinal levels and bouts of objectively measured sedentary time among young Australian children in the HAPPY study. Journal of Science and Medicine in Sport, 2016, 19, 232-236. | 1.3 | 24 |
| 114 | Maternal correlates of young children's physical activity across periods of the day. Journal of Science and Medicine in Sport, 2017, 20, 178-183. | 1.3 | 24 |
| 115 | Translating an early childhood obesity prevention program for local community implementation: a case study of the Melbourne InFANT Program. BMC Public Health, 2016, 16, 748. | 2.9 | 21 |
| 116 | Dietary associations of fathers and their children between the ages of 20 months and 5 years. Public Health Nutrition, 2016, 19, 2033-2039. | 2.2 | 21 |
| 117 | Psychometric Properties of a Parental Questionnaire for Assessing Correlates of Toddlers' Physical Activity and Sedentary Behavior. Measurement in Physical Education and Exercise Science, 2017, 21, 190-200. | 1.8 | 21 |
| 118 | A pilot intervention to reduce postpartum weight retention and central adiposity in firstâ€time mothers: results from the mums OnLiNE (Online, Lifestyle, Nutrition & Exercise) study. Journal of Human Nutrition and Dietetics, 2018, 31, 314-328. | 2.5 | 21 |
| 119 | MatCH (Mothers and their Children's Health) Profile: offspring of the 1973-78 cohort of the Australian Longitudinal Study on Women's Health. Longitudinal and Life Course Studies, 2018, 9, 351-375. | 0.6 | 21 |
| 120 | A primary school active break programme (ACTI-BREAK): study protocol for a pilot cluster randomised controlled trial. Trials, 2017, 18, 433. | 1.6 | 20 |
| 121 | Changes in volume and bouts of physical activity and sedentary time across early childhood: a longitudinal study. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 42. | 4.6 | 20 |
| 122 | Process evaluation of a classroom active break (ACTI-BREAK) program for improving academic-related and physical activity outcomes for students in years 3 and 4. BMC Public Health, 2019, 19, 633. | 2.9 | 20 |
| 123 | The effect of an early childhood obesity intervention on father's obesity risk behaviors: the Melbourne InFANT Program. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 18. | 4.6 | 19 |
| 124 | Longitudinal associations between infant movement behaviours and development. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, 10. | 4.6 | 19 |
| 125 | How does perceived risk mediate associations between perceived safety and parental restriction of adolescents' physical activity in their neighborhood?. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 57. | 4.6 | 17 |
| 126 | Tracking of maternal self-efficacy for limiting young children's television viewing and associations with children's television viewing time: a longitudinal analysis over 15-months. BMC Public Health, 2015, 15, 517. | 2.9 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-----------|------------------------|
| 127 | Practicalities and Research Considerations for Conducting Childhood Obesity Prevention Interventions with Families. Children, 2016, 3, 24. | 1.5 | 17 |
| 128 | Differences in infant feeding practices between Chinese-born and Australian-born mothers living in Australia: a cross-sectional study. BMC Pediatrics, 2018, 18, 209. | 1.7 | 17 |
| 129 | Changing Behavior Using Ecological Models. , 2020, , 237-250. | | 17 |
| 130 | Breastfeeding and emerging motherhood identity: An interpretative phenomenological analysis of first time Chinese Australian mothers' breastfeeding experiences. Women and Birth, 2021, 34, e292-e301. | 2.0 | 17 |
| 131 | Transforming Obesity Prevention for CHILDren (TOPCHILD) Collaboration: protocol for a systematic review with individual participant data meta-analysis of behavioural interventions for the prevention of early childhood obesity. BMJ Open, 2022, 12, e048166. | 1.9 | 17 |
| 132 | A mobile technology intervention to reduce sedentary behaviour in 2- to 4-year-old children (Mini) Tj ETQq0 0 0 r | gBT_/Over | \log_{15}^{10} Tf 50 |
| 133 | Paternal self-efficacy for promoting children's obesity protective diets and associations with children's dietary intakes. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 53. | 4.6 | 15 |
| 134 | Brief tools to measure obesityâ€related behaviours in children under 5Âyears of age: A systematic review. Obesity Reviews, 2019, 20, 432-447. | 6.5 | 14 |
| 135 | A systematic review of economic evaluations of webâ€based or telephoneâ€delivered interventions for preventing overweight and obesity and/or improving obesityâ€related behaviors. Obesity Reviews, 2021, 22, e13227. | 6.5 | 14 |
| 136 | Unpacking the behavioural components and delivery features of early childhood obesity prevention interventions in the TOPCHILD Collaboration: a systematic review and intervention coding protocol. BMJ Open, 2022, 12, e048165. | 1.9 | 14 |
| 137 | Facilitator and Participant Use of Facebook in a Community-Based Intervention for Parents: The InFANT Extend Program. Childhood Obesity, 2017, 13, 443-454. | 1.5 | 13 |
| 138 | Associations between organised sport participation and classroom behaviour outcomes among primary school-aged children. PLoS ONE, 2019, 14, e0209354. | 2.5 | 13 |
| 139 | Comparing the features of parks that children usually visit with those that are closest to home: A brief report. Urban Forestry and Urban Greening, 2020, 48, 126560. | 5.3 | 13 |
| 140 | Children's After-School Activity: Associations with Weight Status and Family Circumstance. Pediatric Exercise Science, 2008, 20, 84-94. | 1.0 | 12 |
| 141 | Physical environments, policies and practices for physical activity and screenâ€based sedentary behaviour among preschoolers within child care centres in <scp>M</scp> elbourne, <scp>A</scp> ustralia and <scp>K</scp> ingston, <scp>C</scp> anada. Child: Care, Health and Development. 2015. 41. 132-138. | 1.7 | 12 |
| 142 | Informing Active Play and Screen Time Behaviour Change Interventions for Low Socioeconomic Position Mothers of Young Children: What Do Mothers Want?. BioMed Research International, 2016, 2016, 1-13. | 1.9 | 12 |
| 143 | Setting them up for lifetime activity: Play competence perceptions and physical activity in young children. Journal of Science and Medicine in Sport, 2017, 20, 856-860. | 1.3 | 12 |
| 144 | Does height influence progression through primary school grades?. Archives of Disease in Childhood, 2000, 82, 297-301. | 1.9 | 11 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Parental Influences on Preschoolers' TV Viewing Time: Mediation Analyses on Australian and Belgian Data. Journal of Physical Activity and Health, 2015, 12, 1272-1279. | 2.0 | 11 |
| 146 | Preschool children's physical activity and cardiovascular disease risk: A systematic review. Journal of Science and Medicine in Sport, 2019, 22, 568-573. | 1.3 | 11 |
| 147 | Determinants of rapid infant weight gain: A pooled analysis of seven cohorts. Pediatric Obesity, 2022, 17, e12928. | 2.8 | 11 |
| 148 | Relative effects of postnatal rapid growth and maternal factors on early childhood growth trajectories. Paediatric and Perinatal Epidemiology, 2019, 33, 172-180. | 1.7 | 10 |
| 149 | Mothers' perceptions of Melbourne InFANT Program: informing future practice. Health Promotion International, 2016, 31, 614-622. | 1.8 | 9 |
| 150 | The views of first time mothers completing an intervention to reduce postpartum weight retention: A qualitative evaluation of the mums OnLiNE study. Midwifery, 2018, 56, 23-28. | 2.3 | 9 |
| 151 | Objectively Measured Environmental Correlates of Toddlers' Physical Activity and Sedentary Behavior. Pediatric Exercise Science, 2019, 31, 480-487. | 1.0 | 9 |
| 152 | Patterns and predictors of exclusive breastfeeding in Chinese Australian mothers: a cross sectional study. International Breastfeeding Journal, 2020, 15, 61. | 2.6 | 9 |
| 153 | Cost comparison of five Australasian obesity prevention interventions for children aged from birth to two years. Pediatric Obesity, 2020, 15, e12684. | 2.8 | 9 |
| 154 | Volume and accumulation patterns of physical activity and sedentary time: longitudinal changes and tracking from early to late childhood. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 39. | 4.6 | 9 |
| 155 | Protocol for an Effectiveness-Implementation Hybrid Trial to Evaluate Scale up of an Evidence-Based Intervention Addressing Lifestyle Behaviours From the Start of Life: INFANT. Frontiers in Endocrinology, 2021, 12, 717468. | 3.5 | 9 |
| 156 | A scoping review of outcomes commonly reported in obesity prevention interventions aiming to improve obesityâ€related health behaviors in children to age 5 years. Obesity Reviews, 2022, 23, e13427. | 6.5 | 9 |
| 157 | Breastfeeding mothers consume more vegetables and a greater variety of fruits and vegetables than nonâ&breastfeeding peers: The influence of socioeconomic position. Nutrition and Dietetics, 2012, 69, 84-90. | 1.8 | 8 |
| 158 | The role of parents in preventing child overweight and obesity: An ecological approach. , 2010, , 299-320. | | 8 |
| 159 | Associations between the physical activity levels of fathers and their children at 20Âmonths, 3.5 and five years of age. BMC Public Health, 2017, 17, 628. | 2.9 | 7 |
| 160 | Is replacing sedentary time with bouts of physical activity associated with inflammatory biomarkers in children?. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 733-741. | 2.9 | 7 |
| 161 | Nighttime sleep duration trajectories were associated with body mass index trajectories in early childhood. Pediatric Obesity, 2021, 16, e12766. | 2.8 | 7 |
| 162 | Protocol for the Let's Grow randomised controlled trial: examining efficacy, cost-effectiveness and scalability of a m-Health intervention for movement behaviours in toddlers. BMJ Open, 2022, 12, e057521. | 1.9 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Validity of hipâ€worn inertial measurement unit compared to jump mat for jump height measurement in adolescents. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 2183-2188. | 2.9 | 6 |
| 164 | Key Messages in an Early Childhood Obesity Prevention Intervention: Are They Recalled and Do They Impact Children's Behaviour?. International Journal of Environmental Research and Public Health, 2019, 16, 1550. | 2.6 | 6 |
| 165 | Reallocating sedentary time with total physical activity and physical activity bouts in children: Associations with cardiometabolic biomarkers. Journal of Sports Sciences, 2021, 39, 332-340. | 2.0 | 6 |
| 166 | Maternal knowledge explains screen time differences 2 and 3.5 years post-intervention in INFANT. European Journal of Pediatrics, 2021, 180, 3391-3398. | 2.7 | 6 |
| 167 | Lessons on early childhood obesity prevention interventions from the Victorian Infant Program. Public Health Research and Practice, 2019, 29, . | 1.5 | 6 |
| 168 | Quantifying the overall impact of an early childhood multiâ€behavioural lifestyle intervention. Pediatric Obesity, 2022, 17, e12861. | 2.8 | 6 |
| 169 | Demographic Correlates of Movement Behaviors in Infants: A Longitudinal Study. Journal of Physical Activity and Health, 2022, 19, 177-185. | 2.0 | 6 |
| 170 | The Chinese-born immigrant infant feeding and growth hypothesis. BMC Public Health, 2016, 16, 1071. | 2.9 | 5 |
| 171 | The influence of the maternal peer group (partner, friends, mothers' group, family) on mothers' attitudes to obesity-related behaviours of their children. BMC Pediatrics, 2019, 19, 357. | 1.7 | 5 |
| 172 | The Need for an Evidence-Based Program in Sweden to Support Parents to Create Healthy Lifestyle Behaviors from the Start of Lifeâ€"Parental Perceptions. Nutrients, 2020, 12, 3823. | 4.1 | 5 |
| 173 | Association Between Longitudinal Trajectories of Lifestyle Pattern and BMI in Early Childhood. Obesity, 2021, 29, 879-887. | 3.0 | 5 |
| 174 | Validity of an Infant Tummy Time Questionnaire and Time-use Diary against the GENEActiv Accelerometer. Measurement in Physical Education and Exercise Science, 2022, 26, 27-38. | 1.8 | 5 |
| 175 | A comparison of children $\hat{a} \in \mathbb{N}$ s diet and movement behaviour patterns derived from three unsupervised multivariate methods. PLoS ONE, 2021, 16, e0255203. | 2.5 | 5 |
| 176 | Protocol for the development of Core Outcome Sets for Early intervention trials to Prevent Obesity in CHildren (COS-EPOCH). BMJ Open, 2021, 11, e048104. | 1.9 | 5 |
| 177 | A thematic cluster analysis of parents' online discussions about fussy eating. Maternal and Child Nutrition, 2022, 18, e13316. | 3.0 | 5 |
| 178 | Parent's views of the importance of making changes in settings where children spend time to prevent obesity. Asia Pacific Journal of Clinical Nutrition, 2008, 17, 148-58. | 0.4 | 5 |
| 179 | Associations between physical activity, television viewing and postnatal depressive symptoms amongst healthy primiparous mothers. Mental Health and Physical Activity, 2016, 10, 62-67. | 1.8 | 4 |

Protocol for economic evaluation alongside the SHINE (Supporting Healthy Image, Nutrition and) Tj ETQq0 0 0 rgBT./Overlock 10 Tf 50 0

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 181 | Examining the sustainability of effects of early childhood obesity prevention interventions: Followâ€up of the ⟨scp⟩EPOCH⟨ scp⟩ individual participant data prospective metaâ€analysis. Pediatric Obesity, 2022, 17, e12919. | 2.8 | 4 |
| 182 | Reimagining physical activity for children following the systemic disruptions from the COVID-19 pandemic in Australia. British Journal of Sports Medicine, 2022, 56, 899-900. | 6.7 | 4 |
| 183 | How to Change Young Children's Physical Activity and Sedentary Behavior: Mechanisms of Behavior Change in the INFANT Cluster Randomized Controlled Trial. Children, 2021, 8, 470. | 1.5 | 3 |
| 184 | How to Support Child Healthcare Nurses in Sweden to Promote Healthy Lifestyle Behaviors from the Start of Life. Children, 2021, 8, 696. | 1.5 | 3 |
| 185 | Physical activity and adiposity in preschool children: The Barwon Infant Study. Pediatric Obesity, 2021, , e12853. | 2.8 | 3 |
| 186 | Associations between Child and Family Level Correlates and Behavioural Patterns in School-Aged Children. Children, 2021, 8, 1023. | 1.5 | 3 |
| 187 | Family history of non-communicable diseases and associations with weight and movement behaviours in Australian school-aged children: a prospective study. BMJ Open, 2020, 10, e038789. | 1.9 | 3 |
| 188 | Results from Australia's 2014 Report Card on Physical Activity for Children and Youth. Journal of Physical Activity and Health, 2014, 11, S21-S25. | 2.0 | 3 |
| 189 | Funding for child obesity prevention in Australia. Australian and New Zealand Journal of Public Health, 2011, 35, 85-86. | 1.8 | 2 |
| 190 | Sitting and Screen Time Outside School Hours: Correlates in 6- to 8-Year-Old Children. Journal of Physical Activity and Health, 2019, 16, 752-764. | 2.0 | 2 |
| 191 | Not All Play Equipment Is Created Equal: Associations Between Equipment at Home and Children's Physical Activity. Journal of Physical Activity and Health, 2019, 16, 945-951. | 2.0 | 2 |
| 192 | Variation in outcomes of the Melbourne Infant, Feeding, Activity and Nutrition Trial (INFANT) according to maternal education and age 2 and 3·5 years post-intervention. Public Health Nutrition, 2021, 24, 1460-1468. | 2.2 | 1 |
| 193 | The reliability and validity of a physical activity and sedentary behaviour home audit tool for children aged 2–5†years. Journal of Science and Medicine in Sport, 2021, 24, 1143-1148. | 1.3 | 1 |
| 194 | What Factors Help Young Children Develop Positive Perceptions of Their Motor Skills?. International Journal of Environmental Research and Public Health, 2021, 18, 759. | 2.6 | 1 |
| 195 | The skeletal maturity of Australian children aged 10–13 years in 2016. Annals of Human Biology, 2021, 48, 150-152. | 1.0 | 0 |
| 196 | 504Patterns of physical activity and sedentary time: Changes and tracking from early childhood. International Journal of Epidemiology, 2021, 50, . | 1.9 | 0 |
| 197 | Obesity prevention interventions for early childhood: An updated systematic review of the literature. , 2010, , 396-407. | | 0 |
| 198 | Epidemiology of Obesity in Children and Adolescents in Australia, New Zealand and the Pacific Region. , 2011, , 111-125. | | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Family history of non-communicable diseases and associations with weight and movement behaviours in Australian school-aged children: a prospective study. BMJ Open, 2020, 10, e038789. | 1.9 | O |
| 200 | Differing associations with childhood outcomes using behavioural patterns derived from three data reduction techniques. International Journal of Epidemiology, 0, , . | 1.9 | 0 |