

Lone Nikolajsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3691147/publications.pdf>

Version: 2024-02-01

117
papers

6,988
citations

109321

35
h-index

60623

81
g-index

121
all docs

121
docs citations

121
times ranked

5408
citing authors

#	ARTICLE	IF	CITATIONS
1	Perioperative factors associated with persistent postsurgical pain after hysterectomy, cesarean section, prostatectomy, and donor nephrectomy: a systematic review and meta-analysis. <i>Pain</i> , 2022, 163, 425-435.	4.2	5
2	Shared decision-making approach to taper postoperative opioids in spine surgery patients with preoperative opioid use: a randomized controlled trial. <i>Pain</i> , 2022, 163, e634-e641.	4.2	5
3	A multicomponent intervention to optimise nurse-patient communication in the intensive care unit: A mixed-methods acceptability and feasibility study. <i>Australian Critical Care</i> , 2022, 35, 616-622.	1.3	5
4	Comparison of Spinal Cord Stimulation Outcomes Between Preoperative Opioid Users and Nonusers: A Cohort Study of 467 Patients. <i>Neuromodulation</i> , 2022, 25, 700-709.	0.8	1
5	Transition from acute to chronic pain: a misleading concept?. <i>Pain</i> , 2022, 163, e985-e988.	4.2	17
6	Making sense of phantom limb pain. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 833-843.	1.9	21
7	Pain Catastrophizing Does Not Predict Spinal Cord Stimulation Outcomes: A Cohort Study of 259 Patients With Long-Term Follow-Up. <i>Neuromodulation</i> , 2021, 24, 76-85.	0.8	15
8	Surgery cancellation: A scoping review of patients' experiences. <i>Journal of Clinical Nursing</i> , 2021, 30, 357-371.	3.0	12
9	Chronic postoperative opioid use after open cardiac surgery: A Danish population-based cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 47-57.	1.6	12
10	Effect of simulation-based team training in airway management: a systematic review. <i>Anaesthesia</i> , 2021, 76, 1404-1415.	3.8	14
11	Risk factors for new chronic opioid use after hip fracture surgery: a Danish nationwide cohort study from 2005 to 2016 using the Danish multidisciplinary hip fracture registry. <i>BMJ Open</i> , 2021, 11, e039238.	1.9	10
12	Prognostic prediction models for chronic postsurgical pain in adults: a systematic review. <i>Pain</i> , 2021, 162, 2644-2657.	4.2	26
13	Persistent Opioid Use After Spine Surgery. <i>Spine</i> , 2021, 46, 1428-1435.	2.0	12
14	Cryoneurolysis™ outcome on pain experience (COPE) in patients with low-back pain: study protocol for a single-blinded randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 458.	1.9	1
15	Neuromas and postamputation pain. <i>Pain</i> , 2020, 161, 147-155.	4.2	18
16	Nurses' communication with mechanically ventilated patients in the intensive care unit: Umbrella review. <i>Journal of Advanced Nursing</i> , 2020, 76, 2909-2920.	3.3	28
17	Opioid tapering after spine surgery: Protocol for a randomized controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1021-1024.	1.6	6
18	Pressure pain thresholds in children before and after surgery: a prospective study. <i>Scandinavian Journal of Pain</i> , 2020, 20, 339-344.	1.3	2

#	ARTICLE	IF	CITATIONS
19	Opioid tapering after surgery: a qualitative study of patients'™ experiences. <i>Scandinavian Journal of Pain</i> , 2020, 20, 555-563.	1.3	10
20	The association between initial opioid type and long-term opioid use after hip fracture surgery in elderly opioid-naïve patients. <i>Scandinavian Journal of Pain</i> , 2020, 20, 755-764.	1.3	8
21	Educational interventions to improve medical students'™ knowledge of acute pain management: a randomized study. <i>Scandinavian Journal of Pain</i> , 2019, 19, 619-622.	1.3	3
22	Intraoperative methadone for postoperative pain after laparoscopic hysterectomy: Protocol for a randomised, double-blind trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2019, 63, 1257-1261.	1.6	1
23	High prevalence of persistent pain 6 months after arthroscopic subacromial decompression and/or acromioclavicular joint resection. <i>Sicot-j</i> , 2019, 5, 21.	1.8	5
24	Possible inflammatory pain biomarkers in postamputation pain. <i>Scandinavian Journal of Pain</i> , 2019, 19, 623-627.	1.3	4
25	Prehospital intravenous fentanyl administered by ambulance personnel: a cluster-randomised comparison of two treatment protocols. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 11.	2.6	10
26	Opioid use after hip fracture surgery: A Danish nationwide cohort study from 2005 to 2015. <i>European Journal of Pain</i> , 2019, 23, 1309-1317.	2.8	23
27	Chronic pain after bilateral thoracotomy in lung transplant patients. <i>Scandinavian Journal of Pain</i> , 2019, 19, 271-277.	1.3	5
28	The role of afferent input in postamputation pain: a randomized, double-blind, placebo-controlled crossover study. <i>Pain</i> , 2019, 160, 1622-1633.	4.2	25
29	Intraoperative S&Kketamine for the reduction of opioid consumption and pain one year after spine surgery: A randomized clinical trial of opioid-dependent patients. <i>European Journal of Pain</i> , 2019, 23, 455-460.	2.8	69
30	How central is central poststroke pain? The role of afferent input in poststroke neuropathic pain: a prospective, open-label pilot study. <i>Pain</i> , 2018, 159, 1317-1324.	4.2	40
31	Acute postoperative pain after arthroscopic rotator cuff surgery: A review of methods of pain assessment. <i>Sicot-j</i> , 2018, 4, 49.	1.8	3
32	Acute pain in the prehospital setting: a register-based study of 41.241 patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 53.	2.6	33
33	Prehospital triage of patients diagnosed with perforated peptic ulcer or peptic ulcer bleeding: an observational study of patients calling 1-1-2. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 25.	2.6	1
34	How can pain management be improved in hospitalized patients?. <i>Scandinavian Journal of Pain</i> , 2017, 15, 75-76.	1.3	1
35	Intraoperative ketamine reduces immediate postoperative opioid consumption after spinal fusion surgery in chronic pain patients with opioid dependency: a randomized, blinded trial. <i>Pain</i> , 2017, 158, 463-470.	4.2	119
36	Pain-related unscheduled contact with healthcare services after outpatient surgery. <i>Anaesthesia</i> , 2017, 72, 870-878.	3.8	17

#	ARTICLE	IF	CITATIONS
37	Peripheral Neuromodulation for the Treatment of Postamputation Neuroma Pain. A & A Case Reports, 2017, 8, 29-30.	0.7	4
38	Perioperative interventions for the reduction of chronic postsurgical pain. Pain, 2017, 158, 769-770.	4.2	2
39	Prehospital intravenous fentanyl to patients with hip fracture: an observational cohort study of risk factors for analgesic non-treatment. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 5.	2.6	6
40	Acute pain in the emergency department: Effect of an educational intervention. Scandinavian Journal of Pain, 2017, 15, 8-13.	1.3	14
41	Neuromas in patients with peripheral nerve injury and amputation - <i>An ongoing study</i>. Scandinavian Journal of Pain, 2017, 16, 168-168.	1.3	1
42	Effect of ephedrine and phenylephrine on brain oxygenation and microcirculation in anaesthetised patients with cerebral tumours: study protocol for a randomised controlled trial. BMJ Open, 2017, 7, e018560.	1.9	4
43	Functional and structural assessment of patients with and without persistent pain after thoracotomy. European Journal of Pain, 2017, 21, 238-249.	2.8	5
44	Efficacy and safety of intravenous fentanyl administered by ambulance personnel. Acta Anaesthesiologica Scandinavica, 2016, 60, 537-543.	1.6	18
45	Local Anesthesia Combined With Sedation Compared With General Anesthesia for Ambulatory Operative Hysteroscopy: A Randomized Study. Journal of Perianesthesia Nursing, 2016, 31, 309-316.	0.7	5
46	Persistent pain is common 1 year after ankle and wrist fracture surgery: a register-based questionnaire study. British Journal of Anaesthesia, 2016, 116, 655-661.	3.4	38
47	Gabapentin for postoperative pain management – a systematic review with meta-analyses and trial sequential analyses. Acta Anaesthesiologica Scandinavica, 2016, 60, 1188-1208.	1.6	87
48	Epidural analgesia is superior to local infiltration analgesia in children with cerebral palsy undergoing unilateral hip reconstruction. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 176-182.	3.3	17
49	Effect of Spinal Cord Stimulation on Sensory Characteristics. Clinical Journal of Pain, 2015, 31, 384-392.	1.9	23
50	Persistent Pain and Sensory Abnormalities after Abdominoplasty. Plastic and Reconstructive Surgery - Global Open, 2015, 3, e561.	0.6	5
51	Assessment of pain in children with cerebral palsy focused on translation and clinical feasibility of the revised FLACC score. Scandinavian Journal of Pain, 2015, 9, 49-54.	1.3	13
52	The revised FLACC score: Reliability and validation for pain assessment in children with cerebral palsy. Scandinavian Journal of Pain, 2015, 9, 57-61.	1.3	21
53	The sodium-channel blocker lidocaine in subanesthetic concentrations reduces spontaneous and evoked pain in human painful neuroma. Scandinavian Journal of Pain, 2015, 8, 45-46.	1.3	2
54	Persistent pain is common 1–2 years after shoulder replacement. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 71-77.	3.3	47

#	ARTICLE	IF	CITATIONS
55	Phantom Limb Pain. , 2015, , 23-34.		18
56	Preoperative baroreflex sensitivity and efferent cardiac parasympathetic activity are correlated with postoperative pain. Acta Anaesthesiologica Scandinavica, 2015, 59, 475-485.	1.6	23
57	Topical Capsaicin Response as a Phenotypic Measure in Patients with Pain. Pain Medicine, 2015, 16, 823-825.	1.9	5
58	Local infiltration analgesia versus continuous interscalene brachial plexus block for shoulder replacement pain: a randomized clinical trial. European Journal of Orthopaedic Surgery and Traumatology, 2015, 25, 1245-1252.	1.4	47
59	Local infiltration analgesia is not improved by postoperative intra-articular bolus injections for pain after total hip arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 647-53.	3.3	15
60	Phantom Limb Pain. , 2014, , 369-377.e3.		0
61	The suprasacral parallel shift vs lumbar plexus blockade with ultrasound guidance in healthy volunteers â€“ a randomised controlled trial. Anaesthesia, 2014, 69, 1227-1240.	3.8	16
62	Dexamethasone for pain after outpatient shoulder surgery: a randomised, double-blind, placebo-controlled trial. Acta Anaesthesiologica Scandinavica, 2014, 58, 751-758.	1.6	17
63	Postoperative analgesic effects of paracetamol, <scp>NSAIDs</scp>, glucocorticoids, gabapentinoids and their combinations: a topical review. Acta Anaesthesiologica Scandinavica, 2014, 58, 1165-1181.	1.6	127
64	Chronic pain after surgery in children. Current Opinion in Anaesthesiology, 2014, 27, 507-512.	2.0	34
65	Chronic pain in children after cardiac surgery via sternotomy. Cardiology in the Young, 2014, 24, 893-899.	0.8	32
66	Reduced Areas of Spontaneous Neuropathic Pain After Spinal Cord Stimulation Treatment. Clinical Journal of Pain, 2014, 30, 232-237.	1.9	9
67	Adverse effects of perioperative paracetamol, <scp>NSAID</scp>s, glucocorticoids, gabapentinoids and their combinations: a topical review. Acta Anaesthesiologica Scandinavica, 2014, 58, 1182-1198.	1.6	126
68	Primary afferent input critical for maintaining spontaneous pain in peripheral neuropathy. Pain, 2014, 155, 1272-1279.	4.2	195
69	Phantom limb pain: treatment strategies. Pain Management, 2013, 3, 421-424.	1.5	11
70	The Aarhus Neuromodulation Database. Neuromodulation, 2013, 16, 506-513.	0.8	14
71	The effects of menthol on cold allodynia and wind-up-like pain in upper limb amputees with different levels of phantom limb pain. Neuroscience Letters, 2013, 534, 52-57.	2.1	5
72	The neuropathic component in persistent postsurgical pain: A systematic literature review. Pain, 2013, 154, 95-102.	4.2	368

#	ARTICLE	IF	CITATIONS
73	Local infiltration analgesia for total knee arthroplasty: should ketorolac be added?. <i>British Journal of Anaesthesia</i> , 2013, 111, 242-248.	3.4	71
74	Chronic pain after inguinal hernia repair in children. <i>British Journal of Anaesthesia</i> , 2012, 109, 603-608.	3.4	56
75	Systematic review of neuropathic component in persistent post-surgical pain. <i>Scandinavian Journal of Pain</i> , 2012, 3, 184-184.	1.3	0
76	Chronic pain in thoracotomy. <i>Scandinavian Journal of Pain</i> , 2012, 3, 188-188.	1.3	0
77	Chronic thoracic pain in children after cardiac surgery. <i>Scandinavian Journal of Pain</i> , 2012, 3, 195-195.	1.3	1
78	Comparison between ropivacaine local infiltration analgesia with ketorolac or placebo for total knee replacement surgery. <i>Scandinavian Journal of Pain</i> , 2012, 3, 196-197.	1.3	0
79	Transversus Abdominis Plane Catheter Bolus Analgesia after Major Abdominal Surgery. <i>Anesthesiology Research and Practice</i> , 2012, 2012, 1-5.	0.7	22
80	Pain catastrophizing and cortical responses in amputees with varying levels of phantom limb pain: a high-density EEG brain-mapping study. <i>Experimental Brain Research</i> , 2012, 218, 407-417.	1.5	31
81	Are we neglecting spinal reorganization following nerve damage?. <i>Pain</i> , 2012, 153, 269-272.	4.2	11
82	Postamputation pain: studies on mechanisms. <i>Danish Medical Journal</i> , 2012, 59, B4527.	0.5	36
83	Consequences of persistent pain after lung cancer surgery: a nationwide questionnaire study. <i>Acta Anaesthesiologica Scandinavica</i> , 2011, 55, 60-68.	1.6	121
84	Cognitive-emotional sensitization contributes to wind-up-like pain in phantom limb pain patients. <i>Pain</i> , 2011, 152, 157-162.	4.2	96
85	Intravenous patient-controlled analgesia for acute postoperative pain. <i>European Journal of Pain Supplements</i> , 2011, 5, 453-456.	0.0	5
86	Intra- and interrater agreement of pressure pain thresholds in children with orthopedic disorders. <i>Journal of Children's Orthopaedics</i> , 2011, 5, 173-178.	1.1	13
87	Mechanosensitivity before and after hysterectomy: a prospective study on the prediction of acute and chronic postoperative pain. <i>British Journal of Anaesthesia</i> , 2011, 107, 940-947.	3.4	51
88	Neuroma Removal for Neuropathic Pain. <i>Clinical Journal of Pain</i> , 2010, 26, 788-793.	1.9	28
89	Chronic pain in adults after thoracotomy in childhood or youth. <i>British Journal of Anaesthesia</i> , 2010, 104, 75-79.	3.4	78
90	Multiple chronic pain states are associated with a common amino acid-changing allele in KCNS1. <i>Brain</i> , 2010, 133, 2519-2527.	7.6	224

#	ARTICLE	IF	CITATIONS
91	782 EVALUATION OF PAIN TREATMENT IN CHILDREN IN THE EMERGENCY DEPARTMENT. <i>European Journal of Pain</i> , 2009, 13, S225a.	2.8	0
92	855 QUANTITATIVE SENSORY TESTING IN PATIENTS BEFORE AND DURING TREATMENT WITH SPINAL CORD STIMULATION. <i>European Journal of Pain</i> , 2009, 13, S244a.	2.8	0
93	Pain and somatosensory findings in patients 3 years after total hip arthroplasty. <i>European Journal of Pain</i> , 2009, 13, 576-581.	2.8	27
94	Does Audiovisual Stimulation With Music and Nature Sights (MuViCure) Reduce Pain and Discomfort During Placement of a Femoral Nerve Block?. <i>Journal of Perianesthesia Nursing</i> , 2009, 24, 14-18.	0.7	12
95	Acute postoperative pain as a risk factor for chronic pain after surgery. <i>European Journal of Pain Supplements</i> , 2009, 3, 29-32.	0.0	17
96	A Prospective Study of Risk Factors for Pain Persisting 4 Months After Hysterectomy. <i>Clinical Journal of Pain</i> , 2009, 25, 263-268.	1.9	91
97	Multiple sodium channel isoforms and mitogen-activated protein kinases are present in painful human neuromas. <i>Annals of Neurology</i> , 2008, 64, 644-653.	5.3	224
98	Chronic pain after hysterectomy. <i>Acta Anaesthesiologica Scandinavica</i> , 2008, 52, 327-331.	1.6	79
99	Oxycodone vs. fentanyl in the treatment of early postoperative pain after laparoscopic cholecystectomy: a randomised double-blind study. <i>Acta Anaesthesiologica Scandinavica</i> , 2008, 52, 845-850.	1.6	60
100	Comparison of peri- and intraarticular analgesia with femoral nerve block after total knee arthroplasty: A randomized clinical trial. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007, 78, 172-179.	3.3	263
101	Thoracic Paravertebral Block for Breast Cancer Surgery: A Randomized Double-Blind Study. <i>Anesthesia and Analgesia</i> , 2007, 105, 1848-1851.	2.2	122
102	446 A PROSPECTIVE STUDY OF PAIN AFTER HYSTERECTOMY IN WOMEN WITH BENIGN UTERINE DISORDERS. <i>European Journal of Pain</i> , 2007, 11, S197-S198.	2.8	0
103	Risk Factors for Chronic Pain after Hysterectomy. <i>Anesthesiology</i> , 2007, 106, 1003-1012.	2.5	224
104	A Randomized Study of the Effects of Gabapentin on Postamputation Pain. <i>Anesthesiology</i> , 2006, 105, 1008-1015.	2.5	187
105	Chronic pain following total hip arthroplasty: a nationwide questionnaire study. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 495-500.	1.6	230
106	Phantom limb pain: a case of maladaptive CNS plasticity?. <i>Nature Reviews Neuroscience</i> , 2006, 7, 873-881.	10.2	767
107	Chapter 45 Postamputation pain. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2006, 81, 679-686.	1.8	2
108	Chronic pain following Caesarean section. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 111-116.	1.6	314

#	ARTICLE	IF	CITATIONS
109	Postamputation pain. , 2003, , 247-257.		4
110	Has basic research contributed to chronic pain treatment?. Acta Anaesthesiologica Scandinavica, 2001, 45, 1128-1135.	1.6	37
111	Phantom limb pain. British Journal of Anaesthesia, 2001, 87, 107-116.	3.4	376
112	Relationship between mechanical sensitivity and postamputation pain: a prospective study. European Journal of Pain, 2000, 4, 327-334.	2.8	77
113	Pre-emptive analgesia in postamputation pain: an update. Progress in Brain Research, 2000, 129, 493-503.	1.4	25
114	Randomised trial of epidural bupivacaine and morphine in prevention of stump and phantom pain in lower-limb amputation. Lancet, The, 1997, 350, 1353-1357.	13.7	332
115	The influence of preamputation pain on postamputation stump and phantom pain. Pain, 1997, 72, 393-405.	4.2	340
116	Oral ketamine therapy in the treatment of postamputation stump pain. Acta Anaesthesiologica Scandinavica, 1997, 41, 427-429.	1.6	76
117	The effect of ketamine on phantom pain: a central neuropathic disorder maintained by peripheral input. Pain, 1996, 67, 69-77.	4.2	294