

Christopher G Poulton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3691920/publications.pdf>

Version: 2024-02-01

98
papers

3,045
citations

201674

27
h-index

155660

55
g-index

98
all docs

98
docs citations

98
times ranked

2400
citing authors

#	ARTICLE	IF	CITATIONS
1	Nonlinear silicon-on-insulator waveguides for all-optical signal processing. Optics Express, 2007, 15, 5976.	3.4	366
2	On-chip stimulated Brillouin scattering. Optics Express, 2011, 19, 8285.	3.4	306
3	Inducing and harnessing stimulated Brillouin scattering in photonic integrated circuits. Advances in Optics and Photonics, 2013, 5, 536.	25.5	253
4	Brillouin integrated photonics. Nature Photonics, 2019, 13, 664-677.	31.4	244
5	Modal analysis of enhanced absorption in silicon nanowire arrays. Optics Express, 2011, 19, A1067.	3.4	126
6	Photonic chip based tunable and reconfigurable narrowband microwave photonic filter using stimulated Brillouin scattering. Optics Express, 2012, 20, 18836.	3.4	126
7	Models for guidance in kagome-structured hollow-core photonic crystal fibres. Optics Express, 2007, 15, 12680.	3.4	117
8	Design for broadband on-chip isolator using stimulated Brillouin scattering in dispersion-engineered chalcogenide waveguides. Optics Express, 2012, 20, 21235.	3.4	116
9	Photonic-chip-based tunable slow and fast light via stimulated Brillouin scattering. Optics Letters, 2012, 37, 969.	3.3	112
10	Radiation Modes and Roughness Loss in High Index-Contrast Waveguides. IEEE Journal of Selected Topics in Quantum Electronics, 2006, 12, 1306-1321.	2.9	95
11	On-chip stimulated Brillouin Scattering for microwave signal processing and generation. Laser and Photonics Reviews, 2014, 8, 653-666.	8.7	92
12	Acoustic confinement and stimulated Brillouin scattering in integrated optical waveguides. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 2657.	2.1	72
13	Temporal Dynamics of the Alpha Factor in Semiconductor Optical Amplifiers. Journal of Lightwave Technology, 2007, 25, 891-900.	4.6	63
14	Modal formulation for diffraction by absorbing photonic crystal slabs. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2012, 29, 817.	1.5	46
15	Numerical study of guided modes in arrays of metallic nanowires. Optics Letters, 2007, 32, 1647.	3.3	45
16	Total absorption of visible light in ultrathin weakly absorbing semiconductor gratings. Optica, 2016, 3, 556.	9.3	42
17	Photonic band structure calculations using nonlinear eigenvalue techniques. Journal of Computational Physics, 2005, 204, 65-81.	3.8	39
18	Nanowire array photovoltaics: Radial disorder versus design for optimal efficiency. Applied Physics Letters, 2012, 101, .	3.3	39

#	ARTICLE	IF	CITATIONS
19	Observation of Brillouin dynamic grating in a photonic chip. <i>Optics Letters</i> , 2013, 38, 305.	3.3	39
20	Phase-locking and Pulse Generation in Multi-Frequency Brillouin Oscillator via Four Wave Mixing. <i>Scientific Reports</i> , 2014, 4, 5032.	3.3	38
21	Bound soliton pairs in photonic crystal fiber. <i>Optics Express</i> , 2007, 15, 1653.	3.4	37
22	Cavity enhanced stimulated Brillouin scattering in an optical chip for multiorder Stokes generation. <i>Optics Letters</i> , 2011, 36, 3687.	3.3	37
23	Germanium as a material for stimulated Brillouin scattering in the mid-infrared. <i>Optics Express</i> , 2014, 22, 30735.	3.4	36
24	Stimulated Brillouin scattering in silicon/chalcogenide slot waveguides. <i>Optics Express</i> , 2016, 24, 4786.	3.4	33
25	Characterizing photonic crystal waveguides with an expanded k-space evanescent coupling technique. <i>Optics Express</i> , 2008, 16, 13800.	3.4	31
26	Mode-based analysis of silicon nanohole arrays for photovoltaic applications. <i>Optics Express</i> , 2014, 22, A1343.	3.4	30
27	Optimizing Photovoltaic Charge Generation of Nanowire Arrays: A Simple Semi-Analytic Approach. <i>ACS Photonics</i> , 2014, 1, 683-689.	6.6	30
28	Formal selection rules for Brillouin scattering in integrated waveguides and structured fibers. <i>Optics Express</i> , 2014, 22, 32489.	3.4	28
29	A simple and rigorous verification technique for nonlinear ftd algorithms by optical parametric four-wave mixing. <i>Microwave and Optical Technology Letters</i> , 2006, 48, 88-91.	1.4	21
30	Ideal Bend Contour Trajectories for Single-Mode Operation of Low-Loss Overmoded Waveguides. <i>IEEE Photonics Technology Letters</i> , 2007, 19, 819-821.	2.5	21
31	Finite Element Analysis of Stimulated Brillouin Scattering in Integrated Photonic Waveguides. <i>Journal of Lightwave Technology</i> , 2019, 37, 3791-3804.	4.6	20
32	Non-reciprocal transmission and Schmitt trigger operation in strongly modulated asymmetric WBGs. <i>Optics Express</i> , 2006, 14, 12782.	3.4	19
33	Nonlinear FDTD analysis and experimental verification of four-wave mixing in InGaAsP-InP racetrack microresonators. <i>IEEE Photonics Technology Letters</i> , 2006, 18, 361-363.	2.5	18
34	Absorption enhancing proximity effects in aperiodic nanowire arrays. <i>Optics Express</i> , 2013, 21, A964.	3.4	17
35	EMUstack: An open source route to insightful electromagnetic computation via the Bloch mode scattering matrix method. <i>Computer Physics Communications</i> , 2016, 202, 276-286.	7.5	17
36	Analytical results for a class of sums involving Bessel functions and square arrays. <i>Journal of Mathematical Physics</i> , 1996, 37, 2043-2052.	1.1	16

#	ARTICLE	IF	CITATIONS
37	Mode conversion using stimulated Brillouin scattering in nanophotonic silicon waveguides. Optics Express, 2014, 22, 29270.	3.4	15
38	Power limits and a figure of merit for stimulated Brillouin scattering in the presence of third and fifth order loss. Optics Express, 2015, 23, 26628.	3.4	15
39	Efficient end-fire coupling of surface plasmons in a metal waveguide. Journal of the Optical Society of America B: Optical Physics, 2015, 32, 412.	2.1	15
40	Cross talk-free coherent multi-wavelength Brillouin interaction. APL Photonics, 2019, 4, .	5.7	15
41	Photoinduced axial quantization in chalcogenide microfiber resonators. Journal of the Optical Society of America B: Optical Physics, 2013, 30, 3249.	2.1	14
42	Shortcuts to adiabaticity in waveguide couplersâ€“theory and implementation. Advances in Physics: X, 2021, 6, .	4.1	14
43	Optimization of nonlinear dispersive APML ABC for the FDTD analysis of optical solitons. IEEE Journal of Quantum Electronics, 2005, 41, 448-454.	1.9	13
44	FDTD-Modelling of Dispersive Nonlinear Ring Resonators: Accuracy Studies and Experiments. IEEE Journal of Quantum Electronics, 2006, 42, 1215-1223.	1.9	13
45	On-chip high sensitivity laser frequency sensing with Brillouin mutually-modulated cross-gain modulation. Optics Express, 2013, 21, 8605.	3.4	13
46	Stimulated Brillouin scattering in integrated ring resonators. Journal of the Optical Society of America B: Optical Physics, 2017, 34, 937.	2.1	13
47	An improved method for calculating resonances of multiple dielectric disks arbitrarily positioned in the plane. Optics Express, 2009, 17, 13178.	3.4	12
48	Lasing in ring resonators by stimulated Brillouin scattering in the presence of nonlinear loss. Optics Express, 2017, 25, 23619.	3.4	11
49	End-fire coupling efficiencies of surface plasmons for silver, gold, and plasmonic nitride compounds. Journal of the Optical Society of America B: Optical Physics, 2016, 33, 1044.	2.1	9
50	Acoustic diamond resonators with ultrasmall mode volumes. Physical Review Research, 2020, 2, .	3.6	8
51	Paired modes of heterostructure cavities in photonic crystal waveguides with split band edges. Optics Express, 2010, 18, 25693.	3.4	7
52	Multipole method for modeling linear defects in photonic woodpiles. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 246.	2.1	7
53	Numerical simulation of noise in pulsed Brillouin scattering. Journal of the Optical Society of America B: Optical Physics, 2021, 38, 2343.	2.1	6
54	Low switching threshold using nonlinearities in stopband-tapered waveguide Bragg gratings. IEEE Journal of Quantum Electronics, 2005, 41, 1303-1308.	1.9	5

#	ARTICLE	IF	CITATIONS
55	Modes of Shallow Photonic Crystal Waveguides: Semi-Analytic Treatment. Optics Express, 2009, 17, 19629.	3.4	5
56	Photonic chip based tunable and dynamically reconfigurable microwave photonic filter using stimulated Brillouin scattering. , 2012, , .		5
57	Semi-analytic impedance modeling of three-dimensional photonic and metamaterial structures. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2013, 30, 2034.	1.5	5
58	Harnessing On-Chip SBS. Optics and Photonics News, 2015, 26, 34.	0.5	5
59	Effective impedance modeling of metamaterial structures. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2016, 33, 361.	1.5	5
60	On-chip multi-stage optical delay based on cascaded Brillouin light storage. Optics Letters, 2018, 43, 4321.	3.3	5
61	Noise and pulse dynamics in backward stimulated Brillouin scattering. Optics Express, 2021, 29, 3132.	3.4	5
62	Picosecond acoustic dynamics in stimulated Brillouin scattering. Optics Letters, 2021, 46, 2972.	3.3	4
63	Dynamic corrections to the Lorentz-Lorenz formula. Physica A: Statistical Mechanics and Its Applications, 1997, 241, 179-182.	2.6	3
64	Conical propagation of electromagnetic waves through an array of cylindrical inclusions. Physica B: Condensed Matter, 2003, 338, 149-152.	2.7	2
65	Scattering from sidewall deformations in photonic crystals. Journal of the Optical Society of America B: Optical Physics, 2005, 22, 1211.	2.1	2
66	Semianalytical formulations for the surface modes of photonic woodpiles. Physical Review A, 2011, 84, .	2.5	1
67	Semi-analytical formulations for the surface modes of photonic woodpiles. , 2011, , .		1
68	First-principles method for high-Q photonic crystal cavity mode calculations. Optics Express, 2012, 20, 22763.	3.4	1
69	Double-heterostructure cavities: From theory to design. Physical Review A, 2012, 86, .	2.5	1
70	On-chip stimulated Brillouin scattering and its applications. , 2013, , .		1
71	Phase-locking in cascaded stimulated Brillouin scattering. New Journal of Physics, 2016, 18, 025003.	2.9	1
72	On-chip slow and fast light using stimulated Brillouin scattering. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
73	Nonlinear FDTD Analysis and Experiment of FWM in InGaAsP-InP Optical Microresonator. , 2006, , .		0
74	Nonreciprocal Transmission and Low-Threshold Bistability in Strongly Modulated Asymmetric Nonlinear WBGs. , 2007, , .		0
75	An Expanded k-Space Evanescent Coupling Technique for Characterizing Photonic Crystal Waveguides. , 2009, , .		0
76	Semi-analytical models for resonant states near photonic crystal band edges. , 2009, , .		0
77	Modeling waveguides in photonic woodpiles using the fictitious source superposition method. Journal of the Optical Society of America B: Optical Physics, 2011, 28, 746.	2.1	0
78	On-chip stimulated Brillouin scattering. , 2011, , .		0
79	On-chip cascaded stimulated Brillouin scattering. , 2011, , .		0
80	Photonic chip based tunable slow and fast light via stimulated Brillouin scattering. , 2012, , .		0
81	On-chip, Tunable, Narrow-Bandpass Microwave Photonic Filter Using Stimulated Brillouin Scattering (SBS). , 2012, , .		0
82	Positional disorder in nanowire array photovoltaics. , 2013, , .		0
83	Brillouin dynamic grating on a photonic chip. , 2013, , .		0
84	A Semi-Analytic Approach to Optimizing the Absorption of Dielectric Nanostructures. , 2014, , .		0
85	Perfect absorption in uniform and nanostructured media. , 2015, , .		0
86	Efficient butt-coupling of surface plasmons on a silver-air interface. , 2015, , .		0
87	Metamaterials for opto-acoustic interactions. AIP Conference Proceedings, 2017, , .	0.4	0
88	Stimulated brillouin scattering in plasmonic waveguides: Trade-offs and prospects. , 2017, , .		0
89	Disorder in Silicon Nanowire Arrays for Photovoltaic Applications.. , 2012, , .		0
90	Photonic chip based tunable slow and fast light via stimulated Brillouin scattering. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
91	On-chip high sensitivity laser frequency sensing with Brillouin mutually-modulated cross-gain modulation. , 2013, , .		0
92	Phase-Locking in Multi-Frequency Brillouin Oscillator via Four-Wave Mixing. , 2014, , .		0
93	Absorption Enhancement Using Dielectric Gratings for Thin Film Solar Cells. , 2014, , .		0
94	Perfect Absorption in Ultra-thin Uniform and Nanostructured Media. , 2015, , .		0
95	Boundaries of practicability for integrated Stimulated Brillouin scattering devices. , 2016, , .		0
96	Noise in Brillouin Based Information Storage. Optics Express, 2021, 29, 39486-39497.	3.4	0
97	Historical perspective and basic principles. Semiconductors and Semimetals, 2022, , 1-25.	0.7	0
98	Theoretical formalisms for stimulated Brillouin scattering. Semiconductors and Semimetals, 2022, , 27-91.	0.7	0