
Tom Wilsgaard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3693146/publications.pdf Version: 2024-02-01



TOM WUSCAARD

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Genetic studies of body mass index yield new insights for obesity biology. Nature, 2015, 518, 197-206. | 27.8 | 3,823 |
| 2 | Discovery and refinement of loci associated with lipid levels. Nature Genetics, 2013, 45, 1274-1283. | 21.4 | 2,641 |
| 3 | Defining the role of common variation in the genomic and biological architecture of adult human height. Nature Genetics, 2014, 46, 1173-1186. | 21.4 | 1,818 |
| 4 | New genetic loci link adipose and insulin biology to body fat distribution. Nature, 2015, 518, 187-196. | 27.8 | 1,328 |
| 5 | Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. Nature Genetics, 2014, 46, 234-244. | 21.4 | 959 |
| 6 | Cohort profile: The Tromso Study. International Journal of Epidemiology, 2012, 41, 961-967. | 1.9 | 547 |
| 7 | Drug-Eluting or Bare-Metal Stents for Coronary Artery Disease. New England Journal of Medicine, 2016, 375, 1242-1252. | 27.0 | 434 |
| 8 | Vitamin D and mortality: meta-analysis of individual participant data from a large consortium of cohort studies from Europe and the United States. BMJ, The, 2014, 348, g3656-g3656. | 6.0 | 363 |
| 9 | The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. Nature Genetics, 2016, 48, 1171-1184. | 21.4 | 362 |
| 10 | Impact of smoking and smoking cessation on cardiovascular events and mortality among older adults: meta-analysis of individual participant data from prospective cohort studies of the CHANCES consortium. BMJ, The, 2015, 350, h1551-h1551. | 6.0 | 349 |
| 11 | Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. PLoS Medicine, 2017, 14, e1002383. | 8.4 | 341 |
| 12 | The trans-ancestral genomic architecture of glycemic traits. Nature Genetics, 2021, 53, 840-860. | 21.4 | 341 |
| 13 | The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378. | 3.5 | 331 |
| 14 | Reference ranges for serial measurements of umbilical artery Doppler indices in the second half of pregnancy. American Journal of Obstetrics and Gynecology, 2005, 192, 937-944. | 1.3 | 324 |
| 15 | Carotid Plaque Area and Intima-Media Thickness in Prediction of First-Ever Ischemic Stroke. Stroke, 2011, 42, 972-978. | 2.0 | 283 |
| 16 | Systematic evaluation of coding variation identifies a candidate causal variant in TM6SF2 influencing total cholesterol and myocardial infarction risk. Nature Genetics, 2014, 46, 345-351. | 21.4 | 268 |
| 17 | Serum High-Density Lipoprotein Cholesterol, Metabolic Profile, and Breast Cancer Risk. Journal of the National Cancer Institute, 2004, 96, 1152-1160. | 6.3 | 239 |
| 18 | Cost-Effectiveness of Telemedicine in Remote Orthopedic Consultations: Randomized Controlled Trial. Journal of Medical Internet Research, 2019, 21, e11330. | 4.3 | 223 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Vitamin D and mortality: Individual participant data meta-analysis of standardized 25-hydroxyvitamin D in 26916 individuals from a European consortium. PLoS ONE, 2017, 12, e0170791. | 2.5 | 219 |
| 20 | Quality of care for remote orthopaedic consultations using telemedicine: a randomised controlled trial. BMC Health Services Research, 2016, 16, 483. | 2.2 | 199 |
| 21 | Patient reported outcomes with remote orthopaedic consultations by telemedicine: A randomised controlled trial. Journal of Telemedicine and Telecare, 2019, 25, 451-459. | 2.7 | 173 |
| 22 | Burden of hip fracture using disability-adjusted life-years: a pooled analysis of prospective cohorts in the CHANCES consortium. Lancet Public Health, The, 2017, 2, e239-e246. | 10.0 | 169 |
| 23 | Drug-eluting or bare-metal stents for percutaneous coronary intervention: a systematic review and individual patient data meta-analysis of randomised clinical trials. Lancet, The, 2019, 393, 2503-2510. | 13.7 | 166 |
| 24 | Lifestyle factors and incident metabolic syndrome. Diabetes Research and Clinical Practice, 2007, 78, 217-224. | 2.8 | 134 |
| 25 | The sixth survey of the TromsÃ, Study (TromsÃ, 6) in 2007–08: Collaborative research in the interface between clinical medicine and epidemiology: Study objectives, design, data collection procedures, and attendance in a multipurpose population-based health survey. Scandinavian Journal of Public Health, 2013. 41. 65-80. | 2.3 | 122 |
| 26 | Trends in Modifiable Risk Factors Are Associated With Declining Incidence of Hospitalized and Nonhospitalized Acute Coronary Heart Disease in a Population. Circulation, 2016, 133, 74-81. | 1.6 | 121 |
| 27 | Lifelong Gender Gap in Risk of Incident Myocardial Infarction. JAMA Internal Medicine, 2016, 176, 1673. | 5.1 | 113 |
| 28 | Tracking of overweight and obesity from early childhood to adolescenceÂin a population-based cohort– the TromsÃ, Study, Fit Futures. BMC Pediatrics, 2016, 16, 64. | 1.7 | 112 |
| 29 | Quantification of the smoking-associated cancer risk with rate advancement periods: meta-analysis of individual participant data from cohorts of the CHANCES consortium. BMC Medicine, 2016, 14, 62. | 5.5 | 110 |
| 30 | Cystatin C and Cardiovascular Disease. Journal of the American College of Cardiology, 2016, 68, 934-945. | 2.8 | 109 |
| 31 | Polymorphisms Related to the Serum 25-Hydroxyvitamin D Level and Risk of Myocardial Infarction, Diabetes, Cancer and Mortality. The TromsÃ, Study. PLoS ONE, 2012, 7, e37295. | 2.5 | 102 |
| 32 | Effect of caudal epidural steroid or saline injection in chronic lumbar radiculopathy: multicentre, blinded, randomised controlled trial. BMJ: British Medical Journal, 2011, 343, d5278-d5278. | 2.3 | 96 |
| 33 | Reference ranges for umbilical vein blood flow in the second half of pregnancy based on longitudinal data. Prenatal Diagnosis, 2005, 25, 99-111. | 2.3 | 90 |
| 34 | Comparison of general obesity and measures of body fat distribution in older adults in relation to cancer risk: meta-analysis of individual participant data of seven prospective cohorts in Europe. British Journal of Cancer, 2017, 116, 1486-1497. | 6.4 | 89 |
| 35 | Genome-wide Study of Atrial Fibrillation Identifies Seven Risk Loci and Highlights Biological Pathways and Regulatory Elements Involved in Cardiac Development. American Journal of Human Genetics, 2018, 102, 103-115. | 6.2 | 86 |
| 36 | Effect of smoking on the serum levels of 25-hydroxyvitamin D depends on the assay employed. European Journal of Endocrinology, 2010, 163, 339-348. | 3.7 | 78 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Effect of major lifestyle risk factors, independent and jointly, on life expectancy with and without cardiovascular disease: results from the Consortium on Health and Ageing Network of Cohorts in Europe and the United States (CHANCES). European Journal of Epidemiology, 2016, 31, 455-468. | 5.7 | 75 |
| 38 | Increase in Weight in All Birth Cohorts in a General Population. Archives of Internal Medicine, 2001, 161, 466. | 3.8 | 75 |
| 39 | A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. Nature Communications, 2016, 7, 13357. | 12.8 | 74 |
| 40 | Declining Incidence of Ischemic Stroke. Stroke, 2017, 48, 544-550. | 2.0 | 71 |
| 41 | Red Cell Distribution Width Is Associated With Incident Myocardial Infarction in a General Population: The TromsÃ, Study. Journal of the American Heart Association, 2014, 3, . | 3.7 | 70 |
| 42 | Prediabetes and Risk of Glomerular Hyperfiltration and Albuminuria in the General Nondiabetic Population: A Prospective Cohort Study. American Journal of Kidney Diseases, 2016, 67, 841-850. | 1.9 | 67 |
| 43 | Vitamin D and cognitive function: The TromsÃ, Study. Journal of the Neurological Sciences, 2015, 355, 155-161. | 0.6 | 61 |
| 44 | Smoking and All-cause Mortality in Older Adults. American Journal of Preventive Medicine, 2015, 49, e53-e63. | 3.0 | 60 |
| 45 | Uric acid is associated with future atrial fibrillation: an 11-year follow-up of 6308 men and womenthe Tromso Study. Europace, 2014, 16, 320-326. | 1.7 | 59 |
| 46 | Self-rated health and all-cause and cause-specific mortality of older adults: Individual data meta-analysis of prospective cohort studies in the CHANCES Consortium. Maturitas, 2017, 103, 37-44. | 2.4 | 58 |
| 47 | Ischemic Stroke and Risk of Venous Thromboembolism in the General Population: The TromsÃ, Study. Journal of the American Heart Association, 2016, 5, . | 3.7 | 57 |
| 48 | Accuracy of physical examination for chronic lumbar radiculopathy. BMC Musculoskeletal Disorders, 2013, 14, 206. | 1.9 | 52 |
| 49 | Elevated blood pressure is not associated with accelerated glomerular filtration rate decline in the general non-diabetic middle-aged population. Kidney International, 2016, 90, 404-410. | 5.2 | 52 |
| 50 | Impact of pre-diagnostic triglycerides and HDL-cholesterol on breast cancer recurrence and survival by breast cancer subtypes. BMC Cancer, 2018, 18, 654. | 2.6 | 52 |
| 51 | Lifestyle Impact on Lifetime Bone Loss in Women and Men: The Tromso Study. American Journal of Epidemiology, 2009, 169, 877-886. | 3.4 | 50 |
| 52 | Age and gender differences in incidence and case fatality trends for myocardial infarction: a 30-year follow-up. The TromsÃ, Study. European Journal of Preventive Cardiology, 2012, 19, 927-934. | 1.8 | 50 |
| 53 | Cardiac rehabilitation and symptoms of anxiety and depression after percutaneous coronary intervention. European Journal of Preventive Cardiology, 2018, 25, 1017-1025. | 1.8 | 50 |
| 54 | Long-term blood pressure trajectories and incident atrial fibrillation in women and men: the TromsÃ, Study. European Heart Journal, 2020, 41, 1554-1562. | 2.2 | 50 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Myocardial infarction and future risk of cancer in the general population—the TromsÃ, Study. European Journal of Epidemiology, 2017, 32, 193-201. | 5.7 | 49 |
| 56 | Change in serum lipids and body mass index by age, sex, and smoking status: The Tromsø study 1986–1995. Annals of Epidemiology, 2004, 14, 265-273. | 1.9 | 47 |
| 57 | Alcohol consumption, endogenous estrogen and mammographic density among premenopausal women. Breast Cancer Research, 2015, 17, 103. | 5.0 | 44 |
| 58 | Risk of incident myocardial infarction by gender: Interactions with serum lipids, blood pressure and smoking. The TromsÃ, Study 1979–2012. Atherosclerosis, 2017, 261, 52-59. | 0.8 | 44 |
| 59 | Pain sensitivity and analgesic use among 10,486 adults: the TromsÃ, study. BMC Pharmacology & Toxicology, 2017, 18, 45. | 2.4 | 44 |
| 60 | Determining Lifestyle Correlates of Body Mass Index using Multilevel Analyses: The TromsÃ, Study, 1979–2001. American Journal of Epidemiology, 2005, 162, 1179-1188. | 3.4 | 43 |
| 61 | The seventh survey of the TromsÃ, Study (TromsÃ,7) 2015–2016: study design, data collection, attendance, and prevalence of risk factors and disease in a multipurpose population-based health survey. Scandinavian Journal of Public Health, 2022, 50, 919-929. | 2.3 | 43 |
| 62 | Longitudinal and Secular Trends in Blood Pressure Among Women and Men in Birth Cohorts Born Between 1905 and 1977. Hypertension, 2015, 66, 496-501. | 2.7 | 42 |
| 63 | Pre-diagnostic vitamin D concentrations and cancer risks in older individuals: an analysis of cohorts participating in the CHANCES consortium. European Journal of Epidemiology, 2016, 31, 311-323. | 5.7 | 42 |
| 64 | Palpitations are predictive of future atrial fibrillation. An 11-year follow-up of 22,815 men and women: the TromsÃ, Study. European Journal of Preventive Cardiology, 2013, 20, 729-736. | 1.8 | 41 |
| 65 | Trends in cardiovascular risk factors across levels of education in a general population: is the educational gap increasing? The TromsÃ, study 1994–2008. Journal of Epidemiology and Community Health, 2014, 68, 712-719. | 3.7 | 41 |
| 66 | Low oxygen saturation and mortality in an adult cohort: the TromsÃ, study. BMC Pulmonary Medicine, 2015, 15, 9. | 2.0 | 41 |
| 67 | Longitudinal and secular trends in total cholesterol levels and impact of lipid-lowering drug use among Norwegian women and men born in 1905–1977 in the population-based TromsA, Study 1979–2016. BMJ Open, 2017, 7, e015001. | 1.9 | 41 |
| 68 | Interleukin-6 is an independent predictor of progressive atherosclerosis in the carotid artery: The TromsÃ, Study. Atherosclerosis, 2018, 271, 1-8. | 0.8 | 41 |
| 69 | Overweight duration in older adults and cancer risk: a study of cohorts in Europe and the United States. European Journal of Epidemiology, 2016, 31, 893-904. | 5.7 | 40 |
| 70 | The relation between birthweight, childhood body mass index, and overweight and obesity in late adolescence: a longitudinal cohort study from Norway, The TromsÃ, Study, Fit Futures. BMJ Open, 2017, 7, e015576. | 1.9 | 40 |
| 71 | Time Trends in Incidence and Case Fatality of Ischemic Stroke. Stroke, 2015, 46, 1173-1179. | 2.0 | 39 |
| 72 | Tracking of Leisure Time Physical Activity during 28 yr in Adults. Medicine and Science in Sports and Exercise, 2011, 43, 1229-1234. | 0.4 | 36 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 73 | Collagen-Covered Autologous Chondrocyte Implantation Versus Autologous Matrix-Induced Chondrogenesis: A Randomized Trial Comparing 2 Methods for Repair of Cartilage Defects of the Knee. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711986821. | 1.7 | 36 |
| 74 | Genetic variation in P2RX7 and pain tolerance. Pain, 2018, 159, 1064-1073. | 4.2 | 34 |
| 75 | Association of Increasing GFR with Change in Albuminuria in the General Population. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 2186-2194. | 4.5 | 33 |
| 76 | Long-term platinum retention after platinum-based chemotherapy in testicular cancer survivors: a 20-year follow-up study. Anticancer Research, 2015, 35, 1619-25. | 1.1 | 32 |
| 77 | Effect of Genetically Low 25-Hydroxyvitamin D on Mortality Risk: Mendelian Randomization Analysis in 3 Large European Cohorts. Nutrients, 2019, 11, 74. | 4.1 | 30 |
| 78 | C-reactive protein in atherosclerosis – A risk marker but not a causal factor? A 13-year population-based longitudinal study: The TromsÃ, study. Atherosclerosis, 2017, 263, 293-300. | 0.8 | 29 |
| 79 | Blood pressure and age-related GFR decline in the general population. BMC Nephrology, 2017, 18, 77. | 1.8 | 29 |
| 80 | Joint effects of cancer and variants in the factor 5 gene on the risk of venous thromboembolism. Haematologica, 2016, 101, 1046-1053. | 3.5 | 28 |
| 81 | Resting heart rate predicts incident myocardial infarction, atrial fibrillation, ischaemic stroke and death in the general population: the TromsÃ, Study. Journal of Epidemiology and Community Health, 2016, 70, 902-909. | 3.7 | 27 |
| 82 | High Fish plus Fish Oil Intake Is Associated with Slightly Reduced Risk of Venous Thromboembolism: The TromsÃ, Study. Journal of Nutrition, 2014, 144, 861-867. | 2.9 | 26 |
| 83 | Inflammatory serum markers and risk and severity of prostate cancer: The PROCAâ€∢i>life study. International Journal of Cancer, 2020, 147, 84-92. | 5.1 | 26 |
| 84 | Clinically Significant Novel Biomarkers for Prediction of First Ever Myocardial Infarction. Circulation: Cardiovascular Genetics, 2015, 8, 363-371. | 5.1 | 25 |
| 85 | Quality of life as a prognostic factor for survival in hepatocellular carcinoma. Liver International, 2018, 38, 885-894. | 3.9 | 25 |
| 86 | Exploring the effects of lifestyle on breast cancer risk, age at diagnosis, and survival: the EBBA-Life study. Breast Cancer Research and Treatment, 2020, 182, 215-227. | 2.5 | 25 |
| 87 | Secular trends and correlates of physical activity: The TromsÃ, Study 1979-2008. BMC Public Health, 2016, 16, 1215. | 2.9 | 24 |
| 88 | Resting heart rate trajectories and myocardial infarction, atrial fibrillation, ischaemic stroke and death in the general population: The TromsÃ, Study. European Journal of Preventive Cardiology, 2017, 24, 748-759. | 1.8 | 23 |
| 89 | Sex differences in umbilical artery Doppler indices: a longitudinal study. Biology of Sex Differences, 2018, 9, 16. | 4.1 | 23 |
| 90 | Outcome prediction in chronic unilateral lumbar radiculopathy: prospective cohort study. BMC Musculoskeletal Disorders, 2015, 16, 17. | 1.9 | 22 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Mild Albuminuria Is a Risk Factor for Faster GFR Decline in the Nondiabetic Population. Kidney International Reports, 2018, 3, 817-824. | 0.8 | 22 |
| 92 | Gender differences in the association of syndecan-4 with myocardial infarction: The population-based TromsÃ, Study. Atherosclerosis, 2018, 278, 166-173. | 0.8 | 22 |
| 93 | Evidence for a Direct Harmful Effect of Alcohol on Myocardial Health: A Large Crossâ€Sectional Study of Consumption Patterns and Cardiovascular Disease Risk Biomarkers From Northwest Russia, 2015 to 2017. Journal of the American Heart Association, 2020, 9, e014491. | 3.7 | 22 |
| 94 | Body Mass Index and Coronary Heart Disease Risk Score: The TromsÃ, Study, 1979 to 2001. Annals of Epidemiology, 2007, 17, 100-105. | 1.9 | 21 |
| 95 | Atrial Fibrillation and Causeâ€Specific Risks of Pulmonary Embolism and Ischemic Stroke. Journal of the American Heart Association, 2018, 7, . | 3.7 | 21 |
| 96 | Cardiovascular health and the modifiable burden of incident myocardial infarction: the TromsÃ, Study. BMC Public Health, 2015, 15, 221. | 2.9 | 20 |
| 97 | Atherosclerotic Risk Factors and Risk of Myocardial Infarction and Venous Thromboembolism; Time-Fixed versus Time-Varying Analyses. The TromsÃ, Study. PLoS ONE, 2016, 11, e0163242. | 2.5 | 20 |
| 98 | A longitudinal study of maternal endothelial function, inflammatory response and uterine artery blood flow during the second half of pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 2016, 95, 225-232. | 2.8 | 20 |
| 99 | Association of TNF Receptor 2 and CRP with GFR Decline in the General Nondiabetic Population. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 624-634. | 4.5 | 20 |
| 100 | Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. Journal of Epidemiology and Community Health, 2017, 71, jech-2017-209728. | 3.7 | 20 |
| 101 | Sex Differences in the Impact of Body Mass Index on the Risk of Future Atrial Fibrillation: Insights From the Longitudinal Populationâ€Based TromsÃ, Study. Journal of the American Heart Association, 2018, 7, . | 3.7 | 20 |
| 102 | Prevalence of general and abdominal obesity in 2015–2016 and 8-year longitudinal weight and waist circumference changes in adults and elderly: the TromsÃ, Study. BMJ Open, 2020, 10, e038465. | 1.9 | 20 |
| 103 | Tenecteplase in wake-up ischemic stroke trial: Protocol for a randomized-controlled trial. International Journal of Stroke, 2021, 16, 990-994. | 5.9 | 20 |
| 104 | Age-specific atrial fibrillation incidence, attributable risk factors and risk of stroke and mortality: results from the MORGAM Consortium. Open Heart, 2021, 8, e001624. | 2.3 | 20 |
| 105 | Association of glycated hemoglobin A1c levels with cardiovascular outcomes in the general population: results from the BiomarCaRE (Biomarker for Cardiovascular Risk Assessment in Europe) consortium. Cardiovascular Diabetology, 2021, 20, 223. | 6.8 | 20 |
| 106 | Anal incontinence, urinary incontinence and sexual problems in primiparous women – a comparison between women with episiotomy only and women with episiotomy and obstetric anal sphincter injury. BMC Women's Health, 2014, 14, 157. | 2.0 | 19 |
| 107 | Maternal Functional Hemodynamics in the Second Half of Pregnancy: A Longitudinal Study. PLoS ONE, 2015, 10, e0135300. | 2.5 | 18 |
| 108 | Association of occasional smoking with total mortality in the population-based TromsÃ, study, 2001–2015. BMJ Open, 2017, 7, e019107. | 1.9 | 18 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The DBP Phenotype Gc-1f/Gc-1f Is Associated with Reduced Risk of Cancer. The TromsÃ, Study. PLoS ONE, 2015, 10, e0126359. | 2.5 | 16 |
| 110 | Pain Tolerance in Persons With Recognized and Unrecognized Myocardial Infarction: A Populationâ€Based, Crossâ€Sectional Study. Journal of the American Heart Association, 2016, 5, . | 3.7 | 16 |
| 111 | Associations between long-term serum platinum and neurotoxicity and ototoxicity, endocrine gonadal function, and cardiovascular disease in testicular cancer survivors. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 487.e13-487.e20. | 1.6 | 16 |
| 112 | High Ambulatory Arterial Stiffness Index Is an Independent Risk Factor for Rapid Age-Related Glomerular Filtration Rate Decline in the General Middle-Aged Population. Hypertension, 2017, 69, 651-659. | 2.7 | 16 |
| 113 | Placental pulsatility index: a new, more sensitive parameter for predicting adverse outcome in pregnancies suspected of fetal growth restriction. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 216-222. | 2.8 | 16 |
| 114 | Weight loss and mortality: A gender-specific analysis of the TromsÃ, study. Gender Medicine, 2009, 6, 575-586. | 1.4 | 15 |
| 115 | Genetic Variations in the Vitamin D Receptor Predict Type 2 Diabetes and Myocardial Infarction in a Community-Based Population: The TromsÃ, Study. PLoS ONE, 2015, 10, e0145359. | 2.5 | 15 |
| 116 | Uric acid predicts mortality and ischaemic stroke in subjects with diastolic dysfunction: the TromsÃ, Study 1994–2013. ESC Heart Failure, 2017, 4, 154-161. | 3.1 | 15 |
| 117 | Preâ€diagnostic derivatives of reactive oxygen metabolites and the occurrence of lung, colorectal, breast and prostate cancer: An individual participant data metaâ€analysis of two large populationâ€based studies. International Journal of Cancer, 2019, 145, 49-57. | 5.1 | 15 |
| 118 | Serum total thiol levels and the risk of lung, colorectal, breast and prostate cancer: A prospective case–cohort study. International Journal of Cancer, 2020, 146, 1261-1267. | 5.1 | 15 |
| 119 | Hypothetical interventions to prevent stroke: an application of the parametric g-formula to a healthy middle-aged population. European Journal of Epidemiology, 2018, 33, 557-566. | 5.7 | 14 |
| 120 | Patterns of detectable viraemia among children and adults with HIV infection taking antiretroviral therapy in Zimbabwe. International Journal of Infectious Diseases, 2019, 78, 65-71. | 3.3 | 14 |
| 121 | Cyclic endogenous estrogen and progesterone vary by mammographic density phenotypes in premenopausal women. European Journal of Cancer Prevention, 2016, 25, 9-18. | 1.3 | 13 |
| 122 | Joint Effect of Carotid Plaque and Câ€Reactive Protein on Firstâ€Ever Ischemic Stroke and Myocardial Infarction?. Journal of the American Heart Association, 2018, 7, . | 3.7 | 13 |
| 123 | Metachronous Contralateral Testicular Cancer in the Cisplatin Era: A Population-Based Cohort Study. Journal of Clinical Oncology, 2021, 39, 308-318. | 1.6 | 13 |
| 124 | Prevalent diabetes and risk of total, colorectal, prostate and breast cancers in an ageing population: meta-analysis of individual participant data from cohorts of the CHANCES consortium. British Journal of Cancer, 2021, 124, 1882-1890. | 6.4 | 13 |
| 125 | Gene variations in oestrogen pathways, CYP19A1, daily 17β-estradiol and mammographic density phenotypes in premenopausal women. Breast Cancer Research, 2014, 16, 499. | 5.0 | 12 |
| 126 | Insulin-like growth factor-1, growth hormone, and daily cycling estrogen are associated with mammographic density in premenopausal women. Cancer Causes and Control, 2014, 25, 891-903. | 1.8 | 12 |

| # | Article | lF | CITATIONS |
|-----|--|-----|-----------|
| 127 | N-Acetyl·l²-d-Glucosaminidase Does Not Enhance Prediction of Cardiovascular or All-Cause Mortality by Albuminuria in a Low-Risk Population. Journal of the American Society of Nephrology: JASN, 2016, 27, 533-542. | 6.1 | 12 |
| 128 | Small and large vessel disease in persons with unrecognized compared to recognized myocardial infarction: The TromsÃ, Study 2007–2008. International Journal of Cardiology, 2018, 253, 14-19. | 1.7 | 12 |
| 129 | How Is Adolescent Bone Mass and Density Influenced by Early Life Body Size and Growth? The TromsÃ, Study: Fit Futures—A Longitudinal Cohort Study From Norway. JBMR Plus, 2018, 2, 268-280. | 2.7 | 12 |
| 130 | Impact of Chronic Inflammation, Assessed by hs-CRP, on the Association between Red Cell Distribution Width and Arterial Cardiovascular Disease: The TromsÃ, Study. TH Open, 2018, 02, e182-e189. | 1.4 | 12 |
| 131 | Left atrial diameter, left ventricle filling indices, and association with allâ€cause mortality: Results from the populationâ€based TromsÃ, Study. Echocardiography, 2019, 36, 439-450. | 0.9 | 12 |
| 132 | Sexual function in long-term male lymphoma survivors after high-dose therapy with autologous stem-cell transplantation. Bone Marrow Transplantation, 2020, 55, 891-905. | 2.4 | 12 |
| 133 | Genetic PolymorphismCYP17rs2486758 and Metabolic Risk Factors Predict Daily Salivary 17Î2-Estradiol Concentration in Healthy Premenopausal Norwegian Women. The EBBA-I Study. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E852-E857. | 3.6 | 11 |
| 134 | The independent and joint associations of physical activity and body mass index with myocardial infarction: The TromsA, Study. Preventive Medicine, 2018, 116, 94-98. | 3.4 | 11 |
| 135 | Long-term serum platinum changes and their association with cisplatin-related late effects in testicular cancer survivors. Acta Oncológica, 2018, 57, 1392-1400. | 1.8 | 11 |
| 136 | Lifestyle behavior among lymphoma survivors after high-dose therapy with autologous hematopoietic stem cell transplantation, assessed by patient-reported outcomes. Acta OncolÅ ³ gica, 2019, 58, 690-699. | 1.8 | 11 |
| 137 | Physical activity and cold pain tolerance in the general population. European Journal of Pain, 2021, 25, 637-650. | 2.8 | 11 |
| 138 | Trends in known and undiagnosed diabetes, HbA1c levels, cardiometabolic risk factors and diabetes treatment target achievement in repeated cross-sectional surveys: the population-based TromsÃ, Study 1994–2016. BMJ Open, 2021, 11, e041846. | 1.9 | 11 |
| 139 | Lymphangiogenic Markers and Their Impact on Nodal Metastasis and Survival in Non-Small Cell Lung Cancer - A Structured Review with Meta-Analysis. PLoS ONE, 2015, 10, e0132481. | 2.5 | 11 |
| 140 | High-Density Lipoprotein-Cholesterol, Daily Estradiol and Progesterone, and Mammographic Density Phenotypes in Premenopausal Women. Cancer Prevention Research, 2015, 8, 535-544. | 1.5 | 10 |
| 141 | Effect of Perioperative Dexamethasone and Different NSAIDs on Anastomotic Leak Risk: A Propensity Score Analysis. World Journal of Surgery, 2016, 40, 2782-2789. | 1.6 | 10 |
| 142 | The impact of changes in leisure time physical activity on changes in cardiovascular risk factors: results from The Finnmark 3 Study and SAMINOR 1, 1987–2003. International Journal of Circumpolar Health, 2018, 77, 1459145. | 1.2 | 10 |
| 143 | Why does Russia have such high cardiovascular mortality rates? Comparisons of blood-based biomarkers with Norway implicate non-ischaemic cardiac damage. Journal of Epidemiology and Community Health, 2020, 74, jech-2020-213885. | 3.7 | 10 |
| 144 | Associations Between Intake of Fermented Dairy Products and Blood Lipid Concentrations Are Affected by Fat Content and Dairy Matrix – The TromsÃ, Study: TromsÃ,7. Frontiers in Nutrition, 2021, 8, 773468. | 3.7 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Evaluation of Serum 25-Hydroxyvitamin D as a Predictor of Carotid Intima-Media Thickness and Carotid Total Plaque Area in Nonsmokers: The TromsÃ, Study. International Journal of Endocrinology, 2013, 2013, 1-7. | 1.5 | 9 |
| 146 | Resting heart rate on the decline: the TromsÃ, Study 1986–2007. International Journal of Epidemiology, 2015, 44, 1007-1017. | 1.9 | 9 |
| 147 | Persistent analgesic use and the association with chronic pain and other risk factors in the population—a longitudinal study from the TromsÃ, Study and the Norwegian Prescription Database. European Journal of Clinical Pharmacology, 2016, 72, 977-985. | 1.9 | 9 |
| 148 | Long-term cardiovascular consequences of Rose angina at age 20–54 years: 29-years' follow-up of the TromsÃ, Study. Journal of Epidemiology and Community Health, 2014, 68, 754-759. | 3.7 | 8 |
| 149 | Variability in peripheral rewarming after cold stress among 255 healthy Norwegian army conscripts assessed by dynamic infrared thermography. International Journal of Circumpolar Health, 2018, 77, 1536250. | 1.2 | 8 |
| 150 | Effect of prothrombotic genotypes on the risk of venous thromboembolism in patients with and without ischemic stroke. The TromsÃ, Study. Journal of Thrombosis and Haemostasis, 2019, 17, 749-758. | 3.8 | 8 |
| 151 | Sex-Specific Associations between Blood Pressure and Risk of Atrial Fibrillation Subtypes in the TromsÃ, Study. Journal of Clinical Medicine, 2021, 10, 1514. | 2.4 | 8 |
| 152 | The bidirectional associations between leisure time physical activity change and body mass index gain. The TromsÃ, Study 1974–2016. International Journal of Obesity, 2021, 45, 1830-1843. | 3.4 | 8 |
| 153 | Long-Term Survival, Causes of Death, and Trends in 5-Year Mortality After Intracerebral Hemorrhage: The TromsÃ, Study. Stroke, 2021, 52, 3883-3890. | 2.0 | 8 |
| 154 | Longitudinal changes in concentrations of persistent organic pollutants (1986–2016) and their associations with type 2 diabetes mellitus. Environmental Research, 2022, 204, 112129. | 7.5 | 8 |
| 155 | Electrocardiographic unrecognized myocardial infarction does not improve prediction of cardiovascular events beyond traditional risk factors. The TromsÃ, Study. European Journal of Preventive Cardiology, 2018, 25, 78-86. | 1.8 | 7 |
| 156 | No additional longâ€term effect of group vs individual family intervention in the treatment of childhood obesity—A randomised trial. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 183-192. | 1.5 | 7 |
| 157 | Red Cell Distribution Width and Risk of Atrial Fibrillation and Subsequent Thromboembolism: The TromsÃ, Study. TH Open, 2020, 04, e280-e287. | 1.4 | 7 |
| 158 | Do declines in occupational physical activity contribute to population gains in body mass index? TromsÃ, Study 1974–2016. Occupational and Environmental Medicine, 2021, 78, 203-210. | 2.8 | 7 |
| 159 | Validating Acute Myocardial Infarction Diagnoses in National Health Registers for Use as Endpoint in Research: The TromsÃ, Study. Clinical Epidemiology, 2021, Volume 13, 675-682. | 3.0 | 7 |
| 160 | The impact of risk factor trends on intracerebral hemorrhage incidence over the last two decades—The TromsÃ, Study. International Journal of Stroke, 2019, 14, 61-68. | 5.9 | 6 |
| 161 | Secular and longitudinal trends in cardiovascular risk in a general population using a national risk model: The TromsÃ, Study. European Journal of Preventive Cardiology, 2019, 26, 1852-1861. | 1.8 | 6 |
| 162 | Secular and longitudinal trends in body composition: The TromsÃ, Study, 2001 to 2016. Obesity, 2021, 29, 1939-1949. | 3.0 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Blood pressure target achievement and antihypertensive medication use in women and men after first-ever myocardial infarction: the TromsÃ, Study 1994–2016. Open Heart, 2018, 5, e000746. | 2.3 | 5 |
| 164 | Polymorphisms in the vitamin D system and mortality – The TromsÃ, study. Journal of Steroid Biochemistry and Molecular Biology, 2019, 195, 105481. | 2.5 | 5 |
| 165 | Adolescent body composition and associations with body size and growth from birth to late adolescence. The TromsÃ, study: Fit Futures—A Norwegian longitudinal cohort study. Pediatric Obesity, 2019, 14, e12492. | 2.8 | 5 |
| 166 | Hypothetical interventions and risk of myocardial infarction in a general population: application of the parametric g-formula in a longitudinal cohort study—the TromsÃ, Study. BMJ Open, 2020, 10, e035584. | 1.9 | 5 |
| 167 | Neuropsychological functions of verbal recall and psychomotor speed significantly affect pain tolerance. European Journal of Pain, 2019, 23, 1608-1618. | 2.8 | 4 |
| 168 | What factors explain the much higher diabetes prevalence in Russia compared with Norway? Major sex differences in the contribution of adiposity. BMJ Open Diabetes Research and Care, 2021, 9, e002021. | 2.8 | 4 |
| 169 | Incidence and risk factors for major bleeding among patients undergoing percutaneous coronary intervention: Findings from the Norwegian Coronary Stent Trial (NORSTENT). PLoS ONE, 2021, 16, e0247358. | 2.5 | 4 |
| 170 | Longitudinal changes in blood biomarkers and their ability to predict type 2 diabetes mellitus—The TromsÃ, study. Endocrinology, Diabetes and Metabolism, 2022, , e00325. | 2.4 | 4 |
| 171 | Systolic and diastolic blood pressure, prostate cancer risk, treatment, and survival. The PROCA―life study. Cancer Medicine, 2021, , . | 2.8 | 4 |
| 172 | Expression of miR-24-1-5p in Tumor Tissue Influences Prostate Cancer Recurrence: The PROCA-life Study. Cancers, 2022, 14, 1142. | 3.7 | 4 |
| 173 | Longitudinal reference ranges for maternal plasma laeverin, and its role as a potential biomarker of preeclampsia. BMC Pregnancy and Childbirth, 2016, 16, 377. | 2.4 | 3 |
| 174 | Sexual Dimorphism in Umbilical Vein Blood Flow During the Second Half of Pregnancy: A Longitudinal Study. Journal of Ultrasound in Medicine, 2017, 36, 2447-2458. | 1.7 | 3 |
| 175 | Secondary prevention care and effect: Total and low-density lipoprotein cholesterol levels and lipid-lowering drug use in women and men after incident myocardial infarction – The Tromsø Study 1994–2016. European Journal of Cardiovascular Nursing, 2018, 17, 563-570. | 0.9 | 3 |
| 176 | The Combined Effect of Cancer and Cardiometabolic Conditions on the Mortality Burden in Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 366-372. | 3.6 | 3 |
| 177 | Brachial plexus block of the posterior and the lateral cord using ropivacaine 7.5Âmg/mL. Acta Anaesthesiologica Scandinavica, 2019, 63, 389-395. | 1.6 | 3 |
| 178 | Volume blood flowâ€based indices of fetal brain sparing in the second half of pregnancy: A longitudinal study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 1717-1727. | 2.8 | 3 |
| 179 | Employment status three years after percutaneous coronary intervention and predictors for being employed: A nationwide prospective cohort study. European Journal of Cardiovascular Nursing, 2020, 19, 433-439. | 0.9 | 3 |
| 180 | Sexual dysfunction is prevalent in female lymphoma survivors after autologous stem-cell transplantation and is associated with younger age, chronic fatigue, and mental distress. Bone Marrow Transplantation, 2021, 56, 968-970. | 2.4 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Testicular cancer in the cisplatin era: Causes of death and mortality rates in a population-based cohort Journal of Clinical Oncology, 2021, 39, 5006-5006. | 1.6 | 3 |
| 182 | Low Pain Tolerance Is Associated With Coronary Angiography, Coronary Artery Disease, and Mortality: The TromsÃ, Study. Journal of the American Heart Association, 2021, 10, e021291. | 3.7 | 3 |
| 183 | Assessment of mental health trajectories before and after myocardial infarction, atrial fibrillation or stroke: analysis of a cohort study in TromsÃ, Norway (TromsÃ, Study, 1994–2016). BMJ Open, 2022, 12, e052948. | 1.9 | 3 |
| 184 | Association between espresso coffee and serum total cholesterol: the Tromsø Study 2015–2016. Open Heart, 2022, 9, e001946. | 2.3 | 3 |
| 185 | Validity of self-reported educational level in the TromsÃ, Study. Scandinavian Journal of Public Health, 2023, 51, 1061-1068. | 2.3 | 3 |
| 186 | The Effect of Drug-Eluting Stents on Target Lesion Revascularization in Native Coronary Arteries: Results from the NORSTENT Randomized Study. Cardiology, 2020, 145, 333-341. | 1.4 | 2 |
| 187 | Change in cardiovascular risk assessment tool and updated Norwegian guidelines for cardiovascular disease in primary prevention increase the population proportion at risk: the TromsÃ, Study 2015–2016. Open Heart, 2021, 8, e001777. | 2.3 | 2 |
| 188 | Obesity Does Not Protect From Subarachnoid Hemorrhage: Pooled Analyses of 3 Large Prospective Nordic Cohorts. Stroke, 2022, 53, 1301-1309. | 2.0 | 2 |
| 189 | Joint effect of myocardial infarction and obesity on the risk of venous thromboembolism: The TromsÃ, Study. Journal of Thrombosis and Haemostasis, 0, , . | 3.8 | 2 |
| 190 | Data on gender contrasts in the risk of incident myocardial infarction by age. The TromsÃ, Study 1979–2012. Data in Brief, 2017, 13, 779-784. | 1.0 | 1 |
| 191 | Heavy alcohol drinking and subclinical echocardiographic abnormalities of structure and function. Open Heart, 2021, 8, e001457. | 2.3 | 1 |
| 192 | Is the ongoing obesity epidemic partly explained by concurrent decline in cigarette smoking? Insights from a longitudinal population study. The TromsÃ, Study 1994–2016. Preventive Medicine, 2021, 147, 106533. | 3.4 | 1 |
| 193 | Analyses of Increased Mortality in New and Known Diabetes in Patients with Coronary Disease Enrolled in the NORSTENT Randomized Study. Cardiology, 2021, 146, 295-303. | 1.4 | 1 |
| 194 | Baseline pain characteristics predict pain reduction after physical therapy in women with chronic pelvic pain. Secondary analysis of data from a randomized controlled trial. Scandinavian Journal of Pain, 2020, 20, 793-800. | 1.3 | 1 |
| 195 | Impact of long-term serum platinum on neuro- and ototoxicity, cardiovascular disease, and hypogonadism in testicular cancer survivors Journal of Clinical Oncology, 2014, 32, 4518-4518. | 1.6 | 1 |
| 196 | Statistical analysis plan for the randomized controlled trial Tenecteplase in Wake-up Ischaemic Stroke Trial (TWIST). Trials, 2022, 23, 421. | 1.6 | 1 |
| 197 | Audiograms and hearing loss before and after cisplatin-based chemotherapy (CBCT) in testicular cancer survivors (TCS) Journal of Clinical Oncology, 2017, 35, e16047-e16047. | 1.6 | 0 |
| 198 | Long-term platinum (Pt) change and its associations with cisplatin-related late effects in testicular cancer survivors (TCSs) Journal of Clinical Oncology, 2018, 36, e22067-e22067. | 1.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Drug-Eluting versus Bare-Metal Stents in Saphenous Vein Grafts Compared to Native Coronary Vessels: The Norwegian Coronary Stent Trial Study. Cardiology, 2022, 147, 14-22. | 1.4 | 0 |