

# Jaeheung Cho

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3694312/publications.pdf>

Version: 2024-02-01

91  
papers

3,995  
citations

101543

36  
h-index

128289

60  
g-index

102  
all docs

102  
docs citations

102  
times ranked

3338  
citing authors

#	ARTICLE	IF	CITATIONS
1	A functional model for quercetin 2,4-dioxygenase: Geometric and electronic structures and reactivity of a nickel(II) flavonolate complex. <i>Journal of Inorganic Biochemistry</i> , 2022, 226, 111632.	3.5	9
2	Helicity-driven chiral self-sorting supramolecular polymerization with Ag <sup>+</sup> : right- and left-helical aggregates. <i>Chemical Science</i> , 2022, 13, 3109-3117.	7.4	13
3	Structure and Reactivity of Nonporphyrinic Terminal Manganese(IV)–Hydroxide Complexes in the Oxidative Electrophilic Reaction. <i>Inorganic Chemistry</i> , 2022, 61, 4292-4301.	4.0	6
4	Challenges of Measuring Soluble Mn(III) Species in Natural Samples. <i>Molecules</i> , 2022, 27, 1661.	3.8	2
5	Proton Switch in the Secondary Coordination Sphere to Control Catalytic Events at the Metal Center: Biomimetic Oxo Transfer Chemistry of Nickel Amidate Complex. <i>Chemistry - A European Journal</i> , 2021, 27, 4700-4708.	3.3	9
6	Dynamic Transformation of a Ag <sup>+</sup> -Coordinated Supramolecular Nanostructure from a 1D Needle to a 1D Helical Tube via a 2D Ribbon Accompanying the Conversion of Complex Structures. <i>Journal of the American Chemical Society</i> , 2021, 143, 3113-3123.	13.7	24
7	Twist to Boost: Circumventing Quantum Yield and Dissymmetry Factor Trade-Off in Circularly Polarized Luminescence. <i>Inorganic Chemistry</i> , 2021, 60, 7738-7752.	4.0	24
8	Hydride-Transfer Reaction to a Mononuclear Manganese(III) Iodosylarene Complex. <i>Inorganic Chemistry</i> , 2021, 60, 7612-7616.	4.0	7
9	Theoretical Study on the Aliphatic C–H Bond Activation by a Mononuclear Manganese(III) Iodosylbenzene Complex. <i>Bulletin of the Korean Chemical Society</i> , 2021, 42, 1033-1036.	1.9	5
10	Controlled Regulation of the Nitrile Activation of a Peroxocobalt(III) Complex with Redox-Inactive Lewis Acidic Metals. <i>Journal of the American Chemical Society</i> , 2021, 143, 11382-11392.	13.7	12
11	Spectroscopic Evidence for a Cobalt-Bound Peroxyhemiacetal Intermediate. <i>JACS Au</i> , 2021, 1, 1594-1600.	7.9	6
12	Peroxocobalt(III) species activates nitriles via a superoxocobalt(II) diradical state. <i>Dalton Transactions</i> , 2020, 49, 2819-2826.	3.3	6
13	Nucleophilic reactivity of a mononuclear cobalt(III)–bis(tert-butylperoxy) complex. <i>Chemical Communications</i> , 2020, 56, 9449-9452.	4.1	8
14	Mechanistic insight into hydroxamate transfer reaction mimicking the inhibition of zinc-containing enzymes. <i>Chemical Science</i> , 2020, 11, 9017-9021.	7.4	2
15	Redox-Inactive Metal Ions That Enhance the Nucleophilic Reactivity of an Alkylperoxocopper(II) Complex. <i>Inorganic Chemistry</i> , 2020, 59, 9938-9943.	4.0	11
16	Nucleophilic reactivity of a copper(II)-hydroperoxy complex. <i>Communications Chemistry</i> , 2019, 2, .	4.5	26
17	Reactivity difference in the oxidative nucleophilic reaction of peroxonickel(III) intermediates with open-chain and macrocyclic systems. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2112-2117.	6.0	5
18	Artificial Control of Cell Signaling Using a Photocleavable Cobalt(III)–Nitrosyl Complex. <i>Angewandte Chemie</i> , 2019, 131, 10232-10237.	2.0	4

#	ARTICLE	IF	CITATIONS
19	Artificial Control of Cell Signaling Using a Photocleavable Cobalt(III)â€“Nitrosyl Complex. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 10126-10131.	13.8	15
20	Synthesis, characterization and reactivity of non-heme 1st row transition metal-superoxo intermediates. <i>Coordination Chemistry Reviews</i> , 2019, 382, 126-144.	18.8	48
21	Tuning Structures and Properties for Developing Novel Chemical Tools toward Distinct Pathogenic Elements in Alzheimerâ€™s Disease. <i>ACS Chemical Neuroscience</i> , 2018, 9, 800-808.	3.5	25
22	Oxidation of Naphthalene with a Manganese(IV) Bis(hydroxo) Complex in the Presence of Acid. <i>Angewandte Chemie</i> , 2018, 130, 7890-7894.	2.0	0
23	Oxidation of Naphthalene with a Manganese(IV) Bis(hydroxo) Complex in the Presence of Acid. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 7764-7768.	13.8	21
24	Structure and Reactivity of a Mononuclear Nonheme Manganese(III)â€“Iodosylarene Complex. <i>Journal of the American Chemical Society</i> , 2018, 140, 16037-16041.	13.7	26
25	Tailoring Hydrophobic Interactions between Probes and Amyloid-Î² Peptides for Fluorescent Monitoring of Amyloid-Î² Aggregation. <i>ACS Omega</i> , 2018, 3, 5141-5154.	3.5	7
26	Mechanistic Insights into Tunable Metal-Mediated Hydrolysis of Amyloid-Î² Peptides. <i>Journal of the American Chemical Society</i> , 2017, 139, 2234-2244.	13.7	55
27	Frontispiece: Dinuclear Iron(III) and Nickel(II) Complexes Containing <i>N</i> -(2-Pyridylmethyl)- <i>N</i> -(2-hydroxyethyl)ethylenediamine: Catalytic Oxidation and Magnetic Properties. <i>Chemistry - A European Journal</i> , 2017, 23, .		0
28	Aggregation of an <i>N</i> -â€“Molecule Induces Fluorescence Turn-on. <i>Journal of Physical Chemistry C</i> , 2017, 121, 11907-11914.	3.1	15
29	Strategic Design of 2,2-Bipyridine Derivatives to Modulate Metalâ€“Amyloid-Î² Aggregation. <i>Inorganic Chemistry</i> , 2017, 56, 6695-6705.	4.0	16
30	Stereochemistry of metal tetramethylcyclam complexes directed by an unexpected anion effect. <i>Dalton Transactions</i> , 2017, 46, 13166-13170.	3.3	10
31	Dinuclear Iron(III) and Nickel(II) Complexes Containing <i>N</i> -(2-Pyridylmethyl)- <i>N</i> -(2-hydroxyethyl)ethylenediamine: Catalytic Oxidation and Magnetic Properties. <i>Chemistry - A European Journal</i> , 2017, 23, 3023-3033.		26
32	Nucleophilic reactivity of copper(II)â€“alkylperoxo complexes. <i>Chemical Communications</i> , 2017, 53, 9328-9331.	4.1	32
33	Distinct Reactivity of a Mononuclear Peroxocobalt(III) Species toward Activation of Nitriles. <i>Journal of the American Chemical Society</i> , 2017, 139, 10960-10963.	13.7	19
34	An Iridium(III) Complex as a Photoactivatable Tool for Oxidation of Amyloidogenic Peptides with Subsequent Modulation of Peptide Aggregation. <i>Chemistry - A European Journal</i> , 2017, 23, 1645-1653.	3.3	33
35	Reactivity of a Cobalt(III)â€“Hydroperoxo Complex in Electrophilic Reactions. <i>Inorganic Chemistry</i> , 2016, 55, 12391-12399.	4.0	38
36	A high-spin nickel(II) borohydride complex in dehalogenation. <i>Inorganic Chemistry Frontiers</i> , 2016, 3, 157-163.	6.0	12

#	ARTICLE	IF	CITATIONS
37	Mechanistic insights into the reactions of hydride transfer versus hydrogen atom transfer by a trans-dioxoruthenium( $\nu$ ) complex. Dalton Transactions, 2015, 44, 7634-7642.	3.3	21
38	Steric Effect on the Nucleophilic Reactivity of Nickel(III) Peroxo Complexes. Inorganic Chemistry, 2015, 54, 6176-6183.	4.0	39
39	Tuning the Reactivity of Chromium(III)-Superoxo Species by Coordinating Axial Ligands. Inorganic Chemistry, 2015, 54, 10513-10520.	4.0	21
40	Mechanistic Insights into the C-H Bond Activation of Hydrocarbons by Chromium(IV) Oxo and Chromium(III) Superoxo Complexes. Inorganic Chemistry, 2014, 53, 645-652.	4.0	52
41	One-pot solvent-free reductive amination with a solid ammonium carbamate salt from CO <sub>2</sub> and amine. RSC Advances, 2014, 4, 46203-46207.	3.6	7
42	Spectroscopic Characterization and Reactivity Studies of a Mononuclear Nonheme Mn(III)-Hydroperoxo Complex. Journal of the American Chemical Society, 2014, 136, 12229-12232.	13.7	49
43	Investigating Superoxide Transfer through a $\mu$ -1,2-O <sub>2</sub> Bridge between Nonheme Ni(III)-Peroxo and Mn(II) Species by DFT Methods to Bridge Theoretical and Experimental Views. Journal of Physical Chemistry Letters, 2014, 5, 2437-2442.	4.6	7
44	Direct Synthesis of Imines <i>via</i> Solid State Reactions of Carbamates with Aldehydes. Advanced Synthesis and Catalysis, 2013, 355, 389-394.	4.3	13
45	A mononuclear nonheme iron(III)-peroxo complex binding redox-inactive metal ions. Chemical Science, 2013, 4, 3917.	7.4	79
46	Solid-state and solvent-free synthesis of azines, pyrazoles, and pyridazinones using solid hydrazine. Tetrahedron Letters, 2013, 54, 1384-1388.	1.4	50
47	Intrinsic properties and reactivities of mononuclear nonheme iron-oxygen complexes bearing the tetramethylcyclam ligand. Coordination Chemistry Reviews, 2013, 257, 381-393.	18.8	157
48	Mononuclear nickel(ii)-superoxo and nickel(iii)-peroxo complexes bearing a common macrocyclic TMC ligand. Chemical Science, 2013, 4, 1502.	7.4	93
49	Comparison of High-Spin and Low-Spin Nonheme Fe(III)-OOH Complexes in O-O Bond Homolysis and H-Atom Abstraction Reactivities. Journal of the American Chemical Society, 2013, 135, 3286-3299.	13.7	105
50	Highly stereoselective directed reactions and an efficient synthesis of azafuranoses from a chiral aziridine. Organic and Biomolecular Chemistry, 2013, 11, 3629.	2.8	13
51	A Mononuclear Non-Heme High-Spin Iron(III)-Hydroperoxo Complex as an Active Oxidant in Sulfoxidation Reactions. Journal of the American Chemical Society, 2013, 135, 8838-8841.	13.7	71
52	Mononuclear Manganese-Peroxo and Bis( $\mu$ -oxo)dimanganese Complexes Bearing a Common N-Methylated Macrocyclic Ligand. Chemistry - A European Journal, 2013, 19, 14119-14125.	3.3	44
53	Synthesis, Characterization, and Reactivity of Cobalt(III)-Oxygen Complexes Bearing a Macrocyclic N-Tetramethylated Cyclam Ligand. Chemistry - A European Journal, 2013, 19, 14112-14118.	3.3	33
54	Chromium(IV)-Peroxo Complex Formation and Its Nitric Oxide Dioxygenase Reactivity. Journal of the American Chemical Society, 2012, 134, 15269-15272.	13.7	71

#	ARTICLE	IF	CITATIONS
55	A Chromium(III)â€“Superoxo Complex in Oxygen Atom Transfer Reactions as a Chemical Model of Cysteine Dioxygenase. <i>Journal of the American Chemical Society</i> , 2012, 134, 11112-11115.	13.7	66
56	Mononuclear Metalâ€“O <sub>2</sub> Complexes Bearing Macrocyclic N-Tetramethylated Cyclam Ligands. <i>Accounts of Chemical Research</i> , 2012, 45, 1321-1330.	15.6	187
57	A fluorescence turn-on H <sub>2</sub> O <sub>2</sub> probe exhibits lysosome-localized fluorescence signals. <i>Chemical Communications</i> , 2012, 48, 5449.	4.1	71
58	Fluorescent Zinc Sensor with Minimized Proton-Induced Interferences: Photophysical Mechanism for Fluorescence Turn-On Response and Detection of Endogenous Free Zinc Ions. <i>Inorganic Chemistry</i> , 2012, 51, 8760-8774.	4.0	119
59	Electronâ€“Transfer Reduction of Dinuclear Copper Peroxo and Bisâ€“Oxo Complexes Leading to the Catalytic Fourâ€“Electron Reduction of Dioxygen to Water. <i>Chemistry - A European Journal</i> , 2012, 18, 1084-1093.	3.3	78
60	Spectroscopic and computational characterization of CuIIâ€“OOR (R = H or cumyl) complexes bearing a Me <sub>6</sub> -tren ligand. <i>Dalton Transactions</i> , 2011, 40, 2234.	3.3	39
61	Synthesis of Azines in Solid State: Reactivity of Solid Hydrazine with Aldehydes and Ketones. <i>Organic Letters</i> , 2011, 13, 6386-6389.	4.6	34
62	Ligand Topology Effect on the Reactivity of a Mononuclear Nonheme Iron(IV)-Oxo Complex in Oxygenation Reactions. <i>Journal of the American Chemical Society</i> , 2011, 133, 11876-11879.	13.7	94
63	Structure and reactivity of a mononuclear non-haem iron(III)â€“peroxo complex. <i>Nature</i> , 2011, 478, 502-505.	27.8	292
64	XAS and DFT Investigation of Mononuclear Cobalt(III) Peroxo Complexes: Electronic Control of the Geometric Structure in CoO <sub>2</sub> versus NiO <sub>2</sub> Systems. <i>Inorganic Chemistry</i> , 2011, 50, 614-620.	4.0	51
65	Chromium(v)-oxo and chromium(iii)-superoxo complexes bearing a macrocyclic TMC ligand in hydrogen atom abstraction reactions. <i>Chemical Science</i> , 2011, 2, 2057.	7.4	61
66	Isolation and structural characterization of the elusive 1:1 adduct of hydrazine and carbon dioxide. <i>Chemical Communications</i> , 2011, 47, 11219.	4.1	28
67	Preparation and Reactivity of a Nickel Dihydride Complex. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 10578-10580.	13.8	27
68	Synthesis, Structural, and Spectroscopic Characterization and Reactivities of Mononuclear Cobalt(III)â€“Peroxo Complexes. <i>Journal of the American Chemical Society</i> , 2010, 132, 16977-16986.	13.7	124
69	Water as an Oxygen Source: Synthesis, Characterization, and Reactivity Studies of a Mononuclear Nonheme Manganese(IV) Oxo Complex. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 8190-8194.	13.8	90
70	Synthesis and crystal structure of nickel(II) complexes with bis(5-methyl-2-thiophenemethyl)(2-pyridylmethyl)amine. <i>Polyhedron</i> , 2010, 29, 446-450.	2.2	3
71	An â€“End-Onâ€“Chromium(III)-Superoxo Complex: Crystallographic and Spectroscopic Characterization and Reactivity in Câ€“H Bond Activation of Hydrocarbons. <i>Journal of the American Chemical Society</i> , 2010, 132, 5958-5959.	13.7	116
72	Spectroscopic and Computational Studies of a $\mu_2$ - $\mu_2$ -Disulfido-Bridged Dinickel(II) Species, $[(\text{PhTt}^{\text{tBu}}\text{Ni})_2(\mu_2\text{-S})_2]$ : Comparison of Side-On Disulfido and Peroxo Bonding in $(\text{Ni}^{\text{II}})_2$ and $(\text{Cu}^{\text{II}})_2$ Species. <i>Inorganic Chemistry</i> , 2010, 49, 3113-3120.	4.0	1

#	ARTICLE	IF	CITATIONS
73	Spectroscopic and Computational Studies of a Series of High-Spin Ni(II) Thiolate Complexes. <i>Inorganic Chemistry</i> , 2010, 49, 6535-6544.	4.0	9
74	Water as an Oxygen Source in the Generation of Mononuclear Nonheme Iron(IV) Oxo Complexes. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 1803-1806.	13.8	98
75	Structural Characterization and Remarkable Axial Ligand Effect on the Nucleophilic Reactivity of a Nonheme Manganese(III)â€‘Peroxo Complex. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 4150-4153.	13.8	115
76	Oxidation Reactivity of Bis(1/4-oxo) Dinickel(III) Complexes: Arene Hydroxylation of the Supporting Ligand. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 3304-3307.	13.8	29
77	Geometric and electronic structure and reactivity of a mononuclear â€‘side-onâ€™ nickel(iii)â€‘peroxo complex. <i>Nature Chemistry</i> , 2009, 1, 568-572.	13.6	153
78	Reactivity of a cobalt(III)-peroxo complex in oxidative nucleophilic reactions. <i>Journal of Inorganic Biochemistry</i> , 2008, 102, 2155-2159.	3.5	56
79	New Synthetic Routes to a Disulfidodinickel(II) Complex: Characterization and Reactivity of a Ni<sub>2</sub> (Î¼-Î·<sup>2</sup>:Î·<sup>2</sup>-S<sub>2</sub>) Core. <i>Inorganic Chemistry</i> , 2008, 47, 3931-3933.	4.0	27
80	Combined Experimental and Theoretical Approach To Understand the Reactivity of a Mononuclear Cu(II)â€‘Hydroperoxo Complex in Oxygenation Reactions. <i>Journal of Physical Chemistry A</i> , 2008, 112, 13102-13108.	2.5	25
81	Structural, Spectroscopic, and Electrochemical Properties of a Series of High-Spin Thiolatonicel(II) Complexes. <i>Inorganic Chemistry</i> , 2007, 46, 11308-11315.	4.0	28
82	Sequential Reaction Intermediates in Aliphatic Câ€‘H Bond Functionalization Initiated by a Bis(1/4-oxo)dinickel(III) Complex. <i>Inorganic Chemistry</i> , 2006, 45, 2873-2885.	4.0	39
83	A Mononuclear Alkylperoxocopper(II) Complex as a Reaction Intermediate in the Oxidation of the Methyl Group of the Supporting Ligand. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 6911-6914.	13.8	30
84	A Bis(1/4-alkylperoxo)dinickel(II) Complex as a Reaction Intermediate for the Oxidation of the Methyl Groups of the Me <sub>2</sub> -tpa Ligand to Carboxylate and Alkoxide Ligands. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 3300-3303.	13.8	56
85	Isolation and characterization of the first stable bicarbonato complex in a nickel(ii) system: identification of unusual monodentate coordination. <i>Chemical Communications</i> , 2004, , 1796-1797.	4.1	33
86	Monomeric and polymeric copper(II) hexaaza macrocyclic complexes with btc anions (btc=1,2,4,5-benzenetetracarboxylic acid). <i>Inorganica Chimica Acta</i> , 2003, 342, 305-310.	2.4	47
87	An infinite 1D hydrogen-bonded polymer built from an azido cobalt(III) tetraaza macrocyclic complex. <i>Inorganic Chemistry Communication</i> , 2003, 6, 284-287.	3.9	15
88	Polymeric nickel(II) and copper(II) complexes with btc <sup>2-</sup> ions as bridging ligands (btc <sup>2-</sup> =1,2,4,5-benzenetetracarboxylic acid dianion). <i>Inorganic Chemistry Communication</i> , 2003, 6, 474-477.	3.9	37
89	Trans-bis(dicyanamido)nickel(II) complexes with polyaza macrocyclic ligands. <i>Transition Metal Chemistry</i> , 2002, 27, 429-432.	1.4	16
90	Syntheses, isolation, and structures of nickel(II) and copper(II) coordination polymers with a tetraaza macrocyclic ligand. <i>Inorganica Chimica Acta</i> , 2001, 317, 252-258.	2.4	50

#	ARTICLE	IF	CITATIONS
91	Structures and magnetic properties of catena-( $\frac{1}{4}$ - $\text{MO}_4\text{-O}$ ) $[\text{Ni}(\text{II})(\text{L})]\cdot 5\text{H}_2\text{O}$ (M=Cr, Mo;) Tj ETQq1 1 0.784314 rgBT /Overlock 10 163-167.	2.4	11