

Arthur Richard Kitching

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3694702/publications.pdf>

Version: 2024-02-01

192
papers

9,052
citations

30070

54
h-index

53230

85
g-index

195
all docs

195
docs citations

195
times ranked

8779
citing authors

#	ARTICLE	IF	CITATIONS
1	Immune cell behaviour and dynamics in the kidney – insights from in vivo imaging. <i>Nature Reviews Nephrology</i> , 2022, 18, 22-37.	9.6	15
2	Ageing enhances cellular immunity to myeloperoxidase and experimental anti-myeloperoxidase glomerulonephritis. <i>Rheumatology</i> , 2022, 61, 2132-2143.	1.9	6
3	Animal models of vasculitis. <i>Current Opinion in Rheumatology</i> , 2022, 34, 10-17.	4.3	2
4	P2RY8 variants in lupus patients uncover a role for the receptor in immunological tolerance. <i>Journal of Experimental Medicine</i> , 2022, 219, .	8.5	26
5	Immunoaging within the kidney via injury-associated tertiary lymphoid tissue. <i>Kidney International</i> , 2022, 102, 9-11.	5.2	1
6	A Core Outcome Set for Trials in Glomerular Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022, 17, 53-64.	4.5	4
7	Recurrent membranous nephropathy after transplantation: donor antigen and HLA converge in defining risk. <i>Kidney International</i> , 2021, 99, 545-548.	5.2	3
8	Anti-CD20 mAb-Induced B Cell Apoptosis Generates T Cell Regulation of Experimental Myeloperoxidase ANCA-Associated Vasculitis. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1071-1083.	6.1	10
9	The impact of antineutrophil cytoplasmic antibody-associated vasculitis on employment and work disability in an Australian population. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 904-911.	1.9	3
10	Increased burden of rare variants in genes of the endosomal Toll-like receptor pathway in patients with systemic lupus erythematosus. <i>Lupus</i> , 2021, 30, 1756-1763.	1.6	2
11	Tetraspanin CD53 modulates lymphocyte trafficking but not systemic autoimmunity in Lyn-deficient mice. <i>Immunology and Cell Biology</i> , 2021, 99, 1053-1066.	2.3	3
12	Development of an international Delphi survey to establish core outcome domains for trials in adults with glomerular disease. <i>Kidney International</i> , 2021, 100, 881-893.	5.2	7
13	Collagen IV α 3(IV) dysfunction in glomerular basement membrane diseases. I. Discovery of a COL4A3 variant in familial Goodpasture's and Alport diseases. <i>Journal of Biological Chemistry</i> , 2021, 296, 100590.	3.4	19
14	Case of vertebral fracture with nephrolithiasis and hypocitraturia. <i>Journal of Paediatrics and Child Health</i> , 2021, , .	0.8	0
15	A focus group study of self-management in patients with glomerular disease.. <i>Kidney International Reports</i> , 2021, 7, 56-67.	0.8	2
16	Deletions in VANGL1 are a risk factor for antibody-mediated kidney disease. <i>Cell Reports Medicine</i> , 2021, 2, 100475.	6.5	2
17	Tertiary lymphoid tissue in kidneys: understanding local immunity and inflammation. <i>Kidney International</i> , 2020, 98, 280-283.	5.2	9
18	ANCA-associated vasculitis. <i>Nature Reviews Disease Primers</i> , 2020, 6, 71.	30.5	443

#	ARTICLE	IF	CITATIONS
19	Identifying Outcomes Important to Patients with Glomerular Disease and Their Caregivers. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 673-684.	4.5	66
20	Animal Models of ANCA Associated Vasculitis. <i>Frontiers in Immunology</i> , 2020, 11, 525.	4.8	39
21	Experimental Antiglomerular Basement Membrane GN Induced by a Peptide from <i>Actinomyces</i> . <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1282-1295.	6.1	8
22	OX40 ligand is inhibitory during the effector phase of crescentic glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 429-441.	0.7	4
23	A plasmid-encoded peptide from <i>Staphylococcus aureus</i> induces anti-myeloperoxidase nephritogenic autoimmunity. <i>Nature Communications</i> , 2019, 10, 3392.	12.8	40
24	Apoptotic Cell-Induced, Antigen-Specific Immunoregulation to Treat Experimental Antimyeloperoxidase GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1365-1374.	6.1	4
25	Tolerogenic Dendritic Cells Attenuate Experimental Autoimmune Antimyeloperoxidase Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 2140-2157.	6.1	15
26	The renal draining lymph nodes in acute inflammatory kidney disease. <i>Kidney International</i> , 2019, 95, 254-256.	5.2	2
27	Biologics targeting T helper cell subset differentiating cytokines are effective in the treatment of murine anti-myeloperoxidase glomerulonephritis. <i>Kidney International</i> , 2019, 96, 1121-1133.	5.2	17
28	Standardized Outcomes in Nephrology-Related Glomerular Disease (SONG-GD): establishing a core outcome set for trials in patients with glomerular disease. <i>Kidney International</i> , 2019, 95, 1280-1283.	5.2	20
29	HLA-DR15-specific inhibition attenuates autoreactivity to the Goodpasture antigen. <i>Journal of Autoimmunity</i> , 2019, 103, 102276.	6.5	7
30	Functional rare and low frequency variants in BLK and BANK1 contribute to human lupus. <i>Nature Communications</i> , 2019, 10, 2201.	12.8	73
31	Molecular Analysis of Goodpasture's Disease Following Hematopoietic Stem Cell Transplant in a Pediatric Patient, Recalls the Conformeropathy of Wild-Type Anti-GBM Disease. <i>Frontiers in Immunology</i> , 2019, 10, 2659.	4.8	0
32	Management and treatment of glomerular diseases (part 1): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019, 95, 268-280.	5.2	198
33	Management and treatment of glomerular diseases (part 2): conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. <i>Kidney International</i> , 2019, 95, 281-295.	5.2	135
34	Platelet retention in inflamed glomeruli occurs via selective prolongation of interactions with immune cells. <i>Kidney International</i> , 2019, 95, 363-374.	5.2	21
35	PD-L1 and calcitriol-dependent liposomal antigen-specific regulation of systemic inflammatory autoimmune disease. <i>JCI Insight</i> , 2019, 4, .	5.0	51
36	Effector CD4+ T cells recognize intravascular antigen presented by patrolling monocytes. <i>Nature Communications</i> , 2018, 9, 747.	12.8	42

#	ARTICLE	IF	CITATIONS
37	Regulatory T cells in renal disease. <i>Clinical and Translational Immunology</i> , 2018, 7, e1004.	3.8	42
38	Renal Dendritic Cells: The Long and Winding Road. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 4-7.	6.1	22
39	C5a receptor 1 promotes autoimmunity, neutrophil dysfunction and injury in experimental anti-myeloperoxidase glomerulonephritis. <i>Kidney International</i> , 2018, 93, 615-625.	5.2	64
40	Progress in mechanisms and therapy for immunological kidney disease. <i>Nature Reviews Nephrology</i> , 2018, 14, 76-78.	9.6	5
41	Analysis of urinary macrophage migration inhibitory factor in systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2018, 5, e000277.	2.7	10
42	Inflammasomes in the Kidney. <i>Experientia Supplementum (2012)</i> , 2018, 108, 177-210.	0.9	6
43	Urinary B-cell-activating factor of the tumour necrosis factor family (BAFF) in systemic lupus erythematosus. <i>Lupus</i> , 2018, 27, 2029-2040.	1.6	16
44	HLA and kidney disease: from associations to mechanisms. <i>Nature Reviews Nephrology</i> , 2018, 14, 636-655.	9.6	55
45	Goodpasture's autoimmune disease – A collagen IV disorder. <i>Matrix Biology</i> , 2018, 71-72, 240-249.	3.6	27
46	Chimeric antigen receptor T (CAR T) cells: another cancer therapy with potential applications in kidney disease and transplantation?. <i>Kidney International</i> , 2018, 94, 4-6.	5.2	8
47	Intrarenal Toll-like receptor 4 and Toll-like receptor 2 expression correlates with injury in antineutrophil cytoplasmic antibody-associated vasculitis. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F1283-F1294.	2.7	20
48	The C3aR promotes macrophage infiltration and regulates ANCA production but does not affect glomerular injury in experimental anti-myeloperoxidase glomerulonephritis. <i>PLoS ONE</i> , 2018, 13, e0190655.	2.5	7
49	Formyl peptide receptor activation inhibits the expansion of effector T cells and synovial fibroblasts and attenuates joint injury in models of rheumatoid arthritis. <i>International Immunopharmacology</i> , 2018, 61, 140-149.	3.8	34
50	CD8+ cells and glomerular crescent formation: outside-in as well as inside-out. <i>Journal of Clinical Investigation</i> , 2018, 128, 3231-3233.	8.2	4
51	Interleukin-17RA Promotes Humoral Responses and Glomerular Injury in Experimental Rapidly Progressive Glomerulonephritis. <i>Nephron</i> , 2017, 135, 207-223.	1.8	10
52	Activated Renal Dendritic Cells Cross Present Intrarenal Antigens After Ischemia-Reperfusion Injury. <i>Transplantation</i> , 2017, 101, 1013-1024.	1.0	34
53	Dominant protection from HLA-linked autoimmunity by antigen-specific regulatory T cells. <i>Nature</i> , 2017, 545, 243-247.	27.8	181
54	Imaging Leukocyte Responses in the Kidney. <i>Transplantation</i> , 2017, 101, 506-516.	1.0	4

#	ARTICLE	IF	CITATIONS
55	In Vivo Imaging of Inflamed Glomeruli Reveals Dynamics of Neutrophil Extracellular Trap Formation in Glomerular Capillaries. <i>American Journal of Pathology</i> , 2017, 187, 318-331.	3.8	22
56	Pathogenic Role for $\hat{I}^3\hat{I}$ T Cells in Autoimmune Anti-Myeloperoxidase Glomerulonephritis. <i>Journal of Immunology</i> , 2017, 199, 3042-3050.	0.8	9
57	ANCA-Associated Vasculitis: Pathogenesis, Models, and Preclinical Testing. <i>Seminars in Nephrology</i> , 2017, 37, 418-435.	1.6	47
58	Chyluria: When is proteinuria \hat{e} not proteinuria \hat{e} ™?. <i>Journal of Paediatrics and Child Health</i> , 2017, 53, 1015-1017.	0.8	0
59	CD8+ T Cells Effect Glomerular Injury in Experimental Anti-Myeloperoxidase GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 47-55.	6.1	44
60	Induced regulatory T cells are phenotypically unstable and do not protect mice from rapidly progressive glomerulonephritis. <i>Immunology</i> , 2017, 150, 100-114.	4.4	11
61	Neutrophil-Mediated Regulation of Innate and Adaptive Immunity: The Role of Myeloperoxidase. <i>Journal of Immunology Research</i> , 2016, 2016, 1-11.	2.2	134
62	The Players: Cells Involved in Glomerular Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1664-1674.	4.5	72
63	From bench to pet shop to bedside? The environment and immune function in mice. <i>Kidney International</i> , 2016, 90, 1142-1143.	5.2	3
64	The NLRP3 inflammasome in kidney disease and autoimmunity. <i>Nephrology</i> , 2016, 21, 736-744.	1.6	170
65	Regulatory $\langle \text{sc} \rangle \text{T} \langle / \text{sc} \rangle$ cells in immune-mediated renal disease. <i>Nephrology</i> , 2016, 21, 86-96.	1.6	25
66	Patrolling monocytes promote intravascular neutrophil activation and glomerular injury in the acutely inflamed glomerulus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5172-81.	7.1	105
67	Myeloperoxidase Peptide-Based Nasal Tolerance in Experimental ANCA-Associated GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 385-391.	6.1	19
68	Biologics for the treatment of autoimmune renal diseases. <i>Nature Reviews Nephrology</i> , 2016, 12, 217-231.	9.6	45
69	Mast Cell Stabilization Ameliorates Autoimmune Anti-Myeloperoxidase Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1321-1333.	6.1	18
70	Endogenous Toll-Like Receptor 9 Regulates AKI by Promoting Regulatory T Cell Recruitment. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 706-714.	6.1	24
71	Programmed death 1 and its ligands do not limit experimental foreign antigen-induced immune complex glomerulonephritis. <i>Nephrology</i> , 2015, 20, 892-898.	1.6	4
72	FMS-Like Tyrosine Kinase 3 Ligand Treatment Does Not Ameliorate Experimental Rapidly Progressive Glomerulonephritis. <i>PLoS ONE</i> , 2015, 10, e0123118.	2.5	1

#	ARTICLE	IF	CITATIONS
73	CX3CR1 Reduces Kidney Fibrosis by Inhibiting Local Proliferation of Profibrotic Macrophages. <i>Journal of Immunology</i> , 2015, 194, 1628-1638.	0.8	62
74	Renal participation of myeloperoxidase in antineutrophil cytoplasmic antibody (ANCA)-associated glomerulonephritis. <i>Kidney International</i> , 2015, 88, 1030-1046.	5.2	127
75	Suppression of Autoimmunity and Renal Disease in Pristane-Induced Lupus by Myeloperoxidase. <i>Arthritis and Rheumatology</i> , 2015, 67, 1868-1880.	5.6	25
76	Targeting IL-17 and IL-23 in Immune Mediated Renal Disease. <i>Current Medicinal Chemistry</i> , 2015, 22, 4341-4365.	2.4	12
77	Mouse Models of Anti-Neutrophil Cytoplasmic Antibody-Associated Vasculitis. <i>Current Pharmaceutical Design</i> , 2015, 21, 2380-2390.	1.9	6
78	Endogenous Tim-1 promotes severe systemic autoimmunity and renal disease MRL-Faslpr mice. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F1210-F1221.	2.7	8
79	Fc γ RIIB regulates T-cell autoreactivity, ANCA production, and neutrophil activation to suppress anti-myeloperoxidase glomerulonephritis. <i>Kidney International</i> , 2014, 86, 1140-1149.	5.2	17
80	Four pediatric patients with autosomal recessive polycystic kidney disease developed new-onset diabetes after renal transplantation. <i>Pediatric Transplantation</i> , 2014, 18, 698-705.	1.0	8
81	Endogenous interleukin (IL)-17A promotes pristane-induced systemic autoimmunity and lupus nephritis induced by pristane. <i>Clinical and Experimental Immunology</i> , 2014, 176, 341-350.	2.6	41
82	Omeprazole-induced acute interstitial nephritis: A possible Th17-mediated injury?. <i>Nephrology</i> , 2014, 19, 359-365.	1.6	33
83	Dendritic cells in progressive renal disease: some answers, many questions. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 2185-2193.	0.7	23
84	Innate IL-17-Producing Leukocytes Promote Acute Kidney Injury via Inflammasome and Toll-Like Receptor Activation. <i>American Journal of Pathology</i> , 2014, 184, 1411-1418.	3.8	78
85	Regulatory T Cells Dynamically Regulate Selectin Ligand Function during Multiple Challenge Contact Hypersensitivity. <i>Journal of Immunology</i> , 2014, 193, 4934-4944.	0.8	23
86	T Cell Mediated Autoimmune Glomerular Disease in Mice. <i>Current Protocols in Immunology</i> , 2014, 107, 15.27.1-15.27.19.	3.6	11
87	Deletion of bone-marrow-derived receptor for AGEs (RAGE) improves renal function in an experimental mouse model of diabetes. <i>Diabetologia</i> , 2014, 57, 1977-1985.	6.3	26
88	Histopathologic and Clinical Predictors of Kidney Outcomes in ANCA-Associated Vasculitis. <i>American Journal of Kidney Diseases</i> , 2014, 63, 227-235.	1.9	80
89	Glomerulonephritis Induced by Heterologous Anti-GBM Globulin as a Planted Foreign Antigen. <i>Current Protocols in Immunology</i> , 2014, 106, 15.26.1-15.26.20.	3.6	23
90	Multiphoton imaging reveals a new leukocyte recruitment paradigm in the glomerulus. <i>Nature Medicine</i> , 2013, 19, 107-112.	30.7	154

#	ARTICLE	IF	CITATIONS
91	Deficiency of Annexin A1 in CD4+ T Cells Exacerbates T Cell-Dependent Inflammation. <i>Journal of Immunology</i> , 2013, 190, 997-1007.	0.8	61
92	Myeloperoxidase (MPO)-specific CD4+ T cells contribute to MPO-anti-neutrophil cytoplasmic antibody (ANCA) associated glomerulonephritis. <i>Cellular Immunology</i> , 2013, 282, 21-27.	3.0	32
93	Thymic Deletion and Regulatory T Cells Prevent Antimyeloperoxidase GN. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 573-585.	6.1	35
94	The HLA-DRB1*15. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 419-431.	6.1	66
95	Proteolysis Breaks Tolerance toward Intact α 1(IV) Collagen, Eliciting Novel Anti-Glomerular Basement Membrane Autoantibodies Specific for α 1(IV) NC1 Hexamers. <i>Journal of Immunology</i> , 2013, 190, 1424-1432.	0.8	29
96	Neutrophil myeloperoxidase regulates T-cell-driven tissue inflammation in mice by inhibiting dendritic cell function. <i>Blood</i> , 2013, 121, 4195-4204.	1.4	124
97	Epitope specificity determines pathogenicity and detectability in ANCA-associated vasculitis. <i>Journal of Clinical Investigation</i> , 2013, 123, 1773-1783.	8.2	204
98	Multiphoton imaging reveals a novel leukocyte recruitment paradigm in the inflamed glomerulus. <i>FASEB Journal</i> , 2013, 27, 57.1.	0.5	0
99	Endogenous Tim-1 (Kim-1) promotes T-cell responses and cell-mediated injury in experimental crescentic glomerulonephritis. <i>Kidney International</i> , 2012, 81, 844-855.	5.2	31
100	Mast Cells Contribute to Peripheral Tolerance and Attenuate Autoimmune Vasculitis. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1955-1966.	6.1	51
101	CD4+ Th1 cells are effectors in lupus nephritis but what are their targets?. <i>Kidney International</i> , 2012, 82, 947-949.	5.2	7
102	The immunodominant myeloperoxidase T-cell epitope induces local cell-mediated injury in antimyeloperoxidase glomerulonephritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E2615-24.	7.1	93
103	Endogenous Regulatory T Cells Adhere in Inflamed Dermal Vessels via ICAM-1: Association with Regulation of Effector Leukocyte Adhesion. <i>Journal of Immunology</i> , 2012, 188, 2179-2188.	0.8	43
104	Amelioration of renal ischaemia-reperfusion injury by liposomal delivery of curcumin to renal tubular epithelial and antigen-presenting cells. <i>British Journal of Pharmacology</i> , 2012, 166, 194-209.	5.4	46
105	Renal Dendritic Cells Adopt a Pro-Inflammatory Phenotype in Obstructive Uropathy to Activate T Cells but Do Not Directly Contribute to Fibrosis. <i>American Journal of Pathology</i> , 2012, 180, 91-103.	3.8	78
106	Mast cell activation and degranulation promotes renal fibrosis in experimental unilateral ureteric obstruction. <i>Kidney International</i> , 2012, 82, 676-685.	5.2	61
107	The IL-27 Receptor Has Biphasic Effects in Crescentic Glomerulonephritis Mediated Through Th1 Responses. <i>American Journal of Pathology</i> , 2011, 178, 580-590.	3.8	17
108	Interleukin-17A Promotes Early but Attenuates Established Disease in Crescentic Glomerulonephritis in Mice. <i>American Journal of Pathology</i> , 2011, 179, 1188-1198.	3.8	47

#	ARTICLE	IF	CITATIONS
109	Signal transducer and activation of transcription 6 (STAT6) regulates T helper type 1 (Th1) and Th17 nephritogenic immunity in experimental crescentic glomerulonephritis. <i>Clinical and Experimental Immunology</i> , 2011, 166, 227-234.	2.6	14
110	Tim-1 promotes cisplatin nephrotoxicity. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, F1098-F1104.	2.7	45
111	Toll-like receptor 2 induces Th17 myeloperoxidase autoimmunity while Toll-like receptor 9 drives Th1 autoimmunity in murine vasculitis. <i>Arthritis and Rheumatism</i> , 2011, 63, 1124-1135.	6.7	64
112	The Th17-Defining Transcription Factor ROR γ t Promotes Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 472-483.	6.1	78
113	The Emergence of Th17 Cells as Effectors of Renal Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 235-238.	6.1	97
114	Mast Cells Mediate Acute Kidney Injury through the Production of TNF. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 2226-2236.	6.1	51
115	Endogenous foxp3+ T-regulatory cells suppress anti-glomerular basement membrane nephritis. <i>Kidney International</i> , 2011, 79, 977-986.	5.2	51
116	Lymphocytes promote albuminuria, but not renal dysfunction or histological damage in a mouse model of diabetic renal injury. <i>Diabetologia</i> , 2010, 53, 1772-1782.	6.3	61
117	Review: T helper 17 cells: Their role in glomerulonephritis. <i>Nephrology</i> , 2010, 15, 513-521.	1.6	30
118	Th17 Cells Promote Autoimmune Anti-Myeloperoxidase Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 925-931.	6.1	150
119	Molecular Architecture of the Goodpasture Autoantigen in Anti-GBM Nephritis. <i>New England Journal of Medicine</i> , 2010, 363, 343-354.	27.0	298
120	Intrinsic renal cell and leukocyte-derived TLR4 aggravate experimental anti-MPO glomerulonephritis. <i>Kidney International</i> , 2010, 78, 1263-1274.	5.2	55
121	TLR9 and TLR4 are required for the development of autoimmunity and lupus nephritis in pristane nephropathy. <i>Journal of Autoimmunity</i> , 2010, 35, 291-298.	6.5	109
122	Platelet Recruitment to the Inflamed Glomerulus Occurs via an α IIb β 3/GPVI-Dependent Pathway. <i>American Journal of Pathology</i> , 2010, 177, 1131-1142.	3.8	65
123	Toll-Like Receptor 9 Enhances Nephritogenic Immunity and Glomerular Leukocyte Recruitment, Exacerbating Experimental Crescentic Glomerulonephritis. <i>American Journal of Pathology</i> , 2010, 177, 2234-2244.	3.8	24
124	Pulmonary Renal Syndromes. , 2009, , 1027-1033.		0
125	Th1 and Th17 Cells Induce Proliferative Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 2518-2524.	6.1	147
126	Targeting renal macrophage accumulation via c-fms kinase reduces tubular apoptosis but fails to modify progressive fibrosis in the obstructed rat kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, F177-F185.	2.7	48

#	ARTICLE	IF	CITATIONS
127	IL-1RI deficiency ameliorates early experimental renal interstitial fibrosis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 3024-3032.	0.7	71
128	IL-23, not IL-12, Directs Autoimmunity to the Goodpasture Antigen. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 980-989.	6.1	107
129	Endogenous CD100 promotes glomerular injury and macrophage recruitment in experimental crescentic glomerulonephritis. <i>Immunology</i> , 2009, 128, 114-122.	4.4	31
130	Atorvastatin enhances humoral immune responses but does not alter renal injury in experimental crescentic glomerulonephritis. <i>Nephrology</i> , 2009, 14, 650-657.	1.6	1
131	Review article: Kidney dendritic cells: Their role in homeostasis, inflammation and transplantation. <i>Nephrology</i> , 2009, 14, 625-635.	1.6	28
132	Antimyeloperoxidase antibodies rapidly induce $\alpha 4$ -integrin α dependent glomerular neutrophil adhesion. <i>Blood</i> , 2009, 113, 6485-6494.	1.4	46
133	In Vivo Imaging of Leukocyte Recruitment to Glomeruli in Mice Using Intravital Microscopy. <i>Methods in Molecular Biology</i> , 2009, 466, 109-117.	0.9	8
134	The tumour suppressor gene p53 modulates the severity of antigen-induced arthritis and the systemic immune response. <i>Clinical and Experimental Immunology</i> , 2008, 152, 345-353.	2.6	24
135	Advances in the pathogenesis of Goodpasture's disease: From epitopes to autoantibodies to effector T cells. <i>Journal of Autoimmunity</i> , 2008, 31, 295-300.	6.5	47
136	The cytoplasmic domain of tissue factor in macrophages augments cutaneous delayed-type hypersensitivity. <i>Journal of Leukocyte Biology</i> , 2008, 83, 902-911.	3.3	13
137	T-bet Deficiency Attenuates Renal Injury in Experimental Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 477-485.	6.1	57
138	Intrarenal Antigens Activate CD4+ Cells via Co-stimulatory Signals from Dendritic Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 515-526.	6.1	28
139	Targeting Leukocytes in Immune Glomerular Diseases. <i>Current Medicinal Chemistry</i> , 2008, 15, 448-458.	2.4	22
140	Autoimmune responses to the Goodpasture antigen are driven primarily by IL-23 and are IL-12 independent. <i>FASEB Journal</i> , 2008, 22, 668.26.	0.5	0
141	Using HLA DRB1*1501 transgenic mice to study the HLA-linked autoimmune Goodpasture's disease. <i>FASEB Journal</i> , 2008, 22, 667.20.	0.5	0
142	Endogenous Myeloperoxidase Promotes Neutrophil-Mediated Renal Injury, but Attenuates T Cell Immunity Inducing Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 760-770.	6.1	85
143	A New Approach to Idiopathic Nephrotic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2621-2622.	6.1	6
144	Chapter 3 Pathogenesis of Renal Disease: Cytokines and Other Soluble Factors. <i>Handbook of Systemic Autoimmune Diseases</i> , 2007, 7, 63-79.	0.1	0

#	ARTICLE	IF	CITATIONS
145	Methods in Renal Research: A new section in Nephrology (Editorial). <i>Nephrology</i> , 2007, 12, 154-154.	1.6	0
146	Plasminogen activator inhibitor-1 production is pathogenetic in experimental murine diabetic renal disease. <i>Diabetologia</i> , 2007, 50, 1315-1326.	6.3	39
147	IL-18 is redundant in T cell responses and in joint inflammation in antigen-induced arthritis. <i>Immunology and Cell Biology</i> , 2006, 84, 166-173.	2.3	17
148	The isolation and purification of biologically active recombinant and native autoantigens for the study of autoimmune disease. <i>Journal of Immunological Methods</i> , 2006, 308, 167-178.	1.4	33
149	Inducible Co-Stimulatory Molecule Ligand Is Protective during the Induction and Effector Phases of Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1044-1053.	6.1	22
150	Anti-Neutrophil Cytoplasmic Antibodies and Effector CD4+ Cells Play Nonredundant Roles in Anti-Myeloperoxidase Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1940-1949.	6.1	137
151	A Pathogenetic Role for Mast Cells in Experimental Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 150-159.	6.1	54
152	CD100 Enhances Dendritic Cell and CD4+ Cell Activation Leading to Pathogenetic Humoral Responses and Immune Complex Glomerulonephritis. <i>Journal of Immunology</i> , 2006, 177, 3406-3412.	0.8	40
153	Leukocyte Recruitment to the Inflamed Glomerulus: A Critical Role for Platelet-Derived P-Selectin in the Absence of Rolling. <i>Journal of Immunology</i> , 2006, 176, 6991-6999.	0.8	117
154	Macrophage Migration Inhibitory Factor Deficiency Attenuates Macrophage Recruitment, Glomerulonephritis, and Lethality in MRL/lpr Mice. <i>Journal of Immunology</i> , 2006, 177, 5687-5696.	0.8	130
155	CD80 and CD86 costimulatory molecules regulate crescentic glomerulonephritis by different mechanisms. <i>Kidney International</i> , 2005, 68, 584-594.	5.2	42
156	Experimental autoimmune Goodpasture's disease: A pathogenetic role for both effector cells and antibody in injury. <i>Kidney International</i> , 2005, 67, 566-575.	5.2	55
157	Glomerulonephritis, Th1 and Th2: what's new?. <i>Clinical and Experimental Immunology</i> , 2005, 142, 207-215.	2.6	80
158	Glomerular Expression of CD80 and CD86 Is Required for Leukocyte Accumulation and Injury in Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2012-2022.	6.1	32
159	More Targeted Treatments for Lupus Nephritis: Is the Future (Nearly) Here?. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3146-3148.	6.1	3
160	IL-12p40 and IL-18 in Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2023-2033.	6.1	84
161	Granulocyte Macrophage Colony-Stimulating Factor Expression by Both Renal Parenchymal and Immune Cells Mediates Murine Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2646-2656.	6.1	40
162	Experimental Autoimmune Anti-Glomerular Basement Membrane Glomerulonephritis: A Protective Role for IFN- γ . <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 1764-1774.	6.1	65

#	ARTICLE	IF	CITATIONS
163	Endogenous IL-13 Limits Humoral Responses and Injury in Experimental Glomerulonephritis but Does Not Regulate Th1 Cell-Mediated Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2373-2382.	6.1	16
164	Contributions of IL-1 β and IL-1 α to Crescentic Glomerulonephritis in Mice. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 910-918.	6.1	50
165	The role of flow cytometric ANCA detection in screening for acute pauci-immune crescentic glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 365-370.	0.7	11
166	Plasmin is not protective in experimental renal interstitial fibrosis ¹ . <i>Kidney International</i> , 2004, 66, 68-76.	5.2	67
167	Fibrin independent proinflammatory effects of tissue factor in experimental crescentic glomerulonephritis. <i>Kidney International</i> , 2004, 66, 647-654.	5.2	25
168	Leukocyte-Derived Interleukin-1 β Interacts with Renal Interleukin-1 Receptor I to Promote Renal Tumor Necrosis Factor and Glomerular Injury in Murine Crescentic Glomerulonephritis. <i>American Journal of Pathology</i> , 2004, 164, 1967-1977.	3.8	60
169	An IL-12-Independent Role for CD40-CD154 in Mediating Effector Responses: Studies in Cell-Mediated Glomerulonephritis and Dermal Delayed-Type Hypersensitivity. <i>Journal of Immunology</i> , 2004, 173, 136-144.	0.8	15
170	Endogenous alpha2-antiplasmin does not enhance glomerular fibrin deposition or injury in glomerulonephritis. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 1992-1999.	3.8	1
171	Intrinsic Renal Cell Expression of CD40 Directs Th1 Effectors Inducing Experimental Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 2813-2822.	6.1	38
172	Plasminogen Activator Inhibitor-1 Is a Significant Determinant of Renal Injury in Experimental Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 1487-1495.	6.1	74
173	IFN- γ Production by Intrinsic Renal Cells and Bone Marrow-Derived Cells Is Required for Full Expression of Crescentic Glomerulonephritis in Mice. <i>Journal of Immunology</i> , 2002, 168, 4135-4141.	0.8	54
174	Interleukin-10 inhibits experimental mesangial proliferative glomerulonephritis. <i>Clinical and Experimental Immunology</i> , 2002, 128, 36-43.	2.6	44
175	Effects of CTLA4-Fc on glomerular injury in humorally-mediated glomerulonephritis in BALB/c mice. <i>Clinical and Experimental Immunology</i> , 2002, 128, 429-435.	2.6	11
176	Cytokines, T cells and proliferative glomerulonephritis. <i>Nephrology</i> , 2002, 7, 244-249.	1.6	5
177	The Requirement for Granulocyte-Macrophage Colony-Stimulating Factor and Granulocyte Colony-Stimulating Factor in Leukocyte-Mediated Immune Glomerular Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 350-358.	6.1	72
178	Interleukin-12 from Intrinsic Cells Is an Effector of Renal Injury in Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 464-471.	6.1	53
179	Chemokines as therapeutic targets in renal disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2000, 9, 505-511.	2.0	20
180	Endogenous interleukin-10 regulates Th1 responses that induce crescentic glomerulonephritis. <i>Kidney International</i> , 2000, 57, 518-525.	5.2	74

#	ARTICLE	IF	CITATIONS
181	Oxidant stress is increased within the glomerulus in experimental diabetic nephropathy. <i>Nephrology</i> , 2000, 5, 263-270.	1.6	1
182	IL-18 Has IL-12-Independent Effects in Delayed-Type Hypersensitivity: Studies in Cell-Mediated Crescentic Glomerulonephritis. <i>Journal of Immunology</i> , 2000, 165, 4649-4657.	0.8	47
183	Interleukin-10 Inhibits Macrophage-Induced Glomerular Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 262-269.	6.1	51
184	Th1 and Th2 T helper cell subsets affect patterns of injury and outcomes in glomerulonephritis. <i>Kidney International</i> , 1999, 55, 1198-1216.	5.2	237
185	IL-12 directs severe renal injury, crescent formation and Th1 responses in murine glomerulonephritis. <i>European Journal of Immunology</i> , 1999, 29, 1-10.	2.9	88
186	IL-12 directs severe renal injury, crescent formation and Th1 responses in murine glomerulonephritis. <i>European Journal of Immunology</i> , 1999, 29, 1-10.	2.9	5
187	Immunopathogenesis of crescentic glomerulonephritis. <i>Current Opinion in Nephrology and Hypertension</i> , 1999, 8, 281-286.	2.0	26
188	IFN- γ Mediates Crescent Formation and Cell-Mediated Immune Injury in Murine Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 752-759.	6.1	121
189	Interleukin-4 deficiency enhances Th1 responses and crescentic glomerulonephritis in mice. <i>Kidney International</i> , 1998, 53, 112-118.	5.2	63
190	Plasminogen and Plasminogen Activators Protect against Renal Injury in Crescentic Glomerulonephritis. <i>Journal of Experimental Medicine</i> , 1997, 185, 963-968.	8.5	190
191	Interleukin-4 and interleukin-10 attenuate established crescentic glomerulonephritis in mice. <i>Kidney International</i> , 1997, 52, 52-59.	5.2	82
192	Immune modulation with interleukin-4 and interleukin-10 prevents crescent formation and glomerular injury in experimental glomerulonephritis. <i>European Journal of Immunology</i> , 1997, 27, 530-537.	2.9	114