Z Mohamed

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3697659/publications.pdf

Version: 2024-02-01

257450 233421 2,368 106 24 45 h-index citations g-index papers 108 108 108 1108 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Grey-box modelling and fuzzy logic control of a Leader–Follower robot manipulator system: A hybrid Grey Wolf–Whale Optimisation approach. ISA Transactions, 2022, 129, 572-593.	5 . 7	13
2	Input shaping with an adaptive scheme for swing control of an underactuated tower crane under payload hoisting and mass variations. Mechanical Systems and Signal Processing, 2022, 175, 109106.	8.0	20
3	Control of an underactuated double-pendulum overhead crane using improved model reference command shaping: Design, simulation and experiment. Mechanical Systems and Signal Processing, 2021, 151, 107358.	8.0	36
4	Efficient swing control of an overhead crane with simultaneous payload hoisting and external disturbances. Mechanical Systems and Signal Processing, 2020, 135, 106326.	8.0	56
5	Improved integral backstepping control of variable speed motion systems with application to a laboratory helicopter. ISA Transactions, 2020, 97, 1-13.	5 . 7	11
6	Efficient control of a 3D overhead crane with simultaneous payload hoisting and wind disturbance: design, simulation and experiment. Mechanical Systems and Signal Processing, 2020, 145, 106893.	8.0	25
7	Payload swing control of a tower crane using a neural network–based input shaper. Measurement and Control, 2020, 53, 1171-1182.	1.8	25
8	Simulation and experimental study on PID control of a quadrotor MAV with perturbation. Bulletin of Electrical Engineering and Informatics, 2020, 9, 1811-1818.	0.8	14
9	Adaptive PID actuator fault tolerant control of single-link flexible manipulator. Transactions of the Institute of Measurement and Control, 2019, 41, 1019-1031.	1.7	17
10	Model reference command shaping for vibration control of multimode flexible systems with application to a double-pendulum overhead crane. Mechanical Systems and Signal Processing, 2019, 115, 677-695.	8.0	82
11	Improved unity magnitude input shaping scheme for sway control of an underactuated 3D overhead crane with hoisting. Mechanical Systems and Signal Processing, 2019, 123, 466-482.	8.0	86
12	Multi-objective path planner for an agricultural mobile robot in a virtual greenhouse environment. Computers and Electronics in Agriculture, 2019, 157, 488-499.	7.7	62
13	Disturbance observer-based formation tracking control of multiple quadrotors in the presence of disturbances. Transactions of the Institute of Measurement and Control, 2019, 41, 4129-4141.	1.7	17
14	Hybrid PSO-Tuned PID and Hysteresis-Observer Based Control for Piezoelectric Micropositioning Stages., 2019,,.		6
15	Enhanced backstepping sliding mode controller for motion tracking of a nonlinear 2-DOF piezo-actuated micromanipulation system. Microsystem Technologies, 2019, 25, 3765-3777.	2.0	5
16	Efficient control of a nonlinear double-pendulum overhead crane with sensorless payload motion using an improved PSO-tuned PID controller. JVC/Journal of Vibration and Control, 2019, 25, 907-921.	2.6	29
17	Sliding mode control for altitude and attitude stabilization of quadrotor UAV with external disturbance. Indonesian Journal of Electrical Engineering and Informatics, 2019, 7, .	0.3	5
18	A neural network-based input shaping for swing suppression of an overhead crane under payload hoisting and mass variations. Mechanical Systems and Signal Processing, 2018, 107, 484-501.	8.0	110

#	Article	IF	CITATIONS
19	Adaptive output-based command shaping for sway control of a 3D overhead crane with payload hoisting and wind disturbance. Mechanical Systems and Signal Processing, 2018, 98, 157-172.	8.0	67
20	Vibration Control of a Nonlinear Double-Pendulum Overhead Crane Using Feedforward Command Shaping. , $2018, , .$		3
21	2-step integral backstepping control of the two-rotor aero-dynamical system (TRAS). Journal of Fundamental and Applied Sciences, 2018, 9, 395.	0.2	2
22	Sensor Fusion for Attitude Estimation and PID Control of Quadrotor UAV. International Journal of Electrical and Electronic Engineering and Telecommunications, 2018, , 183-189.	3.6	17
23	Solving an Agricultural Robot Routing Problem with Binary Particle Swarm Optimization and a Genetic Algorithm. International Journal of Mechanical Engineering and Robotics Research, 2018, , 521-527.	1.0	8
24	Sensor Fusion Algorithm by Complementary Filter for Attitude Estimation of Quadrotor with Low-Cost IMU. Telkomnika (Telecommunication Computing Electronics and Control), 2018, 16, 868.	0.8	10
25	Control of a gantry crane using input-shaping schemes with distributed delay. Transactions of the Institute of Measurement and Control, 2017, 39, 361-370.	1.7	39
26	Output-based command shaping technique for an effective payload sway control of a 3D crane with hoisting. Transactions of the Institute of Measurement and Control, 2017, 39, 1443-1453.	1.7	20
27	An improved input shaping design for an efficient sway control of a nonlinear 3D overhead crane with friction. Mechanical Systems and Signal Processing, 2017, 92, 364-378.	8.0	86
28	Control strategies for crane systems: A comprehensive review. Mechanical Systems and Signal Processing, 2017, 95, 1-23.	8.0	270
29	Comparative assessment of anti-sway control strategy for tower crane system. AIP Conference Proceedings, 2017, , .	0.4	2
30	Dual boundary conditional integral backstepping control of a twin rotor MIMO system. Journal of the Franklin Institute, 2017, 354, 6831-6854.	3.4	23
31	An improved topology model for two-vehicle look-ahead and rear-vehicle convoy control. , 2017, , .		3
32	Principal vibration modes of a rigid-flexible manipulator. , 2017, , .		2
33	INPUT SHAPING TECHNIQUES FOR SWAY CONTROL OF A ROTARY CRANE SYSTEM. Jurnal Teknologi (Sciences and Engineering), 2017, 80, .	0.4	7
34	LOCALIZATION AND MOTION CONTROL IMPLEMENTATION FOR AN AGRICULTURAL MOBILE ROBOT. Jurnal Teknologi (Sciences and Engineering), 2017, 79, .	0.4	0
35	Modelling and PSO Fine-tuned PID Control of Quadrotor UAV. International Journal on Advanced Science, Engineering and Information Technology, 2017, 7, 1367.	0.4	33
36	OUTPUT BASED INPUT SHAPING FOR OPTIMAL CONTROL OF SINGLE LINK FLEXIBLE MANIPULATOR. International Journal on Smart Sensing and Intelligent Systems, 2017, 10, 1-20.	0.7	5

3

#	Article	IF	CITATIONS
37	VELOCITY CONTROL OF A UNICYCLE TYPE OF MOBILE ROBOT USING OPTIMAL PID CONTROLLER. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.4	7
38	FAULT TOLERANT CONTROL FOR SENSOR FAULT OF A SINGLE-LINK FLEXIBLE MANIPULATOR SYSTEM. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.4	4
39	Review of modelling and control of flexible-link manipulators. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2016, 230, 861-873.	1.0	58
40	A Comparison of Particle Swarm Optimization and Genetic Algorithm Based on Multi-objective Approach for Optimal Composite Nonlinear Feedback Control of Vehicle Stability System. Communications in Computer and Information Science, 2016, , 652-662.	0.5	1
41	Hybrid vibration and rest-to-rest control of a two-link flexible robotic arm using Hâ^ž loop-shaping control design. Engineering Computations, 2016, 33, .	1.4	24
42	Linear matrix inequality-based robust proportional derivative control of a two-link flexible manipulator. JVC/Journal of Vibration and Control, 2016, 22, 1244-1256.	2.6	33
43	An optimal performance control scheme for a 3D crane. Mechanical Systems and Signal Processing, 2016, 66-67, 756-768.	8.0	87
44	NEGATIVE IMAGINARY THEOREM WITH AN APPLICATION TO ROBUST CONTROL OF A CRANE SYSTEM. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.4	0
45	Adaptive input shaping for sway control of 3D crane using a pole-zero cancellation method., 2015,,.		4
46	Nonlinear stabilization with bounded controller. , 2015, , .		1
47	Development of an autonomous crop inspection mobile robot system., 2015,,.		7
48	Lyapunov-Krasovskii stability condition for system with bounded delay - An application to steer-by-wire system. , $2015, , .$		7
49	Composite Nonlinear Feedback Control with Multi-objective Particle Swarm Optimization for Active Front Steering System. Jurnal Teknologi (Sciences and Engineering), 2015, 72, .	0.4	7
50	Optimal tuning of PID+PD controller by PFS for Gantry Crane System. , 2015, , .		15
51	LMI-based state feedback controller design for vibration control of a negative imaginary system. , 2015, , .		2
52	Intelligent control of capillary irrigation system for water-saving cultivation. , 2015, , .		2
53	Optimal composite nonlinear feedback with multi-objective genetic algorithm for active front steering system. , 2015, , .		2
54	STABILITY ANALYSIS AND VIBRATION CONTROL OF A CLASS OF NEGATIVE IMAGINARY SYSTEMS. Jurnal Teknologi (Sciences and Engineering), 2015, 77, .	0.4	1

#	Article	IF	CITATIONS
55	VIBRATION INDUCED FAILURE ANALYSIS OF A HIGH SPEED ROTOR SUPPORTED BY ACTIVE MAGNETIC BEARINGS. Transactions of the Canadian Society for Mechanical Engineering, 2015, 39, 855-866.	0.8	3
56	Active Sway Control of a Gantry Crane by an Electrical Ducted Fan. International Journal of Acoustics and Vibrations, 2015, 20, .	0.3	0
57	A Universal Formula for Asymptotic Stabilization with Bounded Controls. International Journal of Electrical and Computer Engineering, 2015, 5, 111.	0.7	1
58	Model and Analysis of Wind Speed Profile using Artificial Neural Network - Feasibility Study in Peninsular Malaysia. Jurnal Teknologi (Sciences and Engineering), 2015, 74, .	0.4	3
59	Bluetooth-Based Home Automation System Using an Android Phone. Jurnal Teknologi (Sciences and) Tj $$ ETQq $$ 1 $$ 1 $$	0.784314 0.4	rgBT /Overlo
60	Dynamic Hysteresis Based Modeling Of Piezoelectric Actuators. Jurnal Teknologi (Sciences and) Tj ETQq0 0 0 rgB	T /O.yerloc	k 10 Tf 50 5
61	Resonant Control of a Single-Link Flexible Manipulator. Jurnal Teknologi (Sciences and Engineering), 2014, 67, .	0.4	4
62	Improved input shaping technique for a nonlinear system. , 2014, , .		3
63	An analysis of X-Y table performance via input shaping. , 2014, , .		0
64	A hybrid control approach for precise positioning of a piezo-actuated stage. , 2014, , .		7
65	System Identification and LMI Based Robust PID Control of a Two-Link Flexible Manipulator. Telkomnika (Telecommunication Computing Electronics and Control), 2014, 12, 829.	0.8	8
66	Dynamic characterisation of a two-link flexible manipulator: theory and experiments. Advances in Robotics Research, 2014, 1, 61-79.	0.1	9
67	Anti-Sway Control Schemes of a Boom Crane Using Command Shaping Techniques. Jurnal Teknologi (Sciences and Engineering), 2014, 67, .	0.4	O
68	Optimal PID controller parameters for nonlinear gantry crane system via MOPSO technique., 2013,,.		8
69	Dynamic Behaviour of a Nonlinear Gantry Crane System. Procedia Technology, 2013, 11, 419-425.	1.1	24
70	Input Shaping Techniques for Anti-sway Control of a 3-DOF Rotary Crane System., 2013,,.		13
71	Fuzzy modeling and control of rotary inverted pendulum system using LQR technique. IOP Conference Series: Materials Science and Engineering, 2013, 53, 012009.	0.6	6
72	A Hybrid Controller for Control of a 3-DOF Rotary Crane System. , 2013, , .		4

#	Article	IF	Citations
73	Optimal Performance of a Nonlinear Gantry Crane System via Priority-based Fitness Scheme in Binary PSO Algorithm. IOP Conference Series: Materials Science and Engineering, 2013, 53, 012011.	0.6	10
74	PSO-tuned PID controller for a nonlinear gantry crane system. , 2012, , .		33
75	An experiment for position and sway control of a 3D gantry crane. , 2012, , .		8
76	Dynamic Model and Robust Control of Flexible Link Robot Manipulator. Telkomnika (Telecommunication Computing Electronics and Control), 2011, 9, 279.	0.8	46
77	Dynamic Modelling and Characterisation of a Two-Link Flexible Robot Manipulator. Journal of Low Frequency Noise Vibration and Active Control, 2010, 29, 207-219.	2.9	31
78	The Investigations of Command Shaping and Non-Collocated PID Schemes in Hybrid Trajectory and Sway Control of a DPTOC System. Research Journal of Applied Sciences, 2010, 5, 320-327.	0.1	0
79	Techniques of vibration and end-point trajectory control of flexible manipulator. , 2009, , .		2
80	Effect of Beam's Length on the Dynamic Modelling of Flexible Manipulator System., 2009,,.		0
81	Dynamic modelling of a two-link flexible manipulator system incorporating payload. , 2008, , .		17
82	Optimization of pid controllers for a flexible robot manipulator using metamodeling approach. , 2008, , .		6
83	Vibration Suppression Techniques in Feedback Control of a Very Flexible Robot Manipulator., 2008,,.		3
84	Inverse dynamic analysis with feedback control for vibration-free positioning of a gantry crane system. , 2008, , .		5
85	Hybrid Input Shaping and Feedback Control Schemes of a Flexible Robot Manipulator. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 11714-11719.	0.4	17
86	Techniques for vibration control of a flexible robot manipulator. Robotica, 2006, 24, 499-511.	1.9	36
87	Hybrid learning control schemes with input shaping of a flexible manipulator system. Mechatronics, 2006, 16, 209-219.	3.3	46
88	Simulation and Experimental Studies of Hybrid Learning Control with Acceleration Feedback for Flexible Manipulators., 2006,, 567-574.		0
89	Vibration control of a very flexible manipulator system. Control Engineering Practice, 2005, 13, 267-277.	5.5	120
90	Command shaping techniques for vibration control of a flexible robot manipulator. Mechatronics, 2004, 14, 69-90.	3.3	110

#	Article	IF	CITATIONS
91	Hybrid Learning Control With Input Shaping for Input Tracking and Vibration Suppression of a Flexible Manipulator., 2004,,.		0
92	Approaches for dynamic modelling of flexible manipulator systems. IET Control Theory and Applications, 2003, 150, 401-411.	1.7	102
93	Hybrid control schemes for input tracking and vibration suppression of a flexible manipulator. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2003, 217, 23-34.	1.0	4
94	Hybrid control schemes for input tracking and vibration suppression of a flexible manipulator. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2003, 217, 23-34.	1.0	3
95	Vibration control of a single-link flexible manipulator using command shaping techniques. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2002, 216, 191-210.	1.0	39
96	Dynamic characterisation of a flexible manipulator system. Robotica, 2001, 19, 571-580.	1.9	59
97	Dynamic Modelling of a Flexible Manipulator System Incorporating Payload: Theory and Experiments. Journal of Low Frequency Noise Vibration and Active Control, 2000, 19, 209-229.	2.9	12
98	Finite element approach to dynamic modelling of a flexible robot manipulator: performance evaluation and computational requirements. Communications in Numerical Methods in Engineering, 1999, 15, 669-678.	1.3	12
99	Modelling of a Flexible Robot Manipulator Using Finite Element Methods: A Symbolic Approach. Journal of Low Frequency Noise Vibration and Active Control, 1999, 18, 63-76.	2.9	4
100	Finite difference and finite element approaches to dynamic modelling of a flexible manipulator. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 1997, 211, 145-156.	1.0	21
101	Dynamic characterisation of a flexible manipulator system: theory and experiments. , 0, , .		2
102	Vibration control of pitch movement using command shaping techniques., 0, , .		3
103	Performance Analysis for a Gantry Crane System (GCS) Using Priority-Based Fitness Scheme in Binary Particle Swarm Optimization. Advanced Materials Research, 0, 903, 285-290.	0.3	4
104	Optimal Composite Nonlinear Feedback Controller for an Active Front Steering System. Applied Mechanics and Materials, 0, 554, 526-530.	0.2	7
105	Performance Of Hybrid Learning Control With Input Shaping For Input Tracking And Vibration Suppression Of A Flexible Manipulator. Jurnal Teknologi (Sciences and Engineering), 0, , .	0.4	1
106	The Application Of Computer Algebra In Modelling And Vibration Control Of A Flexible Manipulator. Jurnal Teknologi (Sciences and Engineering), 0, , .	0.4	0