
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3700137/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Review of Military Casualties in Modern Conflicts—The Re-emergence of Casualties From Armored Warfare. Military Medicine, 2022, 187, e313-e321.	0.8	15
2	Civilian-Military Collaboration before and during COVID-19 Pandemic—A Systematic Review and a Pilot Survey among Practitioners. Sustainability, 2022, 14, 624.	3.2	12
3	Regional and experiential differences in surgeon preference for the treatment of cervical facet injuries: a case study survey with the AO Spine Cervical Classification Validation Group. European Spine Journal, 2021, 30, 517-523.	2.2	26
4	Variation in global treatment for subaxial cervical spine isolated unilateral facet fractures. European Spine Journal, 2021, 30, 1635-1650.	2.2	2
5	Does knowledge of the primary tumour affect survival after surgery for spinal metastatic disease? A retrospective longitudinal cohort study. BMJ Open, 2021, 11, e050538.	1.9	0
6	The Development of Swedish Military Healthcare System: Part II—Re-evaluating the Military and Civilian Healthcare Systems in Crises Through a Dialogue and Study Among Practitioners. Military Medicine, 2021, 186, e442-e450.	0.8	17
7	Estimating the Number of Civilian Casualties in Modern Armed Conflicts–A Systematic Review. Frontiers in Public Health, 2021, 9, 765261.	2.7	28
8	Survival after surgery for spinal metastatic disease: a nationwide multiregistry cohort study. BMJ Open, 2021, 11, e049198.	1.9	0
9	Predictive Scores Underestimate Survival of Patients With Metastatic Spine Disease. Spine, 2020, 45, 414-419.	2.0	9
10	279. Indications, survival and cause of death after surgery for spinal metastatic disease: a retrospective study of 1,820 patients in Sweden 2006-2016. Spine Journal, 2020, 20, S139.	1.3	0
11	The History of Swedish Military Healthcare System and Its Path Toward Civilian-Military Collaboration From a Total Defense Perspective. Military Medicine, 2020, 185, e1492-e1498.	0.8	12
12	Swedish emergency hospital surgical surge capacity to mass casualty incidents. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2020, 28, 12.	2.6	13
13	Current Best Practices and Emerging Approaches in the Management of Acute Spinal Trauma. Advances in Orthopedics, 2019, 2019, 1-2.	1.0	0
14	Artificial disc replacement versus fusion in patients with cervical degenerative disc disease and radiculopathy: a randomized controlled trial with 5-year outcomes. Journal of Neurosurgery: Spine, 2019, 30, 323-331.	1.7	31
15	Characteristics of deformity surgery in patients with severe and rigid cervical kyphosis (CK): results of the CSRS-Europe multi-centre study project. European Spine Journal, 2019, 28, 324-344.	2.2	28
16	C1 Lateral Mass Screw Fixation. , 2019, , 253-257.		1
17	The Relationship between the Occipitocervical Junction and Thoracic Kyphosis in Ankylosing Spondylitis: A Retrospective Cohort Study of 86 Cervical Fractures in Surgically Treated Patients. Asian Spine Journal, 2019, 13, 103-110.	2.0	1
18	Artificial disc replacement versus fusion in patients with cervical degenerative disc disease with radiculopathy: 5-year outcomes from the National Swedish Spine Register. Journal of Neurosurgery: Spine, 2019, 30, 159-167.	1.7	11

#	Article	IF	CITATIONS
19	Surgical treatment improves survival of elderly with axis fracture—a national population-based multiregistry cohort study. Spine Journal, 2018, 18, 1853-1860.	1.3	14
20	Validation of the visual analog scale in the cervical spine. Journal of Neurosurgery: Spine, 2018, 28, 227-235.	1.7	81
21	Regional Differences in Diffuse Idiopathic Skeletal Hyperostosis. Spine, 2018, 43, E1474-E1478.	2.0	10
22	Surgical vs. non-surgical management of displaced type-2 odontoid fractures in patients aged 75Âyears and older: study protocol for a randomised controlled trial. Trials, 2018, 19, 452.	1.6	9
23	Clinical and Radiological Comparison between Three Different Minimally Invasive Surgical Fusion Techniques for Single-Level Lumbar Isthmic and Degenerative Spondylolisthesis: Minimally Invasive Surgical Posterolateral Fusion versus Minimally Invasive Surgical Transforaminal Lumbar Interbody Fusion versus Midline Lumbar Fusion. Asian Spine Journal. 2018, 12, 870-879.	2.0	33
24	Finite Element Analysis of Long Posterior Transpedicular Instrumentation for Cervicothoracic Fractures Related to Ankylosing Spondylitis. Global Spine Journal, 2018, 8, 570-578.	2.3	7
25	Posttraumatic Spinal Cord Injury without Radiographic Abnormality. Advances in Orthopedics, 2018, 2018, 1-10.	1.0	37
26	Safety of a novel modular cage for transforaminal lumbar interbody fusion â^' clinical cohort study in 20 patients with degenerative disc disease. Sicot-j, 2018, 4, 24.	1.8	2
27	Effects of preoperative mental distress versus surgical modality, arthroplasty, or fusion on long-term outcome in patients with cervical radiculopathy. Journal of Neurosurgery: Spine, 2018, 29, 371-379.	1.7	12
28	Spine registries generate patient benefit in the century of big data. Spine Journal, 2017, 17, 755-756.	1.3	1
29	Anxiety and depression affect pain drawings in cervical degenerative disc disease. Upsala Journal of Medical Sciences, 2017, 122, 99-107.	0.9	10
30	Women do not fare worse than men after lumbar fusion surgery. Spine Journal, 2017, 17, 656-662.	1.3	36
31	Pain drawings predict outcome of surgical treatment for degenerative disc disease in the cervical spine. Upsala Journal of Medical Sciences, 2017, 122, 194-200.	0.9	10
32	Characteristics of Deformity Surgery for Patients with Rigid Cervical Kyphosis: Results of an International Multicenter Study. Spine Journal, 2017, 17, S241.	1.3	0
33	Potential harms of interventions for spinal metastatic disease. The Cochrane Library, 2017, , .	2.8	Ο
34	C2 Fracture Subtypes, Incidence, and Treatment Allocation Change with Age: A Retrospective Cohort Study of 233 Consecutive Cases. BioMed Research International, 2017, 2017, 1-7.	1.9	44
35	Epidemiology of C2 Fractures in the 21st Century: A National Registry Cohort Study of 6,370 Patients from 1997 to 2014. Advances in Orthopedics, 2017, 2017, 1-8.	1.0	28
36	Do biological disease-modifying antirheumatic drugs reduce the spinal fracture risk related to ankylosing spondylitis? A longitudinal multiregistry matched cohort study. BMJ Open, 2017, 7, e016548.	1.9	0

#	Article	IF	CITATIONS
37	The importance of the occipitocervical area in patients with ankylosing spondylitis analysis of a cohort of 86 cervical fractures in surgically treated patients. Journal of Craniovertebral Junction and Spine, 2017, 8, 374.	0.8	2
38	Retroperitoneal packing or angioembolization for haemorrhage control of pelvic fractures—Quasi-randomized clinical trial of 56 haemodynamically unstable patients with Injury Severity Score ≥33. Injury, 2016, 47, 395-401.	1.7	83
39	Surgical Stabilization Improves Survival of Spinal Fractures Related to Ankylosing Spondylitis. Spine, 2015, 40, 1697-1702.	2.0	24
40	Epidemiology of atlas fractures—a national registry–based cohort study of 1,537 cases. Spine Journal, 2015, 15, 2332-2337.	1.3	40
41	Complications and Survival After Long Posterior Instrumentation of Cervical and Cervicothoracic Fractures Related to Ankylosing Spondylitis or Diffuse Idiopathic Skeletal Hyperostosis. Spine, 2015, 40, E227-E233.	2.0	28
42	Blood Loss in Surgery for Aggressive Vertebral Haemangioma with and without Embolisation. Asian Spine Journal, 2015, 9, 483.	2.0	39
43	Management of Anterior Column Defects in Pyogenic Spondylodiscitis: A Systematic Review. Global Spine Journal, 2015, 5, s-0035-1554388-s-0035-1554388.	2.3	0
44	Systematic Review on Surgical and Nonsurgical Treatment of Type II Odontoid Fractures in the Elderly. BioMed Research International, 2014, 2014, 1-7.	1.9	63
45	Increased occurrence of spinal fractures related to ankylosing spondylitis: a prospective 22-year cohort study in 17,764 patients from a national registry in Sweden. Patient Safety in Surgery, 2013, 7, 2.	2.3	43
46	Instrumentation in lumbar fusion improves back pain but not quality of life 2 years after surgery. Monthly Notices of the Royal Astronomical Society: Letters, 2013, 84, 7-11.	3.3	12
47	Vertebroplasty and kyphoplasty—A systematic review of cement augmentation techniques for osteoporotic vertebral compression fractures compared to standard medical therapy. Maturitas, 2012, 72, 42-49.	2.4	43
48	Kyphoplasty in osteoporotic vertebral compression fractures - Guidelines and technical considerations. Journal of Orthopaedic Surgery and Research, 2011, 6, 43.	2.3	70
49	Pharmacological strategies to reduce pruritus during postoperative epidural analgesia after lumbar fusion surgery - a prospective randomized trial in 150 patients. Patient Safety in Surgery, 2011, 5, 10.	2.3	4
50	Insertion torque is not a good predictor of pedicle screw loosening after spinal instrumentation: a prospective study in 8 patients. Patient Safety in Surgery, 2010, 4, 14.	2.3	17
51	Reconstruction of large defects in vertebral osteomyelitis with expandable titanium cages. International Orthopaedics, 2009, 33, 745-749.	1.9	40
52	Spine imaging after lumbar disc replacement: pitfalls and current recommendations. Patient Safety in Surgery, 2009, 3, 15.	2.3	6
53	Pitfalls and complications in the treatment of cervical spine fractures in patients with ankylosing spondylitis. Patient Safety in Surgery, 2008, 2, 15.	2.3	31
54	Complications and safety aspects of kyphoplasty for osteoporotic vertebral fractures: a prospective follow-up study in 102 consecutive patients. Patient Safety in Surgery, 2008, 2, 2.	2.3	55

#	Article	IF	CITATIONS
55	Apoptosis of human intervertebral discs after trauma compares to degenerated discs involving both receptorâ€mediated and mitochondrialâ€dependent pathways. Journal of Orthopaedic Research, 2008, 26, 999-1006.	2.3	72
56	Evidenceâ€based management of anaemia in severely injured patients. Acta Anaesthesiologica Scandinavica, 2008, 52, 587-590.	1.6	2
57	Impaired erythropoiesis after haemorrhagic shock in mice is associated with erythroid progenitor apoptosis <i>in vivo</i> . Acta Anaesthesiologica Scandinavica, 2008, 52, 605-613.	1.6	13
58	P10. Reconstruction of Large Spondylitic Defects with Expandable Titanium Cages. Spine Journal, 2008, 8, 106S.	1.3	0
59	Biphasic onset of splenic apoptosis following hemorrhagic shock: critical implications for Bax, Bcl-2 and Mcl-1 proteins. Critical Care, 2008, 12, R8.	5.8	16
60	Evidence supporting the use of bone morphogenetic proteins for spinal fusion surgery. Expert Review of Medical Devices, 2008, 5, 75-84.	2.8	28
61	Blood Stream Infections of Abdominal Origin in the Intensive Care Unit: Characteristics and Determinants of Death. Surgical Infections, 2008, 9, 171-177.	1.4	46
62	Successful treatment of spondylodiscitis using titanium cages: A 3-year follow-up of 22 consecutive patients. Monthly Notices of the Royal Astronomical Society: Letters, 2008, 79, 660-664.	3.3	32
63	Arterial Oxygen Saturation and Hemoglobin Mass in Postmenopausal Untrained and Trained Altitude Residents. High Altitude Medicine and Biology, 2007, 8, 296-306.	0.9	14
64	Errors in handling and manufacturing of orthopaedic implants: the tip of the iceberg of an unrecognized system problem?. Patient Safety in Surgery, 2007, 1, 5.	2.3	7
65	Brown-Séquard syndrome caused by a high velocity gunshot injury: a case report. Spinal Cord, 2007, 45, 579-582.	1.9	5
66	Traumatic proximal tibiofibular joint dislocation treated by open reduction and temporary fixation: a case report. Knee Surgery, Sports Traumatology, Arthroscopy, 2007, 15, 199-201.	4.2	25
67	Erythrocyte Aspartate Aminotransferase Activity as a Possible Indirect Marker for Stimulated Erythropoiesis in Male and Female Athletes. Laboratory Hematology: Official Publication of the International Society for Laboratory Hematology, 2007, 13, 49-55.	1.2	6
68	Erythropoiesis in Multiply Injured Patients. Journal of Trauma, 2006, 61, 1285-1291.	2.3	42
69	Traumatic cervical instability in martial arts. Scandinavian Journal of Medicine and Science in Sports, 2006, 17, 061120070736005-???.	2.9	1
70	Spinal extradural meningeal cyst with spinal stenosis. Spinal Cord, 2006, 44, 457-460.	1.9	8
71	Intravascular Hemolysis and Mean Red BloodCell Age in Athletes. Medicine and Science in Sports and Exercise, 2006, 38, 480-483.	0.4	53
72	Operative Treatment of Unstable Odontoid Fractures in the Geriatric Population. Topics in Spinal Cord Injury Rehabilitation, 2006, 12, 12-19.	1.8	1