

Henrik Palm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3701971/publications.pdf>

Version: 2024-02-01

30
papers

804
citations

623734

14
h-index

501196

28
g-index

32
all docs

32
docs citations

32
times ranked

917
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrity of the Lateral Femoral Wall in Intertrochanteric Hip Fractures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007, 89, 470-475.	3.0	167
2	Time to Surgery Is Associated with Thirty-Day and Ninety-Day Mortality After Proximal Femoral Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1333-1339.	3.0	160
3	A new algorithm for hip fracture surgery. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 26-30.	3.3	66
4	Hip fractures in the non-elderly—Who, why and whither?. <i>Injury</i> , 2018, 49, 1445-1450.	1.7	52
5	Influence of surgeon's experience and supervision on re-operation rate after hip fracture surgery. <i>Injury</i> , 2007, 38, 775-779.	1.7	40
6	Regaining pre-fracture basic mobility status after hip fracture and association with post-discharge mortality and readmission—a nationwide register study in Denmark. <i>Age and Ageing</i> , 2019, 48, 278-284.	1.6	36
7	Feasibility of Progressive Strength Training Implemented in the Acute Ward after Hip Fracture Surgery. <i>PLoS ONE</i> , 2014, 9, e93332.	2.5	33
8	Effectiveness of acute in-hospital physiotherapy with knee-extension strength training in reducing strength deficits in patients with a hip fracture: A randomised controlled trial. <i>PLoS ONE</i> , 2017, 12, e0179867.	2.5	31
9	Osteosynthesis with Parallel Implants in the Treatment of Femoral Neck Fractures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 1682-1690.	3.0	27
10	High reliability of an algorithm for choice of implants in hip fracture patients. <i>International Orthopaedics</i> , 2013, 37, 1121-1126.	1.9	23
11	Risk of reoperation within 12 months following osteosynthesis of a displaced femoral neck fracture is linked mainly to initial fracture displacement while risk of death may be linked to bone quality: a cohort study from Danish Fracture Database. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 1-75.	3.3	21
12	Lacking evidence for performance of implants used for proximal femoral fractures — A systematic review. <i>Injury</i> , 2016, 47, 586-594.	1.7	17
13	Proximal femoral fractures: Can we improve further surgical treatment pathways?. <i>Injury</i> , 2015, 46, S47-S51.	1.7	15
14	No association between surgical delay and mortality following distal femoral fractures. A study from the danish fracture database collaborators. <i>Injury</i> , 2017, 48, 2833-2837.	1.7	14
15	Should Pertrochanteric and Subtrochanteric Fractures Be Treated with a Short or Long Intramedullary Nail?. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 2291-2298.	3.0	14
16	Identifying Technical Procedures in Orthopaedic Surgery and Traumatology That Should Be Integrated in a Simulation-Based Curriculum. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, e108.	3.0	11
17	Quality indicators in the treatment of geriatric hip fractures: literature review and expert consensus. <i>Archives of Osteoporosis</i> , 2021, 16, 152.	2.4	10
18	Frailty and osteoporosis in patients with hip fractures under the age of 60—a prospective cohort of 218 individuals. <i>Osteoporosis International</i> , 2022, 33, 1037-1055.	3.1	10

#	ARTICLE	IF	CITATIONS
19	Living settings and cognitive impairment are stronger predictors of nursing home admission after hip fracture surgery than physical comorbidities A nationwide Danish cohort study. <i>Injury</i> , 2020, 51, 2289-2294.	1.7	7
20	Sex differences in incidence rate, and temporal changes in surgical management and adverse events after hip fracture surgery in Denmark 1997-2017: a register-based study of 153,058 hip fracture patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 424-430.	3.3	7
21	Profiling Bispebjerg Acute Cohort: Database Formation, Acute Contact Characteristics of a Metropolitan Hospital, and Comparisons to Urban and Rural Hospitals in Denmark. <i>Clinical Epidemiology</i> , 2022, Volume 14, 409-424.	3.0	7
22	Creatinine-Based Renal Function Estimates and Dosage of Postoperative Pain Management for Elderly Acute Hip Fracture Patients. <i>Pharmaceuticals</i> , 2018, 11, 88.	3.8	6
23	Rising to the challenge of fragility fractures. <i>Injury</i> , 2018, 49, 1392.	1.7	5
24	Methylprednisolone and inflammatory stress response in older people undergoing surgery for hip fracture: a secondary analysis of a randomized controlled trial. <i>European Geriatric Medicine</i> , 2019, 10, 913-921.	2.8	5
25	Implant positioning (IMPO) in undisplaced femoral neck fractures: Association to reoperation and development of an IMPO scoring system. <i>Injury</i> , 2020, 51, 372-379.	1.7	5
26	A medical history of arterial thrombosis is a strong predictor of post-operative myocardial infarction and stroke in patients with hip fractures—a nationwide cohort study. <i>Age and Ageing</i> , 2021, 50, 1252-1260.	1.6	5
27	Introducing the "hip call" to facilitate early surgical treatment of hip fractures: A feasibility study. <i>Acta Anaesthesiologica Scandinavica</i> , 2020, 64, 1202-1209.	1.6	4
28	Risk of hospitalization and hip fracture associated with psychotropic polypharmacy in patients with dementia: A nationwide register-based study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1691-1698.	2.7	3
29	Intensive screening for osteoporosis in patients with hip fracture. <i>Archives of Osteoporosis</i> , 2019, 14, 63.	2.4	1
30	O2-01-06: TREATMENT OF PAIN AFTER HIP FRACTURE IN ELDERLY WITH AND WITHOUT DEMENTIA. , 2014, 10, P164-P165.		0